

STATE OF OHIO
DEPARTMENT OF HIGHWAYS
TESTING LABORATORY

LOG OF BORING

CO. RT. NO. SEC. FRA-40-12.82 BRIDGE NO. FRA-40-133A
THIRD PIER S. INNERBELT UNDER FOURTH ST.
 LOCATION: T.H. 8 B STA. 52+58 OFFSET 30' LT. FED. NO. _____

ELEV.	DEPTH	NO. BLOWS	SAMPLE NO.	DESCRIPTION
751.9	0			Sidewalk
	2			
	4			
746.9	6	3/4	22544	Brown Silty Gravel
	8			
741.9	10			
	12	18/24	22545	Brown Silty Sand
	14			
736.9	16	22/34	22546	Gray Sandy Silt
	18			
731.9	20			
	22	37/70	22547	Gray Gravelly Sand
729.4	24	23/45	22548	Gray Silty Gravelly Sand
726.9	26	15/50	22549	Gray Silty Gravelly Sand
724.4	28	57/66	22550	Gray Silty Gravelly Sand
721.9	30			
	32	18/80	22551	Gray Silty Gravelly Sand
719.4	34	54/50	22552	Gray Silty Gravelly Sand
716.9	36	18/28	22553	Gray Silt and Clay