



Office of Geotechnical Engineering

B-001-0-16



Run #:	Depth		Recovery		RQD	
NQ2-1	7.5'	12.0'	43/54	80%	15/54	28%
ATH-56-0-90 PID 119908						



Office of Geotechnical Engineering

B-001-0-16



Run #:	Depth		Recovery		RQD	
NQ2-2	12.0'	22.0'	101/120	84%	46/120	38%
ATH-56-0-90 PID 119908						



Office of Geotechnical Engineering

B-001-0-16



Run #:		Depth		Recovery		RQD	
NQ2-3		22.0'	32.0'	110/120	92%	58/120	48%
ATH-56-0-90 PID 119908							



Office of Geotechnical Engineering

B-001-0-16



Run #:		Depth		Recovery		RQD	
NQ2-4		32.0'	42.0'	116/120	97%	104/120	87%
ATH-56-0-90 PID 119908							



DESIGNER		ARR	
REVIEWER		SAT 02/28/25	
PROJECT ID		119908	
SUBSET	TOTAL		
10	17		
SHEET	TOTAL		
P.60	67		



Office of Geotechnical Engineering

B-001-0-16



Run #:	Depth		Recovery		RQD	
NQ2-5	42.0'	52.0'	94/120	78%	53/120	44%
ATH-56-0-90 PID 119908						



Office of Geotechnical Engineering

B-001-0-16



Run #:	Depth		Recovery		RQD	
NQ2-6	52.0'	62.0'	120/120	100%	109/120	91%
ATH-56-0-90 PID 119908						



Office of Geotechnical Engineering

B-001-0-16



Run #:	Depth		Recovery		RQD	
NQ2-7	62.0'	72.0'	119/120	99%	89/120	74%
ATH-56-0-90 PID 119908						



Office of Geotechnical Engineering

B-001-0-16



Run #:	Depth		Recovery		RQD	
NQ2-8	72.0'	82.0'	120/120	100%	120/120	100%
ATH-56-0-90 PID 119908						



Office of Geotechnical Engineering

B-001-0-16



Run #:	Depth		Recovery		RQD	
NQ2-9	82.0'	92.0'	119/120	99%	106/120	88%
ATH-56-0-90 PID 119908						



Office of Geotechnical Engineering

B-001-0-16



Run #:	Depth		Recovery		RQD	
NQ2-10	92.0'	97.0'	60/60	100%	60/60	100%
ATH-56-0-90 PID 119908						



Office of Geotechnical Engineering

B-002-0-23



Run #:	Depth	Recovery	RQD	
NQ2-1	10.0'	19/36	53%	0/36
				0%
ATH-56-0-90 PID 119908				



Office of Geotechnical Engineering

B-002-0-23



Run #:	Depth	Recovery	RQD	
NQ2-2	13.0'	60/60	100%	32/60
NQ2-3	18.0'	36/60	60%	20/60
ATH-56-0-90 PID 119908				



Office of Geotechnical Engineering

B-002-0-23



Run #:	Depth		Recovery		RQD	
NQ2-4	23.0'	28.0'	59/60	98%	29/60	48%
NQ2-5	28.0'	33.0'	49/60	82%	27/60	45%
ATH-56-0-90 PID 119908						



Office of Geotechnical Engineering

B-002-0-23



Run #:	Depth		Recovery		RQD	
NQ2-6	33.0'	39.0'	72/72	100%	10/72	14%
NQ2-7	39.0'	43.0'	45/48	94%	28/48	58%
ATH-56-0-90 PID 119908						



DESIGNER	
ARR	
REVIEWER	
SAT 02/28/25	
PROJECT ID	
119908	
SUBSET	TOTAL
15	17
SHEET	TOTAL
P.65	67



Office of Geotechnical Engineering

B-002-0-23



Run #:	Depth		Recovery		RQD	
NQ2-8	43.0'	48.0'	56/60	93%	35/60	58%
NQ2-9	48.0'	53.0'	60/60	100%	58/60	97%
ATH-56-0-90 PID 119908						



Office of Geotechnical Engineering

B-002-0-23



Run #:	Depth		Recovery		RQD	
NQ2-10	53.0'	58.0'	48/60	80%	14/60	23%
NQ2-11	58.0'	63.0'	57/60	95%	24/60	40%
ATH-56-0-90 PID 119908						



Office of Geotechnical Engineering

B-002-0-23



Run #:	Depth		Recovery		RQD	
NQ2-12	63.0'	68.0'	53/60	88%	14/60	23%
NQ2-13	68.0'	73.0'	55/60	92%	28/60	47%
ATH-56-0-90 PID 119908						

DESIGN AGENCY	
DESIGNER	ARR
REVIEWER	SAT
PROJECT ID	
119908	
SUBSET	TOTAL
17	17
SHEET	TOTAL
P.67	67