




1. Roadway castings include any castings within the brick portion of the brick roadway and may include sanitary manholes, catch basins, water valves, gas valves, and other castings.
2. Concrete shall at a minimum conform to City of Columbus CMSC Item 511, Class COC6.
3. Epoxy Coated Reinforcing steel shall at a minimum conform to City of Columbus CMSC Item 509, Grade 60.
4. Minimum reinforcement, unless otherwise shown, shall be #4 Bars, each way, at 12" spacing. Use of galvanized (Grade 60 Min) welded wire reinforcing is permitted in lieu of detailed reinforcing. The welded wire reinforcing shall be a minimum of 4x4 - W2.9xW2.9 with a minimum of 2 layers in the horizontal plane and 1 layer in the vertical plane. Details shown in this drawing depict a schematic representation of the two layers of welded wire reinforcing to be installed.



CONCRETE COLLAR FOR ROADWAY CASTINGS IN BRICK PAVEMENT


CITY OF COLUMBUS
DEPARTMENT OF PUBLIC SERVICE
DIVISION OF DESIGN AND CONSTRUCTION

4/1/19

LEGEND:



- VERTICAL LEGS OF WELDED WIRE MESH BLOCK



- HORIZONTAL PLANE TO BE TWO THICKNESSES OF WIRE MESH