

Xu, Jiazhe

From: agt_comm@irth.com
Sent: Wednesday, June 11, 2025 1:33 PM
To: Xu, Jiazhe
Subject: Seq# 1: A516202256 for AEPP1
Attachments: A516202256.pdf; Dept - AEP Contact Info and Legend 01-06-25.pdf

[You don't often get email from agt_comm@irth.com. Learn why this is important at <https://aka.ms/LearnAboutSenderIdentification>]

AEPP1 00305 OUPSa 06/11/25 10:55:35 A516202256-00A ROUT NEW POLY DSGN

Ticket : A516202256 Rev: 00A Taken: 06/11/25 10:46 AM Channel: WEB

State: OH Cnty: FRANKLIN Place: COLUMBUS
State: OH Cnty: FRANKLIN Place: GAHANNA
State: OH Cnty: FRANKLIN Place: WHITEHALL

Address : Street: S R 317
Cross 1 : E 5TH AVE
Cross 2 : TECH CENTER DR
Rail/Hwy: HWY Milemarker(s): MM 15.99 TO MM 16.73
Where : S R 317 FROM CSX RR OVERPASS (924 FT SOUTH OF E 5TH AVE) TO BRIDGE
: OVER BIG WALNUT CREEK (485 FT SOUTH OF TECH CENTER DR) IN CITY OF
: COLUMBUS, FRANKLIN CTY. BOTH SIDES OF ROAD. DISTANCES OFF OF ROAD: 30
: FT

WorkType: ROAD RESURFACING
Done for: ODOT
Done by : HIRED OUT
Whitelined: N Blasting: N
Means of Excavation:

Work date: 06/26/25 10:55 AM
Start by : 06/26/25 10:55 AM Response Due: 06/26/25 10:55 AM

Best Fit: 39.997808/-82.869069 39.997688/-82.867618
: 39.985767/-82.870068 39.985647/-82.868617

Comments:

Design call back requested: N Mailing of plan drawings requested: Y
Caller : JIAZHE XU Phone: 614-886-5298
Company : ODOT Type: CONT
Co addr : 400 E. WILLIAM STREET
City : DELAWARE St: OH Zip: 43015
Alt cont: JIAZHE XU Phone:
Email: JIAZHE.XU@DOT.OHIO.GOV

Members:

AEPP1 =AEP OHIO - COLUMBUS(UTILIQUEST CAPP =COLUMBUS REGIONAL AIRPORT
CGEP =COLUMBIA GAS OF OHIO-COLUMBUS(CGNP =COLUMBIA GAS OF OHIO-COLUMBUS(
CLBP =COLUMBUS - CITY OF/NORTHERN LI CMSP =COLUMBUS - CITY OF (TRAFFIC)
CWHS =WHITEHALL - CITY OF (SEWER) CWHT =WHITEHALL - CITY OF (TRAFFIC)
CWHW =WHITEHALL - CITY OF (WATER) GAH =GAHANNA - CITY OF
MCIP =MCI TELECOMMUNICATIONS INC OBFP =AT&T - OHIO
ODTCITS=ODOT CENTRAL ITS SCLP =COLUMBUS DEPT OF UTILITIES - C
WCOP =CHARTER COMM(SPECTRUM/TIME WAR

View map at:

https://gcc02.safelinks.protection.outlook.com/?url=https%3A%2F%2Fnewtin.oups.org%2Fnewtinweb%2Fmap_tkt.nap%3FTRG%3DDACr5xDhEgGg7hGclSO&data=05%7C02%7CJIAZHE.XU%40DOT.OHIO.GOV%7Cf089e2c7c86b41d5fdab08dda90df4f7%7C50f8fcc494d84f0784eb36ed57c7c8a2%7C0%7C0%7C638852601089910726%7CUnknown%7CTWFpbGZsb3d8eyJFbXB0eU1hcGkiOnRydWUsIlYiOiIwLjAuMDAwMCIsIlAiOiJXaW4zMilskFOLjoiTWFPbClldUljoyfQ%3D%3D%7C0%7C%7C%7C&sdata=tRs%2BYl1yDIzxb%2Bx6pbh9cqGbPe0nxKmwD7uWJl%2BhuCV0%3D&reserved=0

CAUTION: This is an external email and may not be safe. If the email looks suspicious, please do not click links or open attachments and forward the email to csc@ohio.gov <<mailto:csc@ohio.gov>> or click the Phish Alert Button if available.