



PROPOSED TYPICAL SECTION - SHARED USE PATH
 STA. 9+75.00 TO STA. 38+25.00 = 2,850.00 L.F.

LEGEND

- | | |
|---|--|
| ① ITEM 441-1 1/4" ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), PG64-22 | ⑥ ITEM 659-SEEDING AND MULCHING, CLASS 1 |
| ② ITEM 107-NON TRACKING TACK COAT (0.10 GAL/S.Y.) | ⑦ ITEM 659-TOPSOIL |
| ③ ITEM 441-1" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (448) | ⑧ ITEM 204-EXCAVATION OF SUBGRADE (12") |
| ④ ITEM 304-6" AGGREGATE BASE | ⑨ ITEM 204-GRANULAR MATERIAL, TYPE B (12") |
| ⑤ ITEM 204-SUBGRADE COMPACTION AND PROOF ROLLING | ⑩ ITEM 204-GEOTEXTILE FABRIC |

* UNLESS OTHERWISE SHOWN ON CROSS SECTIONS

Changed Type 1 to Type 2

UTILITIES

LISTED BELOW ARE ALL UTILITIES LOCATED WITHIN THE PROJECT CONSTRUCTION LIMITS TOGETHER WITH THEIR RESPECTIVE OWNERS:

CABLE

AT&T
ATTN: HOWARD LAUDERMILK
7201 FAR HILLS AVENUE
CENTERVILLE, OHIO 45459
(937) 296-3588

ELECTRIC

DUKE ENERGY
ATTN: CHRIS TEPE
139 EAST 4TH STREET
CINCINNATI, OHIO 45202
(513) 514-8209

WATER & SANITARY

CITY OF SPRINGBORO
ATTN: CHAD DIXON
320 WEST CENTRAL AVENUE
SPRINGBORO, OHIO 45066
(937) 748-6184

GAS

DUKE ENERGY
ATTN: MARK BRANSCUM
139 EAST 4TH STREET
CINCINNATI, OHIO 45202
(513) 287-2517

THE LOCATION OF THE UNDERGROUND UTILITIES SHOWN ON THE PLANS ARE AS OBTAINED FROM THE OWNERS AS REQUIRED BY SECTION 153.64 O.R.C.

CONSTRUCTION NOISE

THE PROJECT WILL COMPLY WITH ALL LOCAL NOISE ORDINANCES.

SURVEYING PARAMETERS

SURVEY CONTROL WAS ESTABLISHED UTILIZING ODOT'S VIRTUAL REFERENCE SYSTEM.

ORTHOMETRIC HEIGHT DATUM: NAVD1988
GEOID: GEOD18

HORIZONTAL DATUM: NAD83(2011)
COORDINATE SYSTEM: OHIO STATE PLANE, SOUTH ZONE 3402
COMBINED SCALE FACTOR: 1.00000000 (GRID COORDINATES)
PROJECT ADJUSTMENT FACTOR: N/A
ORIGIN OF COORDINATE SYSTEM: 0,0

WORK LIMITS

THE WORK LIMITS SHOWN ON THESE PLANS ARE FOR PHYSICAL CONSTRUCTION ONLY. PROVIDE THE INSTALLATION AND OPERATION OF ALL WORK ZONE TRAFFIC CONTROL AND WORK ZONE TRAFFIC CONTROL DEVICES REQUIRED BY THESE PLANS WHETHER INSIDE OR OUTSIDE THESE WORK LIMITS.

ACCESS TO E. MILO BECK PARK SHALL BE MAINTAINED AT ALL TIMES DURING CONSTRUCTION ACTIVITIES.

TEMPORARY CONSTRUCTION FENCING SHALL BE INSTALLED ALONG PROPOSED CONSTRUCTION LIMITS PRIOR TO THE START OF CONSTRUCTION ACTIVITIES TO PROTECT THE SECTION 4(f) PROPERTY AND PUBLIC.

APPROPRIATE SIGNAGE SHALL BE INSTALLED TO ALERT USERS OF E. MILO BECK PARK TO CONSTRUCTION ACTIVITIES, IF IN PROXIMITY TO RECREATIONAL FACILITIES OR FEATURES.

THE CONTRACTOR SHALL BE REQUIRED TO CLOSELY COORDINATE THE CONSTRUCTION SCHEDULE WITH ODOT AND THE CITY OF SPRINGBORO PRIOR TO THE START OF CONSTRUCTION ACTIVITIES.

CONTINGENCY QUANTITIES

THE CONTRACTOR SHALL NOT ORDER MATERIALS OR PERFORM WORK FOR ITEMS DESIGNATED BY PLAN NOTE TO BE USED "AS DIRECTED BY THE ENGINEER" UNLESS AUTHORIZED BY THE ENGINEER. THE ACTUAL WORK LOCATIONS AND QUANTITIES USED FOR SUCH ITEMS SHALL BE INCORPORATED INTO THE FINAL CHANGE ORDER GOVERNING COMPLETION OF THIS PROJECT.

EROSION CONTROL

THE FOLLOWING QUANTITIES ARE PROVIDED TO PROMOTE GROWTH AND CARE OF PERMANENT SEEDED AREAS:

ITEM 659 - TOPSOIL	515 C.Y.
ITEM 659 - SEEDING AND MULCHING, CLASS 1	4,624 S.Y.
ITEM 659 - REPAIR SEEDING AND MULCHING	231 S.Y.
ITEM 659 - COMMERCIAL FERTILIZER	0.62 TON
ITEM 659 - WATER	25 M.GAL.
ITEM 832 - EROSION CONTROL	40,000 EACH

APPLY SEEDING AND MULCHING TO ALL AREAS OF EXPOSED SOIL BETWEEN THE RIGHT-OF-WAY LINES AND WITHIN THE CONSTRUCTION LIMITS FOR AREAS OUTSIDE THE RIGHT-OF-WAY LINES COVERED BY WORK AGREEMENT OR SLOPE EASEMENT. QUANTITY CALCULATIONS FOR SEEDING AND MULCHING ARE BASED ON THESE LIMITS.

UTILITIES NOTIFICATION

AT LEAST TWO WORKING DAYS PRIOR TO COMMENCING CONSTRUCTION OPERATIONS IN AN AREA WHICH MAY INVOLVE UNDERGROUND UTILITY FACILITIES, THE CONTRACTOR SHALL NOTIFY THE PROJECT ENGINEER, THE REGISTERED UTILITY PROTECTION SERVICE AND THE OWNERS OF EACH UNDERGROUND UTILITY FACILITY SHOWN IN THE PLANS.

THE OWNER OF THE UNDERGROUND FACILITY SHALL, WITHIN 48 HOURS (EXCLUDING SATURDAYS, SUNDAYS, AND LEGAL HOLIDAYS), MARK THE LOCATION OF THE UNDERGROUND UTILITY FACILITIES IN THE CONSTRUCTION AREA IN SUCH A MANNER AS TO INDICATE THEIR COURSE AND THE APPROXIMATE DEPTH AT WHICH THEY WERE INSTALLED. THE MARKING FOR LOCATING SHALL BE COORDINATED TO STAY APPROXIMATELY TWO DAYS AHEAD OF THE PLANNED CONSTRUCTION.

UNDERGROUND UTILITIES

THE LOCATIONS OF UNDERGROUND UTILITIES SHOWN ON THE PLANS ARE AS OBTAINED FROM THE OWNERS OF THE UTILITY AS REQUIRED BY SECTION 153.64 OF THE OHIO REVISED CODE.

THE LOCATIONS OF THE UNDERGROUND UTILITIES SHOWN ON THE PLANS HAVE BEEN OBTAINED BY DILIGENT FIELD CHECKS AND SEARCHES OF AVAILABLE RECORDS. IT IS BELIEVED THAT THEY ARE ESSENTIALLY CORRECT, BUT THE CITY DOES NOT GUARANTEE THEIR ACCURACY OR COMPLETENESS.

SUBGRADE IMPROVEMENT

NO LOCATIONS HAVE BEEN IDENTIFIED FOR REQUIRING SUBGRADE IMPROVEMENT BASED ON COMPLETION OF SOIL BORINGS. IF UNSUITABLE SOILS ARE ENCOUNTERED AS IDENTIFIED BY THE ENGINEER, THE UNSUITABLE SOIL SHALL BE EXCAVATED AND PAID FOR BY ITEM 204-EXCAVATION OF SUBGRADE, A LAYER OF ITEM 204-GEOTEXTILE FABRIC SHALL BE PLACED, AND THE SUBGRADE SHALL BE REPLACED USING ITEM 204-GRANULAR MATERIAL, TYPE B.

THE FOLLOWING QUANTITIES ARE PROVIDED FOR EXCAVATION AND REPLACEMENT OF UNSUITABLE SUBGRADE. THESE ITEMS SHALL NOT BE PERFORMED UNLESS DIRECTED BY THE CITY.

ITEM 204-EXCAVATION OF SUBGRADE	1200 C.Y.
ITEM 204-GRANULAR MATERIAL, TYPE B	1200 C.Y.
ITEM 204-GEOTEXTILE FABRIC	3600 S.Y.

ITEM 607-FENCE, MISC.: WOOD FENCE (RM-5.2)

THIS ITEM SHALL CONSIST OF CONSTRUCTING A WOOD BIKEWAY RAILING ACCORDING TO STANDARD CONSTRUCTION DRAWING RM-5.2 AT THE LOCATIONS SPECIFIED ON THE PLANS. ALL LABOR, EQUIPMENT, MATERIALS, AND INCIDENTALS REQUIRED TO PERFORM THIS WORK SHALL BE INCLUDED IN THE UNIT PRICE BID FOR ITEM 607-FENCE, MISC.: WOOD FENCE.

REVIEW OF DRAINAGE FACILITIES

BEFORE ANY WORK IS STARTED ON THE PROJECT AND BEFORE FINAL ACCEPTANCE BY THE CITY, REPRESENTATIVES OF THE CITY AND THE CONTRACTOR SHALL MAKE AN INSPECTION OF ALL EXISTING SEWER THAT MAY BE AFFECTED BY THE WORK AND ARE TO REMAIN IN SERVICE. THE CONDITION OF THE EXISTING CONDUITS AND THEIR APPURTENANCES SHALL BE DETERMINED FROM FIELD OBSERVATIONS. RECORDS OF THE INSPECTION SHALL BE KEPT IN WRITING BY THE CITY.

ALL NEW CONDUITS, INLETS, CATCH BASINS, AND MANHOLES CONSTRUCTED AS A PART OF THE PROJECT SHALL BE FREE OF ALL FOREIGN MATTER AND IN A CLEAN CONDITION BEFORE THE PROJECT WILL BE ACCEPTED BY THE CITY.

ALL EXISTING SEWERS INSPECTED INITIALLY BY THE ABOVE-MENTIONED PARTIES SHALL BE MAINTAINED AND LEFT IN A CONDITION REASONABLY COMPARABLE TO THAT DETERMINED BY THE ORIGINAL INSPECTION. ANY CHANGE IN THE CONDITION RESULTING FROM THE CONTRACTOR'S OPERATIONS SHALL BE CORRECTED BY THE CONTRACTOR TO THE SATISFACTION OF THE CITY.

Added Alternate Bid

EXISTING DRAINAGE FACILITIES

ANY DRAINAGE CONDUIT CURRENTLY CONNECTED TO THE EXISTING STORM SEWER SHALL BE CONNECTED TO THE PROPOSED STORM ANY DRAINAGE CONDUIT DAMAGED BY THE CONTRACTOR SHALL BE REPLACED BY THE CONTRACTOR TO A CONDITION EQUAL TO OR BETTER THAN ITS ORIGINAL CONDITION. ALL CONDUIT REMOVED, REPLACED AND/OR CONNECTED TO THE STORM SEWER SHALL BE NOTED ON THE RECORD DRAWINGS AND SHALL BE INSPECTED BY THE CITY BEFORE IT IS COVERED.

A CONCRETE COLLAR SHALL BE PROVIDED WHERE PROPOSED STORM SEWER PIPE IS CONNECTED TO AN EXISTING PIPE.

ALL FIELD OR STORM DRAINS WHICH ARE ENCOUNTERED DURING CONSTRUCTION SHALL BE PROVIDED WITH UNOBSTRUCTED OUTLETS OR PLUGGED AS APPROVED AND DIRECTED BY THE CITY.

THE LOCATION, TYPE, SIZE, AND GRADE OF THE NEW CONDUIT REQUIRED TO REPLACE OR EXTEND THE EXISTING DRAIN WILL BE DETERMINED BY THE CITY OR THE CITY'S REPRESENTATIVE DURING CONSTRUCTION.

Added Alternate Bid

CROSSINGS AND CONNECTIONS TO EXISTING PIPES AND UTILITIES

WHERE PLANS PROVIDE FOR A PROPOSED CONDUIT TO BE CONNECTED TO, OR CROSS OVER OR UNDER AN EXISTING SEWER OR UNDERGROUND UTILITY, THE CONTRACTOR SHALL LOCATE THE EXISTING PIPES OR UTILITIES BOTH AS TO LINE AND GRADE BEFORE STARTING TO LAY THE PROPOSED CONDUIT.

IF IT IS DETERMINED THAT THE ELEVATION OF THE EXISTING CONDUIT, OR EXISTING APPURTENANCE TO BE CONNECTED, DIFFERS FROM THE PLAN ELEVATION, OR RESULTS IN A CHANGE IN THE PLAN CONDUIT SLOPE, THE CITY SHALL BE NOTIFIED BEFORE STARTING CONSTRUCTION OF ANY PORTION OF THE PROPOSED CONDUIT WHICH WILL BE AFFECTED BY THE VARIANCE IN THE EXISTING ELEVATIONS.

IF IT IS DETERMINED THAT THE PROPOSED CONDUIT WILL INTERSECT ANY EXISTING SEWER OR UNDERGROUND UTILITY IF CONSTRUCTED AS SHOWN ON THE PLAN, THE CITY SHALL BE NOTIFIED BEFORE STARTING CONSTRUCTION OF ANY PORTION OF THE PROPOSED CONDUIT WHICH WOULD BE AFFECTED BY THE INTERFERENCE WITH AN EXISTING FACILITY.

CLEARING AND GRUBBING

REMOVE ALL TREES AND STUMPS SPECIFICALLY MARKED FOR REMOVAL WITHIN THE CONSTRUCTION LIMITS UNDER THE LUMP SUM BID FOR ITEM 201, CLEARING AND GRUBBING. THE FOLLOWING IS AN APPROXIMATE ESTIMATE OF THE NUMBER OF TREES AND STUMPS TO BE REMOVED.

SIZES NO.	TREES	NO. STUMPS	TOTAL
18"	8	0	8

ITEM 900-SPECIAL-TRASH RECEPTACLE, ALTERNATE 1

THIS ITEM CONSISTS OF LABOR, MATERIALS, TRANSPORTATION, AND PRODUCT GUARANTEE (BOTH MATERIAL AND INSTALLATION) TO FURNISH AND INSTALL A 24" x 40" SIDE OPENING SURFACE MOUNTED TRASH RECEPTACLE WITH LOGO BAND AT THE LOCATION SHOWN ON THE CONSTRUCTION DRAWINGS. THE LOGO BAND SHALL SAY "CITY OF SPRINGBORO" WITH THE CITY LOGO ON THE BAND. A MOCK UP OF THE LOGO WILL BE PROVIDED TO THE CONTRACTOR. THE TRASH RECEPTACLE SHALL HAVE A SHOP APPLIED POLYESTER POWDER COATED BLACK FINISH.

A SHOP DRAWING OF THE PROPOSED TRASH RECEPTACLE RACK WITH A CLEAR DESCRIPTION OF THE COMPONENTS, DIMENSIONS, ACCESSORIES, AND ANCHORS IS TO BE SUPPLIED TO THE CITY FOR REVIEW AND APPROVAL PRIOR TO PURCHASING OR INSTALLING.

WARRANTY:
THE CONTRACTOR SHALL SUPPLY A 3 YEAR WARRANTY FOR FACTORY FINISH AND/OR WORKMANSHIP FOR NORMAL USAGE.

ALL LABOR, TRANSPORTATION, AND MATERIALS REQUIRED TO COMPLETE THIS TASK ARE INCLUDED IN THE ITEM SPECIAL - TRASH RECEPTACLE PAY ITEM.

ITEM 900-SPECIAL-TRASH RECEPTACLE, ALTERNATE 2

THIS ITEM OF WORK SHALL CONFORM TO ALL STANDARDS OF ITEM 900-SPECIAL-TRASH RECEPTACLE WITH THE FOLLOWING CHANGE:

THE RECEPTACLE SHALL BE A RUBBERMAID GLUTTON.

ITEM 900-SPECIAL-BENCH, ALTERNATE 1

THIS ITEM CONSISTS OF LABOR, MATERIALS, TRANSPORTATION, AND PRODUCT GUARANTEE (BOTH MATERIAL AND INSTALLATION) TO FURNISH AND INSTALL A 32" x 70" x 24.5" DEEP SURFACE MOUNTED BENCH AND CONCRETE PAD AT THE LOCATION SHOWN ON THE CONSTRUCTION DRAWINGS. THE BENCH SHALL HAVE A SHOP APPLIED POLYESTER POWDER COATED BLACK FINISH. THE BENCH SHALL INCLUDE A FLUSH MOUNTED CORIAN PLAQUE. THE PLAQUE SHALL SAY "CITY OF SPRINGBORO" WITH THE CITY LOGO.

A SHOP DRAWING OF THE PROPOSED BENCH WITH A CLEAR DESCRIPTION OF THE COMPONENTS, DIMENSIONS, ACCESSORIES, AND ANCHORS IS TO BE SUPPLIED TO THE CITY FOR REVIEW AND APPROVAL PRIOR TO PURCHASING OR INSTALLING.

WARRANTY:
THE CONTRACTOR SHALL SUPPLY A 3 YEAR WARRANTY FOR FACTORY FINISH AND/OR WORKMANSHIP FOR NORMAL USAGE.

ALL LABOR, TRANSPORTATION, AND MATERIALS REQUIRED TO COMPLETE THIS TASK ARE INCLUDED IN THE ITEM SPECIAL - BENCH PAY ITEM.

ITEM 900-SPECIAL-BENCH, ALTERNATE 2

THIS ITEM OF WORK SHALL CONFORM TO ALL STANDARDS OF ITEM 900-SPECIAL-BENCH WITH THE FOLLOWING CHANGE:

THE BENCH SHALL BE A DUMOR 57-60PLC-6' CAST BENCH, 2 ARMS, CDR PL. COLOR IS BLACK FOR THE ALUMINUM FRAME AND CEDAR FOR THE RECYCLED SLATS.

POST CONSTRUCTION WATER TREATMENT

THIS PLAN UTILIZES VEGETATED FILTER STRIPS FOR POST CONSTRUCTION STORM WATER TREATMENT. PLACE ITEM 659 SEEDING AND MULCHING WITH A 4 INCH LIFT OF TOPSOIL AND ITEM 670 SLOPE EROSION PROTECTION TO ALL DISTURBED AREAS DESIGNATED AS VEGETATED FILTER STRIPS AND THE FORESLOPE AS SPECIFIED IN THE PLANS.

ENDANGERED BAT HABITAT REMOVAL

ENSURE IMPACTS TO THE FEDERALLY LISTED AND PROTECTED INDIANA BAT, TRICOLORED BAT, AND NORTHERN LONG-EARED BAT AND THE STATE LISTED AND PROTECTED LITTLE BROWN BAT AND TRICOLORED BAT ARE AVOIDED AND MINIMIZED. DO NOT REMOVE TREES FROM APRIL 1 THROUGH SEPTEMBER 30. PERFORM ALL NECESSARY TREE REMOVAL FROM OCTOBER 1 THROUGH MARCH 31. DEMARCATÉ CLEARING LIMITS IN THE FIELD TO AVOID ANY UNAUTHORIZED TREE CLEARING. FOR THE PURPOSES OF THIS NOTE, A TREE IS DEFINED AS A LIVE, DYING, OR DEAD WOODY PLANT WITH A TRUNK THREE INCHES OR GREATER IN DIAMETER AT A HEIGHT OF 4.5 FEET ABOVE THE GROUND SURFACE AND WITH A MINIMUM HEIGHT OF 13 FEET.

J:\146463_Spr_CenGate\7.0_Production\7.03_Design\04_Civil\Sheets\146463-GENNOTES.dwg 21-Apr-26 12:12 PM

ARCADIS
25 THANGAR PARK DRIVE SUITE 200
CINCINNATI, OHIO 45246
(513) 942-3141
www.arcadis.com

CALCULATED DESIGN AGENCY
JAG
CHECKED
MSM

GENERAL NOTES

WAR CENTRAL GREENWAY
S.U.P. SEGMENT D

J:\146463_Spr_CenGate\7.0_Production\7.03_Design\04_Civil\Sheets\146463-GENERALSUMMARY.dwg 21-Apr-26 12:14 PM

SHEET NUM.										PART.	ITEM	ITEM	GRAND	UNIT	DESCRIPTION	SEE SHEET NO.
4	8									01/MPO	EXT	TOTAL				
										LS	201	11000	LS		ROADWAY CLEARING AND GRUBBING	
	270									270	202	23000	270	SY	PAVEMENT REMOVED	
	115									115	202	30000	115	SF	WALK REMOVED	
	234									234	202	32000	234	FT	CURB REMOVED	
	4,124									4,124	203	10000	4,124	CY	EXCAVATION	
	458									458	203	20000	458	CY	EMBANKMENT	
1,200										1,200	204	13000	1,200	CY	EXCAVATION OF SUBGRADE	
1,200										1,200	204	30010	1,200	CY	GRANULAR MATERIAL, TYPE B	
3,600										3,600	204	50000	3,600	SY	GEOTEXTILE FABRIC	
	150									150	607	98000	150	FT	FENCE, MISC.:WOOD FENCE	4
	66									66	608	52000	66	SF	CURB RAMP	2 pay items deleted
	2									2	SPECIAL	69050600	2	EACH	BOLLARD	
1										1	SPECIAL	69098000	1	EACH	TRASH RECEPTACLE, ALTERNATE 1	4
1										1	SPECIAL	69098000	1	EACH	TRASH RECEPTACLE, ALTERNATE 2	4
1										1	SPECIAL	69098000	1	EACH	BENCH, ALTERNATE 1	4
1										1	SPECIAL	69098000	1	EACH	BENCH, ALTERNATE 2	4
	3,440									3,440	204	10000	3,440	SY	SUBGRADE COMPACTION	
	4									4	204	45000	4	HOUR	PROOF ROLLING	
	575									575	304	20000	575	CY	AGGREGATE BASE	
	344									344	407	20000	344	GAL	NON-TRACKING TACK COAT	
	119									119	441	50000	119	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), PG64-22	
	94									94	441	50300	94	CY	ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (448)	
	145									145	609	26000	145	FT	CURB, TYPE 6	
	3									3	601	32200	3	CY	EROSION CONTROL ROCK CHANNEL PROTECTION, TYPE C WITH FILTER	
	515									515	659	00300	515	CY	TOPSOIL	
	4,624									4,624	659	00500	4,624	SY	SEEDING AND MULCHING, CLASS 1	
231										231	659	14000	231	SY	REPAIR SEEDING AND MULCHING	
0.62										0.62	659	20000	0.62	TON	COMMERCIAL FERTILIZER	
25										25	659	35000	25	MGAL	WATER	
	1,723									1,723	670	00500	1,723	SY	SLOPE EROSION PROTECTION	
										LS	832	15000	LS		STORM WATER POLLUTION PREVENTION PLAN	
										LS	832	15002	LS		STORM WATER POLLUTION PREVENTION INSPECTIONS	
										LS	832	15010	LS		STORM WATER POLLUTION PREVENTION INSPECTION SOFTWARE	
40,000										40,000	832	30000	40,000	EACH	EROSION CONTROL	
	1.47									1.47	602	20000	1.47	CY	DRAINAGE CONCRETE MASONRY	
	162									162	611	04600	162	FT	12" CONDUIT, TYPE C	
	86									86	611	04900	86	FT	12" CONDUIT, TYPE D	
	2									2	611	98504	2	EACH	CATCH BASIN, NO. 2-2C	
	1									1	611	98630	1	EACH	CATCH BASIN ADJUSTED TO GRADE	
	1									1	611	99574	1	EACH	MANHOLE, NO. 3	
	144									144	630	03100	144	FT	TRAFFIC CONTROL GROUND MOUNTED SUPPORT, NO. 3 POST	
	52.5									52.5	630	80100	52.5	SF	SIGN, FLAT SHEET	
	2									2	630	97700	2	EACH	SIGNING, MISC.:SOLAR POWERED RECTANGULAR RAPID FLASHING BEACON (RFFB) SIGN ASSEMBLY	5
	1									1	630	84900	1	EACH	REMOVAL OF GROUND MOUNTED SIGN AND DISPOSAL	
	1									1	630	85100	1	EACH	REMOVAL OF GROUND MOUNTED SIGN AND REERECTION	

Added Pay Items

2 pay items deleted

ARCADIS
20 TRINITY PARK DRIVE SUITE 200
CINCINNATI, OHIO 45266
(616) 942-3141
www.arcadis.com

CALCULATED DESIGN AGENCY
JAG
CHECKED
MSM

GENERAL SUMMARY

WAR CENTRAL GREENWAY
S.U.P. SEGMENT D

SHEET NUM.												PART.	ITEM	ITEM	GRAND	UNIT	DESCRIPTION	SEE
4	8											01/MPO	EXT	TOTAL			SHEET	
	2											2	630	86002	2	EACH	REMOVAL OF GROUND MOUNTED POST SUPPORT AND DISPOSAL	
	2											2	632	64020	2	EACH	PEDESTAL FOUNDATION	
	12											12	642	00500	12	FT	STOP LINE, TYPE 1	
	180											180	642	00630	180	FT	CROSSWALK LINE, 24", TYPE 1	
																	INCIDENTALS	
												LS	614	11000	LS		MAINTAINING TRAFFIC	
												3	619	16010	3	MNTH	FIELD OFFICE, TYPE B	
												LS	623	10000	LS		CONSTRUCTION LAYOUT STAKES AND SURVEYING	
												LS	624	10000	LS		MOBILIZATION	

ARCADIS
 25 TRIANGLE PARK DRIVE, SUITE 200
 CINCINNATI, OHIO 45266
 (616) 942-3141
 www.arcadis.com

CALCULATED DESIGN AGENCY
 JAG
 CHECKED
 /MSM

GENERAL SUMMARY

WAR CENTRAL GREENWAY
 S.U.P. SEGMENT D