



B-005-0-23



Run #	Depth (ft)		Recovery		RQD	
NQ2-1	49	54.3	63 in. / 63 in.	100%	53 in. / 63 in.	84%
NQ2-2	54.3	62.3	87 in. / 96 in.	91%	77 in. / 96 in.	80%

WAS-77-9.58 PID 115420





Run #	Depth (ft)		Recovery		RQD	
NQ2-2	54.3	62.3	87 in. / 96 in.	91%	77 in. / 96 in.	80%
NQ2-3	62.3	69.1	80 in. / 81 in.	99%	63 in. / 81 in.	78%

WAS-77-9.58 PID 115420





Run #	Depth (ft)		Recovery		RQD	
NQ2-1	36.5	39.0	30 in. / 30 in.	100%	23 in. / 30 in.	77%
NQ2-2	39	43.4	53 in. / 53 in.	100%	36 in. / 53 in.	68%
NQ2-3	43.4	49.0	61 in. / 67 in.	91%	34 in. / 67 in.	51%

WAS-77-9.58    PID 115420





B-007-0-23



Run #	Depth (ft)		Recovery		RQD	
NQ2-3	43.4	49.0	61 in. / 67 in.	91%	34 in. / 67 in.	51%
NQ2-4	49	56.5	90 in. / 90 in.	100%	59 in. / 90 in.	66%

WAS-77-9.58 PID 115420