

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 1

SHEET 1 OF 25

NOTES AUBLE
H.C. NIESE
R.C. O'DONNELL

DATE 5/18/21
WEATHER CLEAR
TEMP. 70°

ROUTE SR 109
COUNTY HENRY
TOWNSHIP MARION
SECTION 34
T 3 N R 7 E

DWG BY NIESE PID PAVETRAIN

TYPE MONUMENT MONBOX W/ 1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 18.1' LT : ~~RT~~
18.1' TO LT EDGE PAVEMENT 3.0' S. OF CR A


STATION: 0+00

HORZ.DATUM: NAD83(2011)


GEOID: NAVD88(2012A)

GRID: NORTHING: 550290.001

EASTING: 1545792.340



RECORD:
P.K./WASHER
9/23/98, TMR
FD P.K./WASHER
5/19/08, MC
FD MONBOX
W/ 1" IPIN
6/17/16, JMR
REF1
5/18/21, JFO
9/3/21, TDN
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 1 A

SHEET 2 OF 25

NOTES AUBLE

DATE 5/18/21

ROUTE SR 109

H.C. NIESE

WEATHER CLEAR

COUNTY HENRY

R.C. O'DONNELL

TEMP. 70°

TOWNSHIP MARION

SECTION 34

DWG BY NIESE

PID PAVETRAN

T 3 N R 7 E

TYPE MONUMENT MONBOX W/ 1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET 1.7' LT : RT

1.7' TO RT EDGE PAVEMENT 3.0' S. OF CR A


STATION: 0+00

HORIZ.DATUM: NAD83(2011)


GEOID: NAVD88(2012A)

GRID: NORTHING: 550289.827

EASTING: 1545808.891



RECORD:
FD P.K./WASHER
9/23/98, TMR
FD P.K./WASHER
5/19/08, MC
FD MONBOX
W/ 1" IPIN
6/17/16, JMR
REFA1
5/18/21, JFO
9/3/21, TDN
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 2

SHEET 3 OF 25

NOTES AUBLE

DATE 5/18/21

ROUTE SR 109

H.C. NIESE

WEATHER SUNNY

COUNTY HENRY

R.C. O'DONNELL

TEMP. 70°

TOWNSHIP MARION

SECTION 34

DWG BY NIESE

PID PAVETRAIN

T 3 N R 7 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 6.8' LT : ~~RT~~

3.1' TO LT EDGE PAVEMENT


STATION: 26+52

HORIZ.DATUM: NAD83(2011)


GEOID: NAVD88(2012A)

GRID: NORTHING: 552941.237

EASTING: 1545818.519



RECORD:
SET P.K./WASHER
9/23/98, MRC
FD P.K./WASHER
5/19/08, MC
FD P.K./WASHER
REF2
6/17/16, JFO
5/18/21, JFO
9/3/21, TDN
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 3

SHEET 4 OF 25

NOTES AUBLE

DATE 5/18/21

ROUTE SR 109

H.C. NIESE

WEATHER SUNNY

COUNTY HENRY

R.C. O'DONNELL

TEMP. 70°

TOWNSHIP MARION

SECTION 34

DWG BY NIESE PID PAVETRAIN

T 3 N R 7 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT 5.2' LT : ~~RT~~

- TO - EDGE PAVEMENT 5.0' S. OF CL W


STATION: 53+05

HORZ.DATUM: NAD83(2011)


GEOID: NAVD88(2012A)

GRID: NORTHING: 555593.349

EASTING: 1545844.593



RECORD:
SET P.K./WASHER
9/23/98, MRC
FD P.K./WASHER
5/19/08
FD P.K./WASHER
REF3
6/17/16, JFO
5/18/21, JFO
9/3/21, TDN
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 4

SHEET 5 OF 25

NOTES AUBLE

DATE 5/18/21

ROUTE SR 109

H.C. NIESE

WEATHER SUNNY

COUNTY HENRY

R.C. O'DONNELL

TEMP. 75°

TOWNSHIP MARION

SECTION 27

DWG BY NIESE

PID PAVETRAIN

T 3 N R 7 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT 3.0' LT : ~~RT~~

7.0' TO LT EDGE PAVEMENT


STATION: 79+46

HORZ.DATUM: NAD83(2011)

GEOID: NAVD88(2012A)


GRID: NORTHING: 558235.165

EASTING: 1545861.223



RECORD:
SET P.K./WASHER
9/23/98, MRC
FD P.K./WASHER
5/19/08, MC
FD P.K./WASHER
REF4
6/17/16, JFO
5/18/21, JFO
9/3/21, TDN
1/11/23, JMR

CL SR 109



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 5

SHEET 6 OF 25

NOTES AUBLE

DATE 5/18/21

ROUTE SR 109

H.C. NIESE

WEATHER SUNNY

COUNTY HENRY

R.C. O'DONNELL

TEMP. 75°

TOWNSHIP MARION

SECTION 27

DWG BY NIESE

PID PAVETRAIN

T 3 N R 7 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET 4.3' LT : ~~RT~~

5.5' TO LT EDGE PAVEMENT 4.0' S. OF CE


STATION: 105+92

HORZ.DATUM: NAD83(2011)


GEOID: NAVD88(2012A)

GRID: NORTHING: 560879.830

EASTING: 1545899.735



RECORD:
SET P.K./WASHER
9/23/98, MRC
FD P.K./WASHER
5/19/08, MC
FD P.K./WASHER
REF5
6/17/16, JFO
5/18/21, JFO
9/3/21, TDN
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 6

SHEET 7 OF 25

NOTES AUBLE

DATE 5/18/21

ROUTE SR 109

H.C. NIESE

WEATHER SUNNY

COUNTY HENRY

R.C. O'DONNELL

TEMP. 74°

TOWNSHIP MARION

DWG BY NIESE

PID PAVETRAIN

SECTION 22

T 3 N R 7 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 8.4' LT : ~~RT~~

1.6' TO LT EDGE PAVEMENT


STATION: 132+44

HORZ.DATUM: NAD83(2011)


GEOID: NAVD88(2012A)

GRID: NORTHING: 563531.520

EASTING: 1545916.706



RECORD:
SET P.K./WASHER
9/23/98, MRC
FD P.K./WASHER
5/19/08, MC
FD P.K./WASHER
REF6
6/17/16, JFO
5/18/21, JFO
9/3/21, TDN
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 7

SHEET 8 OF 25

NOTES AUBLE

DATE 5/18/21

ROUTE SR 109

H.C. NIESE

WEATHER SUNNY

COUNTY HENRY

R.C. O'DONNELL

TEMP. 74°

TOWNSHIP MARION

SECTION 22

DWG BY NIESE PID PAVETRAIN

T 3 N R 7 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT 7.7' LT : ~~RT~~

- TO - EDGE PAVEMENT 3.5' S. OF CL CR D


STATION: 158+97

HORZ.DATUM: NAD83(2011)


GEOID: NAVD88(2012A)

GRID: NORTHING: 566184.063

EASTING: 1545936.424



RECORD:
SET P.K./WASHER
9/23/98, MRC
FD P.K./WASHER
5/19/08, MC
FD P.K./WASHER
REF7
6/17/16, JFO
5/18/21, JFO
9/3/21, TDN
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 8

SHEET 9 OF 25

NOTES AUBLE

DATE 5/18/21

ROUTE SR 109

H.C. NIESE

WEATHER SUNNY

COUNTY HENRY

R.C. O'DONNELL

TEMP. 74°

TOWNSHIP MARION

SECTION 15

DWG BY NIESE

PID PAVETRAIN

T 3 N R 7 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 7.4' LT : ~~RT~~

2.3' TO LT EDGE PAVEMENT


STATION: 185+46

HORZ.DATUM: NAD83(2011)

GEOID: NAVD88(2012A)


GRID: NORTHING: 568829.858

EASTING: 1545957.459



RECORD:
SET P.K./WASHER
9/23/98, MRC
FD P.K./WASHER
5/19/08, MC
FD P.K./WASHER
REF8
6/17/16, JFO
5/18/21, JFO
9/3/21, TDN
1/11/23, JMR

Q SR 109



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 9

SHEET 10 OF 25

NOTES BARRIERE
H.C. MILLER
R.C. BARRIERE

DATE 10/4/24
WEATHER CLEAR
TEMP. 57°

ROUTE SR 109
COUNTY HENRY
TOWNSHIP MARION
SECTION 10
T 3 N R 7 E

DWG BY BARRIERE PID 99587

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET $\varnothing$ PAVEMENT LT : RT

 TO EDGE PAVEMENT

STATION: 211 + 90

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING: 571475.342


EASTING: 1545978.503

LDP: NORTHING: 428116.885

EASTING: 181622.731



RECORD:
SET PK/WASHER
9/23/98, MRC
FD P.K./WASHER
5/19/08, MC
FD SM.R.R.SPIKE
REF9
6/17/16, JFO
FD SM.R.R.SPIKE
REF9
11/29/21-DSA
SET MAG/WASH
REF9
10/4/24-JAM



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL	REFERENCE NO.	9 A	SHEET	11	OF	25
NOTES	CANTERBURY	DATE	05-07-1998	ROUTE	SR 109	
H.C.	CANTERBURY	WEATHER	OVERCAST	COUNTY	HENRY	
R.C.	ROUSOS	TEMP.	65°	TOWNSHIP	MARION	
				SECTION	10	
				T	3	N
				R	7	E

TYPE MONUMENT PK



ON SURFACE - BELOW ON

~~LEFT - C~~ PAV'T - ~~RIGHT~~ ON, 34' S OF PVM'T OF COWEN ST.

16.7' TO LT FACE OF CURB

S.L.M. 225+15

Grid: Northing: _____ Easting: _____



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO.

9 C

SHEET

12

OF 25

NOTES

CANTERBURY

DATE

05-07-1998

ROUTE

SR 109

H.C.

CANTERBURY

WEATHER

CLOUDY

COUNTY

HENRY

R.C.

ROUSOS

TEMP.

65°

TOWNSHIP

MARION

SECTION

10

T 3 N R 7 E

TYPE MONUMENT PK


ON SURFACE - ~~BELOW~~ ON

~~LEFT - C~~ PAV'T - ~~RIGHT~~ ON


16.3 TO LT EDGE FACE OF CURB

S.L.M. 226+95

Grid: Northing: _____ Easting: _____



PK NAIL
RESET BY UNKNOWN
CHECKED - GOOD
09-23-1998
D.N.F.
DUG 10" DOWN
4/3/24-JAM



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. -

SHEET 13 OF 25

NOTES BURNSIDE

DATE

05-22-1979

ROUTE TOWN OF HAMLER

H.C. SMITH

WEATHER

CLEAR

COUNTY HENRY

R.C. KNAPE

TEMP.

54°

TOWNSHIP MARION

MEAD

SECTION 11

T 3 N R 7 E

TYPE MONUMENT 1" IRON ROD


ON SURFACE - BELOW ON

LEFT - ℄ PAV'T - RIGHT ON

- TO - EDGE PAVEMENT


S.L.M. -

Grid: Northing: _____ Easting: _____



FND 1" IRON
ROD 2 1/2" DEEP
(FND SMALL RR
SPK @ SURFACE)
FD RR SPIKE
REFBELTON
11/30/21, DSA

NEAR EDGE
6" STEEL LIGHT
POLE (+ 1' UP)



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. -

SHEET 14 OF 25

NOTES BURNSIDE

DATE 05-22-1979

ROUTE TOWN OF HAMLER

H.C. SMITH

WEATHER CLEAR

COUNTY HENRY

R.C. KNAPE

TEMP. 54°

TOWNSHIP MARION

MEAD

SECTION 11

T 3 N R 7 E

TYPE MONUMENT 1" IRON ROD


ON SURFACE - BELOW ON

LEFT - C PAV'T - RIGHT ON

- TO - EDGE PAVEMENT


S.L.M. -

Grid: Northing: Easting:



NOTE: POINTS FOUND
ON MARION ST.
PREVIOUS TO
RESURFACING

FND 1" IRON ROD
2" DEEP
(SMALL RR SPK
@ SURFACE)
FD RR SPIKE
REFRANDOLPH
11/30/21, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO.

9 D

SHEET

15

OF 25

NOTES CANTERBURY

DATE 05-05-1998

ROUTE SR 109

H.C. CANTERBURY

WEATHER CLOUDY

COUNTY HENRY

R.C. ROUSOS

TEMP. 65°

TOWNSHIP MARION

SECTION 10

T 3 N R 7 E

TYPE MONUMENT PK & WASHER


ON SURFACE - ~~BELOW~~ ON

~~LEFT - C PAV'T - RIGHT~~ ON C 109 - 20' S OF C BALTIMORE

15.2' TO LT EDGE PAVEMENT


S.L.M. 233+79


Grid: Northing: _____ Easting: _____




REC: P.O.T.
SLM 233+19.66

DID NOT FIND
05-08-1998
DNF
11/29/21 - DSA







O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 11

SHEET 16 OF 25

NOTES BARRIERE
H.C. MILLER
R.C. BARRIERE

DATE 10/4/24
WEATHER CLEAR
TEMP. 75°

ROUTE SR 109
COUNTY HENRY
TOWNSHIP MARION
SECTION 3

DWG BY BARRIERE PID 99587

T 3 N R 7 E

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET $\varnothing$ PAVEMENT 6' LT ~~: RT~~

TO EDGE PAVEMENT

STATION: 236+64

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING:


EASTING:

LDP: NORTHING: 433409.109

EASTING: 181571.091



RECORD:
FD SM RR SPK 5/98
RESET PK & WASHER
09-24-1998
M.R.C.
FD RR SPIKE
2" BELOW
REF11
2/14/19
FD SM RR SPIKE
REF11
11-29-21, DSA
SET MAG/WASHER
REF11
10/4/24, JAM



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 11 A

SHEET 18 OF 25

NOTES CANTERBURY

DATE 8/18/98

ROUTE SR 109

H.C. ROUSOS

WEATHER PTLY CLOUDY

COUNTY HENRY

R.C. BARNHIESEL

TEMP. 80°

TOWNSHIP MARION

SECTION 3

DWG BY GARRETT PID PAVE TRAIN

T 3 N R 7 E

TYPE MONUMENT RR SPK IN WOOD HUB

~~ON SURFACE~~ - BELOW 2"

OFFSET Q PAVEMENT 20.3' LT : ~~RT~~

10' TO LT EDGE PAVEMENT


STATION: 565+27

HORZ.DATUM: _____

GEOID: _____

GRID: NORTHING: _____


EASTING: _____



RECORD:

FND SM RR SPK 5-98
FND SMALL RR SPK SET IN
WOOD HUB 2" BELOW SURFACE
10' W OF W E.P. E 20.3' W.
OF Q PVMT. SR 18/109

D.N.F. - 10/4/24



NOTE:

ALSO FND CAPPED I-PIN
STAMPED # RLS 5922
3.5" TO N.E. OF RR SPK

THERE IS A 0.43' DIFFERENCE
BETWEEN SPK & I-ROD
SMALL SPK IN HUB UNSTABLE

'+' CUT ON
N.W. COR.
CONC. CB

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 12

SHEET 19 OF 25

NOTES CANTERBURY

DATE 8/18/98

ROUTE SR 109

H.C. ROUSOS

WEATHER PTLY CLOUDY

COUNTY HENRY

R.C. BARNHIESEL

TEMP. 80°

TOWNSHIP MARION

DWG BY GARRETT

PID PAVE TRAIN

SECTION 3

T 3 N R 7 E

TYPE MONUMENT STONE W/ DEPRESSION @ CTR

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 20.4' LT : ~~RT~~

10.25' TO LT EDGE PAVEMENT


STATION: 551+81

HORZ.DATUM: _____

GEOID: _____

GRID: NORTHING: _____


EASTING: _____



REC:
FND STONE/DEPRESSION @ CTR
@ SURFACE 10.25' W OF W E.P.
20.4' W OF Q PVMT. SR 18 & 109
SLM = HEM 18 - STA 551+80

NOTE:
FND STONE BUT UNABLE TO
DETERMINE WHAT WAS USED ON
STONE, OLD TIES DON'T HELP
WITH DEFINING A GOOD POINT

FD STONE W/ "+" CUT
REF12
3/14/22, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 13

SHEET 20 OF 25

NOTES CANTERBURY

DATE 8/18/98

ROUTE SR 109

H.C. ROUSOS

WEATHER PRTLY CLDY

COUNTY HENRY

R.C. BARNHIESEL

TEMP. 80°

TOWNSHIP MARION

SECTION 3

DWG BY GARRETT

PID PAVE TRAIN

T 3 N R 7 E

TYPE MONUMENT STONE

~~ON SURFACE~~ - BELOW 2"

OFFSET Q PAVEMENT 19.7' LT : ~~RT~~
10' TO LT EDGE PAVEMENT


STATION: 538+71

HORZ.DATUM: _____

GEOID: _____

GRID: NORTHING: _____

EASTING: _____



NOTE:
THERES A 8" LONG BROKE PIECE
OF STEEL TRUCK SPRING OVER
STONE 10.0' TO W EDGE OF PVT.
& HEN. 18. SLM STA. 538+69

RECORD:
D.N.F-10/4/24-JAM

FND '+' CUT
ON E FACE
COR. POST

27.41'
(D)

Q SR 109 + SR 18

59.34'



FND SHI

113.24'



FND '+' CUT ON
E SIDE CONC. CB

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 14

SHEET 21 OF 25

NOTES BARRIERE
H.C. MILLER
R.C. BARRIERE

DATE 10/4/24
WEATHER CLEAR
TEMP. 75°

ROUTE SR 109
COUNTY HENRY
TOWNSHIP MONROE
SECTION 34
T 4 N R 7 E

DWG BY BARRIERE PID 99587

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET $\varnothing$ PAVEMENT LT : RT

 TO EDGE PAVEMENT

STATION: 317+60

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING:

EASTING:


LDP: NORTHING: 438673.08

EASTING: 181496.917



RECORD:
FD SM.R.R.SPIKE
5/18/98, MC
SET P.K./WASHER
9/24/98, MB
FD P.K./WASHER
1/10/07, SAH
6/27/08, KPM
FD SM.R.R.SPIKE
1" DOWN
6/20/16
11/13/17, JFO
FD LG.R.R.SPIKE
1" DOWN
REF14
6/9/20, JFO
3/12/21
1/11/23, JMR
SET MAG/WASHER
10/4/24, JAM

NOTE: REF 20B SR 18



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 14A

SHEET 21 OF 25

NOTES BARRIERE
H.C. MILLER
R.C. BARRIERE

DATE 10/4/24
WEATHER CLEAR
TEMP. 75°

ROUTE SR 109
COUNTY HENRY
TOWNSHIP MONROE
SECTION 34

DWG BY BARRIERE PID 99587

T 4 N R 7 E

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET Q PAVEMENT LT : RT

 TO EDGE PAVEMENT

STATION: 317+60

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING:

EASTING:


LDP: NORTHING: 438673.195

EASTING: 181523.55



RECORD:
FD SM.R.R.SPIKE
5/18/98, MC
SET P.K./WASHER
9/24/98, MB
FD P.K./WASHER
1/10/07, SAH
6/27/08, KPM
FD SM.R.R.SPIKE
2" DOWN
6/20/16
11/13/17, JFO
FD LG.R.R.SPIKE
2 1/2" DOWN
REFA14
6/9/20, JFO
3/12/21,
1/11/23, JMR
SET MAG/WASH
10/4/24, JAM

NOTE: REF 20B SR 18



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 15

SHEET 23 OF 25

NOTES NIESE

DATE 3/12/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C. _____

TEMP. 50°

TOWNSHIP MONROE

SECTION 34

DWG BY NIESE

PID PAVE TRAIN

T 4 N R 7 E

TYPE MONUMENT P.K.NAIL

~~ON SURFACE~~ - BELOW 1/2"

OFFSET Q PAVEMENT 7.5' LT : ~~RT~~

2.1' TO LT EDGE PAVEMENT


STATION: 344+03

HORIZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A


GRID: NORTHING: 584682.087

EASTING: 1546062.452



RECORD:
FD P.K./WASHER
5/18/98, MC
FD SM.R.R.SPIKE
SET SM.R.R.SPIKE
9/28/98, MDB
FD P.K.NAIL
0.5' DOWN
2/25/19, JLL
REF15
6/9/20, JFO
3/12/21, JMR
12/2/21, DSA

SET SHI
GR POST



FD SHI'S
CPP

Q SR 109

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 16

SHEET 24 OF 25

NOTES RHOADES
H.C. MILLER
R.C. NIESE

DATE 4/3/24
WEATHER CLOUDY
TEMP. 42°

ROUTE SR 109
COUNTY HENRY
TOWNSHIP MONROE
SECTION 34

DWG BY BARRIERE PID 99587

T 4 N R 7 E

TYPE MONUMENT LG R.R. SPIKE

~~ON SURFACE~~ - BELOW 1 1/2"

OFFSET $\angle$ PAVEMENT _____ LT : RT

_____ TO _____ EDGE PAVEMENT

STATION: 370+58

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING: 587335.167


EASTING: 1546077.703

LDP: NORTHING: 438673.195

EASTING: 181523.55



RECORD:
FD SM.R.R.SPIKE
6/23/89, MDB
5/18/98, MC
SET P.K./WASHER
9/28/98, MB
FD SM.R.R.SPIKE
1.5" DOWN
2/25/19, JLL
REF16
6/9/20, JFO
3/12/21, JMR
12/2/21, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 17

SHEET 25 OF 25

NOTES NIESE

DATE 3/12/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C. _____

TEMP. 50°

TOWNSHIP MONROE

SECTION 34

DWG BY RHOADES

PID PAVE TRAIN

T 4 N R 7 E

TYPE MONUMENT SM.R.R.SPIKE

~~ON SURFACE~~ - BELOW 3.5'

OFFSET $\mathcal{C}$ PAVEMENT 10.7' LT : ~~RT~~

1.0' TO LT EDGE PAVEMENT


STATION: 397+06

HORIZ.DATUM: NAD83(2011)

GEOID: NAVD88 2012A

GRID: NORTHING: 589982.874

EASTING: 1546089.769



RECORD:

FD SM.R.R.SPIKE

1" DOWN

6/23/89, MDB

FD P.K./WASHER

5/18/98, MC

SET P.K./WASHER

9/28/98, MB

FD SM.R.R.SPIKE

4" DOWN

2-25-19, JLL

3 1/2" DOWN

REF17

6/9/20, JFO

3/12/21, JMR

12/2/21, DSA

SET BARN
SPIKES

8.73'

$\mathcal{C}$ SR 109

31.53'

36.43'

SET SHI
STUB POLE

35.24' P



FD "+"
CBS

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 18

SHEET 21 OF 25

NOTES BARRIERE

DATE 4/3/24

ROUTE SR 109

H.C. MILLER

WEATHER CLOUDY

COUNTY HENRY

R.C. BARRIERE

TEMP. 42°

TOWNSHIP MONROE

DWG BY BARRIERE

PID 99587

SECTION 27

T 4 N R 7 E

TYPE MONUMENT LG R.R.SPIKE

ON SURFACE - BELOW 1"

OFFSET Q PAVEMENT LT : RT

TO EDGE PAVEMENT

STATION: 423+58

HORZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING: 592634.341


EASTING: 1546102.916

LDP: NORTHING: 449276.302

EASTING: 181358.879



RECORD:
FD SM. RR. SPIKE
SET P.K./WASHER
9/2/98, MB
FD R.R.SPIKE
2" DOWN
9/2/15, JFO
8/3/16, JMR
FD SM.R.R.SPIKE
1.5" DOWN
2/25/19, JLL
1" DOWN
REF18
6/9/20, JFO
3/12/21, JMR
12/3/21, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 19

SHEET 21 OF 25

NOTES NIESE DATE 10/7/24

H.C. MILLER WEATHER SUNNY

R.C. PRESTON-COLVIN TEMP. 64°

ROUTE SR 109

COUNTY HENRY

TOWNSHIP MONROE

SECTION 23

DWG BY BARRIERE PID 99587

T 4 N R 7 E

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET C PAVEMENT LT : RT

TO EDGE PAVEMENT

STATION: 450+07

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING: 595285.4033


EASTING: 1546113.6478

LDP: NORTHING: 451927.417

EASTING: 181320.909



RECORD:
SET MAG/WASHER
10-28-04, MC
FD MAG/WASHER
GPS, REF18
9-2-15, JFO
NOT COVERED
8-3-16 JMR
FD MAG/WASHER
2-25-19, JLL
SET MAG/WASHER
10/7/24, TDN



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 20

SHEET 21 OF 25

NOTES NIESE

DATE 10/7/24

ROUTE SR 109

H.C. MILLER

WEATHER SUNNY

COUNTY HENRY

R.C. PRESTON-COLVIN

TEMP. 64°

TOWNSHIP MONROE

DWG BY BARRIERE

PID 99587

SECTION 23

T 4 N R 7 E

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET $\angle$ PAVEMENT LT : RT

TO EDGE PAVEMENT

STATION: 450+07

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING: 597935.23


EASTING: 1546141.0708

LDP: NORTHING: 454577.53

EASTING: 181299.656



RECORD:
FD MAG/WASHER
GPS, REF20
9-2-15, JFO
NOT COVERED
8-3-16, JMR
FD MAG NAIL
REF20
12/7/21, DSA
SET MAG/WASHER
USED COUNTY TIES
10/7/24, JAM



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 20A

SHEET 21 OF 25

NOTES NIESE

DATE 10/7/24

ROUTE SR 109

H.C. MILLER

WEATHER SUNNY

COUNTY HENRY

R.C. PRESTON-COLVIN

TEMP. 64°

TOWNSHIP MONROE

SECTION 23

DWG BY BARRIERE

PID 99587

T 4 N R 7 E

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET $\varnothing$ PAVEMENT LT : RT

 TO EDGE PAVEMENT

STATION: 450+07

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING: 597935.5101


EASTING: 1546408.0676

LDP: NORTHING: 454582.696

EASTING: 181566.552



RECORD:
ORIGIN UNKOWN
SET MAG/WASHER
10-28-04, MC
FD MAG NAIL
GPS, REFA20
9-2-15, JFO
UNCOVERED
8-3-16, JMR
FD MAG NAIL
REFA20
2-25-19, JLL
SET MAG/WASHER
10/7/24, TDN



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 21

SHEET 21 OF 25

NOTES NIESE DATE 10/7/24
H.C. MILLER WEATHER SUNNY
R.C. PRESTON-COLVIN TEMP. 68°

ROUTE SR 109
COUNTY HENRY
TOWNSHIP MONROE
SECTION 14
T 4 N R 7 E

DWG BY BARRIERE PID 99587

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET Q PAVEMENT LT : RT


TO EDGE PAVEMENT

STATION: 504+10


HORIZ.DATUM: OHIO LDP (HENRY) GEOID: 18

GRID: NORTHING: 600585.8686 EASTING: 1546137.6276

LDP: NORTHING: 457227.874 EASTING: 181247.718



RECORD:
SET MAG/WASHER
10-28-04, MC
FD MAG NAIL
GPS, REF21
9-2-15, JFO
UNCOVERED
8-3-16, JMR
FD MAG/W
REF21
12/7/21
SET MAG/WASHER
10/7/24, JAM



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 21A

SHEET 21 OF 25

NOTES NIESE

DATE 10/7/24

ROUTE SR 109

H.C. MILLER

WEATHER SUNNY

COUNTY HENRY

R.C. PRESTON-COLVIN

TEMP. 68°

TOWNSHIP MONROE

SECTION 14

DWG BY BARRIERE PID 99587

T 4 N R 7 E

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET $\varnothing$ PAVEMENT LT : RT

 TO EDGE PAVEMENT

STATION: 517+32

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING: 601909.2996


EASTING: 1546144.5022

LDP: NORTHING: 458551.188

EASTING: 181230.407



RECORD:
SET MAG/WASHER
10-28-04, MC
FD MAG NAIL
GPS, REF21
9-2-15, JFO
UNCOVERED
8-3-16, JMR
FD MAG/W
REFA21
12/7/21, DSA
SET MAG/WASHER
10/7/24, JAM



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 22

SHEET 21 OF 25

NOTES NIESE

DATE 10/7/24

ROUTE SR 109

H.C. MILLER

WEATHER SUNNY

COUNTY HENRY

R.C. PRESTON-COLVIN

TEMP. 65°

TOWNSHIP MONROE

DWG BY BARRIERE

PID 99587

SECTION 14

T 4 N R 7 E

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET Q PAVEMENT LT : RT

TO EDGE PAVEMENT

STATION: 530+56

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING: 603233.0863


EASTING: 1546151.3797

LDP: NORTHING: 459875.029

EASTING: 181212.854



RECORD:
SET MAG/WASHER
10-28-04, MC
FD MAG SHANK
SET MAG/WASHER
GPS, REF21
9-2-15, JFO
UNCOVERED
8-3-16, JMR
FD MAG/W
REF22
12/7/21, DSA
SET MAG/WASHER
10/7/24, JAM



WASHER
MC
/

DSA
WASHER
TDN

3rd BRICK UP

BRICK GARAGE

SET E/S SHI

25.18'

31.86'

35.05'

60.19'

FD SHI SW/S

FD SHI NW/S

CR K-2

SR 109

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 23A

SHEET 21 OF 25

NOTES NIESE

DATE 10/7/24

ROUTE SR 109

H.C. MILLER

WEATHER SUNNY

COUNTY HENRY

R.C. PRESTON-COLVIN

TEMP. 65°

TOWNSHIP MONROE

SECTION 11

DWG BY BARRIERE

PID 99587

T 4 N R 7 E

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET $\odot$ PAVEMENT LT : RT

 TO EDGE PAVEMENT

STATION: 571+15

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING: 640291.0714


EASTING: 1572289.2497

LDP: NORTHING: 463931.79

EASTING: 181157.453



RECORD:
SET MAG/WASHER
10-28-04, MC
FD MAG/W
REF23
12/7/21, DSA
SET MAG/WASHER
10/7/24, TDN



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 23B

SHEET 21 OF 25

NOTES NIESE

DATE 10/7/24

ROUTE SR 109

H.C. MILLER

WEATHER SUNNY

COUNTY HENRY

R.C. PRESTON-COLVIN

TEMP. 60°

TOWNSHIP MONROE

DWG BY BARRIERE

PID 99587

SECTION 11

T 4 N R 7 E

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET $\varnothing$ PAVEMENT LT : RT

 TO EDGE PAVEMENT

STATION: 578+49

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING: 640257.309

EASTING: 1572666.359

LDP: NORTHING: 464665.384

EASTING: 181144.817



RECORD:
FD P.K.NAIL
8/31/04, MB
SET MAG/WASHER
10-28-04, MC
FD SM RR SPIKE
4" DOWN
REFB23
4/6/20, JFO
FD SM RR SPIKE
REFB23
12/7/21, DSA
SET MAG/WASHER
10/7/24, TDN

FD "+" RIM
SAN MH

29.55' P

FD
SHI

31.07'

$\varnothing$ SR 109

34.07'

FD "+"
SW BOLT
BONNET
HYDRANT

$\varnothing$ FREASE ST

72.76'

SET
SHI

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 24

SHEET 21 OF 25

NOTES NIESE

DATE 10/7/24

ROUTE SR 109

H.C. MILLER

WEATHER SUNNY

COUNTY HENRY

R.C. PRESTON-COLVIN

TEMP. 60°

TOWNSHIP MONROE

SECTION 11

DWG BY BARRIERE

PID 99587

T 4 N R 7 E

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET $\varnothing$ PAVEMENT LT : RT

 TO EDGE PAVEMENT

STATION: 578+49

HORIZ.DATUM: OHIO LDP (HENRY)



GEOID: 18

GRID: NORTHING: 640241.0807


EASTING: 1573133.7245

LDP: NORTHING: 465184.951

EASTING: 181136.045



RECORD:
SET MAG/WASHER
10-28-04, MC
FD MAG/WASHER
GPS, REF24
9-2-15, JFO
FD MAG/W
REF24
12/7/21, DSA
SET MAG/WASHER
10/7/24, TDN



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 25

SHEET 21 OF 25

NOTES NIESE

DATE 10/7/24

ROUTE SR 109

H.C. MILLER

WEATHER SUNNY

COUNTY HENRY

R.C. PRESTON-COLVIN

TEMP. 58°

TOWNSHIP MONROE

DWG BY BARRIERE

PID 99587

SECTION 2

T 4 N R 7 E

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET Q PAVEMENT LT : RT

TO EDGE PAVEMENT

STATION: 610+25

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING: 611188.4184


EASTING: 1546181.8254

LDP: NORTHING: 467830.162

EASTING: 181097.306



RECORD:
SET MAG/WASHER
10-28-04, MC
DNF
SET MAG/WASHER
REF25
9-2-15, JFO
FD MAG/WASHER
REF25
8-3-16, JMR
6/27/22, DSA
1/11/23, JMR
SET MAG/WASHER
10/7/24, JAM



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 26

SHEET 21 OF 25

NOTES NIESE

DATE 10/7/24

ROUTE SR 109

H.C. MILLER

WEATHER SUNNY

COUNTY HENRY

R.C. PRESTON-COLVIN

TEMP. 58°

TOWNSHIP MONROE

SECTION 3

DWG BY BARRIERE PID 99587

T 4 N R 7 E

TYPE MONUMENT SM R.R. SPIKE

ON SURFACE - BELOW ON

OFFSET Q PAVEMENT LT : RT

TO EDGE PAVEMENT

STATION: 638+17

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING: 613990.0988


EASTING: 1546109.2607

LDP: NORTHING: 470630.253

EASTING: 180973.356



RECORD:
FD SM.R.R.SPIKE
10-28-04, MC
REF26
9-2-15, JFO
8-3-16, JMR
REF26
6/27/22, DSA
1/11/23, JMR
FD SM RR SPIKE
10/7/24, TDN



PERSONNEL

SHEET 21 OF 25

ROUTE	SR 109
COUNTY	HENRY
TOWNSHIP	MONROE
SECTION	2

T_4_N R_7_E

ON SURFACE - BELOW _____ ON

_____TO_____EDGE PAVEMENT

STATION: 638+17


HORZ.DATUM: OHIO LDP (HENRY)

GEOID: 18


GRID: NORTHING: 613988.7243

EASTING: 1546192.3745

LDP: NORTHING: 470630.5

EASTING: 181056.493

RECORD:
SET MAG/WASHER
10-28-04, MC
FD MAG/WASHER
REFA26
9-2-15, JFO
8-3-16, JMR
REFA26
6/27/22, DSA
1/11/23, JMR
SET MAG/WASHER
10/7/24, TDN



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 27

SHEET 21 OF 25

NOTES NIESE

DATE 10/7/24

ROUTE SR 109

H.C. MILLER

WEATHER SUNNY

COUNTY HENRY

R.C. PRESTON-COLVIN

TEMP. 52°

TOWNSHIP HARRISON

SECTION 35

DWG BY BARRIERE PID 99587

T 5 N R 7 E

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET $\odot$ PAVEMENT LT : RT

TO EDGE PAVEMENT

STATION: 664+60

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING: 616639.9854


EASTING: 1546155.4620

LDP: NORTHING: 473280.765

EASTING: 180970.91



RECORD:
SET MAG/WASHER
10-27-04, MC
FD MAG/WASHER
REF27
9-1-15, JFO
8-3-16, JMR
REF27
6/27/22, DSA
1/11/23, JMR
SET MAG/WASHER
W/ GPS & 1 TIE
10/7/24, TDN



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 28

SHEET 21 OF 25

NOTES NIESE

DATE 10/7/24

ROUTE SR 109

H.C. MILLER

WEATHER SUNNY

COUNTY HENRY

R.C. PRESTON-COLVIN

TEMP. 52°

TOWNSHIP HARRISON

SECTION 35

DWG BY BARRIERE PID 99587

T 5 N R 7 E

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET Q PAVEMENT LT : RT

TO EDGE PAVEMENT

STATION: 619+09

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING: 619288.5271


EASTING: 156202.2864

LDP: NORTHING: 475929.881

EASTING: 180969.188



RECORD:
SET MAG/WASHER
10-28-04, MC
FD MAG/WASHER
REF28
9-1-15, JFO
8-3-16, JMR
REF28
6/27/22, DSA
1/11/23, JMR
SET MAG/WASHER
10/7/24, JAM



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 29

SHEET 21 OF 25

NOTES NIESE DATE 10/7/24
H.C. MILLER WEATHER SUNNY
R.C. PRESTON-COLVIN TEMP. 52°

ROUTE SR 109
COUNTY HENRY
TOWNSHIP HARRISON
SECTION 26
T 5 N R 7 E

DWG BY BARRIERE PID 99587

TYPE MONUMENT MAG NAIL/WASHER

ON SURFACE - BELOW ON

OFFSET $\varnothing$ PAVEMENT LT : RT

 TO EDGE PAVEMENT

STATION: 619+09

HORIZ.DATUM: OHIO LDP (HENRY)


GEOID: 18

GRID: NORTHING: 619288.5271


EASTING: 156202.2864

LDP: NORTHING: 475929.881

EASTING: 180969.188



RECORD:
SET MAG/WASHER
10-28-04, MC
FD MAG/WASHER
REF29
9-1-15, JFO
8-3-16, JMR
REF29
6/27/22, DSA
1/11/23, JMR
SET MAG/WASHER
10/7/24, TDN



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 30

SHEET 18 OF 36


NOTES HOFFMAN
H.C. BARNHISEL
R.C. HOUSEHOLDER
LOEHRKE

DATE 3-19-84
WEATHER OVERCAST
TEMP. 30°F


ROUTE SR 109
COUNTY HENRY
TOWNSHIP HARRISON
SECTION 26
T 5 N R 7 E

TYPE MONUMENT PK NAIL
ON SURFACE - ~~BELOW~~ ON
LEFT - ℄ PAV'T - RIGHT ON
- TO - EDGE PAVEMENT
S.L.M. 743+95

Grid: Northing: - Easting: -



RECORD:
SET SM RR SPIKE
6-20-88 SWH
SET MAG/WASHER
4-21-03, DCH
FD MAG/WASHER
REF30
12/7/21, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 30 A

SHEET 19 OF 36

NOTES RHOADES

DATE 9/3/15

ROUTE SR 109

H.C. O'DONNELL

WEATHER CLEAR

COUNTY HENRY

R.C. RHOADES

TEMP. 88°

TOWNSHIP HARRISON

DWG BY RHOADES

PID PAVTRAIN

SECTION 23

T 7 N R E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

9.7' TO LT EDGE PAVEMENT


STATION: 757+16

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2018

GRID: NORTHING: 625899.104

EASTING: 1546338.985



RECORD:
SET MAG/WASHER
10-29-04, D.H
FD MAG/WASHER
REFA30
9-1-15, JFO
8-3-16, JMR
FD MAG/WASHER
REFA30
6/16/21, TDN
10/5/21, JFO
FD MAG/WASHER
REFA30
12/7/21, DSA

FD SHI
SE/S

30.84'

37.58'

FD SHI
W/S

95.49'

103.29'

FD CUT NOTCH
1' UP E.POST
STOP AHEAD SIGN

FD SHI
N/S WITNESS
POST



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 30 B

SHEET 20 OF 39

NOTES RHOADES DATE 9/3/15
H.C. O'DONNELL WEATHER CLEAR
R.C. RHOADES TEMP. 88°

ROUTE SR 109
COUNTY HENRY
TOWNSHIP HARRISON
SECTION 23
T 5 N R 7 E

DWG BY RHOADES PID PAVTRAIN

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET 1.0' LT : RT

10.5' TO LT EDGE PAVEMENT


STATION: 767+41

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 626924.182

EASTING: 1546360.213



RECORD:
SET MAG/WASHER
10-29-04, D.H
FD MAG/WASHER
REFB30
9-1-15, JFO
8-3-16, JMR
FD MAG/WASHER
REFB30
6/16/21, TDN
10/5/21, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 31

SHEET 21 OF 39

NOTES CORDES

DATE 8/27/04

ROUTE SR 109

H.C. BARNHISEL

WEATHER OVERCAST

COUNTY HENRY

R.C. HOOKE

TEMP. 80°

TOWNSHIP HARRISON

SECTION 23

DWG BY RHOADES

PID PVTRAIN

T 5 N R 7 E

TYPE MONUMENT MONBOX W/IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 1.4' LT : RT

8.6' TO RT EDGE PAVEMENT


STATION: 770+40

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2018

GRID: NORTHING: 627222.507

EASTING: 1546366.373



RECORD:
FD R.R.SPIKE
SET BY HENRY CO.
9-4-80
FD MONBOX
MONREF31
9-1-15, JFO
8-3-16, JMR
FD MONBOX
SHOT TOP
REF31
6/16/21, TDN
10/5/21, JFO

FD
SHI



38.55' (P)

M

56.50' (P)

39.76' (P)

NORTH DRIVE TO
HOY CEMETARY

51.08' (P) REC

47.40' (P)

NW COR. OF CONC
BASE OF GRAVE MAKER
"GEORGE EDWARDS"

CONC RETAINING
WALL NW CORNER
STEEL PLATE FOR
RAIL

Q SR 109

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 32

SHEET 22 OF 39

NOTES RHOADES

DATE 9/3/15

ROUTE SR 109

H.C. O'DONNELL

WEATHER CLEAR

COUNTY HENRY

R.C. RHOADES

TEMP. 88°

TOWNSHIP HARRISON

DWG BY RHOADES PID PAVTRAIN

SECTION 23

T 5 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET 6' Q PAVEMENT LT : ~~RT~~

- TO - EDGE PAVEMENT


STATION: 796+79

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2018

GRID: NORTHING: 629863.161

EASTING: 1546421.292



SHARON
METHODIST
CHURCH SIGN

TOP OF 4TH
BRICK UP
SOUTH COR. OF
CHURCH SIGN

69.45'

RECORD:
SET MAG/WASHER
10-29-04, DH
FD MAG SHANK
REF32
9-1-15, JFO
8-3-16, JMR
FD MAG/WASHER
REF32
6/16/21, TDN
10/5/21, JFO

Q CR P

34.87'

FD DUPLEX
SE/S

39.29'

FD
SHI

Q SR 109

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 33

SHEET 23 OF 39

NOTES CORDES

DATE 8/27/04

ROUTE SR 109

H.C. BARNHISEL

WEATHER OVERCAST

COUNTY HENRY

R.C. HOOKE

TEMP. 80°

TOWNSHIP HARRISON

SECTION 14

DWG BY RHOADES

PID PAVTRAIN

T 5 N R 7 E

TYPE MONUMENT MONBOX W/1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 8' LT : ~~RT~~

2.8' TO LT EDGE PAVEMENT


STATION: 823+36

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2018

GRID: NORTHING: 632521.639

EASTING: 1546479.074



RECORD:
FD MON BOX
REF33
9-1-15, JFO
8-3-16, JMR
FD MONBOX
SHOT TOP
REF33
6/16/21, JMR
10/5/21, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 34

SHEET 24 OF 39

NOTES RHOADES

DATE 9/3/15

ROUTE SR 109

H.C. O'DONNELL

WEATHER CLEAR

COUNTY HENRY

R.C. RHOADES

TEMP. 88°

TOWNSHIP HARRISON

DWG BY RHOADES

PID PAVTRAIN

SECTION 14

T 5 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT ON LT : RT

9.2' TO LT EDGE PAVEMENT


STATION: 849+80

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2018

GRID: NORTHING: 635168.377

EASTING: 1546536.930



RECORD:

SET MAG/WASHER

9-15-04, MC

FD MAG/WASHER

REFB30

9-1-15, JFO


8-3-16, JMR

FD MAG/WASHER

REF34

6/16/21, TDN

10/5/21, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 35

SHEET 25 OF 39

NOTES RHOADES

DATE 9/3/15

ROUTE SR 109

H.C. O'DONNELL

WEATHER CLEAR

COUNTY HENRY

R.C. RHOADES

TEMP. 88°

TOWNSHIP HARRISON

DWG BY RHOADES

PID PAVTRAIN

SECTION 11

T 5 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

10.4' TO LT EDGE PAVEMENT


STATION: 862+98

HORIZ.DATUM: NAD83 2011

GEOID: NAVD88 2018


GRID: NORTHING: 636487.549

EASTING: 1546569.567



RECORD:
SET MAG/WASHER
9-15-04, MC
FD MAG/WASHER
REFB30
9-1-15, JFO
8-3-16, JMR
FD MAG/WASHER
REF35
6/16/21, TDN
10/5/21, JFO

FD "+"
12" STEEL PIPE



Q SR 109

FD CUT NOTCH
1' UP
STOP SIGN

126.25'

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 36

SHEET 26 OF 36

NOTES ASTON

DATE 2/9/24

ROUTE SR 109

H.C. NIESE

WEATHER BREEZY

COUNTY HENRY

R.C. ASTON

TEMP. 54°

TOWNSHIP HARRISON

SECTION 11

DWG BY RHOADES

PID 94321

T 5 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT ON LT : RT

10.4' TO N EDGE PAVEMENT


STATION: 874+11.76

HORZ.DATUM: NAV83 2011

GEOID: NAVD88 2018

GRID: NORTHING: 637588.508


EASTING: 1546596.833



RECORD: P.I
STA= 280+41.65
 $\Delta = 0^\circ 30'$ RT
D = $0^\circ 10'$
T = 150'
L = 300'
E = 0.38'
R = 34,377.48
SET P.K./WASHER
10-11-90, MB
FD MAG NAIL
REF12
8-3-16, JMR
FD 3/4" IPIPE
4" DOWN
REF36
6/16/21, TDN
8/17/23, TDN
SET MAG/WASHER
2/9/24, TDN

W¹/₄ POST SEC 11

NOTE: REF 12 SR 110



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 36 A

SHEET 27 OF 36

NOTES BARNHISEL DATE 9/28/90

H.C. BARNHISEL WEATHER CLEAR

R.C. HOFFMAN TEMP. 65°

ROUTE SR 109

COUNTY HENRY

TOWNSHIP HARRISON

SECTION 11

T 5 N R 7 E

DWG BY RHOADES PID PAVETRAIN

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON


OFFSET $\odot$ PAVEMENT ON LT : RT

10.7' TO RT EDGE PAVEMENT

STATION: 883+78±


HORIZ.DATUM: _____ GEOID: _____

GRID: NORTHING: _____ EASTING: _____



RECORD: P.O.T.
FD P.K.NAIL
SET P.K./WASHER
10-11-90, MB
D.N.F.
TIES CROSS
8-13-02, DCH
D.N.F.
12/20/21, DSA

NOTE: REF 12A SR 110



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 36 B

SHEET 28 OF 36

NOTES RHOADES DATE 8/31/15
H.C. O'DONNELL WEATHER FAIR
R.C. RHOADES TEMP. 76°

ROUTE SR 109
COUNTY HENRY
TOWNSHIP HARRISON
SECTION 11
T 5 N R 7 E

DWG BY RHOADES PID CHIP SEAL

TYPE MONUMENT MONBOX W/ 3/4" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET ℄ PAVEMENT 2" LT : ~~RT~~

- TO - EDGE PAVEMENT


STATION: 886+75.86

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A

GRID: NORTHING: 637703.706

EASTING: 1547855.530



RECORD: P.C.
FD MONBOX
W/ 3/4" IPIN
REF13
8-31-15, JFO

NOTE: REF 13 SR 110

PIERS FOR D.T. & I RR. OVERHEAD

℄ SR 110 & SR 109

[M]

● 13A

[M]

13B

PIERS FOR D.T. & I RR. OVERHEAD

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 36 C

SHEET 29 OF 36

NOTES BARNHISEL

DATE 9/28/90

ROUTE SR 109

H.C. BARNHISEL

WEATHER CLEAR

COUNTY HENRY

R.C. HOFFMAN

TEMP. 65°

TOWNSHIP HARRISON

SECTION 11

DWG BY RHOADES PID CHIP SEAL

T 5 N R 7 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 5.9' LT : ~~RT~~

6.1' TO LT EDGE PAVEMENT


STATION: 887+71.94

HORZ. DATUM: _____

GEOID: _____


GRID: NORTHING: _____

EASTING: _____



RECORD: P.I.
 $\Delta=9^{\circ}36'$ RT
 FD P.K./WASHER
 9/28/90, MB
 SET P.K./WASHER
 10-11-90, MB
 D.N.F.
 8/31/15, JFO

NOTE: REF 13 A SR 110



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 36 D

SHEET 30 OF 36

NOTES RHOADES DATE 8/31/15

H.C. O'DONNELL WEATHER FAIR

R.C. RHOADES TEMP. 76°

ROUTE SR 109

COUNTY HENRY

TOWNSHIP HARRISON

SECTION 11

DWG BY RHOADES PID CHIP SEAL

T 5 N R 7 E

TYPE MONUMENT MONBOX W/ 3/4" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET ℄ PAVEMENT 2' LT : ~~RT~~

- TO - EDGE PAVEMENT


STATION: 888+67.57

HORIZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A

GRID: NORTHING: 637705.242

EASTING: 1548046.959



RECORD: P.T.
FD MONBOX
W/ 3/4" IPIN
REFA13
8-31-15, JFO

NOTE: REF 13B SR 110

PIERS FOR D.T. & I RR. OVERHEAD

℄ SR 110 & SR 109 [M] 13

● 13A

[M]


PIERS FOR D.T. & I RR. OVERHEAD

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 36 E SHEET 31 OF 36
 NOTES ASTON DATE 8/17/23 ROUTE SR 109
 H.C. NIESE WEATHER WINDY COUNTY HENRY
 R.C. RHOADES TEMP. 76° TOWNSHIP HARRISON
 AUBLE SECTION 11
 DWG BY RHOADES PID 94321 T 5 N R 7 E

TYPE MONUMENT MONBOX W/ 3/4" IPIN
 ON SURFACE - ~~BELOW~~ ON
 OFFSET Q PAVEMENT 2' LT : ~~RT~~
- TO - EDGE PAVEMENT
 STATION: 899+88


HORZ.DATUM: NAD83 2011 GEOID: NAVD88 2012A
 GRID: NORTHING: 637621.448 EASTING: 1549145.785



RECORD: P.I.
 $\Delta = 3^\circ 26' 14''$
 FD MONBOX
 W/ 3/4" IPIN
 REFB13
 8-31-15, JFO
 8-3-16, JFO
 FD MONBOX
 W/1" IPIN
 REFB13
 12/20/21, DSA
 8/17/23, TDN

NOTE: REF 13C SR 110

NOTE: PLUMB AT BOX



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 37

SHEET 32 OF 36

NOTES ASTON

DATE 5/25/23

ROUTE SR 109

H.C. AUBLE

WEATHER CLOUDY

COUNTY HENRY

R.C. MILLER

TEMP. 54°

TOWNSHIP HARRISON

DWG BY RHOADES

PID PAVETRAIN

SECTION 11

T 5 N R 7 E

TYPE MONUMENT MAG NAIL

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT 1.7' ± : RT
9' TO RT EDGE PAVEMENT


STATION: 914+09.80

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2018


GRID: NORTHING: 637429.609

EASTING: 1550572.496



NOTE: REF 13E SR 110

RECORD: P.I.
STA. 914+09
 $\Delta = 5^\circ 45' \text{ LT}$
FD SM.R.R.SPIKE
2" DOWN
3/23/84, SWH
SET P.K./WASHER
8/24/84, SWH
FD P.K./WASHER
8/13/02, DCH
SET MAG/WASHER
12/2/02, DCH
FD HOLE
REFE13
8/31/15, JFO
SET MAG NAIL
REF13E
5/25/23, DSA
FD MAG NAIL
7-2-24, TDN



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 38

SHEET 33 OF 36

NOTES ASTON

DATE 5/25/23

ROUTE SR 109

H.C. AUBLE

WEATHER CLOUDY

COUNTY HENRY

R.C. MILLER

TEMP. 55°

TOWNSHIP HARRISON

DWG BY RHOADES

PID PAVTRAIN

SECTION 11

T 5 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 4.9' LT : ~~RT~~

4.8' TO LT EDGE PAVEMENT


STATION: 927+22

HORIZ.DATUM: NAD83 2011

GEOID: NAVD88 2018


GRID: NORTHING: 637385.432

EASTING: 1551901.663



RECORD: P.I.
 $\Delta = 0^\circ 50' 26''$ RT
SET P.K./WASHER
10-11-90, MB
SET MAG/WASHER
12-2-02, DCH
SET MAG/WASHER
REF14
8-31-15, JFO
FD MAG/WASHER
REF38
6/17/21, TDN
10/5/21, JFO
FD MAG/WASHER
REF14
12/20/21, DSA
FD MAG/WASHER
7-2-24, TDN

NOTE: REF 14 SR 110



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 38 A

SHEET 34 OF 36

NOTES ASTON

DATE 525/23

ROUTE SR 109

H.C. AUBLE

WEATHER CLOUDY

COUNTY HENRY

R.C. MILLER

TEMP. 55°

TOWNSHIP HARRISON

DWG BY RHOADES

PID PAVTRAIN

SECTION 12

T 5 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 5.9' LT : ~~RT~~

4' TO LT EDGE PAVEMENT


STATION: 938+41

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2018


GRID: NORTHING: 637242.092

EASTING: 1553012.281



RECORD: P.I.
 $\Delta = 5^{\circ} 11' 00''$ RT
FD P.K./WASHER
8/13/02
SET MAG/WASHER
9-20-02, DCH
FD MAG/WASHER
REFA38
6/17/21, TDN
10/5/21, JFO
FD MAG/WASHER
REF14
12/20/23, DSA
FD MAG/WASHER
7-2-24, TDN

NOTE: REF 14AB SR 110



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 38 B

SHEET 35 OF 36

NOTES ASTON

DATE 5/25/23

ROUTE SR 109

H.C. AUBLE

WEATHER CLOUDY

COUNTY HENRY

R.C. MILLER

TEMP. 55°

TOWNSHIP HARRISON

SECTION 12

DWG BY RHOADES

PID PAVTRAIN

T 5 N R 7 E

TYPE MONUMENT MAG SHANK

~~ON SURFACE~~ - BELOW 1 1/2"

OFFSET CL PAVEMENT 0.9' LT : ~~RT~~

8.0' TO LT EDGE PAVEMENT


STATION: 944+81

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2018


GRID: NORTHING: 637102.896

EASTING: 1553638.160



NOTE: REF 14 AC SR 110

RECORD: P.O.T.
FD P.K./WASHER
8/13/02, DCH
SET MAG/WASHER
11-29-02, DCH
SHOT HOLE
REFB38
6/17/21, JMR
FD MAG SHANK
REF14AC
4/10/23, DSA
FD MAG SHANK
7-2-24, TDN



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 38 C

SHEET 36 OF 36

NOTES ASTON

DATE 5/25/23

ROUTE SR 109

H.C. AUBLE

WEATHER WINDY

COUNTY HENRY

R.C. MILLER

TEMP. 56°

TOWNSHIP HARRISON

SECTION 12

DWG BY RHOADES PID PAVTRAIN

T 5 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

8.6' TO RT EDGE PAVEMENT


STATION: 952+25

HORIZ.DATUM: NAD83 2011

GEOID: NAVD88 2018


GRID: NORTHING: 636940.720

EASTING: 1554366.550



RECORD: P.I.
 $\Delta = 0^{\circ} 08' RT$
STA. 359+87.00
SET P.K./WASHER
10-11-90, MB
FD P.K./WASHER
REFA14
8-31-15
8-3-16, JFO
FD MAG/WASHER
REFC38
6/17/21, TDN
REFA14
12/20/21, DSA

NOTE: REF 14A SR 110



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 39

SHEET 1 OF 11

NOTES ASTON

DATE 5/25/23

ROUTE SR 109

H.C. AUBLE

WEATHER WINDY

COUNTY HENRY

R.C. MILLER

TEMP. 56°

TOWNSHIP HARRISON

SECTION 12

DWG BY RHOADES

PID PAVETRAIN

T 5 N R 7 E

TYPE MONUMENT MONBOX W/1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

8.4' TO RT EDGE PAVEMENT


STATION: 954+22.16

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A


GRID: NORTHING: 636928.960

EASTING: 1554419.216



RECORD:
SET PK/WASHER
10-11-90, MB
FD PK/WASHER
REF15
8-31-15
8-3-16, JFO
FD MONBOX
W/1" IPIN
NEWMON3
11-17-17, JFO
REF15
12/20/23, DSA

NOTE: REF 15 SR 110



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 39 BR1

SHEET 2 OF 8

NOTES RHOADES

DATE 11/17/17

ROUTE SR 109

H.C. O'DONNELL

WEATHER ---

COUNTY HENRY

R.C. RHOADES

TEMP. ---

TOWNSHIP HARRISON

DWG BY MILLER

PID 90991

SECTION 12

T 5 N R 7 E

TYPE MONUMENT MONBOX W/1" IPIN

ON SURFACE ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

- TO - EDGE PAVEMENT


STATION: 956+59.66

HORIZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A

GRID: NORTHING: 637164.162

EASTING: 1554456.522



RECORD:
FD MONBOX SET
NEWMON3
11-17-17, JFO

Q SR 109

M

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 39 BR2

SHEET 3 OF 8

NOTES RHOADES

DATE 11/17/17

ROUTE SR 109

H.C. O'DONNELL

WEATHER ---

COUNTY HENRY

R.C. RHOADES

TEMP. ---

TOWNSHIP HARRISON

DWG BY MILLER

PID 90991

SECTION 12

T 5 N R 7 E

TYPE MONUMENT MONBOX W/1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

- TO - EDGE PAVEMENT


STATION: 959+07.74

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A

GRID: NORTHING: 637411.051

EASTING: 1554479.342



RECORD:
FD MONBOX SET
NEWMON5
11-17-17, JFO

Q SR 109

M

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 39 BR3

SHEET 4 OF 8

NOTES ---

DATE ---

ROUTE SR 109

H.C. ---

WEATHER ---

COUNTY HENRY

R.C. ---

TEMP. ---

TOWNSHIP HARRISON

SECTION 12

DWG BY MILLER

PID 90991

T 5 N R 7 E

TYPE MONUMENT DRILLHOLE

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

- TO - EDGE PAVEMENT


STATION: 974+74.63

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 639021.587

EASTING: 1554629.823



RECORD:
DRILLH SET
DURING CONSTRUCTION
USING GROUND COORDS.
D.N.F. DRILLH
6/17/19, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 39 BR4

SHEET 5 OF 8

NOTES RHOADES

DATE 12/12/17

ROUTE SR 109

H.C. O'DONNELL

WEATHER SNOW

COUNTY HENRY

R.C. RHOADES

TEMP. 22°

TOWNSHIP HARRISON

DWG BY MILLER PID 90991

SECTION 12

T 5 N R 7 E

TYPE MONUMENT MONBOX W/1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET ℄ PAVEMENT ON LT : RT

- TO - EDGE PAVEMENT


STATION: 976+81.70

HORIZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A

GRID: NORTHING: 639184.111

EASTING: 1554518.264



RECORD:
FD MONBOX SET
NEWMON6
12-12-17, JFO

℄ SR 109

M

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 39 BR5

SHEET 6 OF 8

NOTES RHOADES

DATE 12/12/17

ROUTE SR 109

H.C. O'DONNELL

WEATHER SNOW

COUNTY HENRY

R.C. RHOADES

TEMP. 22°

TOWNSHIP HARRISON

DWG BY MILLER

PID 90991

SECTION 12

T 5 N R 7 E

TYPE MONUMENT MONBOX W/1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET ℄ PAVEMENT ON LT : RT

- TO - EDGE PAVEMENT


STATION: 978+19.14

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 639320.688

EASTING: 1554512.365



RECORD:
FD MONBOX SET
NEWMONT
12-12-17, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 39 BR6

SHEET 7 OF 8

NOTES RHOADES

DATE 11/17/17

ROUTE SR 109

H.C. O'DONNELL

WEATHER ---

COUNTY HENRY

R.C. RHOADES

TEMP. ---

TOWNSHIP HARRISON

SECTION 12

DWG BY MILLER PID 90991

T 5 N R 7 E

TYPE MONUMENT MONBOX W/1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 2.8' ~~LT~~ : RT

- TO - EDGE PAVEMENT


STATION: 978+19.14

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A

GRID: NORTHING: 639320.688

EASTING: 1554512.365



RECORD:
FD MONBOX SET
NEWMON1
11-17-17, JFO

DIST. 39BR5-39BR6= 2.82'

39BR5 **MM**

Q SR 109

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 39 A

SHEET 8 OF 11

NOTES NIESE

DATE 3/16/23

ROUTE SR 109

H.C. NIESE

WEATHER CLEAR

COUNTY HENRY

R.C. MILLER

TEMP. 47°

TOWNSHIP HARRISON

SECTION 12

DWG BY RHOADES PID CHIP SEAL

T 5 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT 6' LT : ~~RT~~

6.5' TO LT EDGE PAVEMENT



STATION: 985+64.59

HORIZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A

GRID: NORTHING: 639594.934

EASTING: 1554490.938



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 39 B

SHEET 9 OF 11

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C. _____

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVETRAIN

SECTION 1

T 5 N R 7 E

TYPE MONUMENT MONBOX W/ 1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 7.8' LT : ~~RT~~

4.0' TO LT EDGE PAVEMENT


STATION: 995+76

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 640636.681

EASTING: 1554543.085



RECORD: P.I.
1964 PLAN
 $\Delta = 7^{\circ} 15' 30''$ RT
 $D = 1^{\circ} 28'$
 $T = 247.78'$
 $E = 7.81'$
FD MONBOX
7/19/02, DCH
FD MONBOX
W/ 1" IPIN
REFB39
8/6/20, DSA
3/5/21, JMR
3/16/23, TDN



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 40

SHEET 10 OF 11

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C.

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVETRAIN

SECTION 1

T 5 N R 7 E

TYPE MONUMENT MONBOX W/ 1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 12' ~~LT~~ : RT

ON TO RT EDGE PAVEMENT


STATION: 1002+67

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 641320.318

EASTING: 1554665.040



RECORD: P.I.
1964 PLAN
 $\Delta = 8^{\circ} 52' 30''$ LT
D = $1^{\circ} 28'$
T = $303.16'$
E = $11.72'$
FD MONBOX
7/19/02, DCH
FD MONBOX
W/ 1" IPIN
REF40
8/6/20, DSA
3/5/21, JMR
3/16/23, TDN



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 41

SHEET 11 OF 11

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C. _____

TEMP. 30°

TOWNSHIP LIBERTY

SECTION 1

DWG BY NIESE

PID PAVETRAIN

T 5 N R 7 E

TYPE MONUMENT MONBOX W/ 1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 0.5' LT : ~~RT~~

10' TO LT EDGE PAVEMENT


STATION: 1005+35

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A

GRID: NORTHING: 641590.113

EASTING: 1554668.691



RECORD:
1964 PLAN
FD MONBOX
W/ 1" IPIN
REF41
8/6/20, DSA
3/5/21, JMR
FD MONBOX
W/BROKEN LID
3/16/23, TDN

S S/E BOLT
HYDRANT
FLANGE

FD
SHI

FD
SHI

OHIO AG
STONE DRIVE

BOTTOM NEAR
BOLT
"OHIO AG"
SIGN BASE

Q SR 109

M

67.51'

57.70'

81.69'

146.73'

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 42

SHEET 1 OF 31

NOTES NIESE

DATE 3/16/23

ROUTE SR 109

H.C. NIESE

WEATHER CLEAR

COUNTY HENRY

R.C. MILLER

TEMP. 47°

TOWNSHIP LIBERTY

SECTION 1

DWG BY RHOADES PID CHIP SEAL

T 5 N R 7 E

TYPE MONUMENT MAG SHANK

~~ON SURFACE~~ - BELOW 1"

OFFSET Q PAVEMENT 1.0' LT : ~~RT~~

8.0' TO LT EDGE PAVEMENT


STATION: 1018+58

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 642916.637

EASTING: 1554697.446



RECORD:
FD R.R.SPIKE
7/19/02, DCH
SET MAG/WASHER
12/2/02, DCH
FD MAG/WASHER
REF42
2/25/19, JLL
8/6/20, DSA
3/5/21, JMR
FD MAG SHANK
3/16/23, TDN



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 43

SHEET 2 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C. _____

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVE TRAIN

SECTION 1

T 5 N R 7 E

TYPE MONUMENT R.R.SPIKE

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 1.7' LT : ~~RT~~

8.0' TO LT EDGE PAVEMENT


STATION: 1031+74

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A

GRID: NORTHING: _____

EASTING: _____



RECORD:
FD R.R.SPIKE
7/19/02, DCH
SET MAG/WASHER
12/2/02, DCH
D.N.F.
2/26/19, JLL
8/6/20, DSA
3/5/21, JMR

Q SR 109



CONC DR

88.82'



FD
SHI

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 43 A

SHEET 3 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C.

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE PID PAVE TRAIN

SECTION 1

T 5 N R 7 E

TYPE MONUMENT MONBOX W/1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

- TO - EDGE PAVEMENT


STATION: 1044+31

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A


GRID: NORTHING: 644626.512

EASTING: 1554736.851



RECORD:
FD R.R.SPIKE
8/13/02, DCH
SET MAG/WASHER
12/2/02, DCH
FD MONBOX
W/ 1" IPIN
2/26/19, JLL
REFA43
8/6/20, DSA
3/5/21, JMR

1' UP
2 WAY ARROW
SIGN POST



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 44

SHEET 4 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C. _____

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE PID PAVE TRAIN

SECTION 1

T 5 N R 7 E

TYPE MONUMENT MONBOX W/1" IPIN

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

- TO - EDGE PAVEMENT


STATION: 1052+86

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 645481.579

EASTING: 1554756.590



RECORD:
FD MONBOX
W/ 1" IPIN
REF44
8/6/20, DSA
3/5/21, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 45

SHEET 5 OF 31

NOTES LEU

DATE 4/25/17

ROUTE SR 109

H.C. LEU

WEATHER CLOUDY

COUNTY HENRY

R.C. HELMAN

TEMP. 60°

TOWNSHIP LIBERTY

SECTION 36

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER


~~ON SURFACE~~ - BELOW 2"

LEFT - ℄ PAV'T - ~~RIGHT~~ 1'


8.1' TO LT EDGE PAVEMENT

S.L.M. 1070+72.31

GRID: NORTHING: 648118.333 EASTING: 1554808.209



RECORD:
FD R.R.SPIKE
2" DOWN
8/13/02, DCH
SET MAG/WASHER
12/02/02, DCH
FD MAG/WASHER
REF45
2/5/16
SET MAG/WASHER
8/4/17, JLL



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL _____ REFERENCE NO. 45 A SHEET 6 OF 31

NOTES LEU DATE 4/25/17 ROUTE SR 109

H.C. LEU WEATHER CLOUDY COUNTY HENRY

R.C. HELDMAN TEMP. 65° TOWNSHIP LIBERTY

SECTION 36

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER



ON SURFACE - ~~BELOW~~ ON

LEFT - ℄ PAV'T - RIGHT ON

- TO - EDGE PAVEMENT

S.L.M. 1084+03.04

GRID: NORTHING: 649449.065 EASTING: 1554835.905



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO.

45 B

SHEET 7 OF 31

NOTES RHOADES

DATE 8/4/17

ROUTE SR 109

H.C. LEU

WEATHER CLEAR

COUNTY HENRY

R.C. HOMAN

TEMP. 70°

TOWNSHIP LIBERTY

SECTION 36

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER


ON SURFACE - ~~BELOW~~ ON

LEFT - CL PAV'T - RIGHT ON, 2.2' RT OF CL S.


- TO - EDGE PAVEMENT

S.L.M. 1097+29.07

GRID: NORTHING: 650775.095 EASTING: 1554863.502



RECORD:
SET MAG/WASHER
8/4/17, JLL



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 46

SHEET 8 OF 31

NOTES RHOADES

DATE 6/27/22

ROUTE SR 109

H.C. AUBLE

WEATHER SUNNY

COUNTY HENRY

R.C. RHOADES

TEMP. 70°

TOWNSHIP LIBERTY

DWG BY RHOADES PID PAVETRAIN

SECTION 25

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 1' LT : RT

- TO - EDGE PAVEMENT



STATION: 1116+19.2

HORIZ.DATUM: NAD83 2011

GEOID: NAVD88 2018

GRID: NORTHING: 652105.322

EASTING: 1554887.458



RECORD:
FD P.K.NAIL
OVER "+" IN
CONC PAVT
ORIGIN UNKNOWN
FD P.K./WASHER
8/13/02, DCH
SET MAG/WASHER
12/10/02, DCH
FD MAG/WASHER
REF46
2/5/16
4/25/17, JLL
SET MAG/WASHER
8/4/17, JLL
FD MAG/WASHER
REF46
6/27/22, DSA
1/11/23, JMR

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 47

SHEET 9 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C. _____

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE PID PAVE TRAIN

SECTION 25

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

11.0' TO RT EDGE PAVEMENT


STATION: 1129+70.12

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 653426.740

EASTING: 1554910.408



RECORD:
FD R.R.SPIKE
2" DOWN
8/13/02, DCH
SET MAG/WASHER
12/02/02, DCH
FD MAG/WASHER
REF45
2/5/16
SET MAG/WASHER
8/4/17, JLL
FD MAG/WASHER
REF47
6/11/20, JFO
3/5/21, JMR
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 47 A

SHEET 10 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C.

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE PID PAVE TRAIN

SECTION 25

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

10.2' TO RT EDGE PAVEMENT


STATION: 1130+95.1

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 653551.523

EASTING: 1554912.451



RECORD:
SET P.K./WASHER
9/28/92
FD P.K./WASHER
8/19/02, TMR
SET MAG/WASHER
12/10/02, DCH
FD MAG/WASHER
2/5/16
SET MAG/WASHER
8/4/17, JLL
FD MAG/WASHER
REFA47
6/11/20, JFO
3/5/21, JMR
SET MAG/WASHER
REF47A
4/12/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 47 B

SHEET 11 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C. _____

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVE TRAIN

SECTION 25

T 6 N R 7 E

TYPE MONUMENT MAG NAIL

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

10.0' TO LT EDGE PAVEMENT


STATION: 1134+48.3

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 653904.937

EASTING: 1554918.885



RECORD:
FD MAG/WASHER
4/25/17, JLL
FD MAG NAIL
REFB47
6/11/20, JFO
3/5/21,
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 47 BC

SHEET 12 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C. _____

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVE TRAIN

SECTION 25

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

10.0' TO LT EDGE PAVEMENT


STATION: 1134+70.2

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 653926.842

EASTING: 1554919.368



RECORD:
FD MAG/WASHER
4/25/17, JLL
SET MAG NAIL
REFBC47
6/11/20, JFO
FD MAG SHANK
3/5/21,
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 47 C

SHEET 13 OF 31

NOTES NIESE DATE 3/5/21

H.C. RHOADES WEATHER SUNNY

R.C. TEMP. 30°

ROUTE SR 109

COUNTY HENRY

TOWNSHIP LIBERTY

SECTION 25

DWG BY NIESE PID PAVE TRAIN

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT ON LT : RT

10.0' TO LT EDGE PAVEMENT


STATION: 1135+70.1

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 654026.765

EASTING: 1554921.157



RECORD:
FD P.K./WASHER
8/19/02, TMR
SET MAG/WASHER
12/2/02, DCH
FD MAG/WASHER
2/26/19, JLL
FD MAG/WASHER
REFC47
6/11/20, JFO
3/5/21,
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 47 CD

SHEET 14 OF 31

NOTES _____ NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C. _____

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVE TRAIN

T 6 N R 7 F

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET @ PAVEMENT _____ ON _____ LT : RT


10.0' TO LT EDGE PAVEMENT

STATION: 1136+20.2


HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A

GRID: NORTHING: 654076.802

EASTING: 1554922.047

RECORD:
FD P.K./WASHER
8/19/02, TMR
SET MAG/WASHER
12/2/02, DCH
FD MAG/WASHER
2/26/19, JLL
FD MAG/WASHER
REFCD47
6/11/20, JFO
3/5/21,
1/11/23, JMR



DIST. 47C-47CD = 50.01'

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 47 D

SHEET 15 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C. _____

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVE TRAIN

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

10.0' TO LT EDGE PAVEMENT



STATION: 1137+85.2

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 654241.789

EASTING: 1554925.034



RECORD:
FD P.K./WASHER
8/19/02, TMR
SET MAG/WASHER
12/2/02, DCH
FD MAG/WASHER
2/26/19, JLL
FD MAG/WASHER
REFD47
6/11/20, JFO
3/5/21,
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 47 DE

SHEET 16 OF 31

NOTES NIESE DATE 3/5/21

H.C. RHOADES WEATHER SUNNY

R.C. _____ TEMP. 30°

ROUTE SR 109

COUNTY HENRY

TOWNSHIP LIBERTY

SECTION 25

DWG BY NIESE PID PAVE TRAIN

T 6 N R 7 E

TYPE MONUMENT P.K./WASHER

ON SURFACE - ~~BELOW~~ ON


OFFSET CL PAVEMENT ON LT : RT

10.0' TO LT EDGE PAVEMENT


STATION: 1138+17.4

HORZ.DATUM: _____ GEOID: _____

GRID: NORTHING: _____ EASTING: _____



RECORD:
FD P.K./WASHER
8/19/02, TMR
SET MAG/WASHER
12/2/02, DCH
D.N.F.
6/11/20, JFO
3/5/21,
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 47 E

SHEET 17 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C.

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVE TRAIN

SECTION 25

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

10.0' TO LT EDGE PAVEMENT


STATION: 1142+92.3

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 654748.864

EASTING: 1554934.349



RECORD:
FD P.K./WASHER
8/19/02, TMR
SET MAG/WASHER
12/10/02, DCH
FD MAG/WASHER
2/26/19, JLL
FD MAG/WASHER
REFE47
6/11/20, JFO
3/5/21,
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 48

SHEET 18 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C.

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVE TRAIN

SECTION 24

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

- TO - EDGE PAVEMENT


STATION: 1156+18.7

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 656075.273

EASTING: 1554958.631



RECORD:
FD P.K./WASHER
8/19/02, TMR
SET MAG/WASHER
12/10/02, DCH
FD MAG/WASHER
2/26/19, JLL
FD MAG/WASHER
REF48
6/10/20, JFO
3/5/21,
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 49

SHEET 19 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C.

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVE TRAIN

SECTION 24

T 6 N R 7 E

TYPE MONUMENT R.R.SPIKE

~~ON SURFACE~~ - BELOW 3"

OFFSET $\odot$ PAVEMENT ON LT : RT

11' TO LT EDGE PAVEMENT


STATION: 1182+70.3

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 658726.916

EASTING: 1555010.762



RECORD:
FD P.K./WASHER
8/19/02, TMR
SET MAG/WASHER
12/10/02, DCH
FD SM.R.R.SPIKE
3.5" DOWN
2/26/19, JLL
FD R.R.SPIKE
3" DOWN
REF49
6/10/20, JFO
3/5/21,
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 49 A

SHEET 20 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C.

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVE TRAIN

SECTION 24

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 0.6' LT : ~~RT~~

10' TO LT EDGE PAVEMENT


STATION: 1201+86.3

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 660642.920

EASTING: 1555046.901



RECORD:
FDP.K./WASHER
8/19/02, TMR
SET MAG/WASHER
12/10/02, DCH
FD MAG/WASHER
2/26/19, JLL
FD MAG/WASHER
REFA49
6/10/20, JFO
3/5/21,
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 50

SHEET 21 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C. _____

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVE TRAIN

SECTION 13

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT ON LT : RT

- TO - EDGE PAVEMENT



STATION: 1209+15.5

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A

GRID: NORTHING: 661372.077

EASTING: 1555060.975



RECORD:
FD P.K./WASHER
8/19/02, TMR
SET MAG/WASHER
12/10/02, DCH
FD MAG/WASHER
2/26/19, JLL
FD MAG/WASHER
REF50
6/10/20, JFO
3/5/21,
1/11/23, JMR

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 51

SHEET 22 OF 31

NOTES NIESE DATE 3/5/21

H.C. RHOADES WEATHER SUNNY

R.C. TEMP. 30°

ROUTE SR 109

COUNTY HENRY

TOWNSHIP LIBERTY

SECTION 13

DWG BY NIESE PID PAVE TRAIN

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 0.5' LT : RT

11' TO LT EDGE PAVEMENT



STATION: 1235+79.2

HORIZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A

GRID: NORTHING: 664035.789

EASTING: 1555108.443



RECORD:
FD P.K./WASHER
8/19/02, TMR
SET MAG/WASHER
12/10/02, DCH
FD MAG/WASHER
2/27/19, JLL
6/9/20, DSA
3/5/21,
1/11/23, JMR

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 51 A

SHEET 23 OF 31

NOTES NIESE DATE 3/5/21
H.C. RHOADES WEATHER SUNNY
R.C. TEMP. 30°

ROUTE SR 109
COUNTY HENRY
TOWNSHIP LIBERTY
SECTION 13

DWG BY NIESE PID PAVE TRAIN

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET ℄ PAVEMENT ON LT : RT

10' TO LT EDGE PAVEMENT


STATION: 1237+04.1

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 664160.667

EASTING: 1555110.592



RECORD:
FD P.K./WASHER
9/9/02, DCH
SET MAG/WASHER
12/10/02, DCH
FD MAG/WASHER
2/27/19, JLL
FD MAG/WASHER
REFA51
6/10/20, JFO
3/5/21,
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 51 B

SHEET 24 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C.

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVE TRAIN

SECTION 13

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

10' TO LT EDGE PAVEMENT


STATION: 1238+23.8

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 664280.361

EASTING: 1555113.205



RECORD:
SET MAG/WASHER
12/10/02, DCH
FD MAG/WASHER
REFB51
2/27/19, JLL
6/10/20, JFO
3/5/21,
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 51 C

SHEET 25 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C.

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE PID PAVE TRAIN

SECTION 13

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT ON LT : RT

10' TO LT EDGE PAVEMENT




STATION: 1239+44.1

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A

GRID: NORTHING: 664400.625

EASTING: 1555115.007



RECORD:
SET MAG/WASHER
12/10/02, DCH
FD MAG/WASHER
REFC51
2/27/19, JLL
6/10/20, JFO
3/5/21,
1/11/23, JMR

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 51 D

SHEET 26 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C.

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE PID PAVE TRAIN

SECTION 13

T 6 N R 7 E

TYPE MONUMENT R.R.SPIKE

~~ON SURFACE~~ - BELOW 4 1/2"

OFFSET Q PAVEMENT ON LT : RT

10' TO LT EDGE PAVEMENT


STATION: 1243+20.9

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 664777.252

EASTING: 1555121.541



RECORD:
FD P.K./WASHER
9/9/02, DCH
SET MAG/WASHER
12/10/02, DCH
FD SM.R.R.SPIKE
4.5" DOWN
2/27/19, JLL
FD R.R.SPIKE
4 1/2" DOWN
REFD51
6/10/20, JFO
3/5/21,
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 51 E

SHEET 27 OF 31

NOTES NIESE DATE 3/5/21
H.C. RHOADES WEATHER SUNNY
R.C. TEMP. 30°

ROUTE SR 109
COUNTY HENRY
TOWNSHIP LIBERTY
SECTION 13
T 6 N R 7 E

DWG BY NIESE PID PAVE TRAIN

TYPE MONUMENT LG.R.R.SPIKE

~~ON SURFACE~~ - BELOW 3 1/2"

OFFSET Q PAVEMENT 0.4' ~~LT~~ : RT

11' TO LT EDGE PAVEMENT


STATION: 1248+77.4

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 665333.939

EASTING: 1555131.434



RECORD:
FD R.R.SPIKE
9/9/02
12/11/02, DCH
FD LG.R.R.SPIKE
4" DOWN
2/27/19, JLL
FD LG.R.R.SPIKE
3 1/2" DOWN
REFE51
6/10/20, JFO
3/5/21,
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 51 F

SHEET 28 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C. _____

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVE TRAIN

SECTION 13

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT ON LT : RT

11' TO LT EDGE PAVEMENT


STATION: 1252+48.5

HORZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: 665705.078

EASTING: 1555138.108



RECORD:
FD R.R.SPIKE
9/9/02, DCH
SET MAG/WASHER
12/10/02, DCH
FD MAG/WASHER
2/27/19, JLL
FD MAG/WASHER
REFF51
6/9/20, JLL
3/5/21,
1/11/23, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 51 G

SHEET 29 OF 31

NOTES RHOADES

DATE 6/10/20

ROUTE SR 109

H.C. AUBLE

WEATHER CLOUDY

COUNTY HENRY

R.C. O'DONNELL

TEMP. 82°

TOWNSHIP LIBERTY

DWG BY RHOADES

PID PAVE TRAIN

SECTION 13

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET Q PAVEMENT 0.6' LT : ~~RT~~

10' TO LT EDGE PAVEMENT


STATION: 1255+80

HORIZ.DATUM: NAD83 2011


GEOID: NAVD88 2012A

GRID: NORTHING: _____

EASTING: _____



RECORD:
FD P.K./WASHER
9/9/02, DCH
SET MAG/WASHER
12/10/02, DCH
DNF
2/27/19, JLL
6/10/20, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 51 H

SHEET 30 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C. _____

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVE TRAIN

SECTION 13

T 6 N R 7 E

TYPE MONUMENT MAG/WASHER

ON SURFACE - ~~BELOW~~ ON

OFFSET CL PAVEMENT ON LT : RT

10' TO LT EDGE PAVEMENT


STATION: 1259+80

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A


GRID: NORTHING: 666432.994

EASTING: 1555150.963



RECORD:

FD P.K./WASHER
9/9/02, DCH
SET MAG/WASHER
12/10/02, DCH
FD MAG SHANK
SET MAG/WASHER
2/27/19, JLL
FD MAG/WASHER
6/9/20, JLL
3/5/21, JMR



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 52

SHEET 31 OF 31

NOTES NIESE

DATE 3/5/21

ROUTE SR 109

H.C. RHOADES

WEATHER SUNNY

COUNTY HENRY

R.C. _____

TEMP. 30°

TOWNSHIP LIBERTY

DWG BY NIESE

PID PAVE TRAIN

SECTION 13

T 6 N R 7 E

TYPE MONUMENT SM.R.R.SPIKE

~~ON SURFACE~~ - BELOW 2"

OFFSET CL PAVEMENT ON LT : RT

- TO - EDGE PAVEMENT


STATION: 1261+80

HORZ.DATUM: NAD83 2011

GEOID: NAVD88 2012A

GRID: NORTHING: 666633.034

EASTING: 1555154.504



RECORD:
FD 1.5" IPIN
2.5" DOWN
1981
FD SM.R.R.SPIKE
9/9/02
12/11/02, DCH
FD SM.R.R.SPIKE
2" DOWN
2/27/19, JLL
REF52
6/9/20, JLL
FD
3/5/21, JMR

NOTE: REF 1 FUL 109

