

O.D.O.T. DISTRICT 2 SURVEY OFFICE

PERSONNEL

REFERENCE NO. 1

SHEET 1 OF 13

NOTES J. HARBAUGH

DATE 06/28/11

ROUTE US 20 & SR 795

H.C. R. LUMBREZER

WEATHER SUNNY

COUNTY WOOD

R.C. K. MOSER

TEMP. 80° F

TOWNSHIP PERRYSBURG

SECTION 6

T 4 N R 11 E

TYPE MONUMENT MAG NAIL & WASHER SET


~~ON SURFACE~~ - BELOW 4"

~~LEFT~~ - Q PAV'T - ~~RIGHT~~ BOTH

TO EDGE PAVEMENT

S.L.M. 0+00

Grid: Northing: 690737.122 Easting: 1659830.954



FND "X" CUT TOP OF  
SE BOLT OF SIGNAL  
LIGHT POLE BASE


FND "X" CUT TOP OF  
SE BOLT OF SIGNAL  
LIGHT POLE BASE

US 20 & SR 795

Q Pav't Indiana Ave.

FND "X" CUT TOP OF  
NW BOLT OF SIGNAL  
LIGHT POLE BASE

FND "X" CUT TOP OF  
NE BOLT OF SIGNAL  
LIGHT POLE BASE



O.D.O.T. DISTRICT 2 SURVEY OFFICE

PERSONNEL

REFERENCE NO. 1A

SHEET 2 OF 13

NOTES R. LUMBREZER

DATE 06/28/11

ROUTE US 20 & SR 795

H.C. R. LUMBREZER

WEATHER SUNNY

COUNTY WOOD

R.C. E. FINGER

TEMP. 80° F

TOWNSHIP PERRYSBURGSECTION 6

T\_4N R\_11E

TYPE MONUMENT MAG NAIL & WASHER SET


ON SURFACE - ~~BELOW~~ \_\_\_\_\_ ON

~~LEFT~~ - C PAV'T - ~~RIGHT~~ 2.6' E. of C ELM ST.

\_\_\_\_TO\_\_\_\_ EDGE PAVEMENT


S.L.M. 6+59.89

Grid: Northing: 691023.398 Easting: 1660425.580



SET SM. RR SPK  
08/16/88 - MB

SET MAG NAIL & SHINER  
08/17/11 - RJL



# O.D.O.T. DISTRICT 2 SURVEY OFFICE

PERSONNEL

REFERENCE NO. 1B

SHEET 3 OF 13

NOTES R. LUMBREZER

DATE 06/28/11

ROUTE US 20 & SR 795

H.C. R. LUMBREZER

WEATHER SUNNY

COUNTY WOOD

R.C. E. FINGER

TEMP. 80° F

TOWNSHIP PERRYSBURG

SECTION 5

T 4 N R 11 E

TYPE MONUMENT MAG NAIL & WASHER SET


ON SURFACE - ~~BELOW~~ ON

~~LEFT~~ - Q PAV'T - ~~RIGHT~~ ON

TO EDGE PAVEMENT

S.L.M. 12+04.29

Grid: Northing: 691259.090 Easting: 1660916.287



FND PK NAIL  
05/04/88 - MB

REESTABLISHED  
WITH EXISTING REF.  
06/28/11 - RJL

SET MAG NAIL & SHINER  
08/17/11 - RJL

FND "X" CUT TOP OF  
SW BOLT OF SIGNAL  
LIGHT POLE BASE

FND PK NAIL S/S  
POWER POLE

DIST. A-B  
10.36'

26.33'  
67.47'

66.21'

FND "X" CUT TOP OF  
NW BOLT OF SIGNAL  
LIGHT POLE BASE

US 20  
SR 795

46.54'


US 20

Sandusky St.

SR 795  
Q Pav't

US 20  
Q Pav't

FND NAIL & SHINER  
NE/S TELEPHONE POLE



# O.D.O.T. DISTRICT 2 SURVEY OFFICE

PERSONNEL

REFERENCE NO. 1C

SHEET 4 OF 13

NOTES R. LUMBREZER

DATE 06/28/11

ROUTE US 20 & SR 795

H.C. R. LUMBREZER

WEATHER SUNNY

COUNTY WOOD

R.C. E. FINGER

TEMP. 80° F

TOWNSHIP PERRYSBURG

SECTION 5

T 4 N R 11 E

TYPE MONUMENT MAG NAIL & WASHER SET


ON SURFACE - BELOW ON                     

~~LEFT~~ - Q PAV'T - ~~RIGHT~~ ON                     

                     TO                      EDGE PAVEMENT


S.L.M. 12+14.23

Grid: Northing: 691263.489 Easting: 1660925.616



FND RR SPIKE  
05/04/88 - MB

SET MAG NAIL & SHINER  
08/17/11 - RJL



# O.D.O.T. DISTRICT 2 SURVEY OFFICE

PERSONNEL

REFERENCE NO. 1D

SHEET 5 OF 13

NOTES R. LUMBREZER

DATE 06/28/11

ROUTE US 20 & SR 795

H.C. R. LUMBREZER

WEATHER SUNNY

COUNTY WOOD

R.C. E. FINGER

TEMP. 80° F

TOWNSHIP PERRYSBURG

SECTION 5

T 4 N R 11 E

TYPE MONUMENT MAG NAIL & WASHER SET


ON SURFACE - ~~BELOW~~ ON                     

~~LEFT~~ - C PAV'T - ~~RIGHT~~ ON                     

                     TO                      EDGE PAVEMENT

S.L.M. 13+04.16

Grid: Northing: 691302.299 Easting: 1661006.296



FND RR SPIKE  
02/18/10 - KPM

SET MAG NAIL & SHINER  
08/17/11 - RJL

FND "X" CUT TOP OF  
SW BOLT OF SIGNAL  
LIGHT POLE BASE

FND "X" CUT TOP OF  
SE BOLT OF SIGNAL  
LIGHT POLE BASE

DIST. A-B  
10.36'

A B

Sandusky St.

49.66'

39.87'

SR 795  
C Pav't

42.42'

48.24'

FND "X" CUT TOP OF  
NW BOLT OF SIGNAL  
LIGHT POLE BASE

FND "X" CUT TOP OF  
NW BOLT OF SIGNAL  
LIGHT POLE BASE

US 20  
SR 795

US 20  
SR 795

FND NAIL & SHINER  
NE/S TELEPHONE POLE

US 20

# O.D.O.T. DISTRICT 2 SURVEY OFFICE

PERSONNEL

REFERENCE NO. 1E

SHEET 6 OF 13

NOTES R. LUMBREZER

DATE 06/28/11

ROUTE SR 795

H.C. R. LUMBREZER

WEATHER SUNNY

COUNTY WOOD

R.C. E. FINGER

TEMP. 80° F

TOWNSHIP PERRYSBURG

SECTION 5

T 4 N R 11 E

TYPE MONUMENT MAG NAIL & WASHER SET



ON SURFACE - BELOW

~~LEFT~~ - Q PAV'T - ~~RIGHT~~ BOTH

TO EDGE PAVEMENT


S.L.M. 19+47.87

Grid: Northing: 691580.675 Easting: 1661586.459



FND. SM. RR SPK  
08/16/88 - MB

SET MAG NAIL & SHINER  
08/17/11 - RJL



# O.D.O.T. DISTRICT 2 SURVEY OFFICE

PERSONNEL

REFERENCE NO. 1F

SHEET 7 OF 13

NOTES R. LUMBREZER

DATE 06/28/11

ROUTE SR 795

H.C. R. LUMBREZER

WEATHER SUNNY

COUNTY WOOD

R.C. E. FINGER

TEMP. 80° F

TOWNSHIP PERRYSBURG

SECTION 5

T 4 N R 11 E

TYPE MONUMENT MAG NAIL & WASHER SET


ON SURFACE - BELOW

~~LEFT~~ - Q PAV'T - ~~RIGHT~~ BOTH

TO EDGE PAVEMENT


S.L.M. 25+92.05

Grid: Northing: 691859.623 Easting: 1662167.135



FND. SM. RR SPK  
05/04/88 - MB

SET MAG NAIL & SHINER  
08/17/11 - RJL



# O.D.O.T. DISTRICT 2 SURVEY OFFICE

PERSONNEL

REFERENCE NO. 1G

SHEET 8 OF 13

NOTES R. LUMBREZER

DATE 06/28/11

ROUTE SR 795

H.C. R. LUMBREZER

WEATHER SUNNY

COUNTY WOOD

R.C. E. FINGER

TEMP. 80° F

TOWNSHIP PERRYSBURG

SECTION 5

T 4 N R 11 E

TYPE MONUMENT MONUMENT BOX W/1" IPIN



ON SURFACE - BELOW

~~LEFT~~ - Q PAV'T - ~~RIGHT~~ BOTH

TO EDGE PAVEMENT


S.L.M. 35+76.90

Grid: Northing: 692286.011 Easting: 1663054.980



FND. SM. RR SPK  
05/04/88 - MB

FND. MON BOX W/ 1" IPIN  
08/17/11 - RJL



O.D.O.T. DISTRICT 2 SURVEY OFFICE

PERSONNEL

REFERENCE NO. 2

SHEET 9 OF 13

NOTES R. LUMBREZER

DATE 06/28/11

ROUTE SR 795

H.C. R. LUMBREZER

WEATHER SUNNY

COUNTY WOOD

R.C. E. FINGER

TEMP. 80° F

TOWNSHIP PERRYSBURG

SECTION 5

T 4 N R 11 E

TYPE MONUMENT MONUMENT BOX W/1" IPIN


ON SURFACE - BELOW

LEFT - C PAV'T - RIGHT 23.1'

2.5 TO LT EDGE PAVEMENT


S.L.M. 65+26.37

Grid: Northing: 693563.929 Easting: 1665713.195



FND. SM. RR SPK  
05/04/88 - MB

FND MON BOX W/ 1" IPIN  
08/30/11 - RJL



# O.D.O.T. DISTRICT 2 SURVEY OFFICE

PERSONNEL

REFERENCE NO. 3

SHEET 10 OF 13

NOTES R. LUMBREZER

DATE 06/28/11

ROUTE SR 795

H.C. R. LUMBREZER

WEATHER SUNNY

COUNTY WOOD

R.C. E. FINGER

TEMP. 80° F

TOWNSHIP PERRYSBURG

SECTION 4

T 4 N R 11 E

TYPE MONUMENT MONUMENT BOX W/1" IPIN


ON SURFACE - BELOW

~~LEFT~~ - Q PAV'T - ~~RIGHT~~ BOTH

25.2' TO RT EDGE PAVEMENT


S.L.M. 80+61.08

Grid: Northing: 693537.800 Easting: 1667247.662



FND. SM. RR SPK  
05/04/88 - MB

FND MON BOX W/ 1" IPIN  
08/30/11 - RJL



# O.D.O.T. DISTRICT 2 SURVEY OFFICE

PERSONNEL

REFERENCE NO. 4

SHEET 11 OF 13

NOTES R. LUMBREZER

DATE 06/28/11

ROUTE SR 795

H.C. R. LUMBREZER

WEATHER SUNNY

COUNTY WOOD

R.C. E. FINGER

TEMP. 80° F

TOWNSHIP PERRYSBURG

SECTION 4

T 4 N R 11 E

TYPE MONUMENT MONUMENT BOX W/1" IPIN


ON SURFACE - BELOW

~~LEFT~~ - Q PAV'T - ~~RIGHT~~ BOTH

TO EDGE PAVEMENT


S.L.M. 92+46.77

Grid: Northing: 693517.807 Easting: 1668433.230



FND. SM. RR SPK  
05/04/88 - MB

FND. MON BOX W/ 1" IPIN  
08/30/11 - RJL



# O.D.O.T. DISTRICT 2 SURVEY OFFICE

PERSONNEL

REFERENCE NO. 5

SHEET 12 OF 13

NOTES R. LUMBREZER

DATE 07/05/11

ROUTE SR 795

H.C. K. MOSER

WEATHER SUNNY

COUNTY WOOD

R.C. J. HARBAUGH

TEMP. 80° F

TOWNSHIP PERRYSBURG

SECTION 4

T 4 N R 11 E

TYPE MONUMENT MONUMENT BOX W/1" IPIN


ON SURFACE - BELOW

LEFT - Q PAV'T - RIGHT 3'

TO EDGE PAVEMENT


S.L.M. 105+91.20

Grid: Northing: 693494.676 Easting: 1669777.492



FND. SM. RR SPK  
05/04/88 - MB

FND. MON BOX W/ 1" IPIN  
08/30/11 - RJL



# O.D.O.T. DISTRICT 2 SURVEY OFFICE

PERSONNEL

REFERENCE NO. 6

SHEET 13 OF 13

NOTES R. LUMBREZER

DATE 06/28/11

ROUTE SR 795

H.C. K. MOSER

WEATHER SUNNY

COUNTY WOOD

R.C. J. HARBAUGH

TEMP. 80° F

TOWNSHIP PERRYSBURG

SECTION 4

T 4 N R 11 E

TYPE MONUMENT MONUMENT BOX W/1" IPIN


ON SURFACE - BELOW

~~LEFT~~ - Q PAV'T - ~~RIGHT~~ WEST BOUND LANE

12.2' TO LT EDGE PAVEMENT

S.L.M. 80+61.08

Grid: Northing: 693471.481 Easting: 1671121.702




FND. SM. RR SPK  
05/04/88 - MB

FND MON BOX W/ 1" IPIN  
08/30/11 - RJL

A - 24.82'  
B - 23.51'  
C - 28.45'

SET NAIL & SHINER  
S/S GUARD RAIL POSTS



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 7


NOTES NIESE  
H.C. MILLER  
R.C. RHODES

DATE 4/25/24  
WEATHER SUNNY  
TEMP. 47°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP PERRYSBURG  
SECTION 34  
T 3 N R E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MONBOX W/ 5/8" IPIN  
ON SURFACE - BELOW ON  
OFFSET  $\phi$  PAVEMENT ON



STATION: 145+79.76

HORIZ.DATUM: WOOD OCCS

GEOID: 18


GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 515547.384

EASTING: 184007.286

RECORD:  
FD MONBOX  
8/13/71, IRS  
FD MONBOX  
W/IPIN, MC  
REF 7  
FD MONBOX  
W/ 5/8" IPIN  
REF 7  
5/31/19, JFO  
FD MONBOX W/  
5/8" IPIN  
REF 7  
12/14/22, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 8

NOTES ASTON  
H.C. MILLER  
R.C. RHODES


DATE 4/26/24  
WEATHER SUNNY  
TEMP. 45°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP PERRYSBURG  
SECTION 35

DWG BY BARRIERE PID 105531

T 3 N R E

TYPE MONUMENT MONBOX W/ 1" IPIN  
ON SURFACE - BELOW ON  
OFFSET  $\phi$  PAVEMENT ON




STATION: 172+24.04

HORIZ.DATUM: WOOD OCCS GEOID: 18

GRID: NORTHING:                      EASTING:                     

LDP: NORTHING: 515551.73 EASTING: 186651.745

RECORD:  
FD MONBOX  
W/ IPIN  
11/27/91, IRS  
FD MONBOX  
W/IPIN  
REF8  
3/31/15  
5/31/19, JFO  
FD MONBOX W/ 1" IPIN  
REF8  
12/14/22, DSA  
4/26/24, JAM



## PERSONNEL

|       |        |
|-------|--------|
| NOTES | ASTON  |
| H.C.  | MILLER |
| R.C.  | RHODES |

DATE 4/26/24  
WEATHER SUNNY  
TEMP. 40°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP PERRYSBURG  
SECTION 2  
T 4 N R E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MONBOX W/ 1" IPIN  
ON SURFACE - BELOW ON  
OFFSET CL PAVEMENT ON


STATION: 199+07.00

HORZ.DATUM: WOOD OCCS


GEOID: 18

GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 515540.348EASTING: 189334.805

RECORD:  
FD MONBOX  
8/16/71, IRS  
FD MONBOX  
W/IPIN  
REF9  
3/31/15  
5/31/19, JFO  
FD MONBOX W/ 1" IPIN  
REF19  
12/14/22, DSA  
4/26/24, JAM



NOTE: 11/1/83  
50° HOFFMAN AND CREW FD IPIN 5 1/2" DEEP IN MONBOX, ON  
C PAV'T GLENWOOD RD & 9.7' RT OF C W.B.L. SR 795.  
COVER REMOVED BOX FILLED WITH BLACKTOP DUE TO  
PROBLEMS W/CASTING.



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 11


NOTES ASTON  
H.C. MILLER  
R.C. RHODES  
NIESE

DATE 4/26/24  
WEATHER SUNNY  
TEMP. 40°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP PERRYSBURG  
SECTION 1  
T 4 N R E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MONBOX W/ 1" IPIN  
ON SURFACE - BELOW ON  
OFFSET  $\mathcal{C}$  PAVEMENT ON



STATION: 253+68.43

HORIZ.DATUM: WOOD OCCS

GEOID: 18


GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 515161.066

EASTING: 194769.511

RECORD:  
FD MONBOX  
STA. 253+68.30  
8/16/71, IRS  
FD MONBOX  
W/  $\frac{3}{4}$ " IPIN  
REF11  
3/31/15



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 12

NOTES NIESE  
H.C. MILLER  
R.C. RHODES

DATE 4/25/24  
WEATHER SUNNY  
TEMP. 40°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP PERRYSBURG  
SECTION 1

DWG BY BARRIERE PID 105531

T 4 N R E

TYPE MONUMENT MONBOX W/ 1" IPIN

ON SURFACE - BELOW ON

OFFSET  $\varnothing$  PAVEMENT ON

STATION: 264+75.00

HORIZ.DATUM: WOOD OCCS


GEOID: 18

GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 515158.703

EASTING: 195901.705



RECORD:  
FD MON.BOX  
W.B.L.  
12' TO N/EP  
8/17/71, I.S.  
FD MONBOX  
W/IPIN, MC  
GPS, REF12  
FD MONBOX W/ 1" IPIN  
REF12  
12/14/22, DSA

NEAR/S  
4' UP  
(REC)  
(85.65')



○ NEAR EDGE CAP  
OF WELL CASING  
(REC)  
(76.25')

$\varnothing$  SR 795 \_\_\_\_\_ W.B.L.

2' UP  
SIGNPOST SET HUBS & TACKS

32.78' 19.36' 28.30'

\_\_\_\_\_ E.B.L.

O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 13


NOTES NIESE  
H.C. MILLER  
R.C. RHODES

DATE 4/25/24  
WEATHER SUNNY  
TEMP. 40°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 18  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MONBOX W/ 1" IPIN  
ON SURFACE - BELOW ON  
OFFSET  $\phi$  PAVEMENT ON



STATION: 280+89.00

HORIZ.DATUM: WOOD OCCS

GEOID: 18


GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 515155.145

EASTING: 197504.451

RECORD:  
STA. 281+02.86=  
10+00 TRACEY RD  
= 4° 02' 15" LT  
FD STONE 36" BELOW  
SET 3/8" IPIN  
OVER STONE  
1/22/71, BURNSIDE  
FD MON.BOX  
8/17/71, I.S.  
FD MONBOX  
W/IPIN, MC  
GPS, REF13  
FD MONBOX W/ 1" IPIN  
REF13  
12/14/22, DSA



# O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 13A


NOTES ERNST  
H.C. MILLER  
R.C. BARRIERE  
-----

DATE 4/26/24  
WEATHER SUNNY  
TEMP. 40°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 18  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MAG NAIL/WASHER  
ON SURFACE - BELOW ON  
OFFSET  $\varnothing$  PAVEMENT 15' RT



STATION: 282+88.00

HORIZ.DATUM: WOOD OCCS

GEOID: 18


GRID: NORTHING:                     

EASTING:                     

LDP: NORTHING: 515123.226

EASTING: 197687.575

RECORD: P.C.  
STA. 282+85.82  
FD IPIN IN CONC.  
12.2' TO S/EDGE  
W.B.L. 20.0' TO  
N/EB E.B.L.  
8/17/71, I.S.  
FD LG.R.R.SPIKE  
ON R/EDGE EB  
10/6/00, TR  
FD LG.R.R.SPIKE  
GPS, REFA13  
FD RSPK W/ DIMPLE  
REFA13  
11/21/22, DSA  
SET MAG/WASHER  
NEWREF13A  
7/23/25, JAM



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 13B


NOTES HUSS  
H.C. HUSS  
R.C. CANTERBURY

DATE 5/24/12  
WEATHER FAIR  
TEMP. 82°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 18  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT CMON  
ON SURFACE - BELOW ON  
OFFSET  $\oslash$  PAVEMENT ON (IN MEDIAN)



STATION: 291+33.00

HORZ.DATUM: WOOD OCCS

GEOID: 18

GRID: NORTHING: \_\_\_\_\_


EASTING: \_\_\_\_\_

LDP: NORTHING: 515150.065

EASTING: 198532.847

RECORD: P.T. OF  $\oslash$  CONSTRUCTION


STA. 291+31.36  
FD IPIN IN CONC.  
20.0' TO S/EDGE  
W.B.L. 20.0' TO  
N/EDGE E.B.L.  
8/17/71, I.S.  
FD CONC.MON.  
IN MEDIAN  
10/03, BC  
FD CONC.MON.  
GPS, REFB13  
FD CMON W/ IPIN  
REF13B  
11/21/22, DSA




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

|           |                   |             |                |              |               |           |
|-----------|-------------------|-------------|----------------|--------------|---------------|-----------|
| PERSONNEL | REFERENCE NO.     | <u>13 C</u> | SHEET          | <u>10</u>    | OF            | <u>22</u> |
| NOTES     | <u>HUSS</u>       | DATE        | <u>5/24/12</u> | ROUTE        | <u>SR 795</u> |           |
| H.C.      | <u>HUSS</u>       | WEATHER     | <u>FAIR</u>    | COUNTY       | <u>WOOD</u>   |           |
| R.C.      | <u>CANTERBURY</u> | TEMP.       | <u>82°</u>     | TOWNSHIP     | <u>LAKE</u>   |           |
|           |                   |             |                | SECTION      | <u>18</u>     |           |
|           |                   |             |                | T <u>7</u> N | R <u>12</u> E |           |

TYPE MONUMENT 5/8" IPIN  
ON SURFACE - ~~BELOW~~ ON  
LEFT - Q PAV'T - RIGHT -  
31.9' N TO N EDGE PAVEMENT  
S.L.M. 292+53  
OCCS: NORTHING: 515231.714 EASTING: 198622.545



RECORD: P.I.  
STA. 292+13.42  
FD IPIN IN CONC.  
31.9' TO W.B.L.  
N/EDGE  
8/16/71, I.S.  
FD 5/8" IPIN  
GPS, REFC13  
FD IPIN  
REFC13  
11/21/22, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO.

14

SHEET

11

OF 22

NOTES

HUSS

DATE

5/24/12

ROUTE

SR 795

H.C.

HUSS

WEATHER

FAIR

COUNTY

WOOD

R.C.

CANTERBURY

TEMP.

82°

TOWNSHIP

LAKE

SECTION

18

T 7 N R 12 E


TYPE MONUMENT CONC. MON.

ON SURFACE - ~~BELOW~~ ON



LEFT - Q PAV'T - RIGHT -  
26.8' N TO N EDGE PAVEMENT

S.L.M. 297+98.11

OCCS: NORTHING: 515263.887 EASTING: 199176.654



RECORD: P.I.  
STA. 297+98.11  
FD IPIN IN CONC.  
26.8' TO W.B.L.  
N/EDGE  
8/16/71, I.S.  
FD CONC. MON.  
GPS, REF14  
FD CMON W/ IPIN  
REF14  
11/21/22, DSA



# O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 14A


NOTES NIESE  
H.C. MILLER  
R.C. RHODES

DATE 4/25/24  
WEATHER SUNNY  
TEMP. 40°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 18  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MONBOX W/ 1" IPIN  
ON SURFACE - BELOW 3" BELOW  
OFFSET  $\phi$  PAVEMENT ON



STATION: 303+13.49

HORIZ.DATUM: WOOD OCCS

GEOID: 18


GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 515260.783

EASTING: 199711.903


RECORD: P.I.  
STA. 303+13.49  
FD MON.BOX  
12' S.OF N/EDGE  
8/17/71, I.S.  
FD MON.BOX  
GPS, REFA14  
FD MONBOX W/ 1" IPIN  
2" DOWN  
REFA14  
12/14/22, DSA




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

|           |               |         |          |        |    |        |
|-----------|---------------|---------|----------|--------|----|--------|
| PERSONNEL | REFERENCE NO. | 14 D    | SHEET    | 13     | OF | 22     |
| NOTES     | DATE          | 5/23/12 | ROUTE    | SR 795 |    |        |
| H.C.      | WEATHER       | SUNNY   | COUNTY   | WOOD   |    |        |
| R.C.      | TEMP.         | 82°     | TOWNSHIP | LAKE   |    |        |
|           |               |         | SECTION  | 17     |    |        |
|           |               |         | T        | 7      | N  | R 12 E |

TYPE MONUMENT CONC.MON.  
ON SURFACE - ~~BELOW~~ IN MEDIAN  
LEFT - Q PAV'T - ~~RIGHT~~ 32' E.B.L.  
19.8' TO RT EDGE PAVEMENT E.B.L.  
S.L.M. 346+59  
OCCS: NORTHING: 514635.447 EASTING: 203791.042



RECORD: S.T.  
STA. 346+54.7  
FD CONC.MON.  
IN MEDIAN  
8/25/71, I.S.  
10/3/00, BC  
GPS, REFD14  
5/23/12, MC  
FD CMON W/ IPIN  
REFD14  
11/21/22, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO.

16 A

SHEET

14

OF

22

NOTES

HUSS

DATE

5/23/12

ROUTE

SR 795

H.C.

CANTERBURY

WEATHER

SUNNY

COUNTY

WOOD

R.C.

HUSS

TEMP.

82°

TOWNSHIP

LAKE

SECTION

20

T 7 N

R 12 E

TYPE MONUMENT CONC. MON.


ON SURFACE - ~~BELOW~~ IN MEDIAN

LEFT - C PAV'T - ~~RIGHT~~ 32.8' E.B.L.


20.8' TO RT EDGE PAVEMENT

S.L.M. 367+71

OCCS: NORTHING: 512989.179 EASTING: 205114.907




RECORD: T.S.  
FD CONC. MON.  
IN MEDIAN  
10/3/00, BC  
GPS, REFA16  
5/23/12, MC  
FD CMON W/ IPIN  
REFA16  
11/21/22, DSA




O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

|           |               |         |          |        |    |        |
|-----------|---------------|---------|----------|--------|----|--------|
| PERSONNEL | REFERENCE NO. | 16 B    | SHEET    | 15     | OF | 22     |
| NOTES     | DATE          | 5/23/12 | ROUTE    | SR 795 |    |        |
| H.C.      | WEATHER       | SUNNY   | COUNTY   | WOOD   |    |        |
| R.C.      | TEMP.         | 82°     | TOWNSHIP | LAKE   |    |        |
|           |               |         | SECTION  | 20     |    |        |
|           |               |         | T        | 7      | N  | R 12 E |

TYPE MONUMENT CONC. MON.  
ON SURFACE - ~~BELOW~~ IN MEDIAN  
LEFT - Q PAV'T - RIGHT -  
19.8' TO RT EDGE PAVEMENT E.B.L.  
S.L.M. 371+71  
OCCS: NORTHING: 512688.135 EASTING: 205377.882



RECORD: S.C.  
FD CONC. MON.  
IN MEDIAN  
10/3/00, BC  
GPS, REFB16  
5/23/12, MC  
FD IPIN  
REFB16  
11/21/22, DSA



# O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 16C


NOTES MILLER  
H.C. O'DONNELL  
R.C. -----

DATE 4/25/24  
WEATHER SUNNY  
TEMP. 40°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 20  
T 7 N R 12 E

DWG BY BARRIERE PID 101149

TYPE MONUMENT IPIN  
ON SURFACE - BELOW 2.5' BELOW  
OFFSET  $\varnothing$  PAVEMENT 257.626' RT




STATION: 379+22.39

HORZ.DATUM: NAD 83 ('11) GEOID: 12A

GRID: NORTHING: 689678.946 EASTING: 1695550.135

LDP: NORTHING: ----- EASTING: -----

RECORD: P.I.  
FD IPIN 1" DOWN  
REFC16  
5/23/19, JFO



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 17


NOTES NIESE  
H.C. MILLER  
R.C. RHODES

DATE 4/25/24  
WEATHER SUNNY  
TEMP. 40°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 20  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MONBOX W/ 1" IPIN  
ON SURFACE - BELOW ON  
OFFSET  $\phi$  PAVEMENT ON



STATION: 386+00.00

HORIZ.DATUM: WOOD OCCS

GEOID: 18


GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 512227.367

EASTING: 206690.028

GPS, REF17  
5/23/12, MC  
FD MONBOX W/ 1" IPIN  
REF17  
12/14/22, DSA



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 19


NOTES NIESE  
H.C. MILLER  
R.C. RHODES

DATE 4/25/24  
WEATHER SUNNY  
TEMP. 37°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 21  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MONBOX W/ 1" IPIN  
ON SURFACE - BELOW ON  
OFFSET  $\oslash$  PAVEMENT ON




STATION: 417+50.88

HORIZ.DATUM: WOOD OCCS GEOID: 18

GRID: NORTHING:                      EASTING:                     

LDP: NORTHING: 512734.913 EASTING: 209799.723

RECORD:  
STA. 417+84 ±  
FD P.K.NAIL  
13.2' TO N/EP  
9/10/71, I.S.  
GPS, REF19  
5/23/12, MC  
FD MONBOX W/ 1 1/4" IPIN  
REF19  
12/14/22, DSA



# O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

## PERSONNEL

REFERENCE NO. 20

NOTES NIESE  
H.C. MILLER  
R.C. RHODES

DATE 4/25/24  
WEATHER SUNNY  
TEMP. 37°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 21  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MONBOX W/ 1" IPIN  
ON SURFACE - BELOW ON  
OFFSET  $\varnothing$  PAVEMENT ON

STATION: 444+57.00

HORZ.DATUM: WOOD OCCS


GEOID: 18

GRID: NORTHING: \_\_\_\_\_


EASTING: \_\_\_\_\_

LDP: NORTHING: 513169.242

EASTING: 212459.153



RECORD:  
STA. 444+86 ±  
FD R.R.SPIKE  
2" DOWN  
9/10/71, I.S.  
FD R.R.SPIKE  
CENTERED BETWEEN  
SR 795, 2 LANES  
GPS, REF20  
5/23/12, MC



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 20A


NOTES NIESE  
H.C. MILLER  
R.C. RHODES

DATE 4/25/24  
WEATHER SUNNY  
TEMP. 37°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 15  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MONBOX W/ 1" IPIN  
ON SURFACE - BELOW ON  
OFFSET CL PAVEMENT 2.1' RT OF WB CENTERLINE



STATION: 448+28.00

HORIZ.DATUM: WOOD OCCS

GEOID: 18

GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_


LDP: NORTHING: 513316.496

EASTING: 213362.939

GPS, REFA20  
5/23/12, MC  
FD MONBOX W/ 1" IPIN  
REFA20  
12/14/22, DSA

LAKE VIEW  
HIGH SCHOOL

 FD SHI  
(REC)  
(76.35')



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 20 B

SHEET 20 OF 22

NOTES LOEHRKE

DATE 7/18/88

ROUTE SR 795

H.C. REED

WEATHER PARTLY CLOUDY

COUNTY WOOD

R.C. BARNHISEL

TEMP. 85°

TOWNSHIP LAKE

HOFFMAN

SECTION 22

DWG BY NIESE PID                     

T 7 N R 12 E

TYPE MONUMENT MONBOX

~~ON SURFACE~~ - BELOW -


OFFSET  $\angle$  PAVEMENT 9.2' ~~LT~~ : RT

1.8' TO RT EDGE PAVEMENT


STATION: 472+83

HORZ.DATUM:                      GEOID:                     

GRID: NORTHING:                      EASTING:                     



RECORD: P.I.  
STA 472+83  
 $\angle$  CONSTRUCTION  
FD MONBOX  
BELOW SURFACE  
7/18/88, CAL



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 21

SHEET 21 OF 22

NOTES LOEHRKE

DATE 7/18/88

ROUTE SR 795

H.C. REED

WEATHER PARTLY CLOUDY

COUNTY WOOD

R.C. BARNHISEL

TEMP. 85°

TOWNSHIP LAKE

HOFFMAN

SECTION 22

DWG BY NIESE

PID \_\_\_\_\_

T 7 N R 12 E

TYPE MONUMENT 1" IPIPE

~~ON SURFACE~~ - BELOW 3"

OFFSET CL PAVEMENT 32.4' ~~LT~~ : RT

- TO - EDGE PAVEMENT


STATION: 473+26

HORZ.DATUM: \_\_\_\_\_


GEOID: \_\_\_\_\_

GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_



RECORD:  
N<sup>1</sup>/<sub>4</sub> POSST  
SEC 22  
FD 1" IPIPE  
3" DOWN  
7/18/88, CAL



# O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 22


NOTES MILLER  
H.C. MILLER  
R.C. RHODES

DATE 4/24/24  
WEATHER WINDY  
TEMP. 45°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 22  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MONBOX W/ 1.5" IPIN  
ON SURFACE - BELOW ON  
OFFSET  $\varnothing$  PAVEMENT 10' LT



STATION: 479+39

HORIZ.DATUM: WOOD OCCS

GEOID: 18


GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 513443.647

EASTING: 215387.758

RECORD:  
FD MONBOX  
BELOW SURFACE  
7/18/88, CAL  
FD ROUND MONBOX W/ 1.5" IPIN  
REF22  
12/15/22, TDN  
4/24/24, JAM



# O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 23


NOTES MILLER  
H.C. MILLER  
R.C. RHODES

DATE 4/24/24  
WEATHER WINDY  
TEMP. 45°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 22  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MONBOX W/ 1.5" IPIN  
ON SURFACE - BELOW ON  
OFFSET  $\varnothing$  PAVEMENT 9.6' LT



STATION: 487+53.44

HORIZ.DATUM: WOOD OCCS

GEOID: 18


GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 513448.301

EASTING: 216719.685

RECORD:  
GPS, REF23  
12/17/10, MC  
FD ROUND MONBOX  
W/ 1.5" IPIN  
REF23  
12/15/22, TDN  
4/24/24, JAM



## PERSONNEL


|       |        |
|-------|--------|
| NOTES | MILLER |
| H.C.  | MILLER |
| R.C.  | RHODES |

DATE 4/24/24  
WEATHER WINDY  
TEMP. 42°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 22  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MONBOX W/ 1.5" IPIN  
ON SURFACE - BELOW ON  
OFFSET  $\text{\textcircled{C}}$  PAVEMENT 9.7' RT



STATION: 494+09.84

HORZ.DATUM: WOOD OCCS


GEOID: 18

GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 513336.751EASTING: 217366.604

RECORD: 1988  
FD MONBOX BELOW  
SURFACE.  
SLM: 499+25  
380.73' W.OF  
PEMBERVILLE RD.  
GPS, REFA23  
1/3/11, MC  
FD MONBOX W/ 1" IPIN  
REFA23  
12/14/22, DSA  
4/24/24, JAM



# O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 24


NOTES BARRIERE  
H.C. MILLER  
R.C. NIESE  
ERNST

DATE 07/28/25  
WEATHER CALM  
TEMP. 75°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 22  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MAG NAIL/WASHER  
ON SURFACE - BELOW ON  
OFFSET  $\varnothing$  PAVEMENT 6.2' RT



STATION: 497+90.40

HORZ.DATUM: WOOD OCCS

GEOID: 18


GRID: NORTHING:                     

EASTING:                     

LDP: NORTHING: 513332.094

EASTING: 217747.17

RECORD: 1988  
FD R.R.SPIKE, 7/18/88  
RESET SM.R.R.SPIKE, 9/28/88  
SLM: 503+06  
FD SM.R.R.SPIKE  
12/16/10  
GPS, REF24  
12/17/10, MC  
SET MAG/WASHER  
10/22/12, SAH  
GPS, NEWREF24  
4/17/13, SDC  
FD MAG SHANK  
REF24  
12/14/22, DSA  
4/24/24, JAM  
SET MAG/WASHER  
NEWREF24  
7/23/25, JAM



# O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 25


NOTES BARRIERE  
H.C. MILLER  
R.C. NIESE  
ERNST

DATE 07/28/25  
WEATHER CALM  
TEMP. 75°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 23  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MAG NAIL/WASHER  
ON SURFACE - BELOW ON  
OFFSET  $\varnothing$  PAVEMENT 4.3' RT




STATION: 524+21.50

HORZ.DATUM: WOOD OCCS GEOID: 18

GRID: NORTHING:                      EASTING:                     

LDP: NORTHING: 513350.865 EASTING: 220379.24

RECORD: 1988  
FD R.R.SPIKE, 7/18/88  
RESET SM.R.R.SPIKE, 9/28/88  
SLM: 528+84  
FD SM.R.R.SPIKE  
12/16/10  
GPS, REF25  
12/17/10, MC  
SET MAG/WASHER  
10/22/12, SAH  
GPS, NEWREF25  
4/17/13, SDC  
FD MAG  
REF25  
12/14/22, DSA  
4/24/24, JAM  
SET MAG/WASHER  
NEWREF25  
7/23/25, JAM



# O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 25A


NOTES BARRIER  
H.C. MILLER  
R.C. ERNST

DATE 07/23/25  
WEATHER CALM  
TEMP. 75°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 23  
T 7 N R 12 E

DWG BY BARRIER PID 105531

TYPE MONUMENT MAG NAIL/WASHER  
ON SURFACE - BELOW ON  
OFFSET  $\varnothing$  PAVEMENT 3.8' RT



STATION: 537+42.63

HORIZ.DATUM: WOOD OCCS

GEOID: 18


GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 513357.610

EASTING: 221699.541

RECORD: 1988  
FD R.R.SPIKE, 7/18/88  
RESET SM.R.R.SPIKE, 9/28/88  
SLM: 542+05  
FD SM.R.R.SPIKE  
12/16/10  
GPS, REFA25  
12/17/10, MC  
SET MAG/WASHER  
10/22/12, SAH  
GPS, NEWREFA25  
4/17/13, SDC  
FD MAG/WASHER  
REFA25  
12/15/22, TDN  
FD MAG SHANK  
4/24/24, JAM  
SET MAG/WASHER  
NEWREF25A  
7/23/25, JAM



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 26A


NOTES BARRIERE  
H.C. MILLER  
R.C. ERNST

DATE 07/23/25  
WEATHER CALM  
TEMP. 80°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 23  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MAG NAIL/WASHER  
ON SURFACE - BELOW ON  
OFFSET  $\varnothing$  PAVEMENT 3.8' RT



STATION: 547+15.02

HORZ.DATUM: WOOD OCCS

GEOID: 18


GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 513362.140

EASTING: 222671.993

RECORD: 1988  
FD R.R.SPIKE, 7/18/88  
RESET SM.R.R.SPIKE, 9/28/88  
SLM: 551+76  
FD SM.R.R.SPIKE  
12/16/10  
GPS, REFB25  
12/17/10, MC  
SET MAG/WASHER  
10/22/12, SAH  
GPS, NEWREF A26  
4/17/13, SDC  
FD MAG/WASHER  
REF A26  
12/15/22  
4/24/24, JAM  
SET MAG/WASHER  
NEWREF 26A  
7/23/25, JAM



# O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 26


NOTES BARRIERE  
H.C. MILLER  
R.C. ERNST

DATE 07/23/25  
WEATHER CALM  
TEMP. 82°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 23  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MAG NAIL/WASHER  
ON SURFACE - BELOW ON  
OFFSET  $\phi$  PAVEMENT 2.7' RT



STATION: 550+63.60

HORIZ.DATUM: WOOD OCCS

GEOID: 18


GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 513364.023

EASTING: 223020.498

RECORD: 1988  
FD R.R.SPIKE, 7/18/88  
RESET SM.R.R.SPIKE, 9/28/88  
SLM: 555+27  
FD SHANK  
12/16/10  
GPS, REF26  
12/17/10, MC  
SET MAG/WASHER  
12/24/12, SAH  
GPS, NEWREF26  
4/16/13, SDC  
FD MAG SHANK  
REF26  
12/15/22, TDN  
4/24/24, JAM  
SET MAG/WASHER  
NEWREF26  
7/23/25, JAM



# O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 26B


NOTES BARRIERE  
H.C. MILLER  
R.C. ERNST

DATE 07/23/25  
WEATHER CALM  
TEMP. 82°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 24  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MAG NAIL/WASHER  
ON SURFACE - BELOW ON  
OFFSET  $\varnothing$  PAVEMENT 3.0' RT



STATION: 577+08.01

HORIZ.DATUM: WOOD OCCS

GEOID: 18


GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 513326.127

EASTING: 225664.821

RECORD: 1988  
FD R.R.SPIKE, 7/14/88  
RESET SM.R.R.SPIKE, 9/28/88  
SLM: 581+70  
FD LG.R.R.SPIKE  
12/16/10  
GPS, SVB26  
12/17/10, MC  
SET MAG/WASHER  
12/24/12, MC  
GPS, NEWREFB26  
4/16/13, SDC  
FD MAG/WASHER  
REFB26  
12/15/22, TDN  
4/24/24, JAM  
SET MAG/WASH  
NEWREF26B  
7/23/25, JAM



# O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 26C


NOTES BARRIERE  
H.C. MILLER  
R.C. ERNST

DATE 07/23/25  
WEATHER CALM  
TEMP. 88°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 24  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MAG NAIL/WASHER  
ON SURFACE - BELOW ON  
OFFSET  $\varnothing$  PAVEMENT 2.5' RT



STATION: 584+79.46

HORIZ.DATUM: WOOD OCCS

GEOID: 18


GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 513305.252

EASTING: 226436.070

RECORD: 1988  
FD 1" IPIPE, 7/14/88  
RESET SM.R.R.SPIKE, 9/28/88  
SLM: 589+42  
FD SM.R.R.SPIKE  
12/16/10  
GPS, SVC26  
12/17/10, MC  
SET MAG/WASHER  
12/24/12, MC  
GPS, NEWREFC26  
4/16/13, SDC  
FD MAG/WASHER  
REFC26  
12/15/22, TDN  
FD MAG SHANK  
4/24/24, JAM  
SET MAG/WASHER  
NEWREF26C  
7/23/25, JAM



# O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 27


NOTES BARRIERE  
H.C. MILLER  
R.C. ERNST

DATE 07/23/25  
WEATHER CALM  
TEMP. 88°

ROUTE SR 795  
COUNTY WOOD  
TOWNSHIP LAKE  
SECTION 24  
T 7 N R 12 E

DWG BY BARRIERE PID 105531

TYPE MONUMENT MAG NAIL/WASHER  
ON SURFACE - BELOW ON  
OFFSET  $\odot$  PAVEMENT 2.1' RT



STATION: 603+50.35

HORIZ.DATUM: WOOD OCCS

GEOID: 18


GRID: NORTHING: \_\_\_\_\_

EASTING: \_\_\_\_\_

LDP: NORTHING: 513250.472

EASTING: 228306.371

RECORD: 1988  
FD R.R.SPIKE, 7/14/88  
RESET SM.R.R.SPIKE, 9/28/88  
SLM: 608+07  
FD SM.R.R.SPIKE  
12/16/10  
GPS, SV27  
12/17/10, MC  
SET MAG/WASHER  
12/24/12, MC  
GPS, NEWREF27  
4/16/13, SDC  
FD MAG SHANK  
REF27  
12/15/21, TDN  
4/24/24, JAM  
SET MAG/WASHER  
NEWREF27  
7/23/25, JAM



O.D.O.T. DISTRICT 2 SURVEY OFFICE (USE ONLY)

PERSONNEL

REFERENCE NO. 1

SHEET 1 OF 2

NOTES HUSS

DATE 4/19/12

ROUTE SR 795

H.C. CANTERBURY

WEATHER CLEAR

COUNTY OTTAWA

R.C. HUSS

TEMP. 62°

TOWNSHIP ALLEN

SECTION 18

T 7 N R 13 E

TYPE MONUMENT P.K.NAIL


~~ON SURFACE~~ - BELOW 0.1'

LEFT - C PAV'T - ~~RIGHT~~ 3'

9.4' TO W. EDGE PAVEMENT

S.L.M. 606+79.29

Grid: Northing: 626327.558 Easting: 1654939.254



RECORD: 2000  
FD P.K.NAIL  
SLM: 0+00

FD P.K.NAIL  
12/16/10  
GPS, REF1  
4/19/12, MC

SET MAG/WASHER  
12/24/12, MC  
GPS, NEWREF1  
4/16/13, SDC

