

Heim, Kimber

From: Schmelzer, Edward
Sent: Monday, July 6, 2020 8:36 AM
To: Wooldridge, John
Cc: Deitrich, William; Heim, Kimber; Morgan, Douglas
Subject: RE: 110412 FAI 037; 001 Personal Property 020 Possible total take

John,

We will try to find out a contact for the utility company using parcel 1. Bill had some information on the Thurston water building, he has been talking to Doug about it

Ed Schmelzer

Utility Relocation Coordinator

ODOT District 5

9600 Jacksontown Road, Jacksontown, Ohio 43030

740-323-5126

transportation.ohio.gov



OHIO DEPARTMENT OF
TRANSPORTATION

From: Wooldridge, John
Sent: Monday, July 6, 2020 8:15 AM
To: Schmelzer, Edward <Ed.Schmelzer@dot.ohio.gov>; Deitrich, William <William.Deitrich@dot.ohio.gov>
Cc: Heim, Kimber <Kimber.Heim@dot.ohio.gov>; Morgan, Douglas <Doug.Morgan@dot.ohio.gov>
Subject: FW: 110412 FAI 037; 001 Personal Property 020 Possible total take

Good Morning Bill and Ed,

Hope you had a Happy Fourth of July. While I was off, two questions arose on this project that you may be able to assist with:

- PCL 1 appears to be used by an electric company by lease (pics attached). Can you ascertain who and for what purpose? We decided to remove the building when it was vacant and we did not originally plan to have any relocation. Any information that you have about this would be helpful.
- PCL 16 (Thurston Water): Do we have any new information regarding the use or disposition of the building? This will impact the valuation (started but not finished) if we elect to remove the building or acquire the entire property.

The PCL 20 issue is not a utility question. Thanks.

Please let me know if you have any questions, comments, or concerns. Thank you.

Respectfully,

John R. Wooldridge

Real Estate Administrator

ODOT District 5

9600 Jacksontown Road, Jacksontown, OH 43030

740.323.5427

transportation.ohio.gov



OHIO DEPARTMENT OF
TRANSPORTATION

From: Heim, Kimber

Sent: Friday, July 3, 2020 11:24 AM

To: David Weber <dweber@wearehls.com>; Wooldridge, John <John.Wooldridge@dot.ohio.gov>

Subject: RE: 110412 FAI 037; 001 Personal Property 020 Possible total take

Thank you David, I was out there for a field visit and did notice this equipment. I did not remember to let everyone know when I returned to the office. If these items need relocated, ODOT will handle. I will reach out to Eichorn as well next week.

Also, there is one location you are completing an appraisal for PCL 020, do you know if this will be an entire take due to setback issues, or just damages to the residue?

Your titles will be ready by July 17th.

Happy 4th of July!

Kimber L. Heim

Realty Specialist Manager

ODOT – District 5

9600 Jacksontown Road

Jacksontown, OH 43030

Ph: 740-323-5422 (direct) Cell: 740-814-0708

FAX: 740-323-5125



OHIO DEPARTMENT OF
TRANSPORTATION

From: David Weber <dweber@wearehls.com>

Sent: Thursday, July 2, 2020 7:50 PM

To: Wooldridge, John <John.Wooldridge@dot.ohio.gov>

Cc: Heim, Kimber <Kimber.Heim@dot.ohio.gov>

Subject: 110412 FAI 037; 001 Personal Property

John,

You may already be aware but I wanted to make sure.

I inspected parcel 1 Eichorn this week. He leases a portion of this site to an electric company and they have quite a bit stored on site within the proposed acquisition and temporary area. This would include probably 40 utility poles along with a large dumpster (Rumpke or electric company) and large storage container, the type you would see on a train. The owner could not remember the name of the electric company leasing the space. I asked him to please find that information for the next person that may need it.

Wasn't sure if you had someone for relocation that may want to reach out. Just wanted to let you know if you didn't already. I have attached some pics of the personal property along with the RE-95.

Thanks

David M. Weber
Heritage Land Services
4150 Tuller Road, Suite 214
Dublin, Ohio 43017
(614) 918-2988 direct
(614) 918-2998 fax
dweber@weareHLS.com

CAUTION: This is an external email and may not be safe. If the email looks suspicious, please do not click links or open attachments and forward the email to csc@ohio.gov or click the Phish Alert Button if available.