



SLM 25.98, 36" SEE BELOW  
 SLM 25.92, 12"  
 PEDESTRIAN BRIDGE SLM 25.94 = MM 181.75  
 CFN 1971604 SLM 25.98, 15"  
 SLM 26.08, 12"  
 E. 185th STREET SLM 26.13 = MM 181.94  
 FOR PAVEMENT DETAILS & ELEVATIONS SEE SHT. NOS 55, 56, 57 & 58

CFN 1971642  
 SLM 25.92, 12"

CFN 1971628  
 SLM 26.03, 15"  
 CFN 1971610  
 SLM 26.03, 12"

CFN 1971609  
 SLM 26.08, 12"

old CFN 180902612  
 new CFN 1851626  
 SLM 26.12, 78"  
 SEE BELOW

SEE THE 1975 CUY-90-21.27  
 PLANS FOR THE MEDIAN  
 CONCRETE BARRIER INSTALL

- SEE THE 1975 CUY-90-21.27  
 FOR SEWER AND DRAINAGE  
 STRUCTURE UPGRADE.

ITEM No	STATION	SIDE R OR L	TYPE "B"
I-M	250 + 24.76		1
TOTAL			1

ITEM No	STATION		SIDE R OR L	LENGTH x WIDTH	SODDING	SODDING FOR SPECIAL BERM AND SLOPE PROTECTION	STD. PAVED GUTTER TYPE No 1
	FROM	TO					
1-A	256+00	256+85	R		28		85
1-B	246+17	246+57	L	16x15	13		
2-B	247+00	248+90	R	16x15	53		
3-B	249+80	251+75	R	16x15	53		
4-B	254+25	255+40	R	16x15	32		
5-B	255+45	256+00	R	35x12	73		
6-B	258+95		R	40x10	45		
7-B	S.W. ABUTMENT		R	VARIABLES		28	85
TOTAL					297	28	85

ITEM No	STATION		SIDE R OR L	I-4 LIN. FT.			I-5 EACH
	FROM	TO		SHALLOW	DEEP	W/LET	
1-F	246+00	246+66	L	66			1
2-F	248+30	251+35	L	33	318	10	1
3-F	251+35	256+92	L	568			
4-F	246+00	248+72	R	272			
5-F	248+72	254+00	R	298	216	10	
6-F	254+00	256+56	R	246			
7-F	246+00	249+32	R	350	10		1
8-F	249+32	256+27	R	524	240	10	1
TOTAL				1681	462	50	1 3 1

ITEM No	STATION		SIDE R OR L	I-15 LIN. FT.	
	FROM	TO		STEEL BEAM TYPE (DEEP) STD. DWG. No 2A	STANDARD DESIGN
1-G	246+00	247+62.90	R		325.80
2-G	247+62.90	256+63.40	R	900.50	
3-G	256+63.40	256+84.23	R	20.83	
		POST SPAGE 717			
4-G	246+00	246+84.40	R		84.40
5-G	246+47.60	247+50.60	L		103.00
6-G	253+85.57	257+10.57	L		325.00
7-G	255+47.57	256+36.07	R		87.50
8-G	258+93.94	259+00	R		6.06
TOTAL				921.33	931.76

STATION	FROM	TO	SIDE R OR L	STORM SEWER	
				UNDER PAVT	UNDER PAVEMENT TEE
12"	CL	CL	B	208	
15"	CL	CL	B	58	242
12"	CL	CL	B	64	
15"	CL	CL	B	6	
12"	CL	CL	B	8	
8"	CL	CL	B	50	5
6"	CL	CL	B	58	6
7"	CL	CL	B	8	8
8"	CL	CL	B	114	14
70"				64	8
TOTAL				70	114 14 6 64 8