



CFN 1971647  
SLM 26.44, 12"  
SEE BELOW

CFN 1971621  
SLM 26.47, 12"  
SEE BELOW

CFN 1971652  
SLM 26.51, 21"  
SEE BELOW

CFN 1971615  
SLM 26.51, 21"  
SEE BELOW

CFN 1971631  
SLM 26.54, 12"  
SEE BELOW

CFN 1971618  
SLM 26.59, 12"  
SEE BELOW

CFN 1971612  
SLM 26.65, 12"  
SEE BELOW

SLM 26.34, 66"  
SEE BELOW

SLM 26.51, 66"  
SEE BELOW

old CFN 180902661  
new CFN 1884316  
SLM 26.59, 60"  
SEE BELOW

SEE THE 1975 CUY-90-21.27  
FOR SEWER AND DRAINAGE  
STRUCTURE UPGRADE.

old CFN 180902646  
new CFN 1851627  
SLM 26.44, 66"  
SEE BELOW

SEE THE 1975 CUY-90-21.27  
PLANS FOR THE MEDIAN  
CONCRETE BARRIER INSTALL

I-B MONUMENT ASSEMBLY			
ITEM No	STATION	SIDE R OR L	TYPE "B" EACH
I-M	281+19.13	R	1
TOTAL			1

GUARD RAIL				
ITEM No	STATION		SIDE R OR L	I-15 LIN. FT. STEEL BEAM TYPE (DEEP) STD. DWG. No 2A BARRIER STANDARD DESIGN
	FROM	TO		
1-G	272+00	285+00	R	1300.00
2-G	272+00	273+00	R	100.00
TOTAL				1300.00

L - 10 SQ. YDS.					
ITEM No	STATION		SIDE R OR L	LENGTH X WIDTH	SODDING
	FROM	TO			
1-B	275+55		R	18' X 10'	20
2-B	281+20		R	12' X 10'	13
3-B	284+60		L	10' X 10'	11
TOTAL					44

STATION	FROM	TO	ITEM		TOTAL
			N	S	
I-5 EACH					
1-B	275+55				
2-B	281+20				
3-B	284+60				
TOTAL					3742.140

STATION	FROM	TO	ITEM		TOTAL
			N	S	
I-2 LIN. FT. UNDER PAVEMENT					
1-B	275+55				
2-B	281+20				
3-B	284+60				
TOTAL					404.208