


AUG-29/33-0.00/3.11

MODEL: Sheet PAPER SIZE: 34x22 (in.) DATE: 2/2/2023 TIME: 7:45:14 AM USER: cweiss
pvc:\ohiodot-pw-bentley.com\ohiodot-pw-02\Documents\01 Active Projects\District 07\Auglatze\109770\400-Engineering\Roadway\Sheets\109770_GG001.dgn

SHEET NUM.											PART.			ITEM	ITEM EXT	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET NO.
3	5	6	12	13	14	20	21	22	23	25	01/NHS/05	02/STR/05	03/S5K/05						
											250	150	100	253	01001	500	SY	PAVEMENT PAVEMENT REPAIR, AS PER PLAN	3
											270,113	276,732	119,964.8	421	10010	666,809.8	SY	MICROSURFACING, SURFACE COURSE	
											176,281.6	180,595	86,712.5	421	10020	443,589.1	SY	MICROSURFACING, LEVELING COURSE	
											13.53	70.98		850	10010	84.51	MILE	GROOVING FOR 6" RECESSED PAVEMENT MARKING, (ASPHALT)	
											450			850	10130	450	FT	GROOVING FOR 12" RECESSED PAVEMENT MARKING, (ASPHALT)	
											3,994	14,593		850	10110	18,587	FT	GROOVING FOR 6" RECESSED PAVEMENT MARKING, (ASPHALT)	
												15,527		850	10130	15,527	FT	GROOVING FOR 12" RECESSED PAVEMENT MARKING, (ASPHALT)	
												1.3		850	20010	1.3	MILE	GROOVING FOR 6" RECESSED PAVEMENT MARKING, (CONCRETE)	
												600		850	20110	600	FT	GROOVING FOR 6" RECESSED PAVEMENT MARKING, (CONCRETE)	
											19,402			897	01010	19,402	SY	PAVEMENT PLANING, ASPHALT CONCRETE, CLASS A(SR 29 AND US 33) (3/4")	
											TRAFFIC CONTROL								
														621	00100	2,293	EACH	RPM	
														621	54000	2,282	EACH	RAISED PAVEMENT MARKER REMOVED	
											2,186			644	30000	2,186	FT	REMOVAL OF PAVEMENT MARKING, CHANNELIZING LINE	
											2,258			644	30000	2,258	FT	REMOVAL OF PAVEMENT MARKING, DOTTED LINE 6"	
											650			644	30000	650	FT	REMOVAL OF PAVEMENT MARKING TRANSVERSE LINE	
											4.83			644	30030	4.83	MILE	REMOVAL OF PAVEMENT MARKING, EDGE LINE WHITE	
											4.76			644	30030	4.76	MILE	REMOVAL OF PAVEMENT MARKING, EDGE LINE YELLOW	
											4.46			644	30030	4.46	MILE	REMOVAL OF PAVEMENT MARKING, LANE LINE	
												1,033		646	10300	1,033	FT	CHANNELIZING LINE, 8"	
												282		646	10400	282	FT	STOP LINE	
												57		646	10800	57	SF	ISLAND MARKING, WHITE	
												8		646	20300	8	EACH	LANE ARROW, LEFT	
												2,827		646	20504	2,827	FT	DOTTED LINE, 6"	
												20		646	20710	20	EACH	SPEED MEASUREMENT MARKING	
												20		646	50000	20	EACH	REMOVAL OF PAVEMENT MARKING, SPEED MEASUREMENT MARKING	
												8		646	50000	8	EACH	REMOVAL OF PAVEMENT MARKING LEFT ARROW	
												1,033		646	50100	1,033	FT	REMOVAL OF PAVEMENT MARKING, CHANNELIZING LINE	
											9,264			646	50100	9,264	FT	REMOVAL OF PAVEMENT MARKING, CHANNELIZING LINE	
											11,722	2,607		646	50100	14,329	FT	REMOVAL OF PAVEMENT MARKING, DOTTED LINE 6"	
												282		646	50100	282	FT	REMOVAL OF PAVEMENT MARKING, STOP LINE	
											3,564			646	50100	3,564	FT	REMOVAL OF PAVEMENT MARKING TRANSVERSE LINE	
												57		646	50200	57	SF	REMOVAL OF PAVEMENT MARKING, ISLAND MARKING WHITE	
											23.83			646	50300	23.83	MILE	REMOVAL OF PAVEMENT MARKING, LANE LINE	
											25.03			646	50300	25.03	MILE	REMOVAL OF PAVEMENT MARKING, WHITE	
											24.66			646	50300	24.66	MILE	REMOVAL OF PAVEMENT MARKING, YELLOW	
												0.04		646	50300	0.04	MILE	REMOVAL OF PAVEMENT MARKING LANE LINE	
											4.65			807	12010	4.65	MILE	WET REFLECTIVE EPOXY PAVEMENT MARKING, EDGE LINE, 6" , WHITE	
											4.62	24.34		807	12010	28.96	MILE	WET REFLECTIVE EPOXY PAVEMENT MARKING, EDGE LINE, 6" , YELLOW	
												24.34		807	12010	24.34	MILE	WET REFLECTIVE EPOXY PAVEMENT MARKING, EDGE LINE, 6" , WHITE	
											4.26	23.6		807	12110	27.86	MILE	WET REFLECTIVE EPOXY PAVEMENT MARKING, LANE LINE, 6"	
											4,308	15,527		807	12310	19,835	FT	WET REFLECTIVE EPOXY PAVEMENT MARKING, CHANNELIZING LINE, 12"	
											3,994	15,193		807	12410	19,187	FT	WET REFLECTIVE EPOXY PAVEMENT MARKING, DOTTED LINE, 6"	
											10			808	18700	10	SNMT	DIGITAL SPEED LIMIT (DSL) SIGN ASSEMBLY	
											STRUCTURE REPAIR (AUG-33-14.80L)								
											3	3		519	12300	3	SY	PATCHING CONCRETE BRIDGE DECK - TYPE B	
											STRUCTURE REPAIR (AUG-33-4.19L)								
											6	6		519	12300	6	SY	PATCHING CONCRETE BRIDGE DECK - TYPE B	
											STRUCTURE REPAIR (AUG-33-5.91L)								
											6	6		519	12300	6	SY	PATCHING CONCRETE BRIDGE DECK - TYPE B	

GENERAL SUMMARY (1 OF 2)

DESIGN AGENCY



DESIGNER
REB


REVIEWER
CWW 02-03-22

PROJECT ID
109770

SHEET TOTAL
P.7 25

PARTICIPATION	ROUTE	SLM / LOCATION		LANE WIDTH FT	SOLID LINE EQUIVALENT MILE	614	614	614		807	807	807	807	807		850	850	850	644	644	644	644	644	644																	
		WORK ZONE LANE LINE, CLASS 1, 6", 807 PAINT	WORK ZONE EDGE LINE, CLASS 1, 6", 807 PAINT			WORK ZONE CHANNELIZING LINE, CLASS 1, 12", 807 PAINT	WET REFLECTIVE EPOXY PAVEMENT MARKING, EDGE LINE, 6" WHITE	WET REFLECTIVE EPOXY PAVEMENT MARKING, EDGE LINE, 6" YELLOW		WET REFLECTIVE EPOXY PAVEMENT MARKING, LANE LINE, 6"	WET REFLECTIVE EPOXY PAVEMENT MARKING, CHANNELIZING LINE, 12"	WET REFLECTIVE EPOXY PAVEMENT MARKING, DOTTED LINE, 6"	GROOVING FOR 6" RECESSED PAVEMENT MARKING, (ASPHALT)	GROOVING FOR 12" RECESSED PAVEMENT MARKING, (ASPHALT)		GROOVING FOR 6" RECESSED PAVEMENT MARKING, (ASPHALT)	REMOVAL OF PAVEMENT MARKING EDGELINE WHITE	REMOVAL OF PAVEMENT MARKING EDGELINE YELLOW	REMOVAL OF PAVEMENT MARKING LANE LINE	REMOVAL OF PAVEMENT MARKING CHANNELIZING LINE	REMOVAL OF PAVEMENT MARKING DOTTED 6"	REMOVAL OF PAVEMENT MARKING TRANSVERSE LINE	FROM	TO	FT	MILE	MILE	MILE	FT	FT	FT	MILE	MILE	MILE	FT	FT	FT				
2	AUG-29	0.00	1.10	12.0		6.60	8.80			2.20	2.20	2.20			6.60			2.20	2.20	2.20																					
2	AUG-29	0.58 SR-364 INTERCHANGE RAMP SW							1350					450	600		450	600			0.04	450	328	184																	
2	AUG-29	0.58 SR-364 INTERCHANGE RAMP SE							2850					950	600		950	600	0.09	0.06	0.03	170	388																		
2	AUG-29	0.58 SR-364 INTERCHANGE RAMP NW							2484					828	685		828	685	0.09	0.05	0.03	170	493																		
2	AUG-29	0.58 SR-364 INTERCHANGE RAMP NE							1230					410	612		410	612			0.03	410	404	173																	
3	AUG-29	1.10	1.85			6.18	8.24			2.06	2.06	2.06			6.18			2.06	2.06	2.06																					
3	AUG-29	1.85 US-33 EB EXIT RAMP E							1770					590	492		590	492			0.03	590	280	293																	
3	AUG-29	1.85 US-33 WB ENT RAMP B						1.40	1740		0.34	0.36		580	595		580	595	0.34	0.36	0.04	290	365																		
3	AUG-29	1.85 US-33 WB ENT RAMP A							1500		0.05			500	410		500	410	0.05	0.03	0.04	106																			
PART.																																									
SUBTOTALS																																									
						0	0	0		0	0	0	0	0		0	0	0	0	0	0	0	0																		
						6.6	8.8	7914		2.2	2.2	2.2	2638	2497		6.6	2638	2497	2.38	2.31	2.33	1200	1613	357																	
						6.18	9.64	5010		2.45	2.42	2.06	1670	1497		6.93	1670	1497	2.45	2.45	2.13	986	645	293																	
TOTALS CARRIED TO GENERAL SUMMARY						12.78	18.44	12924		4.65	4.62	4.26	4308	3994		13.53	4308	3994	4.83	4.76	4.46	2186	2258	650																	


PAVEMENT MARKING SUB-SUMMARY

DESIGN AGENCY	
DESIGNER	REB
REVIEWER	CWW 02-03-22
PROJECT ID	109770
SHEET TOTAL	P.20 25

PARTICIPATION	ROUTE	SLM / LOCATION		LANE WIDTH FT	SOLID LINE EQUIVALENT MILE	614	614	614	807	807	807	807	807	850	850	850	850	850	646	646	646	646	646	646		
		FROM	TO			MILE	MILE	MILE	FT	MILE	MILE	MILE	FT	FT	MILE	FT	FT	MILE	FT	MILE	MILE	MILE	FT	FT	FT	
1	AUG-33	3.11	14.91	12.0		70.80	94.40							69.50			1.30		23.6	23.6	23.6					
1	AUG-33	3.11 US-33 WB EXIT RAMP C																					603	493	318	
1	AUG-33	3.11 US-33 EB ENT RAMP F																		0.02		0.02	124			
1	AUG-33	3.11 US-33 WB EXIT RAMP D						1.58	1626	0.37	0.37				542	652	0.74	652	542	0.42	0.37		271	652		
1	AUG-33	4.72 SR-66 INTG EB EXIT RAMP A							1500						500	600		600	500				0.05	500	315	179
1	AUG-33	4.72 SR-66 INTG WB ENT RAMP B							2220						740	715		715	740					370	715	
1	AUG-33	4.72 US-33 WB EXIT TO SB66 RAMP C						1.48	3798	0.37	0.37				1266	500	0.74	500	1266	0.37	0.37	0.04	1266	300	998	
1	AUG-33	4.72 SR-66 INTG EB ENT RAMP D							2178						726	662		662	726	0.07	0.05		135	662		
1	AUG-33	4.72 SR-66 INTG WB EXIT RAMP E							1362						454	320		320	454					454	212	
1	AUG-33	7.29 REST AREA EB EXIT							2199						733	433		433	733					733	433	440
1	AUG-33	7.29 REST AREA EB ENT							2796						932	833		833	932	0.09	0.04		223	833		
1	AUG-33	7.29 REST AREA WB EXIT							1899						633	438		438	633			0.02	633	279	440	
1	AUG-33	7.29 REST AREA WB ENT							2328						776	783		783	776	0.07	0.05		147	783		
1	AUG-33	9.26 CR-91 MOULTON - FT AMANDA RD EB EXIT RAMP A							1320						440	585		585	440					440	585	230
1	AUG-33	9.26 CR-91 MOULTON - FT AMANDA RD WB ENT RAMP B							2196						732	788		788	732	0.07	0.04		153	788		
1	AUG-33	9.26 CR-91 MOULTON - FT AMANDA RD WB EXIT RAMP C							1311						437	581		581	437	0.03		0.04	437	340	180	
1	AUG-33	9.26 CR-91 MOULTON - FT AMANDA RD EB ENT RAMP D							2478						826	712		712	826	0.08	0.04		180	712		
1	AUG-33	12.81 CR33A PLANK INTG EB EXIT RAMP A							1650						550	570		570	550					550	57	277
1	AUG-33	12.81 CR33A PLANK INTG WB ENT RAMP B							2112						704	730		730	704	0.07	0.04	0.02	112	575		
1	AUG-33	12.81 CR33A PLANK INTG WB EXIT RAMP C							1950						650	364		246	650			0.02	650	270	290	
1	AUG-33	12.81 CR33A PLANK INTG EB ENT RAMP D							2454						818	970		858	818	112	0.08	0.05	0.02	130	845	
1	AUG-33	14.90 CR133A HARDIN/SR-67 INTG WB ENT RAMP A							1920						640	920		920	640	0.06	0.01		276	920		
1	AUG-33	14.90 CR133A HARDIN/SR-67 INTG EB EXIT RAMP B							1131						377	580		580	377				377	580		
1	AUG-33	14.90 CR133A HARDIN/SR-67 INTG WB EXIT RAMP C							1500						500	600		415	500				500	585		
1	AUG-33	14.90 CR133A HARDIN/SR-67 INTG EB ENT RAMP D							2100						700	800		615	700		185					
						SUBTOTALS																				
PART.						70.8	97.46	46581	24.34	24.34	23.6	15527	15193	70.98	14593	15527	1.3	600	25.03	24.66	23.83	9264	11722	3564		
1						0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2						0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3						0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTALS CARRIED TO GENERAL SUMMARY						70.8	97.46	46581	24.34	24.34	23.6	15527	15193	70.98	14593	15527	1.3	600	25.03	24.66	23.83	9264	11722	3564		

PAVEMENT MARKING SUB-SUMMARY

DESIGN AGENCY



DESIGNER
REB

REVIEWER
CWW 02-03-22

PROJECT ID
109770

SHEET TOTAL
P21 25