

PROJECT: CLI-72-2.18	DRILLING FIRM/OPERATOR: ODOT/J. McCourt	DRILL RIG: CME 55 Truck NWJ	STATION/OFFSET: CL SR 72	EXPLORATION ID
TYPE: Culvert	LOGGING FIRM/LOGGER: ODOT/J. Sprouse	HAMMER: Automatic	ALIGNMENT: CL SR 72	B-001-0-25
PID: 119358 CFN: 1402056	DRILLING METHOD: 3.25" HSA	CALIBRATION DATE: 11/07/2023	ELEVATION: 1099.7 (ft) EOB: 30.0 ft.	PAGE
START: 06/04/2025 END: 06/04/2025	SAMPLING METHOD: SPT	ENERGY RATIO (%): 87.9	LAT/LONG: 39.406505, -83.605738	1 OF 1

MATERIAL DESCRIPTION AND NOTES	ELEV.	DEPTHS	SPT/ RQD	N ₆₀	REC (%)	SAMPLE ID	HP (tsf)	GRADATION (%)					ATTERBERG			WC	ODOT CLASS (GI)	BACK FILL
								GR	CS	FS	SI	CL	LL	PL	PI			
TOPSOIL 16.0 IN																		
STONE FRAGMENTS WITH SAND , loose, gray, little silt, trace clay, damp.	1098.2	1																
		2	3	9	50	SS-1		46	22	12	18	2	NP	NP	NP	7	A-1-b(0)	
GRAVEL WITH SAND, SILT, AND CLAY , loose, gray, poor recovery from 1.5 " spoon. additional material taken from auger cuttings, damp. @6.0'; medium dense	1096.2	3																
		4	2	7	33	SS-2		75	8	7	8	2	28	16	12	6	A-2-6(0)	
		5																
		6	1															
		7	1	19	33	SS-3										7	A-2-6 (V)	
	1091.2	8																
SANDY SILT , medium dense, dark gray and brown, some gravel and stone fragments, some clay, moist. @11.5'; mottled brown and gray, damp @13.5'; dense		9	2	13	67	SS-4		25	8	12	33	22	NP	NP	NP	21	A-4a(4)	
		10	5															
		11	0															
		12	2	12	67	SS-5										15	A-4a (V)	
		13																
		14	7															
SANDY SILT , hard, grayish brown, little clay, little gravel and stone fragments, damp. @18.5'; gray with reddish brown staining along soil fractures @26.0'; very stiff, some gravel and stone fragments	1083.7	15	10	35	100	SS-6										12	A-4a (V)	
		16																
		17	12	44	100	SS-7	4.50	18	9	14	39	20	22	14	8	11	A-4a(5)	
		18	14															
		19	8															
		20	9	32	94	SS-8	4.50	18	11	16	37	18	20	13	7	10	A-4a(4)	
		21																
		22	9															
		23	12	38	100	SS-9	4.50									11	A-4a (V)	
		24																
		25	5	21	100	SS-10	4.50									12	A-4a (V)	
		26	6															
		27	5	22	100	SS-11	3.00	23	9	13	35	20	21	13	8	12	A-4a(4)	
		28	6															
		29	4	21	17	SS-12	3.25									12	A-4a (V)	
	1069.7	30	6															

NOTES: Hole dry upon completion. Latitude/Longitude from Juniper Geode GNS3 GPS receiver. Elevation from USGS 3DEP map service.

ABANDONMENT METHODS, MATERIALS, QUANTITIES: Collapsed to 20.5'; Auger cuttings mixed with 50 lbs. bentonite chips.