

PROJECT DESCRIPTION:

INSTALL TIMBER SUBDECK

REFER TO STANDARD BRIDGE DRAWINGS:

NONE

REFER TO SUPPLEMENTAL SPECIFICATIONS:

AS LISTED ON TITLE SHEET

DESIGN LOADS:

TIMBER SUBDECKING WAS DESIGNED FOR A 25 PSF LOAD PLUS THE SELF-WEIGHT OF THE TIMBER SUBDECKING.

RIGHT OF WAY:

ALL WORK IS TO BE PERFORMED WITHIN THE EXISTING RIGHT OF WAY OR EASEMENTS OR WITHIN STATE PROPERTY.

COOPERATION BETWEEN CONTRACTORS:

THE CONTRACTOR SHALL COOPERATE AND COORDINATE THEIR OPERATIONS WITH THE CONTRACTORS ON OTHER PROJECTS THAT MAY BE IN FORCE DURING THE LIFE OF THE CONTRACT. NO WAIVER OF ANY PROVISIONS OF 105.08 OF THE 2019 CONSTRUCTION AND MATERIAL SPECIFICATIONS IS INTENDED.

UTILITY OWNERSHIP:

EXISTING LIGHTING AND CONDUIT ON PIERS NOT TO BE DISTURBED. SUBDECKING TO BE CUT AS NECESSARY TO PROVIDE OPENINGS FOR CONDUIT.

EXISTING STRUCTURE VERIFICATION:

DETAILS AND DIMENSIONS SHOWN ON THESE PLANS PERTAINING TO THE EXISTING STRUCTURE HAVE BEEN OBTAINED FROM PLANS OF THE EXISTING STRUCTURE AND FROM FIELD OBSERVATIONS AND MEASUREMENTS. CONSEQUENTLY, THEY ARE INDICATIVE OF THE EXISTING STRUCTURE AND THE PROPOSED WORK BUT THEY SHALL BE CONSIDERED TENTATIVE AND APPROXIMATE. THE CONTRACTOR IS REFERRED TO SECTIONS 102.05 AND 105.02 OF THE 2019 CONSTRUCTION AND MATERIAL SPECIFICATIONS.

BASE CONTRACT BID PRICES UPON A RECOGNITION OF THE UNCERTAINTIES DESCRIBED ABOVE AND UPON A PRE-BID EXAMINATION OF THE EXISTING STRUCTURE BY THE CONTRACTOR. HOWEVER, THE DEPARTMENT WILL PAY FOR ALL PROJECT WORK BASED UPON ACTUAL DETAILS AND DIMENSIONS THAT HAVE BEEN VERIFIED IN THE FIELD.

THE EXISTING STRUCTURE PLANS MAY BE REVIEWED AT:
OHIO DEPARTMENT OF TRANSPORTATION
DISTRICT 12 OFFICE
5500 TRANSPORTATION BOULEVARD
GARFIELD HEIGHTS, OH 44125

EXISTING DIMENSIONS:

ALL DIMENSIONS ARE APPROXIMATE AND CONSIDERED ± WHETHER NOTED OR NOT ON THE PLANS.

LIMITATIONS OF OPERATIONS:

THE CONTRACTOR'S ACTIVITIES AND WORK SCHEDULE SHALL BE CONSTRAINED BY THE FOLLOWING SPECIAL LIMITATIONS:

1. TIMBERS MUST BE COMPLETELY SECURED AS SHOWN IN THE PLANS BEFORE TRAFFIC IS ALLOWED UNDERNEATH.
2. MAINTENANCE OF TRAFFIC RESTRICTIONS (REFER TO THE MAINTENANCE OF TRAFFIC SHEETS IN THIS PLAN).

CONSTRUCTION NOISE:

THE CONSTRUCTOR SHALL COMPLY WITH ALL CITY OF CLEVELAND NOISE ORDINANCES FOR WORK PERFORMED AT NIGHT.

ITEM 623 - CONSTRUCTION LAYOUT STAKES, AS PER PLAN

AN OHIO PROFESSIONAL SURVEYOR SHALL DETERMINE THE MINIMUM VERTICAL CLEARANCE OF I-480 OVER LEE ROAD AFTER COMPLETION OF ALL THE WORK, BUT PRIOR TO FINAL ACCEPTANCE OF THE PROJECT. AT A MINIMUM, MEASUREMENTS SHALL BE TAKEN ALONG THE CENTERLINE OF EACH FASCIA GIRDER AT THE EDGE OF SHOULDERS, EDGE LINES, LANE LINES, AND CROWN OF THE ROADWAY BELOW. THE MEASUREMENTS SHALL BE DOCUMENTED ON THE ODOT VERTICAL CLEARANCE SURVEY FORM. THE FORM SHALL BEAR THE STAMP/SEAL OF THE OHIO PROFESSIONAL SURVEYOR (P.S.) WHO HAS TAKEN THE MEASUREMENTS. THE OHIO P.S. SHALL SUBMIT THE COMPLETED FORM TO THE PROJECT ENGINEER AND THE DISTRICT BRIDGE MAINTENANCE ENGINEER PRIOR TO FINAL ACCEPTANCE OF THE PROJECT.

ITEM SPECIAL - STRUCTURES, MISC.: TIMBER SUBDECK

DESCRIPTION:

THIS ITEM SHALL CONSIST OF FURNISHING, CUTTING, FITTING, PLACING AND ERECTING OF TIMBER, AND THE FURNISHING AND INSTALLING OF ALL NECESSARY HARDWARE AS SPECIFIED.

SUBDECK AREAS ABOVE TRAVELED LANES, AS WELL AS PAVED SHOULDERS.

MATERIALS:

TIMBER BEAMS SHALL CONFORM TO CMS 711.26 AND SHALL BE DOUGLAS FIR LARCH WITH A COMMERCIAL GRADE OF NO. 2 OR BETTER OR SOUTHERN PINE WITH A COMMERCIAL GRADE OF NO. 2 OR BETTER. PRESERVATIVE TREATMENT FOR TIMBER BEAMS SHALL CONFORM TO CMS 712.06.

THE TIMBER SHEATHING SHALL BE 3/4" CDX PRESERVATIVE TREATED PLYWOOD MANUFACTURED FROM EITHER DOUGLAS FIR OR SOUTHERN PINE. ALL TRANSVERSE EDGES OF THE PLYWOOD SHALL BE SUPPORTED BY THE TIMBER BEAMS.

THE BOLTS SHALL BE ASTM A449 - TYPE 1 OR SAE J429 - GRADE 5, 3/8" DIAMETER GALVANIZED BOLTS WITH GALVANIZED FENDER WASHERS AND LOCK NUTS. SPACING OF THE BOLTS SHALL BE A MAXIMUM OF 2 FOOT SPACING.

WOOD SCREWS SHALL BE GALVANIZED 3" LONG #10 FASTENERS SPACED AT 2 FOOT MAXIMUM, UNLESS OTHERWISE NOTED.

GENERAL:

FIELD MEASUREMENTS SHALL BE TAKEN BEFORE ANY FABRICATION IS PERFORMED.

METHOD OF MEASUREMENT:

THE PAYMENT FOR THIS ITEM SHALL BE SQUARE FOOTAGE IN PLACE AND ACCEPTED. THIS ITEM SHALL INCLUDE ALL LABOR, MATERIAL, EQUIPMENT, AND ALL OTHER INCIDENTALS NECESSARY TO COMPLETE THE TIMBER SUBDECKING. PAYMENT SHALL BE MADE UNDER ITEM SPECIAL - STRUCTURES, MISC.: TIMBER SUBDECK.

PERMIT

IN THE CITY OF CLEVELAND, ALL PERMITS MUST BE OBTAINED FROM THE DIVISION OF ASSESSMENTS AND LICENSES PRIOR TO BEGINNING ANY WORK. PERMITS INCLUDE BUT ARE NOT LIMITED TO STREET OPENING PERMIT, OVERLOAD PERMIT, OBSTRUCTION PERMIT AND/OR SIDEWALK PERMIT AND MAY BE OBTAINED THROUGH THE FOLLOWING:

<https://clevelandohio.gov/sites/default/files/forms-publications/StreetOpeningSidewalkObstructionApp.pdf?id=3036>
DIVISION OF ASSESSMENTS AND LICENSES
601 LAKESIDE AVENUE, ROOM 122
CLEVELAND, OHIO 44114
PHONE: 216-664-2174
EMAIL: DALpermits@city.cleveland.oh.us

ALL STREET OPENING REPAIRS, CURB REPAIRS, AND/OR SIDEWALK REPAIRS EITHER INCIDENTAL TO THE PROJECT OR PART OF THE PROJECT MUST BE PERFORMED IN ACCORDANCE TO CITY OF CLEVELAND STANDARDS. A COPY OF THE STANDARDS CAN BE OBTAINED FROM THE DIVISION OF ENGINEERING AND CONSTRUCTION BY CALLING 216-664-2381.

ALL PERMITS, FEES AND CHARGES SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR AND THEIR ASSOCIATED COST SHALL BE INCLUDED IN THE CONTRACT UNIT PRICE BID FOR PERTINENT WORK ITEMS. FOR BIDDING PURPOSE, FEES AND CHARGES MAY BE OBTAINED FROM THE DIVISION OF ASSESSMENTS AND LICENSES AT 216-664-2174.

THE CITY OF CLEVELAND HAS STATED THAT AN OBSTRUCTION PERMIT WILL BE REQUIRED FOR THIS PROJECT. THE OBSTRUCTION WILL INCLUDE DETOURING AND CLOSURES ALONG LEE ROAD, INSTALLATIONS OVERHEAD, AND WILL BE PERMITTED AT A \$20 PER MONTH BASIS.

CALCULATED
CDH
CHECKED
DEB

GENERAL NOTES

CUY-480-22.41
SUBDECKING

\\usaeast.lbigroup.com\jcn\27052_D12-BH-FY22\7.0_Production\Roadway\Location 5 - CUY-480-22.41 (Subdecking)\Sheets\CUY-480-22.41_GN001.dgn Sheet 2021-02-18 5:43:31PM brian.sez101