

Response Display

[Exit](#)Ticket

Ticket	Revision	Address	Street	Cross street	Company
a301301015	Latest revision: 00A		W 220TH ST	I-480	THOMAS FOK & ASSOCIATES, INC.

Code	Name	Response	Description	Responded	Revision	URL	Comments
AMM	BREEZELINE - CLEVELAND(USIC)	001	No Conflict - Underground facilities operated by this member are not in conflict based on information provided in the Excavation Request.	01/13/23 11:16:04	00A		
CEI	ILLUMINATING CO (USIC)	001	No Conflict - Underground facilities operated by this member are not in conflict based on information provided in the Excavation Request.	01/16/23 11:17:36	00A		
COXP	COX COMMUNICATIONS /USIC	001	No Conflict - Underground facilities operated by this member are not in conflict based on information provided in the Excavation Request.	01/16/23 11:16:31	00A		
CWDP	CLEVELAND WATER-CITY/ONE CALL CONCEPTS	002	Marked - Underground facilities operated by this member at the site of proposed excavation have been marked up to the privately owned facility.	01/18/23 10:55:13	00A		
EOA	DOMINION ENERGY OHIO-CLVLND(BENCHMARK)	001	No Conflict - Underground facilities operated by this member are not in conflict based on information provided in the Excavation Request.	01/13/23 13:14:35	00A		
MCIP	MCI	001	No Conflict - Underground facilities operated by this member are not in conflict based on information provided in the Excavation Request.	01/17/23 14:16:30	00A		
MSCP	MASTEC UTILITY SERVICES	001	No Conflict - Underground facilities operated by this member are not in conflict based on information provided in the Excavation Request.	01/17/23 14:16:31	00A		
OBFP	AT&T - OHIO (USIC)	001	No Conflict - Underground facilities operated by this member are not in conflict based on information provided in the Excavation Request.	01/16/23 11:16:32	00A		
ODT12E	ODOT 12 TRAFFIC (DISTRICT 12)	999	No Response (LATE) - The Facility Owner or Operator or its representatives has not posted a Positive Response prior to the legal start	01/18/23 11:10:01	00A		
ODT12TR	ODOT 12 TRAFFIC (DISTRICT 12)	999	No Response (LATE) - The Facility Owner or Operator or its representatives has not posted a Positive Response prior to the legal start	01/18/23 11:10:01	00A		

[Exit](#)