

Response Display

[Exit](#)Ticket

Ticket	Revision	Address	Street	Cross street	Company
a301600226	Latest revision: 00A		MASTICK RD	W 224TH ST	THOMAS FOK & ASSOCIATES, INC.

Code	Name	Response	Description	Responded	Revision	URL	Comments
AMM	BREEZELINE - CLEVELAND(USIC)	001	No Conflict - Underground facilities operated by this member are not in conflict based on information provided in the Excavation Request.	01/17/23 14:47:06	00A		
CEI	ILLUMINATING CO (USIC)	004	Locator Coordination - Locate request has not been completed. Locator has/will contact the excavator to coordinate markings.	01/16/23 16:05:02	00A		
COXP	COX COMMUNICATIONS /USIC	001	No Conflict - Underground facilities operated by this member are not in conflict based on information provided in the Excavation Request.	01/16/23 16:03:13	00A		
CWDP	CLEVELAND WATER-CITY/ONE CALL CONCEPTS	002	Marked - Underground facilities operated by this member at the site of proposed excavation have been marked up to the privately owned facility.	01/18/23 11:17:09	00A		
EOA	DOMINION ENERGY OHIO-CLVLND(BENCHMARK)	001	No Conflict - Underground facilities operated by this member are not in conflict based on information provided in the Excavation Request.	01/16/23 16:32:36	00A		
LVTP	LUMEN (LEVEL 3)	001	No Conflict - Underground facilities operated by this member are not in conflict based on information provided in the Excavation Request.	01/16/23 08:03:01	00A		
MCIP	MCI	001	No Conflict - Underground facilities operated by this member are not in conflict based on information provided in the Excavation Request.	01/19/23 09:30:51	00A		
MSCP	MASTEC UTILITY SERVICES	001	No Conflict - Underground facilities operated by this member are not in conflict based on information provided in the Excavation Request.	01/19/23 09:30:52	00A		
OBFP	AT&T - OHIO (USIC)	004	Locator Coordination - Locate request has not been completed. Locator has/will contact the excavator to coordinate markings.	01/16/23 16:03:13	00A		
ODT12E	ODOT 12 TRAFFIC (DISTRICT 12)	999	No Response (LATE) - The Facility Owner or Operator or its representatives has not posted a Positive Response prior to the legal start	01/19/23 00:02:35	00A		
ODT12TR	ODOT 12 TRAFFIC (DISTRICT 12)	999	No Response (LATE) - The Facility Owner or Operator or its representatives has not posted a Positive Response prior to the legal start	01/19/23 00:02:35	00A		

[Exit](#)