

L:\ODOT\18068307-00-VAR-D07SignUpgrades\108054\Roadway\Sheets\108054G001.dgn 4/17/2020 6:07:50 AM IWilson

SHEET NUM.						PART.								ITEM	ITEM EXT	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET NO.	
62	63	64	65	66	67	01/TMS/OT	02/NHS/OT	03/STR/OT	04/SC2/OT	05/S2/OT	06/NHS/OT	07/NHS/OT	08/S2/OT							
																				TRAFFIC CONTROL
				199	183	293	89								620	11000	382	EACH	DELINEATOR, BRACKET MOUNTED	
				947	41	429	522	37							621	00100	988	EACH	RPM	
2	5					5			2					625	32000	7	EACH	GROUND ROD		
			549	1,989	559	1,574	1,220	28	159	32				630	03100	3,097	FT	GROUND MOUNTED SUPPORT, NO. 3 POST		
		170				64				106				630	06400	170	FT	GROUND MOUNTED STRUCTURAL BEAM SUPPORT, S4X7.7		
		180				35		42	33	38	32			630	06500	180	FT	GROUND MOUNTED STRUCTURAL BEAM SUPPORT, W6X9		
		67						67						630	07000	67	FT	GROUND MOUNTED STRUCTURAL BEAM SUPPORT, W8X18		
		315				41	80	42	80		37			630	07500	315	FT	GROUND MOUNTED STRUCTURAL BEAM SUPPORT, W10X22		
		188								43	93	52		630	07600	188	FT	GROUND MOUNTED STRUCTURAL BEAM SUPPORT, W10X12		
		207					207							630	08000	207	FT	GROUND MOUNTED STRUCTURAL BEAM SUPPORT, W12X30		
			394	108		306	172	24						630	08601	502	EACH	SIGN POST REFLECTOR, AS PER PLAN	6	
		50				8	14	4	4	10	6	2	2	630	09000	50	EACH	BREAKAWAY STRUCTURAL BEAM CONNECTION		
	3					1			2					630	20600	3	EACH	OVERHEAD SIGN SUPPORT, TYPE TC-12.30, DESIGN 6		
	1					1								630	20900	1	EACH	OVERHEAD SIGN SUPPORT, TYPE TC-12.30, DESIGN 9		
	1					1								630	21000	1	EACH	OVERHEAD SIGN SUPPORT, TYPE TC-12.30, DESIGN 10		
1						1								630	45500	1	EACH	OVERHEAD SIGN SUPPORT, TYPE TC-7.65, DESIGN 8		
305	213	3				314	54		13	61	71		8	630	75000	521	EACH	SIGN ATTACHMENT ASSEMBLY		
	3		1	43	17	56	4	2	1	1				630	79500	64	EACH	SIGN SUPPORT ASSEMBLY, POLE MOUNTED		
97	27	42	75	2,818	912	2,150	1,648	110	55	8				630	80100	3,971	SF	SIGN, FLAT SHEET		
		5,640	450			1,453	1,802	358	386	624	815	524	128	630	80200	6,090	SF	SIGN, GROUND MOUNTED EXTRUSHEET		
12,870	6,132					12,015	1,772		224	1,298	3,469		224	630	80224	19,002	SF	SIGN, OVERHEAD EXTRUSHEET		
						8	3							630	82000	11	EACH	SIGN BACKING ASSEMBLY		
		48				8	12	4	4	10	6	2	2	630	84500	48	EACH	GROUND MOUNTED STRUCTURAL BEAM SUPPORT FOUNDATION		
2	5					5			2					630	84510	7	EACH	RIGID OVERHEAD SIGN SUPPORT FOUNDATION		
		17	28			4	16	1	17	4				630	84900	45	EACH	REMOVAL OF GROUND MOUNTED SIGN AND DISPOSAL		
		83				17	19	7	8	14	12	4	2	630	85400	83	EACH	REMOVAL OF GROUND MOUNTED MAJOR SIGN AND DISPOSAL		
			30				9	2	12	2			5	630	86002	30	EACH	REMOVAL OF GROUND MOUNTED POST SUPPORT AND DISPOSAL		
		48				8	12	4	4	10	6	2	2	630	86102	48	EACH	REMOVAL OF GROUND MOUNTED STRUCTURAL BEAM SUPPORT AND DISPOSAL		
			3			3								630	86310	3	EACH	REMOVAL OF STRUCTURE MOUNTED SIGN AND DISPOSAL		
114	66					110	21		4	21	22		2	630	87400	180	EACH	REMOVAL OF OVERHEAD MOUNTED SIGN AND DISPOSAL		
	1		1			1				1				630	87500	2	EACH	REMOVAL OF POLE MOUNTED SIGN AND DISPOSAL		
	5					1			2				2	630	89702	5	EACH	REMOVAL OF OVERHEAD SIGN SUPPORT AND DISPOSAL		
1						1								630	89802	1	EACH	REMOVAL OF OVERHEAD SIGN SUPPORT AND DISPOSAL, TYPE TC-7.65		
57	46					54	18		4	17	8		2	631	94490	103	EACH	REMOVAL, MISC.: REMOVAL OF SIGN SERVICE AND DISPOSAL	6	
				500	25	250	250	25						644	00900	525	SF	ISLAND MARKING		
				115	52	119	40	8						644	01360	167	EACH	WRONG WAY ARROW		
				1,500	70	880	600	90						644	01500	1,570	FT	DOTTED LINE, 4"		
																			MAINTENANCE OF TRAFFIC	
						450								614	1110	450	HR	LAW ENFORCEMENT OFFICER WITH PATROL CAR FOR ASSISTANCE		
						12								614	18601	12	SNMT	PORTABLE CHANGEABLE MESSAGE SIGN, AS PER PLAN	7	
						3								808	18700	3	SNMT	DIGITAL SPEED LIMIT (DSL) SIGN ASSEMBLY		
																			INCIDENTALS	
						LS								614	11000	LS		MAINTAINING TRAFFIC	7	
						LS								623	10000	LS		CONSTRUCTION LAYOUT STAKES AND SURVEYING		
						LS								624	10000	LS		MOBILIZATION		

REF NO.	SHEET NO.	LOG POINT TO LOG POINT				625	630	630	630	630	630	630	630	630	630	630	630	630	630	630	606	606	631
						GROUND ROD	OVERHEAD SIGN SUPPORT, TYPE TC-12.30, DESIGN 5	OVERHEAD SIGN SUPPORT, TYPE TC-12.30, DESIGN 6	OVERHEAD SIGN SUPPORT, TYPE TC-12.30, DESIGN 7	OVERHEAD SIGN SUPPORT, TYPE TC-12.30, DESIGN 8	OVERHEAD SIGN SUPPORT, TYPE TC-12.30, DESIGN 9	OVERHEAD SIGN SUPPORT, TYPE TC-12.30, DESIGN 10	OVERHEAD SIGN SUPPORT, TYPE TC-9.10, DESIGN 1	SIGN ATTACHMENT ASSEMBLY	REMOVAL OF OVERHEAD SIGN SUPPORT AND DISPOSAL	SIGN SUPPORT ASSEMBLY, POLE MOUNTED	SIGN, FLAT SHEET	SIGN, OVERHEAD EXTRUSHEET	RIGID OVERHEAD SIGN SUPPORT FOUNDATION	REMOVAL OF STRUCTURE MOUNTED SIGN AND DISPOSAL	REMOVAL OF OVERHEAD MOUNTED SIGN AND DISPOSAL	REMOVAL OF POLE MOUNTED SIGN AND DISPOSAL	SIGN HANGER ASSEMBLY, MAST ARM
					EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	SF	SF	EACH	EACH	EACH	EACH	EACH	EACH	FT	EACH
VAR	71	7.20	TO	15.81	5		3			1	1	0	138	5	3	27.0	3571.0	5		44	1		30
VAR	72	15.92	TO	20.40									75				2561.0			22			16
TOTALS CARRIED TO GENERAL SUMMARY					5		3			1	1		213	5	3	27.0	6132.0	5		66	1		46

CALCULATED	LDW
	CHECKED
JWB	

**SUBSUMMARY
CANTILEVER SIGNS**

D07 - SIGN - FY 20

63
152