

SHEET NUM.										PART.		ITEM	ITEM EXT	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET NO.
4	6	7	10	11	12	01/IMS/BR	02/NHS/BR										
										LS	LS	201	11001	LS		ROADWAY	4
										STRUCTURE REPAIR (HAM-75-0173)							
16					861			861		512	73500	861	SY	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN			
				18				16		SPECIAL	51912510	16	SY	PATCHING CONCRETE BRIDGE DECK - TYPE B	4		
								18		621	00301	18	EACH	RPM REFLECTOR, AS PER PLAN	4		
		0.2						0.2		642	00104	0.2	MILE	EDGE LINE, 6", TYPE 1			
		0.29						0.29		642	00204	0.29	MILE	LANE LINE, 6", TYPE 1			
		2,588						2,588		512	74500	2,588	FT	REMOVAL OF EXISTING PAVEMENT MARKING			
										STRUCTURE REPAIR (HAM-75-0191)							
1					822			822		512	73500	822	SY	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN			
				18				1		SPECIAL	51912510	1	SY	PATCHING CONCRETE BRIDGE DECK - TYPE B	4		
								18		621	00301	18	EACH	RPM REFLECTOR, AS PER PLAN	4		
		0.18						0.18		642	00104	0.18	MILE	EDGE LINE, 6", TYPE 1			
		0.25						0.25		642	00204	0.25	MILE	LANE LINE, 6", TYPE 1			
		2,271						2,271		512	74500	2,271	FT	REMOVAL OF EXISTING PAVEMENT MARKING			
										STRUCTURE REPAIR (HAM-75-0219)							
					833			833		512	73500	833	SY	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN			
				21				21		621	00301	21	EACH	RPM REFLECTOR, AS PER PLAN	4		
		0.18						0.18		642	00104	0.18	MILE	EDGE LINE, 6", TYPE 1			
		0.32						0.32		642	00204	0.32	MILE	LANE LINE, 6", TYPE 1			
		2,640						2,640		512	74500	2,640	FT	REMOVAL OF EXISTING PAVEMENT MARKING			
										STRUCTURE REPAIR (HAM-75-0240L)							
11					483			483		512	73500	483	SY	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN			
				12				11		SPECIAL	51912510	11	SY	PATCHING CONCRETE BRIDGE DECK - TYPE B	4		
								12		621	00301	12	EACH	RPM REFLECTOR, AS PER PLAN	4		
		0.08						0.08		642	00104	0.08	MILE	EDGE LINE, 6", TYPE 1			
		0.12						0.12		642	00204	0.12	MILE	LANE LINE, 6", TYPE 1			
		390						390		642	00404	390	FT	CHANNELIZING LINE, 12", TYPE 1			
		1,446						1,446		512	74500	1,446	FT	REMOVAL OF EXISTING PAVEMENT MARKING			
										STRUCTURE REPAIR (HAM-75-0240R)							
					594			594		512	73500	594	SY	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN			
				6				6		621	00301	6	EACH	RPM REFLECTOR, AS PER PLAN	4		
		0.12						0.12		642	00104	0.12	MILE	EDGE LINE, 6", TYPE 1			
		0.09						0.09		642	00204	0.09	MILE	LANE LINE, 6", TYPE 1			
		1,109						1,109		512	74500	1,109	FT	REMOVAL OF EXISTING PAVEMENT MARKING			
										STRUCTURE REPAIR (HAM-50-1954R)							
					1,459			1,459		512	10400	1,459	SY	TREATING OF CONCRETE BRIDGE DECK WITH SRS			
										STRUCTURE REPAIR (HAM-50-1954L)							
					1,257			1,257		512	10400	1,257	SY	TREATING OF CONCRETE BRIDGE DECK WITH SRS			
										STRUCTURE REPAIR (HAM-50-1961R)							
					1,911			1,911		512	10400	1,911	SY	TREATING OF CONCRETE BRIDGE DECK WITH SRS			
										STRUCTURE REPAIR (HAM-50-1961L)							
					2,002			2,002		512	10400	2,002	SY	TREATING OF CONCRETE BRIDGE DECK WITH SRS			
										STRUCTURE REPAIR (HAM-50-1980L)							
					261			261		512	10300	261	SY	SEALING CONCRETE BRIDGE DECKS WITH HMWM RESIN			
				22				22		621	00301	22	EACH	RPM REFLECTOR, AS PER PLAN	4		
		0.32						0.32		642	00104	0.32	MILE	EDGE LINE, 6", TYPE 1			
		0.32						0.32		642	00204	0.32	MILE	LANE LINE, 6", TYPE 1			
		3,380						3,380		512	74500	3,380	FT	REMOVAL OF EXISTING PAVEMENT MARKING			
										STRUCTURE REPAIR (HAM-50-1980R)							
2					283			283		512	10300	283	SY	SEALING CONCRETE BRIDGE DECKS WITH HMWM RESIN			
				24				2		SPECIAL	51912510	2	SY	PATCHING CONCRETE BRIDGE DECK - TYPE B	4		
								24		621	00301	24	EACH	RPM REFLECTOR, AS PER PLAN	4		
		0.32						0.32		642	00104	0.32	MILE	EDGE LINE, 6", TYPE 1			
		0.27						0.27		642	00204	0.27	MILE	LANE LINE, 6", TYPE 1			
		525						525		642	00404	525	FT	CHANNELIZING LINE, 12", TYPE 1			
		3,641						3,641		512	74500	3,641	FT	REMOVAL OF EXISTING PAVEMENT MARKING			

GENERAL SUMMARY

D08 - BS - FY2022

I:\ProjectData\D08\98507_D08_BS_FY19\Design\Roadway\Sheets\98507_GG001.dgn Sheet 8/2/2021 2:15:37 PM gffreeman

SHEET NUM.										PART.		ITEM	ITEM EXT	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET NO.
4	6	7	10	11	12					01/IMS/BR	02/NHS/BR						
					1,462						1,462	512	10400	1,462	SY	STRUCTURE REPAIR (HAM-50-2013R)	
17											17	SPECIAL	51912510	17	SY	TREATING OF CONCRETE BRIDGE DECK WITH SRS PATCHING CONCRETE BRIDGE DECK - TYPE B	4
					1,589						1,589	512	10400	1,589	SY	STRUCTURE REPAIR (HAM-50-2013L)	
																TREATING OF CONCRETE BRIDGE DECK WITH SRS	
4					4,069					4	4,069	253	02000	4	CY	STRUCTURE REPAIR (HAM-50-2028L)	
												512	10400	4,069	SY	PAVEMENT REPAIR TREATING OF CONCRETE BRIDGE DECK WITH SRS	
					593						593	512	10400	593	SY	STRUCTURE REPAIR (HAM-50-2028R)	
																TREATING OF CONCRETE BRIDGE DECK WITH SRS	
9					1,938					9	1,938	512	10400	1,938	SY	STRUCTURE REPAIR (HAM-50-2028M)	
											9	SPECIAL	51912510	9	SY	TREATING OF CONCRETE BRIDGE DECK WITH SRS PATCHING CONCRETE BRIDGE DECK - TYPE B	4
				14	144					144	144	512	73500	144	SY	STRUCTURE REPAIR (HAM-562-0004)	
											14	621	00301	14	EACH	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN RPM REFLECTOR, AS PER PLAN	4
			0.12							0.12	642	00104	0.12	MILE	EDGE LINE, 6", TYPE 1		
			634							634	512	74500	634	FT	REMOVAL OF EXISTING PAVEMENT MARKING		
1					444					1	444	253	02000	1	CY	STRUCTURE REPAIR (HAM-562-0065)	
				8							8	621	00301	8	EACH	PAVEMENT REPAIR TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN	4
			0.18							0.18	642	00104	0.18	MILE	RPM REFLECTOR, AS PER PLAN EDGE LINE, 6", TYPE 1		
			0.09							0.09	642	00204	0.09	MILE	LANE LINE, 6", TYPE 1		
			1,426							1,426	512	74500	1,426	FT	REMOVAL OF EXISTING PAVEMENT MARKING		
5					472					472	472	512	73500	472	SY	STRUCTURE REPAIR (HAM-562-0121)	
				6							5	SPECIAL	51912510	5	SY	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN PATCHING CONCRETE BRIDGE DECK - TYPE B	4
			0.18							0.18	6	621	00301	6	EACH	RPM REFLECTOR, AS PER PLAN	4
			0.09							0.09	642	00204	0.09	MILE	EDGE LINE, 6", TYPE 1 LANE LINE, 6", TYPE 1		
			1,426							1,426	512	74500	1,426	FT	REMOVAL OF EXISTING PAVEMENT MARKING		
	400									200	200	614	11110	400	HOUR	MAINTENANCE OF TRAFFIC	
		24								12	12	614	18600	24	SNMT	LAW ENFORCEMENT OFFICER WITH PATROL CAR FOR ASSISTANCE PORTABLE CHANGEABLE MESSAGE SIGN	
		1.84								1.07	0.77	614	20560	1.84	MILE	WORK ZONE LANE LINE, CLASS III, 6", 642 PAINT	
		1.88								0.88	1	614	22360	1.88	MILE	WORK ZONE EDGE LINE, CLASS III, 6", 642 PAINT	
		915								390	525	614	23690	915	FT	WORK ZONE CHANNELIZING LINE, CLASS III, 12", 642 PAINT	
		24								12	12	808	18700	24	SNMT	WORK ZONE CHANNELIZING LINE, CLASS III, 12", 642 PAINT DIGITAL SPEED LIMIT (DSL) SIGN ASSEMBLY	
										LS	LS	614	11001	LS		INCIDENTALS	
										LS	LS	623	10000	LS		MAINTAINING TRAFFIC, AS PER PLAN	5
										LS	LS	624	10000	LS		CONSTRUCTION LAYOUT STAKES AND SURVEYING MOBILIZATION	

GENERAL SUMMARY

D08 - BS - FY2022

I:\ProjectData\D08\98507_D08_BS_FY19\Design\Roadway\Sheets\98507_GG002.dgn Sheet 8/2/2021 12:53:38 PM gfreeman

I:\Project+Data\D08\98507_D08_BS_FY19\Design\Roadway\Sheets\98507_G0001.dgn Sheet 8/2/2021 12:15:39 PM gtfreeman

PART	COUNTY-ROUTE	642								644								REMARKS
		EDGE LINE 4"		EDGE LINE 6", TYPE 1		LANE LINE 6", TYPE 1		CENTER LINE		EDGE LINE 4"		EDGE LINE 6"		LANE LINE		CENTER LINE		
		WHITE		WHITE	YELLOW	DASHED	SOLID	DASHED	SOLID	WHITE	YELLOW	WHITE	YELLOW	DASHED	SOLID	DASHED	SOLID	
MILE		MILE		MILE		MILE		MILE		MILE		MILE		MILE		MILE		
	HAM-75-0173			0.1	0.1	0.29												
	HAM-75-0191			0.09	0.09	0.25												
	HAM-75-0219			0.09	0.09	0.32												
	HAM-75-0240L			0.04	0.04	0.12												
	HAM-75-0240R			0.06	0.06	0.09												
	HAM-50-1980L			0.16	0.16	0.32												
	HAM-50-1980R			0.16	0.16	0.27												
	HAM-562-0004			0.06	0.06													
	HAM-562-0065			0.09	0.09	0.09												
	HAM-562-0121			0.09	0.09	0.09												
	TOTALS CARRIED TO GENERAL SUMMARY			1.88		1.84												

PART	COUNTY-ROUTE	642								512								REMARKS	
		12" CHANNEL-LIZING LINE	STOP LINE	24" TRANSVERSE/DIAGONAL LINE	24" TRANSVERSE/DIAGONAL LINE	ISLAND MARKING	SCHOOL	LANE ARROWS		DOTTED LINE	PAVEMENT MARKING REMOVED								
			24"	WHITE	YELLOW			LEFT	RIGHT										
FT		FT	FT	FT	SQ FT	EA	EACH	EACH	FT	FT									
	HAM-75-0173									2588									
	HAM-75-0191									2271									
	HAM-75-0219									2640									
	HAM-75-0240L	390								1446									
	HAM-75-0240R									1109									
	HAM-50-1980L									3380									
	HAM-50-1980R	525								3641									
	HAM-562-0004									634									
	HAM-562-0065									1426									
	HAM-562-0121									1426									
	TOTALS CARRIED TO GENERAL SUMMARY	915								20291									

NOTE:
 1. BRIDGES REQUIRING SRS BRIDGE DECK SEALING DO NOT REQUIRE REMOVAL AND REPLACEMENT OF PAVEMENT MARKINGS AND RAISED PAVEMENT MARKERS. PROTECT EXISTING RAISED PAVEMENT MARKERS BY MASKING OR BY OTHER MEANS. THE CONTRACTOR IS REFERRED TO C&MS 512.05.E.

CALCULATED
LWB
CHECKED
TS

ESTIMATED QUANTITIES - PAVEMENT MARKINGS

D08 - BS - FY2022

10
12