

SHEET NUM.										PART.		ITEM	ITEM EXT	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET NO.
4	6	7	10	11	12	01/IMS/BR	02/NHS/BR										
								LS	LS	201	11001	LS			ROADWAY	4	
															CLEARING AND GRUBBING, AS PER PLAN		
					4,289			4,289		512	73500	4,289	SY		<del>STRUCTURE REPAIR (HAM-75-0173)</del>		
16								16	SPECIAL	5192510	16	SY			TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN	4	
				18				18		621	00301	18	EACH		PATCHING CONCRETE BRIDGE DECK - TYPE B	4	
			0.2					0.2		642	00104	0.2	MILE		RPM REFLECTOR, AS PER PLAN	4	
			0.29					0.29		642	00204	0.29	MILE		EDGE LINE, 6", TYPE 1		
			2,588					2,588		512	74500	2,588	FT		LANE LINE, 6", TYPE 1		
															REMOVAL OF EXISTING PAVEMENT MARKING		
					3,515			3,515		512	73500	3,515	SY		<del>STRUCTURE REPAIR (HAM-75-0191)</del>		
1								1	SPECIAL	5192510	1	SY			TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN	4	
				18				18		621	00301	18	EACH		PATCHING CONCRETE BRIDGE DECK - TYPE B	4	
			0.18					0.18		642	00104	0.18	MILE		RPM REFLECTOR, AS PER PLAN	4	
			0.25					0.25		642	00204	0.25	MILE		EDGE LINE, 6", TYPE 1		
			2,271					2,271		512	74500	2,271	FT		LANE LINE, 6", TYPE 1		
															REMOVAL OF EXISTING PAVEMENT MARKING		
					3,999			3,999		512	73500	3,999	SY		<del>STRUCTURE REPAIR (HAM-75-0219)</del>		
				21				21		621	00301	21	EACH		TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN	4	
			0.18					0.18		642	00104	0.18	MILE		PATCHING CONCRETE BRIDGE DECK - TYPE B	4	
			0.32					0.32		642	00204	0.32	MILE		RPM REFLECTOR, AS PER PLAN	4	
			2,640					2,640		512	74500	2,640	FT		EDGE LINE, 6", TYPE 1		
															LANE LINE, 6", TYPE 1		
															REMOVAL OF EXISTING PAVEMENT MARKING		
					2,000			2,000		512	73500	2,000	SY		<del>STRUCTURE REPAIR (HAM-75-0240L)</del>		
11								11	SPECIAL	5192510	11	SY			TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN	4	
				12				12		621	00301	12	EACH		PATCHING CONCRETE BRIDGE DECK - TYPE B	4	
			0.08					0.08		642	00104	0.08	MILE		RPM REFLECTOR, AS PER PLAN	4	
			0.12					0.12		642	00204	0.12	MILE		EDGE LINE, 6", TYPE 1		
			390					390		642	00404	390	FT		LANE LINE, 6", TYPE 1		
			1,446					1,446		512	74500	1,446	FT		CHANNELIZING LINE, 12", TYPE 1		
															REMOVAL OF EXISTING PAVEMENT MARKING		
					2,562			2,562		512	73500	2,562	SY		<del>STRUCTURE REPAIR (HAM-75-0240R)</del>		
				6				6		621	00301	6	EACH		TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN	4	
			0.12					0.12		642	00104	0.12	MILE		PATCHING CONCRETE BRIDGE DECK - TYPE B	4	
			0.09					0.09		642	00204	0.09	MILE		RPM REFLECTOR, AS PER PLAN	4	
			1,109					1,109		512	74500	1,109	FT		EDGE LINE, 6", TYPE 1		
															LANE LINE, 6", TYPE 1		
															REMOVAL OF EXISTING PAVEMENT MARKING		
					1,451			1,451		512	10400	1,451	SY		<del>STRUCTURE REPAIR (HAM-50-1954R)</del>		
															TREATING OF CONCRETE BRIDGE DECK WITH SRS		
					1,451			1,451		512	10400	1,451	SY		<del>STRUCTURE REPAIR (HAM-50-1954L)</del>		
															TREATING OF CONCRETE BRIDGE DECK WITH SRS		
					1,744			1,744		512	10400	1,744	SY		<del>STRUCTURE REPAIR (HAM-50-1961R)</del>		
															TREATING OF CONCRETE BRIDGE DECK WITH SRS		
					1,987			1,987		512	10400	1,987	SY		<del>STRUCTURE REPAIR (HAM-50-1961L)</del>		
															TREATING OF CONCRETE BRIDGE DECK WITH SRS		
					4,898			4,898		512	10300	4,898	SY		<del>STRUCTURE REPAIR (HAM-50-1980L)</del>		
				22				22		621	00301	22	EACH		SEALING CONCRETE BRIDGE DECKS WITH HMWM RESIN	4	
			0.32					0.32		642	00104	0.32	MILE		RPM REFLECTOR, AS PER PLAN	4	
			0.32					0.32		642	00204	0.32	MILE		EDGE LINE, 6", TYPE 1		
			3,380					3,380		512	74500	3,380	FT		LANE LINE, 6", TYPE 1		
															REMOVAL OF EXISTING PAVEMENT MARKING		
					4,834			4,834		512	10300	4,834	SY		<del>STRUCTURE REPAIR (HAM-50-1980R)</del>		
2								2	SPECIAL	5192510	2	SY			SEALING CONCRETE BRIDGE DECKS WITH HMWM RESIN	4	
				24				24		621	00301	24	EACH		PATCHING CONCRETE BRIDGE DECK - TYPE B	4	
			0.32					0.32		642	00104	0.32	MILE		RPM REFLECTOR, AS PER PLAN	4	
			0.27					0.27		642	00204	0.27	MILE		EDGE LINE, 6", TYPE 1		
			525					525		642	00404	525	FT		LANE LINE, 6", TYPE 1		
			3,641					3,641		512	74500	3,641	FT		CHANNELIZING LINE, 12", TYPE 1		
															REMOVAL OF EXISTING PAVEMENT MARKING		

GENERAL SUMMARY

D08 - BS - FY2022

CALCULATED  
LWB  
CHECKED  
CH

I:\ProjectData\D08\98507\_D08\_BS\_FY19\_Design\Roadway\Sheet\98507\_G001Ign\_Sheet 8/11/2021 10:47:24 AM gfreeman

I:\ProjectData\D08\98507\_D08\_BS\_FY19\Design\Roadway\Sheets\98507\_GG002.dgn Sheet 8/12/2021 6:26:32 AM gfreeman

SHEET NUM.										PART.		ITEM	ITEM EXT	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET NO.	CALCULATED	LWB	CHECKED	CH	
4	6	7	10	11	12					01/IMS/BR	02/NHS/BR											
17					1,620						1,620	17	512	10400	1,620	SY	STRUCTURE REPAIR (HAM-50-2013R) TREATING OF CONCRETE BRIDGE DECK WITH SRS	4				
					2,067						2,067		512	10400	2,067	SY	STRUCTURE REPAIR (HAM-50-2013L) TREATING OF CONCRETE BRIDGE DECK WITH SRS					
4					5,166					4	5,166		253	02000	4	CY	STRUCTURE REPAIR (HAM-50-2028L) PAVEMENT REPAIR					
													512	10400	5,166	SY	TREATING OF CONCRETE BRIDGE DECK WITH SRS					
					868					868			512	10400	868	SY	STRUCTURE REPAIR (HAM-50-2028R) TREATING OF CONCRETE BRIDGE DECK WITH SRS					
9					1,967					1,967	9		512	10400	1,967	SY	STRUCTURE REPAIR (HAM-50-2028M) TREATING OF CONCRETE BRIDGE DECK WITH SRS	4				
				14	868					868	14		512	73500	868	SY	STRUCTURE REPAIR (HAM-562-0004) TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN	4				
			0.12							0.12			621	00301	14	EACH	RPM REFLECTOR, AS PER PLAN					
			634							634			642	00104	0.12	MILE	EDGE LINE, 6", TYPE 1					
													512	74500	634	FT	REMOVAL OF EXISTING PAVEMENT MARKING					
1					2,347					1	2,347		263	02000	1	CY	STRUCTURE REPAIR (HAM-562-0065) PAVEMENT REPAIR	4				
				8						8			512	73500	2,347	SY	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN					
			0.18							0.18			621	00301	8	EACH	RPM REFLECTOR, AS PER PLAN					
			0.09							0.09			642	00104	0.18	MILE	EDGE LINE, 6", TYPE 1					
			1,426							1,426			642	00204	0.09	MILE	LANE LINE, 6", TYPE 1					
													512	74500	1,426	FT	REMOVAL OF EXISTING PAVEMENT MARKING					
5					2,191					5	2,191		512	73500	2,191	SY	STRUCTURE REPAIR (HAM-562-012V) TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN	4				
				6						6			SPECIAL	51912510	5	SY	PAVEMENT REPAIR PATCHING CONCRETE BRIDGE DECK - TYPE B	4				
			0.18							0.18			621	00301	6	EACH	RPM REFLECTOR, AS PER PLAN					
			0.09							0.09			642	00104	0.18	MILE	EDGE LINE, 6", TYPE 1					
			1,426							1,426			642	00204	0.09	MILE	LANE LINE, 6", TYPE 1					
													512	74500	1,426	FT	REMOVAL OF EXISTING PAVEMENT MARKING					
400										200	200		614	11110	400	HOUR	MAINTENANCE OF TRAFFIC LAW ENFORCEMENT OFFICER WITH PATROL CAR FOR ASSISTANCE					
		24								12	12		614	18600	24	SNMT	PORTABLE CHANGEABLE MESSAGE SIGN					
		1.84								1.07	0.77		614	20560	1.84	MILE	WORK ZONE LANE LINE, CLASS III, 6", 642 PAINT					
		1.88								0.88	1		614	22360	1.88	MILE	WORK ZONE EDGE LINE, CLASS III, 6", 642 PAINT					
		915								390	525		614	23690	915	FT	WORK ZONE CHANNELIZING LINE, CLASS III, 12", 642 PAINT					
		24								12	12		808	18700	24	SNMT	DIGITAL SPEED LIMIT (DSL) SIGN ASSEMBLY					
										LS	LS		614	11001	LS		INCIDENTALS MAINTAINING TRAFFIC, AS PER PLAN	5				
										LS	LS		623	10000	LS		CONSTRUCTION LAYOUT STAKES AND SURVEYING					
										LS	LS		624	10000	LS		MOBILIZATION					

GENERAL SUMMARY

D08 - BS - FY2022

BRIDGE NUMBER	SFN	FEATURE INTERSECTED	SEAL APPR. SLAB	DECK*			APPR. SLABS AREA	TOTALS			FUNDING		
				LENGTH	WIDTH	AREA		SRS	HMWM	GFR	URBAN		
				FT	FT	SF	SF	SY	SY	SY	01/IMS/B R	02/NHS/B R	
HAM-75-0173	3109275	LIBERTY STREET	Y	200	155	31000	7750	0	0	4289	4,289	0	
HAM-75-0191	3109305	FINDLAY STREET	Y	174	148	25752	7400	0	0	3515	3,515	0	
HAM-75-0219	3109364	BANK STREET	Y	189	150	28350	7500	0	0	3999	3,999	0	
HAM-75-0240L	3109399	HARRISON AVE	Y	162	87	14094	4350	0	0	2000	2,000	0	
HAM-75-0240R	3109429	HARRISON AVE	Y	162	107	17334	5350	0	0	2562	2,562	0	
HAM-50-1954R	3102882	HARRIET STREET	Y	152	65	9880	3250	1451	0	0	0	1,451	
HAM-50-1954L	3102874	HARRIET STREET	Y	152	56	8512	2800	1451	0	0	0	1,451	
HAM-50-1961R	3102920	NORFOLK SOUTHERN RR	Y	223	63	14049	3150	1744	0	0	0	1,744	
HAM-50-1961L	3102912	NORFOLK SOUTHERN RR	Y	223	66	14718	3300	1987	0	0	0	1,987	
HAM-50-1980L	3103005	NSRR;CSRR;LINN ST	Y	805	47	37835	2350	0	4898	0	0	4,898	
HAM-50-1980R	3103064	NSRR;CSRR;LINN ST	Y	780	51	39780	2550	0	4834	0	0	4,834	
HAM-50-2013R	3103129	GEST STREET	Y	203	52	10556	2600	1620	0	0	0	1,620	
HAM-50-2013L	3103099	GEST STREET; US50 RAMP	Y	225	52	11700	2600	2067	0	0	0	2,067	
HAM-50-2028L	3103153	I75;RMP I75 US50E	Y	540	60	32400	4225	5166	0	0	5,166	0	
HAM-50-2028R	3103188	I75;S	N	178	30	5340	0	868	0	0	868	0	
HAM-50-2028M	3103161	I75SB;RMP	Y	495	32	15840	1600	1967	0	0	1,967	0	
HAM-562-0004	3113779	I75	Y	242	26	6292	1300	0	0	868	868	0	
HAM-562-0065	3113841	SR4	Y	198	80	15840	4000	0	0	2347	0	2,347	
HAM-562-0121	3113884	US42D	Y	182	85	15470	4250	0	0	2191	0	2,191	
<b>TOTALS</b>								<b>18321</b>	<b>9732</b>	<b>21770</b>	<b>8001</b>	<b>10320</b>	<b>SRS TOTALS BY FUNDING SPLIT</b>
											<b>17232</b>	<b>4538</b>	<b>GFR TOTALS BY FUNDING SPLIT</b>
											<b>0</b>	<b>9732</b>	<b>HMWM TOTALS BY FUNDING SPLIT</b>

\* - SEAL APPROACH SLABS WITH SAME SEALER AS DECK

LEGEND

SRS = SOLUBLE REACTIVE SILICATE

GFR = GRAVITY FED RESIN

HMWM = HIGH MOLECULAR WEIGHT METHACRYLATE

NOTE:

1. QUANTITIES CARRIED TO GENERAL SUMMARY