

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION                             | AREAS             |                   | VOLUMES       |             | SHEET TOTALS |      | SHEET # |
|-------------------------------------|-------------------|-------------------|---------------|-------------|--------------|------|---------|
|                                     | CUT               | FILL              | CUT           | FILL        | CUT          | FILL |         |
|                                     | SF                | SF                | CY            | CY          | CY           | CY   |         |
| 101+75.00                           |                   |                   |               |             |              |      | 501     |
| 102+50.00<br>102+00.00              | 2.1               | 1.9               | 2             | 2           | 2            | 2    | 502     |
| 104+00.00<br>103+50.00<br>103+00.00 | 5.7<br>3.7<br>2.4 | 3.9<br>2.8<br>1.6 | 9<br>6<br>4   | 6<br>4<br>3 | 19           | 13   | 503     |
| 105+50.00<br>105+00.00<br>104+50.00 | 5.4<br>5.5        | 1.9<br>1.9        | 5<br>10<br>10 | 2<br>4<br>5 | 25           | 11   | 504     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION                             | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-------------------------------------|-------|------|---------|------|--------------|------|---------|
|                                     | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|                                     | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 107+00.00<br>106+50.00<br>106+00.00 |       |      |         |      |              |      | 505     |
| 108+50.00<br>108+00.00<br>107+50.00 |       |      |         |      |              |      | 506     |
| 110+00.00<br>109+50.00<br>109+00.00 |       |      |         |      |              |      | 507     |
| 111+50.00<br>111+00.00<br>110+50.00 |       |      |         |      |              |      | 508     |
| 113+00.00<br>112+50.00<br>112+00.00 |       |      |         |      |              |      | 509     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION                             | AREAS               |                   | VOLUMES        |              | SHEET TOTALS |      | SHEET # |
|-------------------------------------|---------------------|-------------------|----------------|--------------|--------------|------|---------|
|                                     | CUT                 | FILL              | CUT            | FILL         | CUT          | FILL |         |
|                                     | SF                  | SF                | CY             | CY           | CY           | CY   |         |
| 114+50.00<br>114+00.00<br>113+50.00 |                     |                   |                |              |              |      | 510     |
| 116+00.00<br>115+50.00<br>115+00.00 | 1.5<br>9.8          | 0.7<br>0.2        | 10<br>9        | 1            | 19           | 1    | 511     |
| 117+50.00<br>117+00.00<br>116+50.00 | 8.9<br>7.4<br>4.7   | 6.4<br>5.3<br>3.2 | 15<br>11<br>6  | 11<br>8<br>4 | 32           | 23   | 512     |
| 119+00.00<br>118+50.00<br>118+00.00 | 7.6<br>10.6<br>11.1 | 2.0<br>2.7<br>6.8 | 17<br>20<br>19 | 4<br>9<br>12 | 56           | 25   | 513     |
| 120+50.00<br>120+00.00<br>119+50.00 | 22.5<br>0.9         | 7.8<br>0.7        | 22<br>1<br>7   | 8<br>1<br>2  | 30           | 11   | 514     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 122+00.00 | 21.0  | 7.8  |         |      |              |      |         |
| 121+50.00 | 21.8  | 6.6  | 40      | 13   |              |      |         |
| 121+00.00 | 21.3  | 4.7  | 40      | 10   |              |      |         |
|           |       |      | 41      | 12   | 121          | 35   | 515     |
| 123+50.00 | 18.5  | 6.7  |         |      |              |      |         |
| 123+00.00 | 18.3  | 9.5  | 34      | 15   |              |      |         |
| 122+50.00 | 16.6  | 8.8  | 32      | 17   |              |      |         |
|           |       |      | 35      |      | 101          | 32   | 516     |
| 137+00.00 | 17.2  | 8.8  |         |      |              |      |         |
| 123+82.65 | 16.4  | 7.5  | 30      | 15   |              |      |         |
|           |       |      | 21      | 9    | 51           | 24   | 517     |
| 138+00.00 | 18.5  | 9.3  |         |      |              |      |         |
| 137+50.00 | 18.2  | 9.5  | 34      | 17   |              |      |         |
|           |       |      | 33      | 17   | 67           | 34   | 518     |
| 139+50.00 | 19.3  | 8.6  |         |      |              |      |         |
| 139+00.00 | 20.1  | 9.0  | 36      | 16   |              |      |         |
| 138+50.00 | 20.5  | 9.4  | 38      | 17   |              |      |         |
|           |       |      | 36      | 17   | 110          | 50   | 519     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 141+00.00 | 20.3  | 8.0  |         |      |              |      |         |
|           |       |      | 38      | 16   |              |      |         |
| 140+50.00 | 21.2  | 9.2  |         |      |              |      |         |
|           |       |      | 37      | 17   |              |      |         |
| 140+00.00 | 18.9  | 9.2  |         |      |              |      |         |
|           |       |      | 35      | 16   |              |      |         |
|           |       |      |         |      | 110          | 49   | 520     |
| 142+50.00 | 17.9  | 9.0  |         |      |              |      |         |
|           |       |      | 34      | 17   |              |      |         |
| 142+00.00 | 19.3  | 9.3  |         |      |              |      |         |
|           |       |      | 36      | 18   |              |      |         |
| 141+50.00 | 19.1  | 9.6  |         |      |              |      |         |
|           |       |      | 36      | 16   |              |      |         |
|           |       |      |         |      | 106          | 51   | 521     |
| 144+00.00 | 20.7  | 10.6 |         |      |              |      |         |
|           |       |      | 38      | 19   |              |      |         |
| 143+50.00 | 20.0  | 10.0 |         |      |              |      |         |
|           |       |      | 36      | 18   |              |      |         |
| 143+00.00 | 19.2  | 9.3  |         |      |              |      |         |
|           |       |      | 34      | 17   |              |      |         |
|           |       |      |         |      | 108          | 54   | 522     |
| 145+50.00 | 18.0  | 9.8  |         |      |              |      |         |
|           |       |      | 36      | 21   |              |      |         |
| 145+00.00 | 21.1  | 12.4 |         |      |              |      |         |
|           |       |      | 39      | 22   |              |      |         |
| 144+50.00 | 21.2  | 11.1 |         |      |              |      |         |
|           |       |      | 39      | 20   |              |      |         |
|           |       |      |         |      | 114          | 63   | 523     |
| 147+00.00 | 13.1  | 7.3  |         |      |              |      |         |
|           |       |      | 28      | 16   |              |      |         |
| 146+50.00 | 17.0  | 10.3 |         |      |              |      |         |
|           |       |      | 29      | 16   |              |      |         |
| 146+00.00 | 14.7  | 7.5  |         |      |              |      |         |
|           |       |      | 30      | 16   |              |      |         |
|           |       |      |         |      | 87           | 48   | 524     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 148+50.00 | 19.0  | 11.0 |         |      |              |      |         |
|           |       |      | 34      | 20   |              |      |         |
| 148+00.00 | 18.0  | 11.0 |         |      |              |      |         |
|           |       |      | 30      | 17   |              |      |         |
| 147+50.00 | 14.4  | 7.8  |         |      |              |      |         |
|           |       |      | 25      | 14   |              |      |         |
|           |       |      |         |      | 89           | 51   | 525     |
| 150+00.00 | 21.5  | 8.3  |         |      |              |      |         |
|           |       |      | 44      | 20   |              |      |         |
| 149+50.00 | 26.0  | 13.5 |         |      |              |      |         |
|           |       |      | 44      | 20   |              |      |         |
| 149+00.00 | 21.6  | 8.4  |         |      |              |      |         |
|           |       |      | 38      | 18   |              |      |         |
|           |       |      |         |      | 126          | 58   | 526     |
| 151+50.00 | 18.1  | 7.2  |         |      |              |      |         |
|           |       |      | 35      | 14   |              |      |         |
| 151+00.00 | 19.8  | 7.6  |         |      |              |      |         |
|           |       |      | 43      | 14   |              |      |         |
| 150+50.00 | 26.5  | 7.9  |         |      |              |      |         |
|           |       |      | 44      | 15   |              |      |         |
|           |       |      |         |      | 122          | 43   | 527     |
| 153+00.00 | 18.1  | 9.5  |         |      |              |      |         |
|           |       |      | 33      | 17   |              |      |         |
| 152+50.00 | 17.9  | 9.3  |         |      |              |      |         |
|           |       |      | 34      | 18   |              |      |         |
| 152+00.00 | 18.7  | 10.3 |         |      |              |      |         |
|           |       |      | 34      | 16   |              |      |         |
|           |       |      |         |      | 101          | 51   | 528     |
| 154+50.00 | 19.7  | 11.8 |         |      |              |      |         |
|           |       |      | 35      | 21   |              |      |         |
| 154+00.00 | 18.6  | 11.3 |         |      |              |      |         |
|           |       |      | 36      | 21   |              |      |         |
| 153+50.00 | 20.0  | 11.4 |         |      |              |      |         |
|           |       |      | 35      | 19   |              |      |         |
|           |       |      |         |      | 106          | 61   | 529     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 156+00.00 | 21.2  | 9.7  |         |      |              |      |         |
| 155+50.00 | 17.3  | 9.9  | 36      | 18   |              |      |         |
| 155+00.00 | 20.4  | 12.5 | 35      | 21   |              |      |         |
|           |       |      | 37      | 23   | 108          | 62   | 530     |
| 157+50.00 | 17.5  | 7.9  |         |      |              |      |         |
| 157+00.00 | 17.5  | 9.1  | 32      | 16   |              |      |         |
| 156+50.00 | 20.1  | 9.6  | 35      | 17   |              |      |         |
|           |       |      | 38      | 18   | 105          | 51   | 531     |
| 159+00.00 | 17.5  | 10.6 |         |      |              |      |         |
| 158+50.00 | 32.3  | 25.0 | 46      | 33   |              |      |         |
| 158+00.00 | 32.8  | 26.9 | 60      | 48   |              |      |         |
|           |       |      | 47      | 32   | 153          | 113  | 532     |
| 160+50.00 | 19.5  | 8.5  |         |      |              |      |         |
| 160+00.00 | 19.9  | 10.0 | 36      | 17   |              |      |         |
| 159+50.00 | 25.8  | 16.1 | 42      | 24   |              |      |         |
|           |       |      | 40      | 25   | 118          | 66   | 533     |
| 161+50.00 | 17.8  | 9.0  |         |      |              |      |         |
| 161+00.00 | 19.8  | 9.4  | 35      | 17   |              |      |         |
| 160+60.08 | 19.4  | 8.8  | 29      | 13   |              |      |         |
|           |       |      | 7       | 3    | 71           | 33   | 534     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 163+00.00 | 17.2  | 8.9  |         |      |              |      |         |
| 162+50.00 | 15.5  | 8.2  | 30      | 16   |              |      |         |
| 162+00.00 | 17.9  | 8.1  | 31      | 15   |              |      |         |
|           |       |      | 33      | 16   | 94           | 47   | 535     |
| 164+50.00 | 18.5  | 8.8  |         |      |              |      |         |
| 164+00.00 | 13.5  | 6.7  | 30      | 14   |              |      |         |
| 163+50.00 | 17.2  | 8.5  | 28      | 14   |              |      |         |
|           |       |      | 32      | 16   | 90           | 44   | 536     |
| 166+00.00 | 17.8  | 8.7  |         |      |              |      |         |
| 165+50.00 | 15.4  | 7.4  | 31      | 15   |              |      |         |
| 165+00.00 | 19.5  | 9.7  | 32      | 16   |              |      |         |
|           |       |      | 35      | 17   | 98           | 48   | 537     |
| 167+50.00 | 19.0  | 11.8 |         |      |              |      |         |
| 167+00.00 | 18.2  | 10.8 | 34      | 21   |              |      |         |
| 166+50.00 | 19.6  | 10.4 | 35      | 20   |              |      |         |
|           |       |      | 35      | 18   | 104          | 59   | 538     |
| 168+50.00 | 12.3  | 10.4 |         |      |              |      |         |
| 168+10.00 | 15.2  | 11.8 | 20      | 16   |              |      |         |
| 168+00.00 | 14.7  | 11.2 | 6       | 4    |              |      |         |
|           |       |      | 31      | 21   | 57           | 41   | 539     |



**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 169+50.00 | 7.5   | 7.5  | 18      | 18   |              |      |         |
| 169+00.00 | 11.7  | 11.7 | 22      | 20   | 40           | 38   | 540     |
| 171+00.00 |       |      | 2       | 2    |              |      |         |
| 170+50.00 | 2.5   | 2.5  | 7       | 7    |              |      |         |
| 170+00.00 | 5.1   | 5.1  | 12      | 12   | 21           | 21   | 541     |
| 181+00.00 | 7.9   | 7.9  | 11      | 11   |              |      |         |
| 180+50.00 | 4.1   | 4.1  | 6       | 6    |              |      |         |
| 180+00.00 | 2.0   | 2.0  | 3       |      |              |      |         |
| 179+50.00 | 1.4   | 1.4  |         |      | 20           | 17   | 542     |
| 182+20.00 | 15.0  | 11.7 | 11      | 9    |              |      |         |
| 182+00.00 | 14.7  | 12.3 | 24      | 22   |              |      |         |
| 181+50.00 | 11.6  | 11.6 | 18      | 18   | 53           | 49   | 543     |
| 183+50.00 | 23.6  | 12.5 | 40      | 23   |              |      |         |
| 183+00.00 | 19.2  | 11.9 | 33      | 22   |              |      |         |
| 182+50.00 | 16.6  | 11.7 | 18      | 13   | 91           | 58   | 544     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 185+00.00 | 24.0  | 10.7 |         |      |              |      |         |
| 184+50.00 | 25.5  | 11.6 | 46      | 21   |              |      |         |
| 184+00.00 | 24.5  | 11.8 | 46      | 22   |              |      |         |
|           |       |      | 40      | 22   | 132          | 65   | 545     |
| 186+50.00 | 26.3  | 10.2 |         |      |              |      |         |
| 186+00.00 | 25.4  | 10.2 | 48      | 19   |              |      |         |
| 185+50.00 | 23.8  | 10.4 | 46      | 19   |              |      |         |
|           |       |      | 46      | 20   | 140          | 58   | 546     |
| 188+00.00 | 19.9  | 5.2  |         |      |              |      |         |
| 187+50.00 | 20.9  | 10.7 | 38      | 15   |              |      |         |
| 187+00.00 | 22.7  | 10.2 | 40      | 19   |              |      |         |
|           |       |      | 45      | 19   | 123          | 53   | 547     |
| 189+50.00 | 19.1  | 10.1 |         |      |              |      |         |
| 189+00.00 | 24.4  | 11.3 | 40      | 20   |              |      |         |
| 188+50.00 |       |      | 23      | 10   |              |      |         |
|           |       |      | 19      | 10   | 82           | 40   | 548     |
| 191+00.00 | 18.4  | 10.0 |         |      |              |      |         |
| 190+50.00 | 20.7  | 12.0 | 36      | 20   |              |      |         |
| 190+00.00 | 19.0  | 10.9 | 37      | 21   |              |      |         |
|           |       |      | 40      | 21   | 113          | 62   | 549     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 192+50.00 | 19.9  | 11.2 |         |      |              |      |         |
| 192+00.00 | 13.7  | 6.7  | 31      | 17   |              |      |         |
| 191+50.00 | 22.3  | 12.4 | 33      | 18   |              |      |         |
|           |       |      | 40      | 23   | 104          | 58   | 550     |
| 194+00.00 | 20.8  | 11.4 |         |      |              |      |         |
| 193+50.00 | 23.8  | 13.3 | 41      | 23   |              |      |         |
| 193+00.00 | 19.7  | 11.3 | 40      | 23   |              |      |         |
|           |       |      | 31      | 17   | 112          | 63   | 551     |
| 195+50.00 | 17.8  | 9.9  |         |      |              |      |         |
| 195+00.00 | 13.9  | 7.6  | 29      | 16   |              |      |         |
| 194+50.00 | 21.8  | 11.8 | 33      | 18   |              |      |         |
|           |       |      | 39      | 21   | 101          | 55   | 552     |
| 197+00.00 | 24.1  | 12.7 |         |      |              |      |         |
| 196+50.00 | 16.7  | 9.2  | 38      | 20   |              |      |         |
| 196+00.00 | 18.1  | 10.5 | 32      | 18   |              |      |         |
|           |       |      | 33      | 19   | 103          | 57   | 553     |
| 198+00.00 | 25.9  | 11.1 |         |      |              |      |         |
| 197+50.00 | 27.7  | 15.2 | 50      | 24   |              |      |         |
|           |       |      | 48      | 26   | 98           | 50   | 554     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 199+00.00 | 33.4  | 24.3 |         |      |              |      |         |
| 198+50.00 | 22.9  | 12.7 | 52      | 34   |              |      |         |
|           |       |      | 45      | 22   | 97           | 56   | 555     |
| 200+50.00 | 21.6  | 9.4  |         |      |              |      |         |
| 200+00.00 | 22.7  | 11.7 | 41      | 20   |              |      |         |
| 199+50.00 | 53.3  | 43.8 | 70      | 51   |              |      |         |
|           |       |      | 80      | 63   | 191          | 134  | 556     |
| 202+00.00 | 22.4  | 10.4 |         |      |              |      |         |
| 201+50.00 | 22.7  | 11.3 | 42      | 20   |              |      |         |
| 201+00.00 | 21.4  | 9.3  | 41      | 19   |              |      |         |
|           |       |      | 40      | 17   | 123          | 56   | 557     |
| 203+50.00 | 19.0  | 10.4 |         |      |              |      |         |
| 203+00.00 | 18.7  | 9.7  | 35      | 19   |              |      |         |
| 202+50.00 | 19.0  | 10.2 | 35      | 18   |              |      |         |
|           |       |      | 38      | 19   | 108          | 56   | 558     |
| 205+00.00 | 17.6  | 8.8  |         |      |              |      |         |
| 204+50.00 | 17.5  | 8.6  | 33      | 16   |              |      |         |
| 204+00.00 | 19.6  | 10.2 | 34      | 17   |              |      |         |
|           |       |      | 36      | 19   | 103          | 52   | 559     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 206+50.00 | 19.9  | 10.8 |         |      |              |      |         |
| 206+00.00 | 21.5  | 11.7 | 38      | 21   |              |      |         |
| 205+50.00 | 24.4  | 10.2 | 43      | 20   |              |      |         |
|           |       |      | 39      | 18   | 120          | 59   | 560     |
| 208+00.00 | 18.0  | 10.2 |         |      |              |      |         |
| 207+50.00 | 19.7  | 11.8 | 35      | 20   |              |      |         |
| 207+00.00 | 17.8  | 9.9  | 35      | 20   |              |      |         |
|           |       |      | 35      | 19   | 105          | 59   | 561     |
| 209+00.00 | 19.3  | 10.7 |         |      |              |      |         |
| 208+50.00 | 16.8  | 9.9  | 33      | 19   |              |      |         |
|           |       |      | 32      | 19   | 65           | 38   | 562     |
| 210+00.00 | 18.5  | 10.7 |         |      |              |      |         |
| 209+50.00 | 14.4  | 7.1  | 30      | 16   |              |      |         |
|           |       |      | 31      | 16   | 61           | 32   | 563     |
| 211+50.00 | 25.5  | 15.5 |         |      |              |      |         |
| 211+00.00 | 24.4  | 16.0 | 46      | 29   |              |      |         |
| 210+50.00 | 25.7  | 18.9 | 46      | 32   |              |      |         |
|           |       |      | 41      | 27   | 133          | 88   | 564     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 213+00.00 | 17.9  | 8.8  |         |      |              |      |         |
| 212+50.00 | 21.1  | 13.0 | 36      | 20   |              |      |         |
| 212+00.00 | 25.5  | 15.6 | 43      | 26   |              |      |         |
|           |       |      | 47      | 29   | 126          | 75   | 565     |
| 214+50.00 | 17.8  | 10.0 |         |      |              |      |         |
| 214+00.00 | 19.5  | 11.2 | 35      | 20   |              |      |         |
| 213+50.00 | 19.0  | 11.4 | 36      | 21   |              |      |         |
|           |       |      | 34      | 19   | 105          | 60   | 566     |
| 216+00.00 | 19.6  | 11.8 |         |      |              |      |         |
| 215+50.00 | 20.9  | 12.8 | 38      | 23   |              |      |         |
| 215+00.00 | 18.8  | 10.2 | 37      | 21   |              |      |         |
|           |       |      | 34      | 19   | 109          | 63   | 567     |
| 217+50.00 | 18.4  | 10.1 |         |      |              |      |         |
| 217+00.00 | 18.1  | 9.8  | 34      | 18   |              |      |         |
| 216+50.00 | 17.0  | 9.3  | 33      | 18   |              |      |         |
|           |       |      | 34      | 20   | 101          | 56   | 568     |
| 219+00.00 | 17.8  | 9.7  |         |      |              |      |         |
| 218+50.00 | 15.4  | 8.0  | 31      | 16   |              |      |         |
| 218+00.00 | 16.2  | 9.0  | 29      | 16   |              |      |         |
|           |       |      | 32      | 18   | 92           | 50   | 569     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 220+50.00 | 23.8  | 14.2 |         |      |              |      |         |
|           |       |      | 39      | 22   |              |      |         |
| 220+00.00 | 18.6  | 9.3  |         |      |              |      |         |
|           |       |      | 36      | 19   |              |      |         |
| 219+50.00 | 19.8  | 11.0 |         |      |              |      |         |
|           |       |      | 35      | 19   |              |      |         |
|           |       |      |         |      | 110          | 60   | 570     |
| 222+00.00 | 20.5  | 10.3 |         |      |              |      |         |
|           |       |      | 39      | 20   |              |      |         |
| 221+50.00 | 21.6  | 10.9 |         |      |              |      |         |
|           |       |      | 39      | 21   |              |      |         |
| 221+00.00 | 21.0  | 11.3 |         |      |              |      |         |
|           |       |      | 41      | 24   |              |      |         |
|           |       |      |         |      | 119          | 65   | 571     |
| 223+50.00 | 18.9  | 9.8  |         |      |              |      |         |
|           |       |      | 31      | 17   |              |      |         |
| 223+00.00 | 15.1  | 8.9  |         |      |              |      |         |
|           |       |      | 31      | 17   |              |      |         |
| 222+50.00 | 18.4  | 9.2  |         |      |              |      |         |
|           |       |      | 36      | 18   |              |      |         |
|           |       |      |         |      | 98           | 52   | 572     |
| 225+00.00 | 20.2  | 9.3  |         |      |              |      |         |
|           |       |      | 38      | 18   |              |      |         |
| 224+50.00 | 20.6  | 10.5 |         |      |              |      |         |
|           |       |      | 38      | 19   |              |      |         |
| 224+00.00 | 20.2  | 9.8  |         |      |              |      |         |
|           |       |      | 36      | 18   |              |      |         |
|           |       |      |         |      | 112          | 55   | 573     |
| 226+50.00 | 25.1  | 14.8 |         |      |              |      |         |
|           |       |      | 46      | 26   |              |      |         |
| 226+00.00 | 24.5  | 13.6 |         |      |              |      |         |
|           |       |      | 43      | 21   |              |      |         |
| 225+50.00 | 21.4  | 8.8  |         |      |              |      |         |
|           |       |      | 39      | 17   |              |      |         |
|           |       |      |         |      | 128          | 64   | 574     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 228+00.00 | 17.1  | 9.1  |         |      |              |      |         |
|           |       |      | 37      | 21   |              |      |         |
| 227+50.00 | 22.5  | 13.5 |         |      |              |      |         |
|           |       |      | 45      | 28   |              |      |         |
| 227+00.00 | 26.3  | 16.4 |         |      |              |      |         |
|           |       |      | 48      | 29   |              |      |         |
|           |       |      |         |      | 130          | 78   | 575     |
| 229+50.00 |       |      |         |      |              |      |         |
|           |       |      | 21      | 13   |              |      |         |
| 229+00.00 | 22.2  | 14.1 |         |      |              |      |         |
|           |       |      | 41      | 23   |              |      |         |
| 228+50.00 | 22.2  | 11.1 |         |      |              |      |         |
|           |       |      | 36      | 19   |              |      |         |
|           |       |      |         |      | 98           | 55   | 576     |
| 231+00.00 | 19.1  | 11.2 |         |      |              |      |         |
|           |       |      | 33      | 20   |              |      |         |
| 230+50.00 | 16.3  | 10.2 |         |      |              |      |         |
|           |       |      | 32      | 18   |              |      |         |
| 230+00.00 | 17.9  | 9.2  |         |      |              |      |         |
|           |       |      | 17      | 9    |              |      |         |
|           |       |      |         |      | 82           | 47   | 577     |
| 232+50.00 | 16.6  | 9.2  |         |      |              |      |         |
|           |       |      | 32      | 18   |              |      |         |
| 232+00.00 | 18.0  | 10.1 |         |      |              |      |         |
|           |       |      | 35      | 20   |              |      |         |
| 231+50.00 | 19.7  | 11.8 |         |      |              |      |         |
|           |       |      | 36      | 21   |              |      |         |
|           |       |      |         |      | 103          | 59   | 578     |
| 234+00.00 | 16.8  | 9.3  |         |      |              |      |         |
|           |       |      | 35      | 18   |              |      |         |
| 233+50.00 | 20.6  | 9.9  |         |      |              |      |         |
|           |       |      | 35      | 17   |              |      |         |
| 233+00.00 | 17.1  | 8.9  |         |      |              |      |         |
|           |       |      | 31      | 17   |              |      |         |
|           |       |      |         |      | 101          | 52   | 579     |



**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 235+50.00 | 23.7  | 14.4 |         |      |              |      |         |
| 235+00.00 | 17.9  | 9.7  | 39      | 22   |              |      |         |
| 234+50.00 | 16.8  | 9.3  | 32      | 18   |              |      |         |
|           |       |      | 31      | 17   | 102          | 57   | 580     |
| 237+00.00 | 21.5  | 12.5 |         |      |              |      |         |
| 236+50.00 | 26.0  | 14.7 | 44      | 25   |              |      |         |
| 236+00.00 | 25.7  | 14.0 | 48      | 27   |              |      |         |
|           |       |      | 46      | 26   | 138          | 78   | 581     |
| 238+50.00 | 15.3  | 9.1  |         |      |              |      |         |
| 238+00.00 | 15.2  | 9.0  | 28      | 17   |              |      |         |
| 237+50.00 | 13.0  | 7.0  | 26      | 15   |              |      |         |
|           |       |      | 32      | 18   | 86           | 50   | 582     |
| 240+00.00 | 17.7  | 9.4  |         |      |              |      |         |
| 239+50.00 | 13.1  | 7.8  | 29      | 16   |              |      |         |
| 239+00.00 | 14.6  | 8.5  | 26      | 15   |              |      |         |
|           |       |      | 28      | 16   | 83           | 47   | 583     |
| 241+50.00 | 16.8  | 9.7  |         |      |              |      |         |
| 241+00.00 | 18.2  | 11.1 | 32      | 19   |              |      |         |
| 240+50.00 | 17.2  | 9.6  | 33      | 19   |              |      |         |
|           |       |      | 32      | 18   | 97           | 56   | 584     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 243+00.00 | 13.7  | 7.2  |         |      |              |      |         |
| 242+50.00 | 14.3  | 8.5  | 26      | 15   |              |      |         |
| 242+00.00 | 18.0  | 10.4 | 30      | 18   |              |      |         |
|           |       |      | 32      | 19   | 88           | 52   | 585     |
| 244+50.00 | 11.5  | 5.6  |         |      |              |      |         |
| 244+00.00 | 14.2  | 7.7  | 24      | 12   |              |      |         |
| 243+50.00 | 17.4  | 9.4  | 29      | 16   |              |      |         |
|           |       |      | 34      |      | 87           | 28   | 586     |
| 246+00.00 | 16.6  | 9.4  |         |      |              |      |         |
| 245+50.00 | 10.3  | 4.9  | 25      | 13   |              |      |         |
| 245+00.00 | 18.8  | 11.2 | 27      | 15   |              |      |         |
|           |       |      | 28      | 16   | 80           | 44   | 587     |
| 247+50.00 | 18.8  | 10.4 |         |      |              |      |         |
| 247+00.00 | 19.9  | 11.5 | 36      | 20   |              |      |         |
| 246+50.00 | 17.1  | 10.3 | 34      | 20   |              |      |         |
|           |       |      | 31      | 18   | 101          | 58   | 588     |
| 249+00.00 | 18.8  | 10.5 |         |      |              |      |         |
| 248+50.00 | 18.3  | 9.7  | 34      | 19   |              |      |         |
| 248+00.00 | 17.1  | 8.5  | 33      | 17   |              |      |         |
|           |       |      | 33      | 18   | 100          | 54   | 589     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 250+50.00 | 21.1  | 10.5 |         |      |              |      |         |
| 250+00.00 | 18.9  | 10.7 | 37      | 20   |              |      |         |
| 249+50.00 | 18.3  | 10.6 | 34      | 20   |              |      |         |
|           |       |      | 34      | 20   | 105          | 60   | 590     |
| 252+00.00 | 21.0  | 10.2 |         |      |              |      |         |
| 251+50.00 | 19.5  | 8.7  | 38      | 18   |              |      |         |
| 251+00.00 | 11.4  | 5.9  | 29      | 14   |              |      |         |
|           |       |      | 30      | 15   | 97           | 47   | 591     |
| 253+50.00 | 44.4  | 32.3 |         |      |              |      |         |
| 253+00.00 | 30.0  | 14.6 | 69      | 43   |              |      |         |
| 252+50.00 | 21.5  | 9.0  | 48      | 22   |              |      |         |
|           |       |      | 39      | 18   | 156          | 83   | 592     |
| 254+50.00 | 21.0  | 9.4  |         |      |              |      |         |
| 254+00.00 | 61.8  | 51.0 | 77      | 56   |              |      |         |
|           |       |      | 98      | 77   | 175          | 133  | 593     |
| 256+00.00 | 19.9  | 11.6 |         |      |              |      |         |
| 255+50.00 | 21.3  | 12.0 | 38      | 22   |              |      |         |
| 255+00.00 | 23.6  | 15.6 | 42      | 26   |              |      |         |
|           |       |      | 41      | 23   | 121          | 71   | 594     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 257+50.00 | 16.4  | 9.4  |         |      |              |      |         |
|           |       |      | 30      | 17   |              |      |         |
| 257+00.00 | 16.4  | 9.3  |         |      |              |      |         |
|           |       |      | 32      | 19   |              |      |         |
| 256+50.00 | 18.1  | 10.7 |         |      |              |      |         |
|           |       |      | 35      | 21   |              |      |         |
|           |       |      |         |      | 97           | 57   | 595     |
| 259+00.00 | 17.8  | 9.8  |         |      |              |      |         |
|           |       |      | 32      | 18   |              |      |         |
| 258+50.00 | 16.3  | 9.1  |         |      |              |      |         |
|           |       |      | 30      | 17   |              |      |         |
| 258+00.00 | 16.4  | 9.2  |         |      |              |      |         |
|           |       |      | 30      | 17   |              |      |         |
|           |       |      |         |      | 92           | 52   | 596     |
| 260+50.00 | 19.6  | 12.1 |         |      |              |      |         |
|           |       |      | 36      | 21   |              |      |         |
| 260+00.00 | 18.8  | 10.8 |         |      |              |      |         |
|           |       |      | 34      | 19   |              |      |         |
| 259+50.00 | 18.0  | 10.0 |         |      |              |      |         |
|           |       |      | 33      | 18   |              |      |         |
|           |       |      |         |      | 103          | 58   | 597     |
| 262+00.00 | 17.1  | 10.2 |         |      |              |      |         |
|           |       |      | 31      | 18   |              |      |         |
| 261+50.00 | 16.4  | 9.4  |         |      |              |      |         |
|           |       |      | 32      | 19   |              |      |         |
| 261+00.00 | 18.4  | 10.9 |         |      |              |      |         |
|           |       |      | 35      | 21   |              |      |         |
|           |       |      |         |      | 98           | 58   | 598     |
| 263+50.00 | 19.4  | 11.9 |         |      |              |      |         |
|           |       |      | 36      | 21   |              |      |         |
| 263+00.00 | 19.4  | 10.8 |         |      |              |      |         |
|           |       |      | 31      | 17   |              |      |         |
| 262+50.00 | 14.5  | 7.8  |         |      |              |      |         |
|           |       |      | 29      | 17   |              |      |         |
|           |       |      |         |      | 96           | 55   | 599     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 265+00.00 | 22.6  | 10.7 |         |      |              |      |         |
| 264+50.00 | 22.2  | 11.8 | 41      | 21   |              |      |         |
| 264+00.00 | 15.8  | 9.1  | 35      | 19   |              |      |         |
|           |       |      | 33      | 19   | 109          | 59   | 600     |
| 266+50.00 | 20.1  | 10.6 |         |      |              |      |         |
| 266+00.00 | 20.4  | 10.7 | 38      | 20   |              |      |         |
| 265+50.00 | 20.4  | 10.9 | 38      | 20   |              |      |         |
|           |       |      | 40      | 20   | 116          | 60   | 601     |
| 268+00.00 | 47.7  | 37.0 |         |      |              |      |         |
| 267+50.00 | 34.8  | 19.5 | 76      | 52   |              |      |         |
| 267+00.00 | 33.2  | 22.7 | 63      | 39   |              |      |         |
|           |       |      | 49      | 31   | 188          | 122  | 602     |
| 269+50.00 | 28.2  | 17.2 |         |      |              |      |         |
| 269+00.00 | 29.0  | 17.7 | 53      | 32   |              |      |         |
| 268+50.00 | 27.5  | 19.4 | 52      | 34   |              |      |         |
|           |       |      | 70      | 52   | 175          | 118  | 603     |
| 271+00.00 | 23.1  | 15.7 |         |      |              |      |         |
| 270+50.00 | 17.9  | 10.1 | 38      | 24   |              |      |         |
| 270+00.00 | 21.6  | 13.1 | 37      | 21   |              |      |         |
|           |       |      | 46      | 28   | 121          | 73   | 604     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 272+50.00 | 13.8  | 10.4 |         |      |              |      |         |
| 272+00.00 | 17.1  | 12.2 | 29      | 21   |              |      |         |
| 271+50.00 | 22.3  | 13.2 | 36      | 24   |              |      |         |
|           |       |      | 42      | 27   | 107          | 72   | 605     |
| 273+50.00 | 11.9  | 11.1 |         |      |              |      |         |
| 273+30.00 | 13.6  | 11.7 | 9       | 8    |              |      |         |
| 273+00.00 | 12.3  | 10.4 | 14      | 12   |              |      |         |
|           |       |      | 24      | 19   | 47           | 39   | 606     |
| 275+00.00 | 2.3   | 2.3  |         |      |              |      |         |
| 274+50.00 | 5.4   | 5.4  | 7       | 7    |              |      |         |
| 274+00.00 | 6.9   | 6.9  | 11      | 11   |              |      |         |
|           |       |      | 17      | 17   | 35           | 35   | 607     |
| 284+50.00 | 4.8   | 4.8  |         |      |              |      |         |
| 284+00.00 | 3.0   | 3.0  | 7       | 7    |              |      |         |
| 283+50.00 | 1.5   | 1.5  | 4       | 4    |              |      |         |
|           |       |      | 60      | 60   | 71           | 71   | 608     |
| 285+50.00 | 10.6  | 10.6 |         |      |              |      |         |
| 285+00.00 | 8.0   | 8.0  | 17      | 17   |              |      |         |
|           |       |      | 12      | 12   | 29           | 29   | 609     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 287+00.00 | 14.7  | 9.6  |         |      |              |      |         |
| 286+50.00 | 12.2  | 8.9  | 25      | 17   |              |      |         |
| 286+00.00 | 13.9  | 10.9 | 24      | 18   |              |      |         |
|           |       |      | 23      | 20   | 72           | 55   | 610     |
| 288+50.00 | 25.8  | 8.7  |         |      |              |      |         |
| 288+00.00 | 27.3  | 8.7  | 49      | 16   |              |      |         |
| 287+50.00 | 19.3  | 8.7  | 43      | 16   |              |      |         |
|           |       |      | 31      | 17   | 123          | 49   | 611     |
| 289+50.00 | 28.0  | 10.9 |         |      |              |      |         |
| 289+00.00 | 40.7  | 9.2  | 64      | 19   |              |      |         |
|           |       |      | 62      | 17   | 126          | 36   | 612     |
| 290+50.00 | 24.5  | 12.6 |         |      |              |      |         |
| 290+00.00 | 24.4  | 11.3 | 45      | 22   |              |      |         |
|           |       |      | 49      | 21   | 94           | 43   | 613     |
| 291+50.00 | 17.6  | 9.7  |         |      |              |      |         |
| 291+00.00 | 19.8  | 11.4 | 35      | 20   |              |      |         |
|           |       |      | 41      | 22   | 76           | 42   | 614     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 292+50.00 | 16.0  | 7.1  |         |      |              |      |         |
| 292+00.00 | 15.1  | 6.9  | 29      | 13   |              |      |         |
|           |       |      | 30      | 15   | 59           | 28   | 615     |
| 294+00.00 | 16.3  | 8.5  |         |      |              |      |         |
| 293+50.00 | 17.0  | 9.0  | 31      | 16   |              |      |         |
| 293+00.00 | 17.1  | 8.2  | 32      | 16   |              |      |         |
|           |       |      | 31      | 14   | 94           | 46   | 616     |
| 295+50.00 | 18.0  | 9.9  |         |      |              |      |         |
| 295+00.00 | 19.6  | 10.4 | 35      | 19   |              |      |         |
| 294+50.00 | 17.9  | 9.2  | 35      | 18   |              |      |         |
|           |       |      | 32      | 16   | 102          | 53   | 617     |
| 297+00.00 | 12.4  | 5.3  |         |      |              |      |         |
| 296+50.00 | 14.2  | 6.7  | 25      | 11   |              |      |         |
| 296+00.00 | 14.6  | 7.0  | 27      | 13   |              |      |         |
|           |       |      | 30      | 16   | 82           | 40   | 618     |
| 298+50.00 | 10.1  | 4.6  |         |      |              |      |         |
| 298+00.00 | 9.9   | 2.8  | 19      | 7    |              |      |         |
| 297+50.00 | 8.6   | 2.4  | 17      | 5    |              |      |         |
|           |       |      | 19      | 7    | 55           | 19   | 619     |



**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 300+00.00 | 21.0  | 12.2 |         |      |              |      |         |
| 299+50.00 | 16.5  | 9.7  | 35      | 20   |              |      |         |
| 299+00.00 | 13.4  | 7.3  | 28      | 16   |              |      |         |
|           |       |      | 22      | 11   | 85           | 47   | 620     |
| 301+00.00 | 13.3  | 5.8  |         |      |              |      |         |
| 300+50.00 | 17.7  | 9.6  | 29      | 14   |              |      |         |
|           |       |      | 36      | 20   | 65           | 34   | 621     |
| 302+00.00 | 13.3  | 6.3  |         |      |              |      |         |
| 301+50.00 | 10.8  | 4.8  | 22      | 10   |              |      |         |
|           |       |      | 22      | 10   | 44           | 20   | 622     |
| 303+50.00 | 12.6  | 5.6  |         |      |              |      |         |
| 303+00.00 | 13.3  | 5.8  | 24      | 11   |              |      |         |
| 302+50.00 | 11.2  | 4.5  | 23      | 10   |              |      |         |
|           |       |      | 23      | 10   | 70           | 31   | 623     |
| 305+00.00 | 15.3  | 8.4  |         |      |              |      |         |
| 304+50.00 | 12.2  | 5.1  | 25      | 13   |              |      |         |
| 304+00.00 | 7.2   |      | 18      | 5    |              |      |         |
|           |       |      | 18      | 5    | 61           | 23   | 624     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 306+00.00 | 15.3  | 8.0  |         |      |              |      |         |
| 305+50.00 | 17.0  | 10.3 | 30      | 17   |              |      |         |
|           |       |      | 30      | 17   | 60           | 34   | 625     |
| 307+00.00 | 14.4  | 7.4  |         |      |              |      |         |
| 306+50.00 | 13.3  | 6.3  | 26      | 13   |              |      |         |
|           |       |      | 26      | 13   | 52           | 26   | 626     |
| 308+00.00 | 18.8  | 10.5 |         |      |              |      |         |
| 307+50.00 | 16.0  | 9.2  | 32      | 18   |              |      |         |
|           |       |      | 28      | 15   | 60           | 33   | 627     |
| 309+00.00 | 18.2  | 10.6 |         |      |              |      |         |
| 308+50.00 | 18.3  | 9.0  | 34      | 18   |              |      |         |
|           |       |      | 34      | 18   | 68           | 36   | 628     |
| 310+00.00 |       |      |         |      |              |      |         |
| 309+50.00 | 17.2  | 9.7  | 16      | 9    |              |      |         |
|           |       |      | 33      | 19   | 49           | 28   | 629     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 311+50.00 | 20.4  | 15.1 |         |      |              |      |         |
| 311+00.00 | 12.5  | 7.3  | 30      | 21   |              |      |         |
| 310+50.00 | 12.6  | 7.3  | 23      | 14   |              |      |         |
|           |       |      | 12      | 7    | 65           | 42   | 630     |
| 313+00.00 | 22.8  | 18.0 |         |      |              |      |         |
| 312+50.00 | 17.8  | 12.8 | 38      | 29   |              |      |         |
| 312+00.00 | 20.7  | 15.4 | 36      | 26   |              |      |         |
|           |       |      | 38      | 28   | 112          | 83   | 631     |
| 314+00.00 | 30.1  | 25.2 |         |      |              |      |         |
| 313+50.00 | 28.9  | 24.2 | 55      | 46   |              |      |         |
|           |       |      | 48      | 39   | 103          | 85   | 632     |
| 315+50.00 | 18.2  | 14.2 |         |      |              |      |         |
| 315+00.00 | 32.0  | 28.1 | 46      | 39   |              |      |         |
| 314+50.00 | 30.5  | 26.6 | 58      | 51   |              |      |         |
|           |       |      | 56      | 48   | 160          | 138  | 633     |
| 317+00.00 | 14.4  | 7.2  |         |      |              |      |         |
| 316+50.00 | 14.6  | 9.2  | 27      | 15   |              |      |         |
| 316+00.00 | 17.3  | 11.8 | 30      | 19   |              |      |         |
|           |       |      | 33      | 24   | 90           | 58   | 634     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 318+50.00 |       |      | 13      | 12   |              |      |         |
| 318+00.00 | 14.0  | 12.8 | 28      | 20   |              |      |         |
| 317+50.00 | 15.9  | 9.2  | 28      | 15   | 69           | 47   | 635     |
| 320+00.00 | 17.8  | 10.0 | 40      | 20   |              |      |         |
| 319+50.00 | 25.3  | 11.3 | 48      | 21   |              |      |         |
| 319+00.00 | 27.0  | 11.5 | 25      | 11   | 113          | 52   | 636     |
| 321+00.00 | 23.0  | 9.9  | 39      | 19   |              |      |         |
| 320+50.00 | 19.3  | 10.5 | 34      | 19   | 73           | 38   | 637     |
| 322+00.00 | 30.7  | 9.7  | 62      | 18   |              |      |         |
| 321+50.00 | 36.5  | 9.7  | 55      | 18   | 117          | 36   | 638     |
| 323+00.00 | 34.9  | 9.9  | 57      | 17   |              |      |         |
| 322+50.00 | 26.7  | 8.7  | 53      | 17   | 110          | 34   | 639     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 324+00.00 | 34.5  | 10.7 |         |      |              |      |         |
| 323+50.00 | 36.0  | 10.5 | 65      | 20   |              |      |         |
|           |       |      | 66      | 19   | 131          | 39   | 640     |
| 325+00.00 | 29.2  | 9.4  |         |      |              |      |         |
| 324+50.00 | 31.8  | 10.2 | 56      | 18   |              |      |         |
|           |       |      | 61      | 19   | 117          | 37   | 641     |
| 326+00.00 | 27.7  | 10.4 |         |      |              |      |         |
| 325+50.00 | 35.2  | 11.2 | 58      | 20   |              |      |         |
|           |       |      | 60      | 19   | 118          | 39   | 642     |
| 327+00.00 | 34.2  | 10.2 |         |      |              |      |         |
| 326+50.00 | 27.6  | 11.0 | 57      | 20   |              |      |         |
|           |       |      | 51      | 20   | 108          | 40   | 643     |
| 328+00.00 | 22.9  | 11.5 |         |      |              |      |         |
| 327+50.00 | 32.5  | 10.5 | 51      | 20   |              |      |         |
|           |       |      | 62      | 19   | 113          | 39   | 644     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 329+00.00 | 18.0  | 9.6  | 31      | 17   |              |      |         |
| 328+50.00 | 15.7  | 8.8  | 36      | 19   |              |      |         |
|           |       |      |         |      | 67           | 36   | 645     |
| 330+00.00 | 18.4  | 10.3 | 37      | 20   |              |      |         |
| 329+50.00 | 21.1  | 11.5 | 36      | 20   |              |      |         |
|           |       |      |         |      | 73           | 40   | 646     |
| 331+00.00 | 24.9  | 10.3 | 44      | 20   |              |      |         |
| 330+50.00 | 22.2  | 11.0 | 38      | 20   |              |      |         |
|           |       |      |         |      | 82           | 40   | 647     |
| 332+00.00 | 22.2  | 10.1 | 41      | 19   |              |      |         |
| 331+50.00 | 22.2  | 10.1 | 44      | 19   |              |      |         |
|           |       |      |         |      | 85           | 38   | 648     |
| 333+00.00 | 22.3  | 11.2 | 41      | 20   |              |      |         |
| 332+50.00 | 22.2  | 10.6 | 41      | 19   |              |      |         |
|           |       |      |         |      | 82           | 39   | 649     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 334+00.00 | 22.5  | 12.0 | 40      | 21   |              |      |         |
| 333+50.00 | 20.8  | 11.2 | 40      | 21   |              |      |         |
|           |       |      |         |      | 80           | 42   | 650     |
| 335+00.00 | 20.8  | 11.3 | 42      | 21   |              |      |         |
| 334+50.00 | 25.0  | 11.9 | 44      | 22   |              |      |         |
|           |       |      |         |      | 86           | 43   | 651     |
| 336+00.00 | 21.2  | 8.8  | 39      | 18   |              |      |         |
| 335+50.00 | 20.8  | 10.6 | 39      | 20   |              |      |         |
|           |       |      |         |      | 78           | 38   | 652     |
| 337+00.00 | 29.1  | 8.7  | 55      | 16   |              |      |         |
| 336+50.00 | 30.3  | 8.7  | 48      | 16   |              |      |         |
|           |       |      |         |      | 103          | 32   | 653     |
| 339+00.00 | 28.0  | 8.7  | 48      | 14   |              |      |         |
| 338+00.00 | 31.0  | 8.8  | 55      | 16   |              |      |         |
| 337+50.00 | 27.9  | 8.7  | 53      | 16   |              |      |         |
|           |       |      |         |      | 156          | 46   | 654     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 340+50.00 | 22.7  | 8.7  |         |      |              |      |         |
|           |       |      | 52      | 16   |              |      |         |
| 340+00.00 | 33.7  | 8.7  |         |      |              |      |         |
|           |       |      | 60      | 16   |              |      |         |
| 339+50.00 | 31.0  | 8.7  |         |      |              |      |         |
|           |       |      | 55      | 16   |              |      |         |
|           |       |      |         |      | 167          | 48   | 655     |
| 342+00.00 | 20.2  | 8.9  |         |      |              |      |         |
|           |       |      | 39      | 16   |              |      |         |
| 341+50.00 | 21.5  | 8.7  |         |      |              |      |         |
|           |       |      | 40      | 16   |              |      |         |
| 341+00.00 | 21.4  | 8.7  |         |      |              |      |         |
|           |       |      | 41      | 16   |              |      |         |
|           |       |      |         |      | 120          | 48   | 656     |
| 343+50.00 | 25.8  | 9.2  |         |      |              |      |         |
|           |       |      | 48      | 17   |              |      |         |
| 343+00.00 | 26.5  | 9.1  |         |      |              |      |         |
|           |       |      | 48      | 17   |              |      |         |
| 342+50.00 | 25.1  | 9.0  |         |      |              |      |         |
|           |       |      | 42      | 17   |              |      |         |
|           |       |      |         |      | 138          | 51   | 657     |
| 345+00.00 | 19.0  | 9.6  |         |      |              |      |         |
|           |       |      | 41      | 18   |              |      |         |
| 344+50.00 | 25.8  | 9.7  |         |      |              |      |         |
|           |       |      | 46      | 17   |              |      |         |
| 344+00.00 | 24.2  | 9.0  |         |      |              |      |         |
|           |       |      | 46      | 17   |              |      |         |
|           |       |      |         |      | 133          | 52   | 658     |
| 346+50.00 | 21.2  | 12.0 |         |      |              |      |         |
|           |       |      | 39      | 21   |              |      |         |
| 346+00.00 | 21.2  | 11.2 |         |      |              |      |         |
|           |       |      | 37      | 20   |              |      |         |
| 345+50.00 | 19.1  | 10.2 |         |      |              |      |         |
|           |       |      | 35      | 18   |              |      |         |
|           |       |      |         |      | 111          | 59   | 659     |



**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 348+00.00 | 21.5  | 8.7  |         |      |              |      |         |
| 347+50.00 | 20.5  | 10.7 | 39      | 18   |              |      |         |
| 347+00.00 | 20.8  | 11.9 | 38      | 21   |              |      |         |
|           |       |      | 39      | 22   | 116          | 61   | 660     |
| 349+50.00 | 19.4  | 8.7  |         |      |              |      |         |
| 349+00.00 | 18.6  | 8.7  | 35      | 16   |              |      |         |
| 348+50.00 | 20.6  | 8.7  | 36      | 16   |              |      |         |
|           |       |      | 39      | 16   | 110          | 48   | 661     |
| 350+50.00 | 22.6  | 8.7  |         |      |              |      |         |
| 350+00.00 | 19.3  | 8.7  | 39      | 16   |              |      |         |
|           |       |      | 36      | 16   | 75           | 32   | 662     |
| 351+50.00 | 20.1  | 8.7  |         |      |              |      |         |
| 351+00.00 | 24.8  | 8.7  | 42      | 16   |              |      |         |
|           |       |      | 44      | 16   | 86           | 32   | 663     |
| 353+00.00 | 18.8  | 8.9  |         |      |              |      |         |
| 352+50.00 | 17.2  | 8.0  | 33      | 16   |              |      |         |
| 352+00.00 | 18.5  | 9.1  | 33      | 16   |              |      |         |
|           |       |      | 36      | 16   | 102          | 48   | 664     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 354+50.00 | 21.8  | 8.9  |         |      |              |      |         |
| 354+00.00 | 21.9  | 8.8  | 40      | 16   |              |      |         |
| 353+50.00 | 20.0  | 8.8  | 39      | 16   |              |      |         |
|           |       |      | 36      | 16   | 115          | 48   | 665     |
| 356+00.00 | 21.0  | 9.1  |         |      |              |      |         |
| 355+50.00 | 19.0  | 9.4  | 37      | 17   |              |      |         |
| 355+00.00 | 18.9  | 9.2  | 35      | 17   |              |      |         |
|           |       |      | 38      | 17   | 110          | 51   | 666     |
| 357+00.00 | 21.7  | 9.0  |         |      |              |      |         |
| 356+50.00 | 22.9  | 8.9  | 41      | 17   |              |      |         |
|           |       |      | 41      | 17   | 82           | 34   | 667     |
| 358+00.00 |       |      |         |      |              |      |         |
| 357+50.00 | 5.0   | 0.5  | 5       |      |              |      |         |
|           |       |      | 25      | 9    | 30           | 9    | 668     |
| 359+00.00 | 28.1  | 9.0  |         |      |              |      |         |
| 358+50.00 | 17.0  | 5.9  | 42      | 14   |              |      |         |
|           |       |      | 16      | 5    | 58           | 19   | 669     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 360+50.00 | 20.9  | 9.7  |         |      |              |      |         |
|           |       |      | 38      | 17   |              |      |         |
| 360+00.00 | 19.8  | 9.0  |         |      |              |      |         |
|           |       |      | 44      | 17   |              |      |         |
| 359+50.00 | 27.8  | 9.1  |         |      |              |      |         |
|           |       |      | 52      | 17   |              |      |         |
|           |       |      |         |      | 134          | 51   | 670     |
| 362+00.00 | 20.2  | 9.3  |         |      |              |      |         |
|           |       |      | 41      | 17   |              |      |         |
| 361+50.00 | 24.3  | 9.5  |         |      |              |      |         |
|           |       |      | 44      | 17   |              |      |         |
| 361+00.00 | 23.5  | 9.2  |         |      |              |      |         |
|           |       |      | 41      | 18   |              |      |         |
|           |       |      |         |      | 126          | 52   | 671     |
| 363+50.00 | 21.4  | 11.4 |         |      |              |      |         |
|           |       |      | 39      | 20   |              |      |         |
| 363+00.00 | 20.7  | 10.1 |         |      |              |      |         |
|           |       |      | 41      | 18   |              |      |         |
| 362+50.00 | 23.5  | 9.7  |         |      |              |      |         |
|           |       |      | 40      | 18   |              |      |         |
|           |       |      |         |      | 120          | 56   | 672     |
| 365+00.00 | 25.5  | 11.4 |         |      |              |      |         |
|           |       |      | 46      | 21   |              |      |         |
| 364+50.00 | 24.3  | 10.9 |         |      |              |      |         |
|           |       |      | 45      | 20   |              |      |         |
| 364+00.00 | 24.3  | 10.8 |         |      |              |      |         |
|           |       |      | 42      | 21   |              |      |         |
|           |       |      |         |      | 133          | 62   | 673     |
| 366+00.00 | 30.4  | 11.0 |         |      |              |      |         |
|           |       |      | 54      | 21   |              |      |         |
| 365+50.00 | 27.5  | 11.6 |         |      |              |      |         |
|           |       |      | 49      | 21   |              |      |         |
|           |       |      |         |      | 103          | 42   | 674     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 367+00.00 | 23.3  | 11.6 | 45      | 21   | 96           | 41   | 675     |
| 366+50.00 | 24.9  | 11.1 | 51      | 20   |              |      |         |
| 368+00.00 | 21.8  | 12.2 | 38      | 21   | 78           | 41   | 676     |
| 367+50.00 | 19.4  | 10.2 | 40      | 20   |              |      |         |
| 369+00.00 | 16.6  | 8.7  | 33      | 17   | 71           | 38   | 677     |
| 368+50.00 | 19.4  | 10.1 | 38      | 21   |              |      |         |
| 370+00.00 | 12.6  | 5.8  | 27      | 13   | 58           | 29   | 678     |
| 369+50.00 | 17.0  | 8.2  | 31      | 16   |              |      |         |
| 371+00.00 | 13.0  | 6.1  | 27      | 13   | 53           | 25   | 679     |
| 370+50.00 | 16.0  | 7.4  | 26      | 12   |              |      |         |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 372+00.00 | 12.9  | 5.9  |         |      |              |      |         |
| 371+50.00 | 13.4  | 5.5  | 24      | 11   |              |      |         |
|           |       |      | 24      | 11   | 48           | 22   | 680     |
| 373+00.00 | 20.9  | 11.1 |         |      |              |      |         |
| 372+50.00 | 20.3  | 10.4 | 38      | 20   |              |      |         |
|           |       |      | 31      | 15   | 69           | 35   | 681     |
| 374+00.00 | 21.5  | 11.3 |         |      |              |      |         |
| 373+50.00 | 18.9  | 10.0 | 37      | 20   |              |      |         |
|           |       |      | 37      | 20   | 74           | 40   | 682     |
| 375+00.00 | 20.3  | 10.8 |         |      |              |      |         |
| 374+50.00 | 20.8  | 10.8 | 38      | 20   |              |      |         |
|           |       |      | 39      | 20   | 77           | 40   | 683     |
| 376+00.00 | 20.2  | 10.6 |         |      |              |      |         |
| 375+50.00 | 22.0  | 11.4 | 39      | 20   |              |      |         |
|           |       |      | 39      | 21   | 78           | 41   | 684     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 377+50.00 | 19.6  | 10.6 |         |      |              |      |         |
|           |       |      | 37      | 20   |              |      |         |
| 377+00.00 | 20.4  | 10.6 |         |      |              |      |         |
|           |       |      | 38      | 20   |              |      |         |
| 376+50.00 | 20.4  | 10.7 |         |      |              |      |         |
|           |       |      | 38      | 20   |              |      |         |
|           |       |      |         |      | 113          | 60   | 685     |
| 378+50.00 | 20.3  | 10.0 |         |      |              |      |         |
|           |       |      | 38      | 19   |              |      |         |
| 378+00.00 | 20.9  | 10.5 |         |      |              |      |         |
|           |       |      | 38      | 20   |              |      |         |
|           |       |      |         |      | 76           | 39   | 686     |
| 379+50.00 | 20.6  | 10.4 |         |      |              |      |         |
|           |       |      | 38      | 19   |              |      |         |
| 379+00.00 | 20.6  | 10.4 |         |      |              |      |         |
|           |       |      | 38      | 19   |              |      |         |
|           |       |      |         |      | 76           | 38   | 687     |
| 380+50.00 | 20.3  | 10.4 |         |      |              |      |         |
|           |       |      | 37      | 19   |              |      |         |
| 380+00.00 | 19.4  | 10.5 |         |      |              |      |         |
|           |       |      | 37      | 19   |              |      |         |
|           |       |      |         |      | 74           | 38   | 688     |
| 381+50.00 | 22.0  | 11.1 |         |      |              |      |         |
|           |       |      | 40      | 20   |              |      |         |
| 381+00.00 | 20.7  | 10.6 |         |      |              |      |         |
|           |       |      | 38      | 19   |              |      |         |
|           |       |      |         |      | 78           | 39   | 689     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 383+00.00 | 20.2  | 10.4 |         |      |              |      |         |
| 382+50.00 | 19.5  | 10.6 | 37      | 19   |              |      |         |
| 382+00.00 | 20.3  | 10.6 | 37      | 20   |              |      |         |
|           |       |      | 39      | 20   | 113          | 59   | 690     |
| 384+50.00 | 21.0  | 10.8 |         |      |              |      |         |
| 384+00.00 | 21.1  | 10.4 | 39      | 20   |              |      |         |
| 383+50.00 | 21.9  | 10.8 | 40      | 20   |              |      |         |
|           |       |      | 39      | 20   | 118          | 60   | 691     |
| 386+00.00 | 21.5  | 10.5 |         |      |              |      |         |
| 385+50.00 | 20.9  | 10.5 | 39      | 19   |              |      |         |
| 385+00.00 | 20.7  | 10.7 | 39      | 20   |              |      |         |
|           |       |      | 39      | 20   | 117          | 59   | 692     |
| 387+50.00 | 20.7  | 10.4 |         |      |              |      |         |
| 387+00.00 | 20.4  | 10.4 | 38      | 19   |              |      |         |
| 386+50.00 | 20.5  | 10.6 | 38      | 19   |              |      |         |
|           |       |      | 39      | 20   | 115          | 58   | 693     |
| 388+50.00 | 21.0  | 10.5 |         |      |              |      |         |
| 388+00.00 | 20.7  | 10.0 | 39      | 19   |              |      |         |
|           |       |      | 38      | 19   | 77           | 38   | 694     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 389+50.00 | 19.6  | 10.1 |         |      |              |      |         |
| 389+00.00 | 20.7  | 10.7 | 37      | 19   |              |      |         |
|           |       |      | 39      | 20   | 76           | 39   | 695     |
| 390+50.00 | 19.1  | 9.9  |         |      |              |      |         |
| 390+00.00 | 17.9  | 8.7  | 34      | 17   |              |      |         |
|           |       |      | 35      | 17   | 69           | 34   | 696     |
| 391+50.00 | 16.8  | 8.9  |         |      |              |      |         |
| 391+00.00 | 18.8  | 9.7  | 33      | 17   |              |      |         |
|           |       |      | 35      | 18   | 68           | 35   | 697     |
| 392+50.00 | 19.2  | 10.5 |         |      |              |      |         |
| 392+00.00 | 17.7  | 9.8  | 34      | 19   |              |      |         |
|           |       |      | 32      | 17   | 66           | 36   | 698     |
| 394+00.00 | 20.5  | 11.0 |         |      |              |      |         |
| 393+50.00 | 21.9  | 11.5 | 39      | 21   |              |      |         |
| 393+00.00 | 20.6  | 11.1 | 39      | 21   |              |      |         |
|           |       |      | 37      | 20   | 115          | 62   | 699     |



**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 395+50.00 | 20.9  | 11.7 |         |      |              |      |         |
| 395+00.00 | 19.2  | 10.2 | 37      | 20   |              |      |         |
| 394+50.00 | 19.7  | 10.4 | 36      | 19   |              |      |         |
|           |       |      | 37      | 20   | 110          | 59   | 700     |
| 396+50.00 | 21.6  | 12.0 |         |      |              |      |         |
| 396+00.00 | 21.0  | 11.9 | 39      | 22   |              |      |         |
|           |       |      | 39      | 22   | 78           | 44   | 701     |
| 397+50.00 | 22.0  | 12.1 |         |      |              |      |         |
| 397+00.00 | 27.2  | 17.5 | 46      | 27   |              |      |         |
|           |       |      | 45      | 27   | 91           | 54   | 702     |
| 398+50.00 | 17.8  | 9.9  |         |      |              |      |         |
| 398+00.00 | 22.6  | 11.7 | 37      | 20   |              |      |         |
|           |       |      | 41      | 22   | 78           | 42   | 703     |
| 399+50.00 | 13.7  | 8.8  |         |      |              |      |         |
| 399+00.00 | 13.2  | 8.0  | 25      | 16   |              |      |         |
|           |       |      | 29      | 17   | 54           | 33   | 704     |

**TEMP EARTHWORK CALCULATIONS AND QUANTITIES**  
LAK-20-19.59

| STATION   | AREAS |      | VOLUMES |      | SHEET TOTALS |      | SHEET # |
|-----------|-------|------|---------|------|--------------|------|---------|
|           | CUT   | FILL | CUT     | FILL | CUT          | FILL |         |
|           | SF    | SF   | CY      | CY   | CY           | CY   |         |
| 400+00.00 | 13.4  | 10.3 | 5       | 4    |              |      |         |
| 399+90.00 | 15.4  | 11.8 | 22      | 15   |              |      |         |
|           |       |      |         |      | 27           | 19   | 705     |
| 401+50.00 | 6.5   | 5.9  | 15      | 14   |              |      |         |
| 401+00.00 | 9.2   | 8.8  | 19      | 19   |              |      |         |
| 400+50.00 | 11.8  | 11.2 | 23      | 20   |              |      |         |
|           |       |      |         |      | 57           | 53   | 706     |
| 402+50.00 | 1.8   | 1.8  | 5       | 5    |              |      |         |
| 402+00.00 | 3.8   | 3.8  | 10      | 9    |              |      |         |
|           |       |      |         |      | 15           | 14   | 707     |

TOTAL      TOTAL  
TEMP      TEMP  
CUT (CY)  FILL (CY)  
18573      9686

AREAS (SF)

| STATION          | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
|------------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| 101+75           |                                    |                                     |                                   |                                    |   |                           |                             |                                    |                                      |                            |
| 102+50<br>102+00 | 1.1                                |                                     | 0.2                               |                                    | 0.8   | 2.1                       | 0.8                         | 1.1                                |                                      | 1.9                        |
| 104+00           | 1.5                                |                                     | 1.8                               |                                    | 2.4   | 5.7                       | 2.4                         | 1.5                                |                                      | 3.9                        |
| 103+50           | 1.2                                |                                     | 1.0                               |                                    | 1.5   | 3.7                       | 1.5                         | 1.2                                |                                      | 2.8                        |
| 103+00           | 1.2                                |                                     | 0.8                               |                                    | 0.4   | 2.4                       | 0.4                         | 1.2                                |                                      | 1.6                        |
| 105+50           |                                    |                                     |                                   |                                    |   |                           |                             |                                    |                                      |                            |
| 105+00           | 1.4                                | 0.2                                 | 2.8                               | 0.7                                | 0.3   | 5.4                       | 0.3                         | 1.4                                | 0.2                                  | 1.9                        |
| 104+50           | 1.4                                | 0.2                                 | 2.8                               | 0.8                                | 0.3   | 5.5                       | 0.3                         | 1.4                                | 0.2                                  | 1.9                        |





| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 122+00     | 7.8                                |                                     | 9.0                               | 4.2                                |   | 21.0                      |  |                             | 7.8                                |                                      | 7.8                        |
| 121+50     | 6.6                                |                                     | 10.1                              | 5.1                                |   | 21.8                      |  |                             | 6.6                                |                                      | 6.6                        |
| 121+00     | 4.7                                |                                     | 11.8                              | 4.9                                |   | 21.3                      |  |                             | 4.7                                |                                      | 4.7                        |
| 123+50     | 6.4                                |                                     | 10.5                              | 1.3                                | 0.3   | 18.5                      |  | 0.3                         | 6.4                                |                                      | 6.7                        |
| 123+00     | 8.4                                | 1.0                                 | 8.4                               | 0.4                                | 0.2   | 18.3                      |  | 0.2                         | 8.4                                | 1.0                                  | 9.5                        |
| 122+50     | 8.6                                |                                     | 7.8                               |                                    | 0.3   | 16.6                      |  | 0.3                         | 8.6                                |                                      | 8.8                        |
| 137+00     | 8.3                                | 0.3                                 | 8.1                               | 0.3                                | 0.2   | 17.2                      |  | 0.2                         | 8.3                                | 0.3                                  | 8.8                        |
| 123+83     | 7.5                                |                                     | 8.9                               |                                    |   | 16.4                      |  |                             | 7.5                                |                                      | 7.5                        |
| 138+00     | 8.6                                | 0.7                                 | 8.0                               | 1.1                                | 0.1   | 18.5                      |  | 0.1                         | 8.6                                | 0.7                                  | 9.3                        |
| 137+50     | 8.6                                | 0.7                                 | 7.7                               | 1.0                                | 0.2   | 18.2                      |  | 0.2                         | 8.6                                | 0.7                                  | 9.5                        |
| 139+50     | 7.9                                | 0.4                                 | 8.3                               | 2.4                                | 0.3   | 19.3                      |  | 0.3                         | 7.9                                | 0.4                                  | 8.6                        |
| 139+00     | 8.5                                | 0.5                                 | 8.4                               | 2.8                                |   | 20.1                      |  |                             | 8.5                                | 0.5                                  | 9.0                        |
| 138+50     | 8.6                                | 0.8                                 | 8.3                               | 2.9                                |   | 20.5                      |  |                             | 8.6                                | 0.8                                  | 9.4                        |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |     |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |     | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 141+00     | 7.7                                | 0.3                                 | 9.2                               | 3.1                                |   | 20.3                      |     |                             | 7.7                                | 0.3                                  | 8.0                        |
| 140+50     | 8.5                                | 0.5                                 | 8.1                               | 3.9                                | 0.2   | 21.2                      | 0.2 | 8.5                         | 0.5                                | 9.2                                  |                            |
| 140+00     | 8.4                                | 0.4                                 | 7.8                               | 1.9                                | 0.4   | 18.9                      | 0.4 | 8.4                         | 0.4                                | 9.2                                  |                            |
| 142+50     | 8.3                                | 0.2                                 | 8.7                               | 0.3                                | 0.5   | 17.9                      | 0.5 | 8.3                         | 0.2                                | 9.0                                  |                            |
| 142+00     | 8.5                                | 0.6                                 | 8.5                               | 1.5                                | 0.2   | 19.3                      | 0.2 | 8.5                         | 0.6                                | 9.3                                  |                            |
| 141+50     | 8.6                                | 0.8                                 | 8.4                               | 1.1                                | 0.2   | 19.1                      | 0.2 | 8.6                         | 0.8                                | 9.6                                  |                            |
| 144+00     | 8.7                                | 1.7                                 | 8.9                               | 1.2                                | 0.3   | 20.7                      | 0.3 | 8.7                         | 1.7                                | 10.6                                 |                            |
| 143+50     | 8.7                                | 1.1                                 | 8.3                               | 1.7                                | 0.2   | 20.0                      | 0.2 | 8.7                         | 1.1                                | 10.0                                 |                            |
| 143+00     | 8.5                                | 0.6                                 | 8.4                               | 1.5                                | 0.3   | 19.2                      | 0.3 | 8.5                         | 0.6                                | 9.3                                  |                            |
| 145+50     | 8.7                                |                                     | 7.4                               | 0.8                                | 1.2   | 18.0                      | 1.2 | 8.7                         |                                    | 9.8                                  |                            |
| 145+00     | 9.7                                | 2.6                                 | 7.4                               | 1.4                                | 0.1   | 21.1                      | 0.1 | 9.7                         | 2.6                                | 12.4                                 |                            |
| 144+50     | 8.7                                | 2.4                                 | 8.6                               | 1.5                                |   | 21.2                      |     | 8.7                         | 2.4                                | 11.1                                 |                            |
| 147+00     | 3.9                                |                                     | 5.9                               |                                    | 3.4   | 13.1                      | 3.4 | 3.9                         |                                    | 7.3                                  |                            |
| 146+50     | 8.2                                |                                     | 6.7                               |                                    | 2.1   | 17.0                      | 2.1 | 8.2                         |                                    | 10.3                                 |                            |
| 146+00     | 4.6                                |                                     | 7.1                               | 0.1                                | 2.8   | 14.7                      | 2.8 | 4.6                         |                                    | 7.5                                  |                            |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 148+50     | 6.5                                |                                     | 7.8                               | 0.2                                | 4.5   | 19.0                      |  | 4.5                         | 6.5                                |                                      | 11.0                       |
| 148+00     | 8.7                                |                                     | 7.0                               |                                    | 2.3   | 18.0                      |  | 2.3                         | 8.7                                |                                      | 11.0                       |
| 147+50     | 6.0                                |                                     | 6.6                               |                                    | 1.8   | 14.4                      |  | 1.8                         | 6.0                                |                                      | 7.8                        |
| 150+00     | 6.3                                | 1.4                                 | 10.9                              | 2.3                                | 0.7   | 21.5                      |  | 0.7                         | 6.3                                | 1.4                                  | 8.3                        |
| 149+50     | 5.4                                | 0.5                                 | 11.2                              | 1.3                                | 7.6   | 26.0                      |  | 7.6                         | 5.4                                | 0.5                                  | 13.5                       |
| 149+00     | 6.2                                | 0.2                                 | 11.5                              | 1.7                                | 2.0   | 21.6                      |  | 2.0                         | 6.2                                | 0.2                                  | 8.4                        |
| 151+50     | 6.3                                | 0.4                                 | 10.2                              | 0.7                                | 0.5   | 18.1                      |  | 0.5                         | 6.3                                | 0.4                                  | 7.2                        |
| 151+00     | 6.2                                | 1.4                                 | 10.3                              | 1.9                                |   | 19.8                      |  |                             | 6.2                                | 1.4                                  | 7.6                        |
| 150+50     | 6.3                                | 1.6                                 | 10.5                              | 8.1                                |   | 26.5                      |  |                             | 6.3                                | 1.6                                  | 7.9                        |
| 153+00     | 8.6                                | 0.5                                 | 8.2                               | 0.4                                | 0.3   | 18.1                      |  | 0.3                         | 8.6                                | 0.5                                  | 9.5                        |
| 152+50     | 8.7                                | 0.5                                 | 7.9                               | 0.7                                | 0.1   | 17.9                      |  | 0.1                         | 8.7                                | 0.5                                  | 9.3                        |
| 152+00     | 8.4                                | 0.1                                 | 7.9                               | 0.5                                | 1.8   | 18.7                      |  | 1.8                         | 8.4                                | 0.1                                  | 10.3                       |
| 154+50     | 8.7                                | 3.1                                 | 7.3                               | 0.6                                |   | 19.7                      |  |                             | 8.7                                | 3.1                                  | 11.8                       |
| 154+00     | 8.7                                | 2.6                                 | 7.2                               | 0.1                                |   | 18.6                      |  |                             | 8.7                                | 2.6                                  | 11.3                       |
| 153+50     | 8.7                                | 2.7                                 | 7.9                               | 0.7                                |   | 20.0                      |  |                             | 8.7                                | 2.7                                  | 11.4                       |



| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 156+00     | 4.3                                |                                     | 10.5                              | 1.0                                | 5.3   | 21.2                      |  | 5.3                         | 4.3                                |                                      | 9.7                        |
| 155+50     | 9.0                                |                                     | 7.1                               | 0.4                                | 0.9   | 17.3                      |  | 0.9                         | 9.0                                |                                      | 9.9                        |
| 155+00     | 8.7                                | 3.8                                 | 7.4                               | 0.5                                |   | 20.4                      |  |                             | 8.7                                | 3.8                                  | 12.5                       |
| 157+50     | 6.3                                |                                     | 6.0                               | 3.6                                | 1.6   | 17.5                      |  | 1.6                         | 6.3                                |                                      | 7.9                        |
| 157+00     | 3.9                                |                                     | 7.9                               | 0.5                                | 5.2   | 17.5                      |  | 5.2                         | 3.9                                |                                      | 9.1                        |
| 156+50     | 4.8                                |                                     | 9.8                               | 0.7                                | 4.8   | 20.1                      |  | 4.8                         | 4.8                                |                                      | 9.6                        |
| 159+00     | 4.4                                |                                     | 6.3                               | 0.6                                | 6.2   | 17.5                      |  | 6.2                         | 4.4                                |                                      | 10.6                       |
| 158+50     | 6.0                                |                                     | 4.8                               | 2.6                                | 19.0  | 32.3                      |  | 19.0                        | 6.0                                |                                      | 25.0                       |
| 158+00     | 4.9                                |                                     | 4.7                               | 1.3                                | 22.0  | 32.8                      |  | 22.0                        | 4.9                                |                                      | 26.9                       |
| 160+50     | 5.3                                |                                     | 8.7                               | 2.3                                | 3.2   | 19.5                      |  | 3.2                         | 5.3                                |                                      | 8.5                        |
| 160+00     | 5.6                                |                                     | 8.3                               | 1.6                                | 4.3   | 19.9                      |  | 4.3                         | 5.6                                |                                      | 10.0                       |
| 159+50     | 5.1                                |                                     | 7.2                               | 2.6                                | 11.0  | 25.8                      |  | 11.0                        | 5.1                                |                                      | 16.1                       |
| 161+50     | 4.0                                |                                     | 8.1                               | 0.7                                | 5.0   | 17.8                      |  | 5.0                         | 4.0                                |                                      | 9.0                        |
| 161+00     | 2.8                                |                                     | 8.3                               | 2.1                                | 6.6   | 19.8                      |  | 6.6                         | 2.8                                |                                      | 9.4                        |
| 160+60     | 5.3                                |                                     | 8.7                               | 2.0                                | 3.4   | 19.4                      |  | 3.4                         | 5.3                                |                                      | 8.8                        |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 163+00     | 7.5                                |                                     | 6.5                               | 1.8                                | 1.4   | 17.2                      |  | 1.4                         | 7.5                                |                                      | 8.9                        |
| 162+50     | 5.7                                |                                     | 6.4                               | 0.9                                | 2.5   | 15.5                      |  | 2.5                         | 5.7                                |                                      | 8.2                        |
| 162+00     | 5.5                                |                                     | 8.7                               | 1.1                                | 2.7   | 17.9                      |  | 2.7                         | 5.5                                |                                      | 8.1                        |
| 164+50     | 8.0                                | 0.8                                 | 7.8                               | 1.9                                |   | 18.5                      |  |                             | 8.0                                | 0.8                                  | 8.8                        |
| 164+00     | 6.7                                |                                     | 6.8                               |                                    |   | 13.5                      |  |                             | 6.7                                |                                      | 6.7                        |
| 163+50     | 6.1                                |                                     | 7.8                               | 1.0                                | 2.4   | 17.2                      |  | 2.4                         | 6.1                                |                                      | 8.5                        |
| 166+00     | 6.1                                |                                     | 8.2                               | 0.9                                | 2.6   | 17.8                      |  | 2.6                         | 6.1                                |                                      | 8.7                        |
| 165+50     | 7.4                                |                                     | 8.0                               |                                    |   | 15.4                      |  |                             | 7.4                                |                                      | 7.4                        |
| 165+00     | 8.7                                | 1.0                                 | 8.1                               | 1.7                                |   | 19.5                      |  |                             | 8.7                                | 1.0                                  | 9.7                        |
| 167+50     | 8.7                                | 2.6                                 | 5.0                               | 2.2                                | 0.5   | 19.0                      |  | 0.5                         | 8.7                                | 2.6                                  | 11.8                       |
| 167+00     | 8.7                                | 1.3                                 | 5.7                               | 1.8                                | 0.8   | 18.2                      |  | 0.8                         | 8.7                                | 1.3                                  | 10.8                       |
| 166+50     | 8.0                                | 0.5                                 | 7.1                               | 2.1                                | 1.9   | 19.6                      |  | 1.9                         | 8.0                                | 0.5                                  | 10.4                       |
| 168+50     | 8.7                                | 1.4                                 | 1.8                               | 0.1                                | 0.3   | 12.3                      |  | 0.3                         | 8.7                                | 1.4                                  | 10.4                       |
| 168+10     | 8.7                                | 2.4                                 | 2.8                               | 0.7                                | 0.7   | 15.2                      |  | 0.7                         | 8.7                                | 2.4                                  | 11.8                       |
| 168+00     | 8.7                                | 2.2                                 | 3.0                               | 0.5                                | 0.3   | 14.7                      |  | 0.3                         | 8.7                                | 2.2                                  | 11.2                       |

AREAS (SF)

| STATION | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
|---------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| 169+50  | 5.9                                | 1.4                                 |                                   |                                    | 0.2   | 7.5                       | 0.2                         | 5.9                                | 1.4                                  | 7.5                        |
| 169+00  | 9.1                                | 2.1                                 |                                   |                                    | 0.4   | 11.7                      | 0.4                         | 9.1                                | 2.1                                  | 11.7                       |
| 171+00  |                                    |                                     |                                   |                                    |   |                           |                             |                                    |                                      |                            |
| 170+50  | 1.9                                | 0.1                                 |                                   |                                    | 0.5   | 2.5                       | 0.5                         | 1.9                                | 0.1                                  | 2.5                        |
| 170+00  | 3.9                                | 1.1                                 |                                   |                                    | 0.1   | 5.1                       | 0.1                         | 3.9                                | 1.1                                  | 5.1                        |
| 181+00  | 5.8                                | 2.1                                 |                                   |                                    |   | 7.9                       |                             | 5.8                                | 2.1                                  | 7.9                        |
| 180+50  | 3.4                                | 0.7                                 |                                   |                                    |   | 4.1                       |                             | 3.4                                | 0.7                                  | 4.1                        |
| 180+00  | 1.7                                | 0.2                                 |                                   |                                    | 0.1   | 2.0                       | 0.1                         | 1.7                                | 0.2                                  | 2.0                        |
| 179+50  | 1.1                                |                                     |                                   |                                    | 0.3   | 1.4                       | 0.3                         | 1.1                                |                                      | 1.4                        |
| 182+20  | 8.7                                | 3.0                                 | 2.9                               | 0.5                                |   | 15.0                      |                             | 8.7                                | 3.0                                  | 11.7                       |
| 182+00  | 8.5                                | 3.8                                 | 2.1                               | 0.3                                |   | 14.7                      |                             | 8.5                                | 3.8                                  | 12.3                       |
| 181+50  | 8.3                                | 3.3                                 |                                   |                                    |   | 11.6                      |                             | 8.3                                | 3.3                                  | 11.6                       |
| 183+50  | 8.7                                | 3.8                                 | 7.6                               | 3.5                                |   | 23.6                      |                             | 8.7                                | 3.8                                  | 12.5                       |
| 183+00  | 8.7                                | 2.6                                 | 5.9                               | 1.4                                | 0.6   | 19.2                      | 0.6                         | 8.7                                | 2.6                                  | 11.9                       |
| 182+50  | 8.7                                | 2.7                                 | 3.9                               | 0.9                                | 0.3   | 16.6                      | 0.3                         | 8.7                                | 2.7                                  | 11.7                       |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 185+00     | 8.7                                | 1.7                                 | 8.5                               | 4.8                                | 0.3   | 24.0                      |  | 0.3                         | 8.7                                | 1.7                                  | 10.7                       |
| 184+50     | 8.7                                | 2.7                                 | 8.5                               | 5.4                                | 0.2   | 25.5                      |  | 0.2                         | 8.7                                | 2.7                                  | 11.6                       |
| 184+00     | 8.7                                | 2.9                                 | 8.2                               | 4.5                                | 0.3   | 24.5                      |  | 0.3                         | 8.7                                | 2.9                                  | 11.8                       |
| 186+50     | 8.7                                | 1.3                                 | 8.8                               | 7.3                                | 0.2   | 26.3                      |  | 0.2                         | 8.7                                | 1.3                                  | 10.2                       |
| 186+00     | 8.4                                | 0.7                                 | 9.0                               | 6.2                                | 1.1   | 25.4                      |  | 1.1                         | 8.4                                | 0.7                                  | 10.2                       |
| 185+50     | 8.6                                | 0.8                                 | 9.0                               | 4.4                                | 1.1   | 23.8                      |  | 1.1                         | 8.6                                | 0.8                                  | 10.4                       |
| 188+00     | 3.7                                | 1.2                                 | 11.5                              | 3.2                                | 0.3   | 19.9                      |  | 0.3                         | 3.7                                | 1.2                                  | 5.2                        |
| 187+50     | 7.0                                | 0.2                                 | 8.1                               | 2.1                                | 3.5   | 20.9                      |  | 3.5                         | 7.0                                | 0.2                                  | 10.7                       |
| 187+00     | 8.3                                | 0.6                                 | 8.5                               | 4.0                                | 1.3   | 22.7                      |  | 1.3                         | 8.3                                | 0.6                                  | 10.2                       |
| 189+50     | 8.7                                | 1.3                                 | 7.6                               | 1.4                                | 0.2   | 19.1                      |  | 0.2                         | 8.7                                | 1.3                                  | 10.1                       |
| 189+00     | 8.6                                | 2.7                                 | 7.8                               | 5.3                                |   | 24.4                      |  |                             | 8.6                                | 2.7                                  | 11.3                       |
| 188+50     |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
| 191+00     | 8.7                                | 1.3                                 | 7.7                               | 0.8                                |   | 18.4                      |  |                             | 8.7                                | 1.3                                  | 10.0                       |
| 190+50     | 8.7                                | 3.3                                 | 7.4                               | 1.3                                |   | 20.7                      |  |                             | 8.7                                | 3.3                                  | 12.0                       |
| 190+00     | 8.7                                | 2.1                                 | 7.6                               | 0.6                                | 0.1   | 19.0                      |  | 0.1                         | 8.7                                | 2.1                                  | 10.9                       |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 192+50     | 8.7                                | 2.3                                 | 7.8                               | 0.9                                | 0.2   | 19.9                      |  | 0.2                         | 8.7                                | 2.3                                  | 11.2                       |
| 192+00     | 6.7                                |                                     | 7.0                               |                                    |   | 13.7                      |  | 6.7                         |                                    |                                      | 6.7                        |
| 191+50     | 8.7                                | 3.6                                 | 7.7                               | 2.2                                | 0.1   | 22.3                      |  | 0.1                         | 8.7                                | 3.6                                  | 12.4                       |
| 194+00     | 7.9                                | 0.6                                 | 7.7                               | 1.7                                | 2.8   | 20.8                      |  | 2.8                         | 7.9                                | 0.6                                  | 11.4                       |
| 193+50     | 7.5                                | 1.0                                 | 7.8                               | 2.7                                | 4.8   | 23.8                      |  | 4.8                         | 7.5                                | 1.0                                  | 13.3                       |
| 193+00     | 8.7                                | 2.6                                 | 7.7                               | 0.7                                |   | 19.7                      |  |                             | 8.7                                | 2.6                                  | 11.3                       |
| 195+50     | 8.7                                | 0.5                                 | 7.1                               | 0.8                                | 0.7   | 17.8                      |  | 0.7                         | 8.7                                | 0.5                                  | 9.9                        |
| 195+00     | 5.9                                |                                     | 6.4                               |                                    | 1.6   | 13.9                      |  | 1.6                         | 5.9                                |                                      | 7.6                        |
| 194+50     | 8.7                                | 2.7                                 | 7.4                               | 2.6                                | 0.4   | 21.8                      |  | 0.4                         | 8.7                                | 2.7                                  | 11.8                       |
| 197+00     | 8.7                                | 4.0                                 | 7.2                               | 4.2                                |   | 24.1                      |  |                             | 8.7                                | 4.0                                  | 12.7                       |
| 196+50     | 8.7                                |                                     | 7.0                               | 0.5                                | 0.5   | 16.7                      |  | 0.5                         | 8.7                                |                                      | 9.2                        |
| 196+00     | 8.7                                | 1.5                                 | 7.2                               | 0.4                                | 0.3   | 18.1                      |  | 0.3                         | 8.7                                | 1.5                                  | 10.5                       |
| 198+00     | 8.7                                | 2.4                                 | 7.5                               | 7.4                                |   | 25.9                      |  |                             | 8.7                                | 2.4                                  | 11.1                       |
| 197+50     | 8.7                                | 6.5                                 | 7.3                               | 5.3                                |   | 27.7                      |  |                             | 8.7                                | 6.5                                  | 15.2                       |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |      |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|------|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |      | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 199+00     | 2.5                                |                                     | 8.0                               | 1.2                                | 21.8  | 33.4                      |      | 21.8                        | 2.5                                |                                      | 24.3                       |
| 198+50     | 8.7                                | 4.0                                 | 7.7                               | 2.5                                |   | 22.9                      |      |                             | 8.7                                | 4.0                                  | 12.7                       |
| 200+50     | 8.7                                | 0.7                                 | 8.0                               | 4.3                                |   | 21.6                      |      |                             | 8.7                                | 0.7                                  | 9.4                        |
| 200+00     | 8.6                                | 0.9                                 | 8.1                               | 2.8                                | 2.3   | 22.7                      | 2.3  | 8.6                         | 0.9                                |                                      | 11.7                       |
| 199+50     | 3.3                                |                                     | 8.2                               | 1.3                                | 40.4  | 53.3                      | 40.4 | 3.3                         |                                    |                                      | 43.8                       |
| 202+00     | 8.7                                | 1.7                                 | 8.0                               | 4.0                                |   | 22.4                      |      |                             | 8.7                                | 1.7                                  | 10.4                       |
| 201+50     | 8.7                                | 2.6                                 | 8.1                               | 3.4                                |   | 22.7                      |      |                             | 8.7                                | 2.6                                  | 11.3                       |
| 201+00     | 8.7                                | 0.6                                 | 7.9                               | 4.2                                |   | 21.4                      |      |                             | 8.7                                | 0.6                                  | 9.3                        |
| 203+50     | 8.7                                | 1.7                                 | 7.4                               | 1.2                                |   | 19.0                      |      |                             | 8.7                                | 1.7                                  | 10.4                       |
| 203+00     | 8.7                                | 1.0                                 | 7.2                               | 1.8                                |   | 18.7                      |      |                             | 8.7                                | 1.0                                  | 9.7                        |
| 202+50     | 8.7                                | 1.5                                 | 7.9                               | 0.9                                |   | 19.0                      |      |                             | 8.7                                | 1.5                                  | 10.2                       |
| 205+00     | 7.7                                | 0.1                                 | 7.7                               | 1.2                                | 1.0   | 17.6                      | 1.0  | 7.7                         | 0.1                                |                                      | 8.8                        |
| 204+50     | 6.7                                |                                     | 7.5                               | 1.3                                | 2.0   | 17.5                      | 2.0  | 6.7                         |                                    |                                      | 8.6                        |
| 204+00     | 8.6                                | 0.6                                 | 7.5                               | 2.0                                | 0.9   | 19.6                      | 0.9  | 8.6                         | 0.6                                |                                      | 10.2                       |

AREAS (SF)

| STATION | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
|---------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| 206+50  | 9.5                                | 0.5                                 | 6.8                               | 2.3                                | 0.8   | 19.9                      | 0.8                         | 9.5                                | 0.5                                  | 10.8                       |
| 206+00  | 8.7                                | 3.0                                 | 7.7                               | 2.1                                |   | 21.5                      |                             | 8.7                                | 3.0                                  | 11.7                       |
| 205+50  | 8.7                                | 1.5                                 | 7.6                               | 6.5                                |   | 24.4                      |                             | 8.7                                | 1.5                                  | 10.2                       |
| 208+00  | 9.4                                |                                     | 6.5                               | 1.2                                | 0.9   | 18.0                      | 0.9                         | 9.4                                |                                      | 10.2                       |
| 207+50  | 4.2                                |                                     | 6.9                               | 1.0                                | 7.6   | 19.7                      | 7.6                         | 4.2                                |                                      | 11.8                       |
| 207+00  | 6.6                                |                                     | 6.6                               | 1.4                                | 3.3   | 17.8                      | 3.3                         | 6.6                                |                                      | 9.9                        |
| 209+00  | 9.6                                | 0.4                                 | 7.0                               | 1.6                                | 0.7   | 19.3                      | 0.7                         | 9.6                                | 0.4                                  | 10.7                       |
| 208+50  | 8.7                                |                                     | 6.5                               | 0.4                                | 1.3   | 16.8                      | 1.3                         | 8.7                                |                                      | 9.9                        |
| 210+00  | 3.9                                |                                     | 7.3                               | 0.5                                | 6.8   | 18.5                      | 6.8                         | 3.9                                |                                      | 10.7                       |
| 209+50  | 5.0                                |                                     | 7.2                               | 0.2                                | 2.1   | 14.4                      | 2.1                         | 5.0                                |                                      | 7.1                        |
| 211+50  | 5.8                                | 1.0                                 | 7.4                               | 2.6                                | 8.7   | 25.5                      | 8.7                         | 5.8                                | 1.0                                  | 15.5                       |
| 211+00  | 4.5                                | 0.3                                 | 6.4                               | 2.0                                | 11.1  | 24.4                      | 11.1                        | 4.5                                | 0.3                                  | 16.0                       |
| 210+50  | 2.5                                |                                     | 6.8                               |                                    | 16.4  | 25.7                      | 16.4                        | 2.5                                |                                      | 18.9                       |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 213+00     | 4.6                                | 0.2                                 | 7.2                               | 1.9                                | 4.0   | 17.9                      |  | 4.0                         | 4.6                                | 0.2                                  | 8.8                        |
| 212+50     | 8.7                                | 4.3                                 | 7.1                               | 1.0                                |   | 21.1                      |  | 8.7                         | 4.3                                |                                      | 13.0                       |
| 212+00     | 8.1                                | 2.4                                 | 7.4                               | 2.5                                | 5.1   | 25.5                      |  | 5.1                         | 8.1                                | 2.4                                  | 15.6                       |
| 214+50     | 8.7                                | 1.1                                 | 6.9                               | 0.9                                | 0.2   | 17.8                      |  | 0.2                         | 8.7                                | 1.1                                  | 10.0                       |
| 214+00     | 8.7                                | 2.4                                 | 7.1                               | 1.2                                | 0.1   | 19.5                      |  | 0.1                         | 8.7                                | 2.4                                  | 11.2                       |
| 213+50     | 8.7                                | 2.5                                 | 7.2                               | 0.5                                | 0.2   | 19.0                      |  | 0.2                         | 8.7                                | 2.5                                  | 11.4                       |
| 216+00     | 8.7                                | 2.9                                 | 6.4                               | 1.5                                | 0.2   | 19.6                      |  | 0.2                         | 8.7                                | 2.9                                  | 11.8                       |
| 215+50     | 8.7                                | 4.1                                 | 6.4                               | 1.8                                |   | 20.9                      |  | 8.7                         | 4.1                                |                                      | 12.8                       |
| 215+00     | 8.3                                | 0.7                                 | 6.7                               | 1.9                                | 1.2   | 18.8                      |  | 1.2                         | 8.3                                | 0.7                                  | 10.2                       |
| 217+50     | 6.9                                | 0.4                                 | 6.6                               | 1.7                                | 2.8   | 18.4                      |  | 2.8                         | 6.9                                | 0.4                                  | 10.1                       |
| 217+00     | 7.5                                | 0.5                                 | 6.7                               | 1.6                                | 1.8   | 18.1                      |  | 1.8                         | 7.5                                | 0.5                                  | 9.8                        |
| 216+50     | 8.2                                | 0.6                                 | 6.4                               | 1.3                                | 0.6   | 17.0                      |  | 0.6                         | 8.2                                | 0.6                                  | 9.3                        |
| 219+00     | 8.7                                | 0.3                                 | 6.8                               | 1.3                                | 0.7   | 17.8                      |  | 0.7                         | 8.7                                | 0.3                                  | 9.7                        |
| 218+50     | 4.9                                |                                     | 6.8                               | 0.6                                | 3.1   | 15.4                      |  | 3.1                         | 4.9                                |                                      | 8.0                        |
| 218+00     | 8.3                                | 0.1                                 | 6.8                               | 0.4                                | 0.7   | 16.2                      |  | 0.7                         | 8.3                                | 0.1                                  | 9.0                        |



| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |     |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |     | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 220+50     | 8.7                                | 5.5                                 | 7.0                               | 2.7                                |   | 23.8                      |     |                             | 8.7                                | 5.5                                  | 14.2                       |
| 220+00     | 8.7                                | 0.6                                 | 7.0                               | 2.3                                |   | 18.6                      |     |                             | 8.7                                | 0.6                                  | 9.3                        |
| 219+50     | 8.7                                | 2.3                                 | 6.8                               | 2.0                                |   | 19.8                      |     |                             | 8.7                                | 2.3                                  | 11.0                       |
| 222+00     | 8.7                                | 1.1                                 | 6.6                               | 3.6                                | 0.5   | 20.5                      | 0.5 | 8.7                         | 1.1                                | 10.3                                 |                            |
| 221+50     | 8.7                                | 2.0                                 | 7.0                               | 3.8                                | 0.2   | 21.6                      | 0.2 | 8.7                         | 2.0                                | 10.9                                 |                            |
| 221+00     | 8.7                                | 2.6                                 | 6.8                               | 3.0                                |   | 21.0                      |     | 8.7                         | 2.6                                | 11.3                                 |                            |
| 223+50     | 7.7                                | 0.2                                 | 6.9                               | 2.2                                | 1.9   | 18.9                      | 1.9 | 7.7                         | 0.2                                | 9.8                                  |                            |
| 223+00     | 8.2                                |                                     | 6.3                               |                                    | 0.7   | 15.1                      | 0.7 | 8.2                         |                                    | 8.9                                  |                            |
| 222+50     | 8.3                                | 0.2                                 | 6.5                               | 2.7                                | 0.8   | 18.4                      | 0.8 | 8.3                         | 0.2                                | 9.2                                  |                            |
| 225+00     | 8.7                                | 0.3                                 | 6.9                               | 4.0                                | 0.3   | 20.2                      | 0.3 | 8.7                         | 0.3                                | 9.3                                  |                            |
| 224+50     | 8.7                                | 1.8                                 | 6.8                               | 3.4                                |   | 20.6                      |     | 8.7                         | 1.8                                | 10.5                                 |                            |
| 224+00     | 8.6                                | 0.4                                 | 6.8                               | 3.6                                | 0.8   | 20.2                      | 0.8 | 8.6                         | 0.4                                | 9.8                                  |                            |
| 226+50     | 8.7                                | 6.1                                 | 6.6                               | 3.8                                |   | 25.1                      |     | 8.7                         | 6.1                                | 14.8                                 |                            |
| 226+00     | 8.7                                | 4.9                                 | 6.5                               | 4.4                                |   | 24.5                      |     | 8.7                         | 4.9                                | 13.6                                 |                            |
| 225+50     | 8.7                                | 0.1                                 | 6.9                               | 5.7                                |   | 21.4                      |     | 8.7                         | 0.1                                | 8.8                                  |                            |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 228+00     | 8.7                                |                                     | 7.3                               | 0.7                                | 0.4   | 17.1                      |  | 0.4                         | 8.7                                |                                      | 9.1                        |
| 227+50     | 9.7                                | 3.7                                 | 6.1                               | 2.9                                | 0.2   | 22.5                      |  | 0.2                         | 9.7                                | 3.7                                  | 13.5                       |
| 227+00     | 8.7                                | 7.7                                 | 6.9                               | 3.1                                |   | 26.3                      |  |                             | 8.7                                | 7.7                                  | 16.4                       |
| 229+50     |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
| 229+00     | 9.3                                | 4.8                                 | 6.9                               | 1.2                                |   | 22.2                      |  |                             | 9.3                                | 4.8                                  | 14.1                       |
| 228+50     | 9.7                                | 1.0                                 | 7.0                               | 4.0                                | 0.5   | 22.2                      |  | 0.5                         | 9.7                                | 1.0                                  | 11.1                       |
| 231+00     | 4.3                                |                                     | 7.2                               | 0.7                                | 6.9   | 19.1                      |  | 6.9                         | 4.3                                |                                      | 11.2                       |
| 230+50     | 4.1                                |                                     | 6.0                               | 0.1                                | 6.1   | 16.3                      |  | 6.1                         | 4.1                                |                                      | 10.2                       |
| 230+00     | 7.6                                |                                     | 7.5                               | 1.1                                | 1.7   | 17.9                      |  | 1.7                         | 7.6                                |                                      | 9.2                        |
| 232+50     | 5.6                                |                                     | 6.6                               | 0.8                                | 3.6   | 16.6                      |  | 3.6                         | 5.6                                |                                      | 9.2                        |
| 232+00     | 6.9                                |                                     | 6.7                               | 1.2                                | 3.1   | 18.0                      |  | 3.1                         | 6.9                                |                                      | 10.1                       |
| 231+50     | 4.4                                |                                     | 7.0                               | 0.9                                | 7.5   | 19.7                      |  | 7.5                         | 4.4                                |                                      | 11.8                       |
| 234+00     | 8.7                                |                                     | 7.0                               | 0.6                                | 0.6   | 16.8                      |  | 0.6                         | 8.7                                |                                      | 9.3                        |
| 233+50     | 8.5                                |                                     | 6.9                               | 3.9                                | 1.3   | 20.6                      |  | 1.3                         | 8.5                                |                                      | 9.9                        |
| 233+00     | 6.2                                |                                     | 6.8                               | 1.4                                | 2.7   | 17.1                      |  | 2.7                         | 6.2                                |                                      | 8.9                        |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |     |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |     | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 235+50     | 8.7                                | 5.7                                 | 6.7                               | 2.6                                |   | 23.7                      |     |                             | 8.7                                | 5.7                                  | 14.4                       |
| 235+00     | 8.7                                | 0.8                                 | 6.8                               | 1.5                                | 0.2   | 17.9                      | 0.2 | 8.7                         | 0.8                                | 9.7                                  |                            |
| 234+50     | 8.5                                |                                     | 6.9                               | 0.5                                | 0.8   | 16.8                      | 0.8 | 8.5                         |                                    | 9.3                                  |                            |
| 237+00     | 8.7                                | 3.8                                 | 6.0                               | 3.0                                |   | 21.5                      |     | 8.7                         | 3.8                                | 12.5                                 |                            |
| 236+50     | 8.7                                | 6.0                                 | 6.5                               | 4.8                                |   | 26.0                      |     | 8.7                         | 6.0                                | 14.7                                 |                            |
| 236+00     | 8.7                                | 5.3                                 | 6.5                               | 5.2                                |   | 25.7                      |     | 8.7                         | 5.3                                | 14.0                                 |                            |
| 238+50     | 8.2                                |                                     | 6.2                               |                                    | 0.9   | 15.3                      | 0.9 | 8.2                         |                                    | 9.1                                  |                            |
| 238+00     | 7.9                                |                                     | 6.2                               |                                    | 1.1   | 15.2                      | 1.1 | 7.9                         |                                    | 9.0                                  |                            |
| 237+50     | 6.4                                |                                     | 6.0                               |                                    | 0.6   | 13.0                      | 0.6 | 6.4                         |                                    | 7.0                                  |                            |
| 240+00     | 6.1                                | 0.2                                 | 6.6                               | 1.7                                | 3.1   | 17.7                      | 3.1 | 6.1                         | 0.2                                | 9.4                                  |                            |
| 239+50     | 6.1                                |                                     | 5.3                               |                                    | 1.7   | 13.1                      | 1.7 | 6.1                         |                                    | 7.8                                  |                            |
| 239+00     | 7.6                                |                                     | 6.1                               |                                    | 0.9   | 14.6                      | 0.9 | 7.6                         |                                    | 8.5                                  |                            |
| 241+50     | 8.7                                | 0.6                                 | 6.7                               | 0.4                                | 0.4   | 16.8                      | 0.4 | 8.7                         | 0.6                                | 9.7                                  |                            |
| 241+00     | 8.7                                | 2.2                                 | 6.6                               | 0.6                                | 0.2   | 18.2                      | 0.2 | 8.7                         | 2.2                                | 11.1                                 |                            |
| 240+50     | 8.7                                | 0.8                                 | 6.0                               | 1.6                                | 0.1   | 17.2                      | 0.1 | 8.7                         | 0.8                                | 9.6                                  |                            |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 243+00     | 6.5                                |                                     | 6.5                               |                                    | 0.7   | 13.7                      |  | 0.7                         | 6.5                                |                                      | 7.2                        |
| 242+50     | 6.8                                |                                     | 5.8                               |                                    | 1.7   | 14.3                      |  | 1.7                         | 6.8                                |                                      | 8.5                        |
| 242+00     | 8.3                                | 0.6                                 | 6.7                               | 0.9                                | 1.5   | 18.0                      |  | 1.5                         | 8.3                                | 0.6                                  | 10.4                       |
| 244+50     | 5.5                                |                                     | 5.9                               |                                    | 0.1   | 11.5                      |  | 0.1                         | 5.5                                |                                      | 5.6                        |
| 244+00     | 7.3                                |                                     | 6.5                               |                                    | 0.5   | 14.2                      |  | 0.5                         | 7.3                                |                                      | 7.7                        |
| 243+50     | 8.2                                | 0.3                                 | 6.8                               | 1.2                                | 0.9   | 17.4                      |  | 0.9                         | 8.2                                | 0.3                                  | 9.4                        |
| 246+00     | 8.0                                | 0.1                                 | 6.7                               | 0.5                                | 1.4   | 16.6                      |  | 1.4                         | 8.0                                | 0.1                                  | 9.4                        |
| 245+50     | 4.9                                |                                     | 5.4                               |                                    |   | 10.3                      |  |                             | 4.9                                |                                      | 4.9                        |
| 245+00     | 8.5                                | 1.3                                 | 6.5                               | 1.1                                | 1.4   | 18.8                      |  | 1.4                         | 8.5                                | 1.3                                  | 11.2                       |
| 247+50     | 8.7                                | 1.0                                 | 6.9                               | 1.5                                | 0.7   | 18.8                      |  | 0.7                         | 8.7                                | 1.0                                  | 10.4                       |
| 247+00     | 8.7                                | 2.5                                 | 6.7                               | 1.7                                | 0.3   | 19.9                      |  | 0.3                         | 8.7                                | 2.5                                  | 11.5                       |
| 246+50     | 8.7                                | 1.6                                 | 6.6                               | 0.2                                |   | 17.1                      |  |                             | 8.7                                | 1.6                                  | 10.3                       |
| 249+00     | 8.4                                | 1.0                                 | 6.8                               | 1.5                                | 1.1   | 18.8                      |  | 1.1                         | 8.4                                | 1.0                                  | 10.5                       |
| 248+50     | 6.5                                | 0.1                                 | 7.0                               | 1.6                                | 3.0   | 18.3                      |  | 3.0                         | 6.5                                | 0.1                                  | 9.7                        |
| 248+00     | 5.2                                |                                     | 7.1                               | 1.5                                | 3.3   | 17.1                      |  | 3.3                         | 5.2                                |                                      | 8.5                        |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 250+50     | 8.7                                | 1.6                                 | 6.7                               | 3.9                                | 0.2   | 21.1                      |  | 0.2                         | 8.7                                | 1.6                                  | 10.5                       |
| 250+00     | 8.7                                | 1.4                                 | 6.6                               | 1.6                                | 0.6   | 18.9                      |  | 0.6                         | 8.7                                | 1.4                                  | 10.7                       |
| 249+50     | 8.5                                | 1.1                                 | 6.6                               | 1.1                                | 1.0   | 18.3                      |  | 1.0                         | 8.5                                | 1.1                                  | 10.6                       |
| 252+00     | 8.7                                | 1.5                                 | 7.3                               | 3.5                                |   | 21.0                      |  |                             | 8.7                                | 1.5                                  | 10.2                       |
| 251+50     | 8.7                                |                                     | 7.1                               | 3.8                                |   | 19.5                      |  |                             | 8.7                                |                                      | 8.7                        |
| 251+00     | 4.6                                |                                     | 5.5                               |                                    | 1.3   | 11.4                      |  | 1.3                         | 4.6                                |                                      | 5.9                        |
| 253+50     | 4.3                                | 0.1                                 | 10.2                              | 1.9                                | 27.9  | 44.4                      |  | 27.9                        | 4.3                                | 0.1                                  | 32.3                       |
| 253+00     | 7.5                                | 7.1                                 | 9.0                               | 6.4                                |   | 30.0                      |  |                             | 7.5                                | 7.1                                  | 14.6                       |
| 252+50     | 8.7                                | 0.3                                 | 7.7                               | 4.8                                |   | 21.5                      |  |                             | 8.7                                | 0.3                                  | 9.0                        |
| 254+50     | 6.3                                | 2.4                                 | 9.8                               | 1.8                                | 0.7   | 21.0                      |  | 0.7                         | 6.3                                | 2.4                                  | 9.4                        |
| 254+00     | 0.4                                |                                     | 9.5                               | 1.2                                | 50.7  | 61.8                      |  | 50.7                        | 0.4                                |                                      | 51.0                       |
| 256+00     | 8.7                                | 1.9                                 | 7.3                               | 1.0                                | 1.0   | 19.9                      |  | 1.0                         | 8.7                                | 1.9                                  | 11.6                       |
| 255+50     | 8.7                                | 1.8                                 | 7.5                               | 1.9                                | 1.5   | 21.3                      |  | 1.5                         | 8.7                                | 1.8                                  | 12.0                       |
| 255+00     | 8.7                                | 6.9                                 | 7.1                               | 0.9                                |   | 23.6                      |  |                             | 8.7                                | 6.9                                  | 15.6                       |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 257+50     | 8.6                                | 0.2                                 | 7.0                               |                                    | 0.6   | 16.4                      |  | 0.6                         | 8.6                                | 0.2                                  | 9.4                        |
| 257+00     | 8.5                                | 0.3                                 | 7.0                               |                                    | 0.6   | 16.4                      |  | 0.6                         | 8.5                                | 0.3                                  | 9.3                        |
| 256+50     | 8.7                                | 0.7                                 | 7.3                               | 0.1                                | 1.3   | 18.1                      |  | 1.3                         | 8.7                                | 0.7                                  | 10.7                       |
| 259+00     | 8.7                                | 0.5                                 | 7.7                               | 0.3                                | 0.6   | 17.8                      |  | 0.6                         | 8.7                                | 0.5                                  | 9.8                        |
| 258+50     | 8.3                                | 0.2                                 | 7.2                               |                                    | 0.6   | 16.3                      |  | 0.6                         | 8.3                                | 0.2                                  | 9.1                        |
| 258+00     | 8.4                                | 0.2                                 | 7.2                               |                                    | 0.6   | 16.4                      |  | 0.6                         | 8.4                                | 0.2                                  | 9.2                        |
| 260+50     | 8.7                                | 3.4                                 | 7.3                               | 0.2                                |   | 19.6                      |  |                             | 8.7                                | 3.4                                  | 12.1                       |
| 260+00     | 8.7                                | 2.0                                 | 7.4                               | 0.6                                | 0.1   | 18.8                      |  | 0.1                         | 8.7                                | 2.0                                  | 10.8                       |
| 259+50     | 8.7                                | 0.9                                 | 7.8                               | 0.2                                | 0.5   | 18.0                      |  | 0.5                         | 8.7                                | 0.9                                  | 10.0                       |
| 262+00     | 8.7                                | 1.2                                 | 7.0                               |                                    | 0.3   | 17.1                      |  | 0.3                         | 8.7                                | 1.2                                  | 10.2                       |
| 261+50     | 8.6                                | 0.6                                 | 6.9                               |                                    | 0.3   | 16.4                      |  | 0.3                         | 8.6                                | 0.6                                  | 9.4                        |
| 261+00     | 8.7                                | 2.2                                 | 7.0                               | 0.5                                |   | 18.4                      |  |                             | 8.7                                | 2.2                                  | 10.9                       |
| 263+50     | 8.7                                | 3.2                                 | 6.9                               | 0.6                                |   | 19.4                      |  |                             | 8.7                                | 3.2                                  | 11.9                       |
| 263+00     | 8.7                                | 1.7                                 | 6.9                               | 1.6                                | 0.5   | 19.4                      |  | 0.5                         | 8.7                                | 1.7                                  | 10.8                       |
| 262+50     | 7.7                                |                                     | 6.7                               |                                    | 0.2   | 14.5                      |  | 0.2                         | 7.7                                |                                      | 7.8                        |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |      |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|------|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |      | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 265+00     | 8.7                                | 2.0                                 | 7.3                               | 4.6                                |   | 22.6                      |      |                             | 8.7                                | 2.0                                  | 10.7                       |
| 264+50     | 8.7                                | 3.1                                 | 7.0                               | 3.4                                |   | 22.2                      |      |                             | 8.7                                | 3.1                                  | 11.8                       |
| 264+00     | 8.3                                |                                     | 6.8                               |                                    | 0.8   | 15.8                      | 0.8  | 8.3                         |                                    |                                      | 9.1                        |
| 266+50     | 8.7                                | 0.8                                 | 7.8                               | 1.7                                | 1.1   | 20.1                      | 1.1  | 8.7                         | 0.8                                |                                      | 10.6                       |
| 266+00     | 8.7                                | 1.3                                 | 8.1                               | 1.7                                | 0.7   | 20.4                      | 0.7  | 8.7                         | 1.3                                |                                      | 10.7                       |
| 265+50     | 8.7                                | 2.2                                 | 7.7                               | 1.9                                |   | 20.4                      |      | 8.7                         | 2.2                                |                                      | 10.9                       |
| 268+00     | 0.2                                |                                     | 8.9                               | 1.8                                | 36.9  | 47.7                      | 36.9 | 0.2                         |                                    |                                      | 37.0                       |
| 267+50     | 1.5                                |                                     | 10.3                              | 5.0                                | 18.0  | 34.8                      | 18.0 | 1.5                         |                                    |                                      | 19.5                       |
| 267+00     | 3.0                                |                                     | 10.3                              | 0.2                                | 19.7  | 33.2                      | 19.7 | 3.0                         |                                    |                                      | 22.7                       |
| 269+50     | 1.1                                |                                     | 9.7                               | 1.3                                | 16.2  | 28.2                      | 16.2 | 1.1                         |                                    |                                      | 17.2                       |
| 269+00     | 0.6                                |                                     | 9.5                               | 1.9                                | 17.1  | 29.0                      | 17.1 | 0.6                         |                                    |                                      | 17.7                       |
| 268+50     | 0.0                                |                                     | 7.4                               | 0.7                                | 19.4  | 27.5                      | 19.4 | 0.0                         |                                    |                                      | 19.4                       |
| 271+00     | 4.6                                |                                     | 6.6                               | 0.8                                | 11.1  | 23.1                      | 11.1 | 4.6                         |                                    |                                      | 15.7                       |
| 270+50     | 7.9                                |                                     | 7.5                               | 0.2                                | 2.2   | 17.9                      | 2.2  | 7.9                         |                                    |                                      | 10.1                       |
| 270+00     | 10.6                               | 2.0                                 | 7.4                               | 1.1                                | 0.5   | 21.6                      | 0.5  | 10.6                        | 2.0                                |                                      | 13.1                       |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 272+50     | 8.4                                | 0.6                                 | 3.0                               | 0.4                                | 1.3   | 13.8                      |  | 1.3                         | 8.4                                | 0.6                                  | 10.4                       |
| 272+00     | 7.8                                | 0.4                                 | 4.1                               | 0.8                                | 4.0   | 17.1                      |  | 4.0                         | 7.8                                | 0.4                                  | 12.2                       |
| 271+50     | 7.1                                | 0.4                                 | 7.4                               | 1.7                                | 5.7   | 22.3                      |  | 5.7                         | 7.1                                | 0.4                                  | 13.2                       |
| 273+50     | 8.1                                |                                     |                                   | 0.8                                | 3.0   | 11.9                      |  | 3.0                         | 8.1                                |                                      | 11.1                       |
| 273+30     | 7.3                                | 1.1                                 | 1.7                               | 0.3                                | 3.3   | 13.6                      |  | 3.3                         | 7.3                                | 1.1                                  | 11.7                       |
| 273+00     | 7.6                                | 0.4                                 | 1.7                               | 0.3                                | 2.4   | 12.3                      |  | 2.4                         | 7.6                                | 0.4                                  | 10.4                       |
| 275+00     | 1.9                                | 0.3                                 |                                   |                                    | 0.2   | 2.3                       |  | 0.2                         | 1.9                                | 0.3                                  | 2.3                        |
| 274+50     | 4.0                                | 1.2                                 |                                   |                                    | 0.2   | 5.4                       |  | 0.2                         | 4.0                                | 1.2                                  | 5.4                        |
| 274+00     | 6.0                                |                                     |                                   |                                    | 1.0   | 6.9                       |  | 1.0                         | 6.0                                |                                      | 6.9                        |
| 284+50     | 4.0                                | 0.2                                 |                                   |                                    | 0.6   | 4.8                       |  | 0.6                         | 4.0                                | 0.2                                  | 4.8                        |
| 284+00     | 2.4                                | 0.4                                 |                                   |                                    | 0.2   | 3.0                       |  | 0.2                         | 2.4                                | 0.4                                  | 3.0                        |
| 283+50     | 1.1                                | 0.1                                 |                                   |                                    | 0.3   | 1.5                       |  | 0.3                         | 1.1                                | 0.1                                  | 1.5                        |
| 285+50     | 8.5                                | 1.3                                 |                                   |                                    | 0.8   | 10.6                      |  | 0.8                         | 8.5                                | 1.3                                  | 10.6                       |
| 285+00     | 6.3                                | 1.3                                 |                                   |                                    | 0.4   | 8.0                       |  | 0.4                         | 6.3                                | 1.3                                  | 8.0                        |



| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 287+00     | 8.6                                | 0.4                                 | 5.0                               | 0.2                                | 0.6   | 14.7                      |  | 0.6                         | 8.6                                | 0.4                                  | 9.6                        |
| 286+50     | 8.5                                |                                     | 3.4                               |                                    | 0.3   | 12.2                      |  | 0.3                         | 8.5                                |                                      | 8.9                        |
| 286+00     | 10.1                               |                                     | 1.7                               | 1.3                                | 0.9   | 13.9                      |  | 0.9                         | 10.1                               |                                      | 10.9                       |
| 288+50     | 8.7                                |                                     | 8.3                               | 8.9                                |   | 25.8                      |  |                             | 8.7                                |                                      | 8.7                        |
| 288+00     | 8.7                                |                                     | 8.1                               | 10.5                               |   | 27.3                      |  |                             | 8.7                                |                                      | 8.7                        |
| 287+50     | 8.7                                |                                     | 6.9                               | 3.8                                |   | 19.3                      |  |                             | 8.7                                |                                      | 8.7                        |
| 289+50     | 8.7                                | 2.2                                 | 7.6                               | 9.5                                |   | 28.0                      |  |                             | 8.7                                | 2.2                                  | 10.9                       |
| 289+00     | 8.7                                | 0.5                                 | 7.8                               | 23.7                               |   | 40.7                      |  |                             | 8.7                                | 0.5                                  | 9.2                        |
| 290+50     | 8.7                                | 3.9                                 | 8.0                               | 3.9                                |   | 24.5                      |  |                             | 8.7                                | 3.9                                  | 12.6                       |
| 290+00     | 8.7                                | 2.6                                 | 7.0                               | 6.1                                |   | 24.4                      |  |                             | 8.7                                | 2.6                                  | 11.3                       |
| 291+50     | 8.7                                | 1.0                                 | 7.6                               | 0.4                                |   | 17.6                      |  |                             | 8.7                                | 1.0                                  | 9.7                        |
| 291+00     | 8.7                                | 2.7                                 | 7.4                               | 1.0                                |   | 19.8                      |  |                             | 8.7                                | 2.7                                  | 11.4                       |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 292+50     | 7.1                                |                                     | 7.6                               | 1.3                                |   | 16.0                      |  |                             | 7.1                                |                                      | 7.1                        |
| 292+00     | 6.9                                |                                     | 7.6                               | 0.7                                |   | 15.1                      |  |                             | 6.9                                |                                      | 6.9                        |
| 294+00     | 8.3                                |                                     | 7.6                               | 0.1                                | 0.3   | 16.3                      |  | 0.3                         | 8.3                                |                                      | 8.5                        |
| 293+50     | 8.4                                | 0.3                                 | 7.8                               | 0.3                                | 0.3   | 17.0                      |  | 0.3                         | 8.4                                | 0.3                                  | 9.0                        |
| 293+00     | 7.7                                | 0.2                                 | 7.7                               | 1.2                                | 0.3   | 17.1                      |  | 0.3                         | 7.7                                | 0.2                                  | 8.2                        |
| 295+50     | 8.7                                | 0.9                                 | 7.8                               | 0.3                                | 0.3   | 18.0                      |  | 0.3                         | 8.7                                | 0.9                                  | 9.9                        |
| 295+00     | 8.7                                | 1.6                                 | 8.1                               | 1.1                                | 0.2   | 19.6                      |  | 0.2                         | 8.7                                | 1.6                                  | 10.4                       |
| 294+50     | 8.7                                | 0.3                                 | 8.0                               | 0.7                                | 0.3   | 17.9                      |  | 0.3                         | 8.7                                | 0.3                                  | 9.2                        |
| 297+00     | 5.1                                |                                     | 7.2                               |                                    | 0.2   | 12.4                      |  | 0.2                         | 5.1                                |                                      | 5.3                        |
| 296+50     | 6.6                                |                                     | 7.5                               |                                    | 0.1   | 14.2                      |  | 0.1                         | 6.6                                |                                      | 6.7                        |
| 296+00     | 6.8                                |                                     | 7.5                               | 0.2                                | 0.1   | 14.6                      |  | 0.1                         | 6.8                                |                                      | 7.0                        |
| 298+50     | 4.6                                |                                     | 5.5                               |                                    |   | 10.1                      |  |                             | 4.6                                |                                      | 4.6                        |
| 298+00     | 2.8                                |                                     | 6.9                               | 0.3                                |   | 9.9                       |  |                             | 2.8                                |                                      | 2.8                        |
| 297+50     | 2.4                                |                                     | 6.2                               |                                    |   | 8.6                       |  |                             | 2.4                                |                                      | 2.4                        |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |     |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |     | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 300+00     | 8.7                                | 3.5                                 | 7.3                               | 1.5                                |   | 21.0                      |     | 8.7                         | 3.5                                |                                      | 12.2                       |
| 299+50     | 8.7                                | 1.0                                 | 6.8                               | 0.1                                |   | 16.5                      |     | 8.7                         | 1.0                                |                                      | 9.7                        |
| 299+00     | 7.3                                |                                     | 6.1                               |                                    |   | 13.4                      |     | 7.3                         |                                    |                                      | 7.3                        |
| 301+00     | 5.8                                |                                     | 7.3                               | 0.2                                |   | 13.3                      |     | 5.8                         |                                    |                                      | 5.8                        |
| 300+50     | 8.6                                | 1.0                                 | 7.5                               | 0.5                                |   | 17.7                      |     | 8.6                         | 1.0                                |                                      | 9.6                        |
| 302+00     | 6.3                                |                                     | 7.0                               |                                    |   | 13.3                      |     | 6.3                         |                                    |                                      | 6.3                        |
| 301+50     | 4.8                                |                                     | 6.0                               |                                    |   | 10.8                      |     | 4.8                         |                                    |                                      | 4.8                        |
| 303+50     | 5.6                                |                                     | 7.1                               |                                    |   | 12.6                      |     | 5.6                         |                                    |                                      | 5.6                        |
| 303+00     | 5.8                                |                                     | 7.3                               | 0.2                                |   | 13.3                      |     | 5.8                         |                                    |                                      | 5.8                        |
| 302+50     | 4.5                                |                                     | 6.7                               |                                    |   | 11.2                      |     | 4.5                         |                                    |                                      | 4.5                        |
| 305+00     | 7.3                                |                                     | 6.7                               | 0.2                                | 1.1   | 15.3                      | 1.1 | 7.3                         |                                    |                                      | 8.4                        |
| 304+50     | 4.6                                |                                     | 7.1                               |                                    | 0.6   | 12.2                      | 0.6 | 4.6                         |                                    |                                      | 5.1                        |
| 304+00     | 6+.54                              |                                     | 7.2                               |                                    |   | 7.2                       |     | 6+.54                       |                                    |                                      |                            |

AREAS (SF)

| STATION | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
|---------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| 306+00  | 7.5                                |                                     | 6.8                               | 0.5                                | 0.5   | 15.3                      | 0.5                         | 7.5                                |                                      | 8.0                        |
| 305+50  | 9.4                                |                                     | 6.6                               | 0.1                                | 0.9   | 17.0                      | 0.9                         | 9.4                                |                                      | 10.3                       |
| 307+00  | 7.1                                |                                     | 6.8                               | 0.2                                | 0.3   | 14.4                      | 0.3                         | 7.1                                |                                      | 7.4                        |
| 306+50  | 5.8                                |                                     | 6.9                               | 0.1                                | 0.4   | 13.3                      | 0.4                         | 5.8                                |                                      | 6.3                        |
| 308+00  | 9.6                                | 0.5                                 | 6.9                               | 1.4                                | 0.3   | 18.8                      | 0.3                         | 9.6                                | 0.5                                  | 10.5                       |
| 307+50  | 8.9                                |                                     | 6.4                               | 0.4                                | 0.3   | 16.0                      | 0.3                         | 8.9                                |                                      | 9.2                        |
| 309+00  | 10.4                               | 0.1                                 | 6.9                               | 0.7                                | 0.1   | 18.2                      | 0.1                         | 10.4                               | 0.1                                  | 10.6                       |
| 308+50  | 8.7                                |                                     | 8.7                               | 0.7                                | 0.3   | 18.3                      | 0.3                         | 8.7                                |                                      | 9.0                        |
| 310+00  |                                    |                                     |                                   |                                    |   |                           |                             |                                    |                                      |                            |
| 309+50  | 9.3                                | 0.4                                 | 7.3                               | 0.3                                |   | 17.2                      |                             | 9.3                                | 0.4                                  | 9.7                        |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 311+50     | 2.3                                |                                     | 5.0                               | 0.3                                | 12.8  | 20.4                      |  | 12.8                        | 2.3                                |                                      | 15.1                       |
| 311+00     | 2.0                                |                                     | 5.1                               | 0.1                                | 5.3   | 12.5                      |  | 5.3                         | 2.0                                |                                      | 7.3                        |
| 310+50     | 4.9                                |                                     | 5.3                               |                                    | 2.4   | 12.6                      |  | 2.4                         | 4.9                                |                                      | 7.3                        |
| 313+00     | 1.9                                |                                     | 4.8                               |                                    | 16.1  | 22.8                      |  | 16.1                        | 1.9                                |                                      | 18.0                       |
| 312+50     | 1.9                                |                                     | 5.0                               |                                    | 10.9  | 17.8                      |  | 10.9                        | 1.9                                |                                      | 12.8                       |
| 312+00     | 1.8                                |                                     | 5.0                               | 0.3                                | 13.6  | 20.7                      |  | 13.6                        | 1.8                                |                                      | 15.4                       |
| 314+00     | 0.8                                |                                     | 4.8                               |                                    | 24.4  | 30.1                      |  | 24.4                        | 0.8                                |                                      | 25.2                       |
| 313+50     | 2.0                                |                                     | 4.7                               |                                    | 22.2  | 28.9                      |  | 22.2                        | 2.0                                |                                      | 24.2                       |
| 315+50     | 0.1                                |                                     | 4.0                               |                                    | 14.1  | 18.2                      |  | 14.1                        | 0.1                                |                                      | 14.2                       |
| 315+00     | 0.1                                |                                     | 3.8                               |                                    | 28.0  | 32.0                      |  | 28.0                        | 0.1                                |                                      | 28.1                       |
| 314+50     | 0.5                                |                                     | 3.9                               |                                    | 26.1  | 30.5                      |  | 26.1                        | 0.5                                |                                      | 26.6                       |
| 317+00     | 6.6                                | 0.4                                 | 5.7                               | 1.6                                | 0.2   | 14.4                      |  | 0.2                         | 6.6                                | 0.4                                  | 7.2                        |
| 316+50     | 5.5                                |                                     | 5.3                               | 0.1                                | 3.8   | 14.6                      |  | 3.8                         | 5.5                                |                                      | 9.2                        |
| 316+00     | 2.1                                |                                     | 5.2                               | 0.3                                | 9.7   | 17.3                      |  | 9.7                         | 2.1                                |                                      | 11.8                       |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 318+50     |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
| 318+00     | 9.7                                | 2.9                                 | 1.1                               | 0.1                                | 0.2   | 14.0                      |  | 0.2                         | 9.7                                | 2.9                                  | 12.8                       |
| 317+50     | 6.3                                | 2.9                                 | 5.5                               | 1.2                                |   | 15.9                      |  | 6.3                         | 2.9                                |                                      | 9.2                        |
| 320+00     | 9.5                                | 0.3                                 | 6.5                               | 1.3                                | 0.1   | 17.8                      |  | 0.1                         | 9.5                                | 0.3                                  | 10.0                       |
| 319+50     | 9.7                                | 1.6                                 | 6.7                               | 7.4                                |   | 25.3                      |  | 9.7                         | 1.6                                |                                      | 11.3                       |
| 319+00     | 9.7                                | 1.8                                 | 6.3                               | 9.2                                |   | 27.0                      |  | 9.7                         | 1.8                                |                                      | 11.5                       |
| 321+00     | 9.7                                | 0.2                                 | 7.3                               | 5.8                                |   | 23.0                      |  | 9.7                         | 0.2                                |                                      | 9.9                        |
| 320+50     | 9.6                                | 0.4                                 | 6.7                               | 2.1                                | 0.4   | 19.3                      |  | 0.4                         | 9.6                                | 0.4                                  | 10.5                       |
| 322+00     | 9.7                                |                                     | 7.3                               | 13.7                               |   | 30.7                      |  | 9.7                         |                                    |                                      | 9.7                        |
| 321+50     | 9.7                                |                                     | 7.5                               | 19.3                               |   | 36.5                      |  | 9.7                         |                                    |                                      | 9.7                        |
| 323+00     | 8.7                                | 1.2                                 | 8.3                               | 16.7                               |   | 34.9                      |  | 8.7                         | 1.2                                |                                      | 9.9                        |
| 322+50     | 8.7                                |                                     | 8.4                               | 9.6                                |   | 26.7                      |  | 8.7                         |                                    |                                      | 8.7                        |

AREAS (SF)

| STATION | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
|---------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| 324+00  | 8.7                                | 2.0                                 | 7.8                               | 16.0                               |   | 34.5                      |                             | 8.7                                | 2.0                                  | 10.7                       |
| 323+50  | 8.7                                | 1.8                                 | 8.0                               | 17.5                               |   | 36.0                      |                             | 8.7                                | 1.8                                  | 10.5                       |
| 325+00  | 8.7                                | 0.7                                 | 7.6                               | 12.2                               |   | 29.2                      |                             | 8.7                                | 0.7                                  | 9.4                        |
| 324+50  | 8.7                                | 1.5                                 | 7.8                               | 13.8                               |   | 31.8                      |                             | 8.7                                | 1.5                                  | 10.2                       |
| 326+00  | 8.7                                | 1.7                                 | 7.3                               | 10.0                               |   | 27.7                      |                             | 8.7                                | 1.7                                  | 10.4                       |
| 325+50  | 8.7                                | 2.5                                 | 7.6                               | 16.5                               |   | 35.2                      |                             | 8.7                                | 2.5                                  | 11.2                       |
| 327+00  | 8.7                                | 1.5                                 | 7.2                               | 16.8                               |   | 34.2                      |                             | 8.7                                | 1.5                                  | 10.2                       |
| 326+50  | 8.7                                | 2.3                                 | 7.4                               | 9.2                                |   | 27.6                      |                             | 8.7                                | 2.3                                  | 11.0                       |
| 328+00  | 8.7                                | 2.8                                 | 6.5                               | 4.9                                |   | 22.9                      |                             | 8.7                                | 2.8                                  | 11.5                       |
| 327+50  | 8.7                                | 1.8                                 | 7.2                               | 14.8                               |   | 32.5                      |                             | 8.7                                | 1.8                                  | 10.5                       |

AREAS (SF)

| STATION | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
|---------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| 329+00  | 8.7                                | 0.9                                 | 7.7                               | 0.7                                |   | 18.0                      |                             | 8.7                                | 0.9                                  | 9.6                        |
| 328+50  | 8.6                                | 0.1                                 | 6.9                               |                                    | 0.1   | 15.7                      | 0.1                         | 8.6                                | 0.1                                  | 8.8                        |
| 330+00  | 8.7                                | 1.6                                 | 7.8                               | 0.3                                |   | 18.4                      |                             | 8.7                                | 1.6                                  | 10.3                       |
| 329+50  | 8.7                                | 2.8                                 | 7.8                               | 1.8                                |   | 21.1                      |                             | 8.7                                | 2.8                                  | 11.5                       |
| 331+00  | 8.7                                | 1.6                                 | 8.2                               | 6.4                                |   | 24.9                      |                             | 8.7                                | 1.6                                  | 10.3                       |
| 330+50  | 8.7                                | 2.3                                 | 7.9                               | 3.3                                |   | 22.2                      |                             | 8.7                                | 2.3                                  | 11.0                       |
| 332+00  | 8.7                                | 1.5                                 | 8.3                               | 3.7                                |   | 22.2                      |                             | 8.7                                | 1.5                                  | 10.1                       |
| 331+50  | 8.7                                | 1.4                                 | 8.1                               | 4.0                                |   | 22.2                      |                             | 8.7                                | 1.4                                  | 10.1                       |
| 333+00  | 8.7                                | 2.5                                 | 8.5                               | 2.6                                |   | 22.3                      |                             | 8.7                                | 2.5                                  | 11.2                       |
| 332+50  | 8.7                                | 1.9                                 | 8.5                               | 3.1                                |   | 22.2                      |                             | 8.7                                | 1.9                                  | 10.6                       |



AREAS (SF)

| STATION | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
|---------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| 334+00  | 8.7                                | 3.3                                 | 8.6                               | 1.9                                |   | 22.5                      |                             | 8.7                                | 3.3                                  | 12.0                       |
| 333+50  | 8.7                                | 2.5                                 | 8.4                               | 1.2                                |   | 20.8                      |                             | 8.7                                | 2.5                                  | 11.2                       |
| 335+00  | 8.7                                | 2.6                                 | 8.5                               | 1.0                                |   | 20.8                      |                             | 8.7                                | 2.6                                  | 11.3                       |
| 334+50  | 8.7                                | 3.2                                 | 8.6                               | 4.6                                |   | 25.0                      |                             | 8.7                                | 3.2                                  | 11.9                       |
| 336+00  | 8.7                                | 0.1                                 | 8.8                               | 3.6                                |   | 21.2                      |                             | 8.7                                | 0.1                                  | 8.8                        |
| 335+50  | 8.7                                | 1.9                                 | 8.6                               | 1.6                                |   | 20.8                      |                             | 8.7                                | 1.9                                  | 10.6                       |
| 337+00  | 8.7                                |                                     | 8.6                               | 11.8                               |   | 29.1                      |                             | 8.7                                |                                      | 8.7                        |
| 336+50  | 8.7                                |                                     | 8.7                               | 12.9                               |   | 30.3                      |                             | 8.7                                |                                      | 8.7                        |
| 339+00  | 8.7                                |                                     | 8.2                               | 11.1                               |   | 28.0                      |                             | 8.7                                |                                      | 8.7                        |
| 338+00  | 8.8                                |                                     | 8.2                               | 14.0                               |   | 31.0                      |                             | 8.8                                |                                      | 8.8                        |
| 337+50  | 8.7                                |                                     | 8.1                               | 11.1                               |   | 27.9                      |                             | 8.7                                |                                      | 8.7                        |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 340+50     | 8.7                                |                                     | 8.5                               | 5.5                                |   | 22.7                      |  |                             | 8.7                                |                                      | 8.7                        |
| 340+00     | 8.7                                |                                     | 8.5                               | 16.5                               |   | 33.7                      |  |                             | 8.7                                |                                      | 8.7                        |
| 339+50     | 8.7                                |                                     | 8.5                               | 13.8                               |   | 31.0                      |  |                             | 8.7                                |                                      | 8.7                        |
| 342+00     | 8.7                                | 0.2                                 | 8.1                               | 3.2                                |   | 20.2                      |  |                             | 8.7                                | 0.2                                  | 8.9                        |
| 341+50     | 8.6                                | 0.1                                 | 8.4                               | 4.4                                |   | 21.5                      |  |                             | 8.6                                | 0.1                                  | 8.7                        |
| 341+00     | 8.7                                |                                     | 8.4                               | 4.3                                |   | 21.4                      |  |                             | 8.7                                |                                      | 8.7                        |
| 343+50     | 8.7                                | 0.5                                 | 8.2                               | 8.4                                |   | 25.8                      |  |                             | 8.7                                | 0.5                                  | 9.2                        |
| 343+00     | 8.7                                | 0.4                                 | 8.0                               | 9.5                                |   | 26.5                      |  |                             | 8.7                                | 0.4                                  | 9.1                        |
| 342+50     | 8.7                                | 0.3                                 | 8.0                               | 8.1                                |   | 25.1                      |  |                             | 8.7                                | 0.3                                  | 9.0                        |
| 345+00     | 8.7                                | 0.9                                 | 8.0                               | 1.4                                |   | 19.0                      |  |                             | 8.7                                | 0.9                                  | 9.6                        |
| 344+50     | 8.7                                | 1.0                                 | 8.1                               | 8.0                                |   | 25.8                      |  |                             | 8.7                                | 1.0                                  | 9.7                        |
| 344+00     | 8.7                                | 0.3                                 | 8.3                               | 6.9                                |   | 24.2                      |  |                             | 8.7                                | 0.3                                  | 9.0                        |
| 346+50     | 8.7                                | 3.3                                 | 7.8                               | 1.4                                |   | 21.2                      |  |                             | 8.7                                | 3.3                                  | 12.0                       |
| 346+00     | 8.7                                | 2.5                                 | 7.9                               | 2.1                                |   | 21.2                      |  |                             | 8.7                                | 2.5                                  | 11.2                       |
| 345+50     | 8.7                                | 1.5                                 | 8.0                               | 0.9                                |   | 19.1                      |  |                             | 8.7                                | 1.5                                  | 10.2                       |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 348+00     | 8.7                                |                                     | 7.8                               | 5.0                                |   | 21.5                      |  |                             | 8.7                                |                                      | 8.7                        |
| 347+50     | 8.7                                | 2.0                                 | 7.8                               | 2.0                                |   | 20.5                      |  |                             | 8.7                                | 2.0                                  | 10.7                       |
| 347+00     | 8.7                                | 3.2                                 | 7.8                               | 1.1                                |   | 20.8                      |  |                             | 8.7                                | 3.2                                  | 11.9                       |
| 349+50     | 8.7                                |                                     | 7.7                               | 3.0                                |   | 19.4                      |  |                             | 8.7                                |                                      | 8.7                        |
| 349+00     | 8.7                                |                                     | 7.6                               | 2.3                                |   | 18.6                      |  |                             | 8.7                                |                                      | 8.7                        |
| 348+50     | 8.7                                |                                     | 7.7                               | 4.2                                |   | 20.6                      |  |                             | 8.7                                |                                      | 8.7                        |
| 350+50     | 8.7                                |                                     | 7.7                               | 6.2                                |   | 22.6                      |  |                             | 8.7                                |                                      | 8.7                        |
| 350+00     | 8.7                                |                                     | 7.7                               | 2.9                                |   | 19.3                      |  |                             | 8.7                                |                                      | 8.7                        |
| 351+50     | 8.7                                |                                     | 7.7                               | 3.7                                |   | 20.1                      |  |                             | 8.7                                |                                      | 8.7                        |
| 351+00     | 8.7                                |                                     | 7.7                               | 8.4                                |   | 24.8                      |  |                             | 8.7                                |                                      | 8.7                        |
| 353+00     | 8.7                                |                                     | 8.0                               | 2.0                                | 0.2   | 18.8                      |  | 0.2                         | 8.7                                |                                      | 8.9                        |
| 352+50     | 7.2                                |                                     | 7.6                               | 1.5                                | 0.9   | 17.2                      |  | 0.9                         | 7.2                                |                                      | 8.0                        |
| 352+00     | 8.7                                |                                     | 7.7                               | 1.7                                | 0.4   | 18.5                      |  | 0.4                         | 8.7                                |                                      | 9.1                        |

AREAS (SF)

| STATION | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
|---------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| 354+50  | 8.7                                | 0.2                                 | 7.9                               | 5.0                                |   | 21.8                      |                             | 8.7                                | 0.2                                  | 8.9                        |
| 354+00  | 8.7                                | 0.1                                 | 8.1                               | 5.0                                |   | 21.9                      |                             | 8.7                                | 0.1                                  | 8.8                        |
| 353+50  | 8.7                                | 0.1                                 | 8.2                               | 3.0                                |   | 20.0                      |                             | 8.7                                | 0.1                                  | 8.8                        |
| 356+00  | 8.7                                | 0.4                                 | 8.2                               | 3.7                                |   | 21.0                      |                             | 8.7                                | 0.4                                  | 9.1                        |
| 355+50  | 8.7                                | 0.4                                 | 8.1                               | 1.5                                | 0.3   | 19.0                      | 0.3                         | 8.7                                | 0.4                                  | 9.4                        |
| 355+00  | 8.7                                | 0.4                                 | 7.8                               | 1.9                                | 0.2   | 18.9                      | 0.2                         | 8.7                                | 0.4                                  | 9.2                        |
| 357+00  | 8.7                                | 0.3                                 | 8.5                               | 4.2                                |   | 21.7                      |                             | 8.7                                | 0.3                                  | 9.0                        |
| 356+50  | 8.7                                | 0.2                                 | 8.4                               | 5.6                                |   | 22.9                      |                             | 8.7                                | 0.2                                  | 8.9                        |
| 358+00  |                                    |                                     |                                   |                                    |   |                           |                             |                                    |                                      |                            |
| 357+50  |                                    |                                     | 4.3                               | 0.2                                | 0.5   | 5.0                       | 0.5                         |                                    |                                      | 0.5                        |
| 359+00  | 8.7                                | 0.3                                 | 8.8                               | 10.3                               |   | 28.1                      |                             | 8.7                                | 0.3                                  | 9.0                        |
| 358+50  | 5.7                                | 0.2                                 | 6.5                               | 4.6                                |   | 17.0                      |                             | 5.7                                | 0.2                                  | 5.9                        |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 360+50     | 8.6                                | 1.1                                 | 8.2                               | 3.0                                |   | 20.9                      |  | 8.6                         | 1.1                                | 9.7                                  |                            |
| 360+00     | 8.7                                | 0.3                                 | 8.2                               | 2.6                                |   | 19.8                      |  | 8.7                         | 0.3                                | 9.0                                  |                            |
| 359+50     | 8.7                                | 0.4                                 | 8.5                               | 10.2                               |   | 27.8                      |  | 8.7                         | 0.4                                | 9.1                                  |                            |
| 362+00     | 8.7                                | 0.6                                 | 8.4                               | 2.5                                |   | 20.2                      |  | 8.7                         | 0.6                                | 9.3                                  |                            |
| 361+50     | 8.7                                | 0.8                                 | 8.3                               | 6.5                                |   | 24.3                      |  | 8.7                         | 0.8                                | 9.5                                  |                            |
| 361+00     | 8.7                                | 0.5                                 | 8.4                               | 5.9                                |   | 23.5                      |  | 8.7                         | 0.5                                | 9.2                                  |                            |
| 363+50     | 8.7                                | 2.7                                 | 8.1                               | 1.9                                |   | 21.4                      |  | 8.7                         | 2.7                                | 11.4                                 |                            |
| 363+00     | 8.7                                | 1.4                                 | 8.3                               | 2.3                                |   | 20.7                      |  | 8.7                         | 1.4                                | 10.1                                 |                            |
| 362+50     | 8.7                                | 1.0                                 | 8.5                               | 5.3                                |   | 23.5                      |  | 8.7                         | 1.0                                | 9.7                                  |                            |
| 365+00     | 8.7                                | 2.7                                 | 8.2                               | 5.9                                |   | 25.5                      |  | 8.7                         | 2.7                                | 11.4                                 |                            |
| 364+50     | 8.7                                | 2.2                                 | 8.3                               | 5.2                                |   | 24.3                      |  | 8.7                         | 2.2                                | 10.9                                 |                            |
| 364+00     | 8.7                                | 2.1                                 | 8.2                               | 5.3                                |   | 24.3                      |  | 8.7                         | 2.1                                | 10.8                                 |                            |
| 366+00     | 8.7                                | 2.3                                 | 8.1                               | 11.3                               |   | 30.4                      |  | 8.7                         | 2.3                                | 11.0                                 |                            |
| 365+50     | 8.7                                | 2.9                                 | 8.2                               | 7.8                                |   | 27.5                      |  | 8.7                         | 2.9                                | 11.6                                 |                            |

AREAS (SF)

| STATION | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
|---------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| 367+00  | 8.7                                | 2.9                                 | 8.1                               | 3.6                                |   | 23.3                      |                             | 8.7                                | 2.9                                  | 11.6                       |
| 366+50  | 8.7                                | 2.4                                 | 8.1                               | 5.7                                |   | 24.9                      |                             | 8.7                                | 2.4                                  | 11.1                       |
| 368+00  | 8.7                                | 3.5                                 | 7.8                               | 1.8                                |   | 21.8                      |                             | 8.7                                | 3.5                                  | 12.2                       |
| 367+50  | 8.7                                | 1.1                                 | 7.8                               | 1.3                                | 0.4   | 19.4                      | 0.4                         | 8.7                                | 1.1                                  | 10.2                       |
| 369+00  | 8.6                                | 0.1                                 | 7.8                               | 0.1                                |   | 16.6                      |                             | 8.6                                | 0.1                                  | 8.7                        |
| 368+50  | 8.7                                | 1.4                                 | 7.6                               | 1.7                                |   | 19.4                      |                             | 8.7                                | 1.4                                  | 10.1                       |
| 370+00  | 5.8                                |                                     | 6.9                               |                                    |   | 12.6                      |                             | 5.8                                |                                      | 5.8                        |
| 369+50  | 8.1                                | 0.1                                 | 7.8                               | 1.0                                |   | 17.0                      |                             | 8.1                                | 0.1                                  | 8.2                        |
| 371+00  | 6.1                                |                                     | 6.9                               |                                    |   | 13.0                      |                             | 6.1                                |                                      | 6.1                        |
| 370+50  | 7.3                                | 0.1                                 | 7.7                               | 0.9                                |   | 16.0                      |                             | 7.3                                | 0.1                                  | 7.4                        |

AREAS (SF)

| STATION | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
|---------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| 372+00  | 5.9                                |                                     | 6.9                               |                                    |   | 12.9                      |                             | 5.9                                |                                      | 5.9                        |
| 371+50  | 5.5                                |                                     | 7.8                               | 0.2                                |   | 13.4                      |                             | 5.5                                |                                      | 5.5                        |
| 373+00  | 8.7                                | 2.4                                 | 7.8                               | 2.0                                |   | 20.9                      |                             | 8.7                                | 2.4                                  | 11.1                       |
| 372+50  | 8.7                                | 1.7                                 | 7.8                               | 2.1                                |   | 20.3                      |                             | 8.7                                | 1.7                                  | 10.4                       |
| 374+00  | 8.7                                | 2.6                                 | 7.7                               | 2.5                                |   | 21.5                      |                             | 8.7                                | 2.6                                  | 11.3                       |
| 373+50  | 8.7                                | 1.1                                 | 7.7                               | 1.2                                | 0.2   | 18.9                      | 0.2                         | 8.7                                | 1.1                                  | 10.0                       |
| 375+00  | 8.7                                | 2.0                                 | 7.8                               | 1.7                                | 0.1   | 20.3                      | 0.1                         | 8.7                                | 2.0                                  | 10.8                       |
| 374+50  | 8.7                                | 2.0                                 | 7.6                               | 2.4                                | 0.1   | 20.8                      | 0.1                         | 8.7                                | 2.0                                  | 10.8                       |
| 376+00  | 8.7                                | 1.9                                 | 7.9                               | 1.7                                |   | 20.2                      |                             | 8.7                                | 1.9                                  | 10.6                       |
| 375+50  | 8.7                                | 2.8                                 | 8.5                               | 2.1                                |   | 22.0                      |                             | 8.7                                | 2.8                                  | 11.4                       |

AREAS (SF)

| STATION | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
|---------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| 377+50  | 8.7                                | 1.8                                 | 8.2                               | 0.8                                | 0.1   | 19.6                      | 0.1                         | 8.7                                | 1.8                                  | 10.6                       |
| 377+00  | 8.7                                | 1.8                                 | 8.0                               | 1.7                                | 0.2   | 20.4                      | 0.2                         | 8.7                                | 1.8                                  | 10.6                       |
| 376+50  | 8.7                                | 2.0                                 | 7.8                               | 1.9                                |   | 20.4                      |                             | 8.7                                | 2.0                                  | 10.7                       |
| 378+50  | 8.7                                | 1.3                                 | 7.9                               | 2.4                                |   | 20.3                      |                             | 8.7                                | 1.3                                  | 10.0                       |
| 378+00  | 8.7                                | 1.8                                 | 8.1                               | 2.4                                |   | 20.9                      |                             | 8.7                                | 1.8                                  | 10.5                       |
| 379+50  | 8.7                                | 1.5                                 | 8.1                               | 2.1                                | 0.2   | 20.6                      | 0.2                         | 8.7                                | 1.5                                  | 10.4                       |
| 379+00  | 8.7                                | 1.5                                 | 8.0                               | 2.3                                | 0.2   | 20.6                      | 0.2                         | 8.7                                | 1.5                                  | 10.4                       |
| 380+50  | 8.7                                | 1.6                                 | 8.0                               | 1.9                                | 0.1   | 20.3                      | 0.1                         | 8.7                                | 1.6                                  | 10.4                       |
| 380+00  | 8.7                                | 1.6                                 | 8.2                               | 0.7                                | 0.2   | 19.4                      | 0.2                         | 8.7                                | 1.6                                  | 10.5                       |
| 381+50  | 8.7                                | 2.4                                 | 7.8                               | 3.1                                |   | 22.0                      |                             | 8.7                                | 2.4                                  | 11.1                       |
| 381+00  | 8.7                                | 1.9                                 | 8.0                               | 2.1                                |   | 20.7                      |                             | 8.7                                | 1.9                                  | 10.6                       |



| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 383+00     | 8.7                                | 1.4                                 | 8.0                               | 1.8                                | 0.3   | 20.2                      |  | 0.3                         | 8.7                                | 1.4                                  | 10.4                       |
| 382+50     | 8.7                                | 1.9                                 | 7.9                               | 1.0                                |   | 19.5                      |  |                             | 8.7                                | 1.9                                  | 10.6                       |
| 382+00     | 8.7                                | 1.7                                 | 7.8                               | 1.9                                | 0.2   | 20.3                      |  | 0.2                         | 8.7                                | 1.7                                  | 10.6                       |
| 384+50     | 8.7                                | 1.3                                 | 8.0                               | 2.2                                | 0.8   | 21.0                      |  | 0.8                         | 8.7                                | 1.3                                  | 10.8                       |
| 384+00     | 8.7                                | 1.3                                 | 8.1                               | 2.6                                | 0.4   | 21.1                      |  | 0.4                         | 8.7                                | 1.3                                  | 10.4                       |
| 383+50     | 8.7                                | 1.8                                 | 8.0                               | 3.1                                | 0.3   | 21.9                      |  | 0.3                         | 8.7                                | 1.8                                  | 10.8                       |
| 386+00     | 8.7                                | 1.5                                 | 8.1                               | 2.9                                | 0.3   | 21.5                      |  | 0.3                         | 8.7                                | 1.5                                  | 10.5                       |
| 385+50     | 8.7                                | 1.3                                 | 8.0                               | 2.4                                | 0.5   | 20.9                      |  | 0.5                         | 8.7                                | 1.3                                  | 10.5                       |
| 385+00     | 8.7                                | 1.5                                 | 7.9                               | 2.1                                | 0.5   | 20.7                      |  | 0.5                         | 8.7                                | 1.5                                  | 10.7                       |
| 387+50     | 8.7                                | 1.3                                 | 8.2                               | 2.2                                | 0.4   | 20.7                      |  | 0.4                         | 8.7                                | 1.3                                  | 10.4                       |
| 387+00     | 8.7                                | 1.4                                 | 8.1                               | 1.9                                | 0.3   | 20.4                      |  | 0.3                         | 8.7                                | 1.4                                  | 10.4                       |
| 386+50     | 8.7                                | 1.6                                 | 8.0                               | 1.9                                | 0.3   | 20.5                      |  | 0.3                         | 8.7                                | 1.6                                  | 10.6                       |
| 388+50     | 8.7                                | 1.5                                 | 8.0                               | 2.5                                | 0.3   | 21.0                      |  | 0.3                         | 8.7                                | 1.5                                  | 10.5                       |
| 388+00     | 8.5                                | 1.1                                 | 8.2                               | 2.5                                | 0.4   | 20.7                      |  | 0.4                         | 8.5                                | 1.1                                  | 10.0                       |

| AREAS (SF) |                                    |                                     |                                   |                                    |   |                           |  |                             |                                    |                                      |                            |
|------------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|--|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| STATION    | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT |  | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
| 389+50     | 8.7                                | 1.1                                 | 8.0                               | 1.5                                | 0.3   | 19.6                      |  | 0.3                         | 8.7                                | 1.1                                  | 10.1                       |
| 389+00     | 8.7                                | 1.8                                 | 7.9                               | 2.0                                | 0.2   | 20.7                      |  | 0.2                         | 8.7                                | 1.8                                  | 10.7                       |
| 390+50     | 8.7                                | 1.0                                 | 8.0                               | 1.2                                | 0.3   | 19.1                      |  | 0.3                         | 8.7                                | 1.0                                  | 9.9                        |
| 390+00     | 8.2                                | 0.2                                 | 8.0                               | 1.2                                | 0.3   | 17.9                      |  | 0.3                         | 8.2                                | 0.2                                  | 8.7                        |
| 391+50     | 8.4                                | 0.1                                 | 7.8                               | 0.1                                | 0.3   | 16.8                      |  | 0.3                         | 8.4                                | 0.1                                  | 8.9                        |
| 391+00     | 8.7                                | 0.7                                 | 7.9                               | 1.2                                | 0.3   | 18.8                      |  | 0.3                         | 8.7                                | 0.7                                  | 9.7                        |
| 392+50     | 8.7                                | 1.6                                 | 7.7                               | 0.9                                | 0.3   | 19.2                      |  | 0.3                         | 8.7                                | 1.6                                  | 10.5                       |
| 392+00     | 8.7                                | 0.9                                 | 7.7                               | 0.2                                | 0.2   | 17.7                      |  | 0.2                         | 8.7                                | 0.9                                  | 9.8                        |
| 394+00     | 8.7                                | 2.3                                 | 7.8                               | 1.7                                |   | 20.5                      |  |                             | 8.7                                | 2.3                                  | 11.0                       |
| 393+50     | 8.7                                | 2.8                                 | 7.8                               | 2.6                                |   | 21.9                      |  |                             | 8.7                                | 2.8                                  | 11.5                       |
| 393+00     | 8.7                                | 2.2                                 | 7.8                               | 1.7                                | 0.3   | 20.6                      |  | 0.3                         | 8.7                                | 2.2                                  | 11.1                       |

AREAS (SF)

| STATION | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
|---------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| 395+50  | 8.7                                | 3.0                                 | 7.7                               | 1.5                                |   | 20.9                      |                             | 8.7                                | 3.0                                  | 11.7                       |
| 395+00  | 8.7                                | 1.5                                 | 7.7                               | 1.4                                |   | 19.2                      |                             | 8.7                                | 1.5                                  | 10.2                       |
| 394+50  | 8.7                                | 1.6                                 | 7.8                               | 1.5                                | 0.2   | 19.7                      | 0.2                         | 8.7                                | 1.6                                  | 10.4                       |
| 396+50  | 8.7                                | 3.3                                 | 7.7                               | 1.9                                |   | 21.6                      |                             | 8.7                                | 3.3                                  | 12.0                       |
| 396+00  | 8.7                                | 3.2                                 | 7.7                               | 1.4                                |   | 21.0                      |                             | 8.7                                | 3.2                                  | 11.9                       |
| 397+50  | 8.7                                | 3.4                                 | 7.8                               | 2.1                                |   | 22.0                      |                             | 8.7                                | 3.4                                  | 12.1                       |
| 397+00  | 12.9                               | 4.6                                 | 7.8                               | 1.9                                |   | 27.2                      |                             | 12.9                               | 4.6                                  | 17.5                       |
| 398+50  | 8.7                                | 0.9                                 | 6.3                               | 1.6                                | 0.3   | 17.8                      | 0.3                         | 8.7                                | 0.9                                  | 9.9                        |
| 398+00  | 8.7                                | 3.0                                 | 8.0                               | 3.0                                |   | 22.6                      |                             | 8.7                                | 3.0                                  | 11.7                       |
| 399+50  | 8.2                                | 0.4                                 | 3.9                               | 1.0                                | 0.2   | 13.7                      | 0.2                         | 8.2                                | 0.4                                  | 8.8                        |
| 399+00  | 8.0                                |                                     | 5.0                               | 0.2                                |   | 13.2                      |                             | 8.0                                |                                      | 8.0                        |

AREAS (SF)

| STATION | CUT TEMP<br>PAVT<br>BEHIND<br>CURB | CUT ABOVE<br>PAVT<br>BEHIND<br>CURB | CUT TEMP<br>PAVT<br>FRONT<br>CURB | CUT ABOVE<br>PAVT<br>FRONT<br>CURB | REMOVE<br>FILL<br>PLACED<br>BEHIND<br>TEMP CURB | TOTAL<br>TEMP PAVT<br>CUT | FILL<br>BEHIND<br>TEMP CURB | FILL AFTER<br>TEMP PAVT<br>REMOVAL | FILL ABOVE<br>PAVT<br>BEHIND<br>CURB | TOTAL<br>TEMP PAVT<br>FILL |
|---------|------------------------------------|-------------------------------------|-----------------------------------|------------------------------------|---|---------------------------|-----------------------------|------------------------------------|--------------------------------------|----------------------------|
| 400+00  | 8.6                                | 1.5                                 | 2.6                               | 0.6                                | 0.1   | 13.4                      | 0.1                         | 8.6                                | 1.5                                  | 10.3                       |
| 399+90  | 10.2                               | 1.6                                 | 2.8                               | 0.8                                |   | 15.4                      |                             | 10.2                               | 1.6                                  | 11.8                       |
| 401+50  | 5.7                                | 0.2                                 | 0.5                               |                                    |   | 6.5                       |                             | 5.7                                | 0.2                                  | 5.9                        |
| 401+00  | 7.6                                | 1.2                                 | 0.4                               |                                    |   | 9.2                       |                             | 7.6                                | 1.2                                  | 8.8                        |
| 400+50  | 9.2                                | 2.0                                 | 0.6                               |                                    |   | 11.8                      |                             | 9.2                                | 2.0                                  | 11.2                       |
| 402+50  | 1.7                                | 0.1                                 |                                   |                                    |   | 1.8                       |                             | 1.7                                | 0.1                                  | 1.8                        |
| 402+00  | 3.5                                | 0.3                                 |                                   |                                    |   | 3.8                       |                             | 3.5                                | 0.3                                  | 3.8                        |