

STATION TO STATION	SIDE	LENGTH L	AVERAGE WIDTH W	SURFACE AREA A A=LxW	PLANIMETERED AREAS	204	301				304	304	407	411	441	202	252	
						SUB. COMP. A 9	7" ASPH. CONC. BASE (3" LIFT) 3 X A 12 X 27	7" ASPH. CONC. BASE (4" LIFT) 4 X A 12 X 27	7" ASPH. CONC. BASE (5" LIFT) 5 X A 12 X 28	7" ASPH. CONC. BASE (TAPER FROM 5 TO 0") 2.5 X A 12 X 29	9" AGG. BASE 9 X A 12 X 26	6" AGG. BASE 6 X A 12 X 27	TACK COAT 0.06 X A 9	10" STAB. CRUSHED AGG. 10 X A 12 X 27	A. C. SURFACE COURSE 3 X A 12 X 27	PAVEMENT REMOVED, ASPHALT	FULL DEPTH PAVEMENT SAWING	
FULL DEPTH - LANES AND RIGHT SHOULDER						SQ YD	CU YD	CU YD	CU YD	CU YD	CU YD	GAL	CU YD	CU YD	SQ YD	FT		
724+00.00	725+44.45	LT/RT	144.45	30.50	4405.72	489.52												
724+00.00	725+44.45	LT/RT	144.45	29.83	4309.42						79.80							
724+00.00	725+44.45	LT/RT	144.45	28.83	4164.97			51.42				27.77						
724+00.00	725+44.45	LT/RT	144.45	28.17	4068.67		37.67					27.12						
724+00.00	725+44.45	LT/RT	144.45	27.50	3972.37							26.48		36.78		30.5		
727+91.90	728+50.00	LT/RT	58.10	30.50	1772.05	196.89												
727+91.90	728+50.00	LT/RT	58.10	29.83	1733.32						32.10							
727+91.90	728+50.00	LT/RT	58.10	28.83	1675.22			20.68				11.17						
727+91.90	728+50.00	LT/RT	58.10	28.17	1636.48		15.15					10.91						
727+91.90	728+50.00	LT/RT	58.10	27.50	1597.75							10.65		14.79		25		
728+50.00	729+12.00	RT	62.00	5.80	359.60	39.96												
728+50.00	729+12.00	RT	62.00	5.47	338.93						6.28							
728+50.00	729+12.00	RT	62.00	4.97	307.93			3.80				2.05						
728+50.00	729+12.00	RT	62.00	4.63	287.27		2.66					1.92						
728+50.00	729+12.00	RT	62.00	4.30	266.60							1.78		2.47		63.4		
LEFT SHOULDER																		
724+00.00	724+57.88	LT	57.88	4.00	231.50	25.72	2.14	2.86			4.29	1.54		2.14				
724+00.00	724+57.88	LT	57.88	4.00	231.50							1.54						
724+00.00	724+57.88	LT	57.88	4.00	231.50							1.54						
724+57.88	725+44.45	LT	86.57	5.00	432.85	48.09							13.36					
727+91.90	728+23.32	LT	31.42	5.00	157.10	17.46	1.45	1.94			2.91	1.05		1.45				
727+91.90	728+23.32	LT	31.42	5.00	157.10							1.05						
727+91.90	728+23.32	LT	31.42	5.00	157.10							1.05						
728+23.32	729+00.00	LT	76.68	1.85	141.86	15.76							4.38					
728+23.32	728+50.00	LT	26.68	1.30	34.68	3.85	0.32	0.43			0.64	0.23		0.32				
SAFETY EDGE																		
724+55.00	725+41.45	LT	86.45	0.29	25.07				0.1087			0.17		0.35				
728+21.47	728+50.00	LT	28.53	0.29	8.27				0.1087			0.06		0.11				
APPROACH SLABS																		
725+44.45	725+69.45	LT/RT	25.00	35.50	887.50	98.61												
725+44.45	725+69.45	LT/RT	25.00	34.17	854.17													
727+66.90	727+91.90	LT/RT	25.00	35.50	887.50	98.61												
727+66.90	727+91.90	LT/RT	25.00	34.17	854.17													
TYPE A INSTALLATION (SCD AS-2-15)																		
725+19.45	725+39.20	LT/RT	19.75	28.50	562.88					4.34								
725+39.20	725+44.45	LT/RT	5.25	28.50	149.63				2.31									
725+39.45	725+40.45	LT/RT	1.00	34.17	34.17					0.95								
725+40.45	725+44.45	LT	4.00	5.00	20.00						0.37							
725+48.45	725+49.45	LT/RT	1.00	34.17	34.17					0.95								
727+86.90	727+87.90	LT/RT	1.00	34.17	34.17					0.95								
727+91.90	727+97.15	LT/RT	5.25	33.50	175.88				2.71									
727+95.90	727+96.90	LT/RT	1.00	34.17	34.17					0.95								
727+97.15	728+16.90	LT/RT	19.75	33.50	661.63													
PAVEMENT REMOVED, ASPHALT																		
724+00.00	725+68.00	LT/RT				4310									479			
727+68.00	728+50.00	LT/RT				2160									240			
SUBTOTALS						1034.49	59.40	81.13	5.02	9.45	3.80	126.39	128.07	17.74	58.43	718.89	118.90	
SUBTOTALS						1035.00	156.00				131.00		129.00	18.00	59.00		719.00	119.00

PAVEMENT CALCULATIONS

LAW-141-12.98