


PAVEMENT DATA																			
LOCATION	COUNTY	ROUTE	BEGIN LOG POINT SLM	END LOG POINT SLM	LENGTH		PAVEMENT WIDTH (AVG.)	TYPICAL	PAVEMENT AREA	254		407		442					
					MILES	LIN. FT.				SEE NEXT SHEET	SQ. YD.	SQ. YD.	NON-TRACKING TACK COAT @ 0.08 GAL./S.Y.	NON-TRACKING TACK COAT @ 0.05 GAL./S.Y.	ANTI-SEGREGATION EQUIPMENT	THICKNESS	INTERMEDIATE COURSE, 12.5 MM, TYPE A (446), PWL 2024, AS PER PLAN	THICKNESS	SURFACE COURSE, 12.5 MM, TYPE A (447), PWL 2024, AS PER PLAN
1	LIC	I.R. 70 E.B.	9.55	9.66	0.11	580.8	32.0	1	2,065.1	2,065.1	165.3	103.3	186.5	1.75	100.4	1.50	86.1		
			9.66	13.00	3.34	17,635.2	24.0	1	47,027.2	47,027.2	3,762.2	2,351.4	4,245.5	1.75	2,286.0	1.50	1,959.5		
			13.00	14.00	1.00	5,280.0	24.0	2	14,080.0	14,080.0	1,126.4	704.0	1,271.1	1.75	684.4	1.50	586.7		
			14.00	15.72	1.72	9,081.6	24.0	1	24,217.6	24,217.6	1,937.5	1,210.9	2,186.3	1.75	1,177.2	1.50	1,009.1		
		I.R. 70 W.B.	9.55	13.00	3.45	18,216.0	24.0	1	48,576.0	48,576.0	3,886.1	2,428.8	4,385.3	1.75	2,361.3	1.50	2,024.0		
			13.00	14.00	1.00	5,280.0	24.0	2	14,080.0	14,080.0	1,126.4	704.0	1,271.1	1.75	684.4	1.50	586.7		
			14.00	15.72	1.72	9,081.6	24.0	1	24,217.6	24,217.6	1,937.5	1,210.9	2,186.3	1.75	1,177.2	1.50	1,009.1		
			BRIDGE DEDUCTIONS								(3,268.3)	(3,268.3)	(245.2)	(163.5)	(295.1)	1.75	(158.9)	1.50	(136.2)
SUB-TOTALS										13,696.2	8,549.8								
LOCATION 1 TOTALS (CARRIED TO SUB-SUMMARY)										170,995.2	22,246.0	15,437.0	8,312.0	7,261.2					



LOCATION 1 SHEET TOTALS									ITEM	ITEM EXT.	TOTAL	UNIT	DESCRIPTION
2	3	18	19	20	21	22	47	80					
													PAVEMENT
250									253	02000	250	CY	PAVEMENT REPAIR
		170,996	122,818	14,867		5,521			254	01000	314,202	SY	PAVEMENT PLANING, ASPHALT CONCRETE, 3.25"
					952				254	01000	952	SY	PAVEMENT PLANING, ASPHALT CONCRETE, 4.25"
								558	255	10160	558	SY	FULL DEPTH PAVEMENT REMOVAL AND RIGID REPLACEMENT, CLASS QC MS (12" REINFORCED)
								699	255	10160	699	SY	FULL DEPTH PAVEMENT REMOVAL AND RIGID REPLACEMENT, CLASS QC MS (12" UNREINFORCED)
								3,409	255	20000	3,409	FT	FULL DEPTH PAVEMENT SAWING
								9,343	257	10001	9,343	SY	DIAMOND GRINDING PORTLAND CEMENT CONCRETE PAVEMENT, AS PER PLAN
					80				301	56000	80	CY	ASPHALT CONCRETE BASE, PG64-22, (449)
								622	304	20000	622	CY	AGGREGATE BASE
	LS								400	10000		LS	SPECIAL – PAVER MOUNTED THERMAL PROFILING
		22,246	15,977	1,933	124	998			407	20000	41,278	GAL	NON-TRACKING TACK COAT
			11,540				113	442	408	10001	12,095	GAL	PRIME COAT, AS PER PLAN
					33				441	70000	33	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), PG64-22
		15,437		1,343		500			442	00100	17,280	CY	ANTI-SEGREGATION EQUIPMENT
		8,312	5,971	723		269			442	10095	15,275	CY	ASPHALT CONCRETE INTERMEDIATE COURSE, 12.5 MM, TYPE B (446), PWL 2024, AS PER PLAN
		7,262	5,118	620		232			442	10321	13,232	CY	ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (447), PWL 2024, AS PER PLAN
								3,620	451	16010	3,620	SY	12" REINFORCED CONCRETE PAVEMENT, CLASS QC 1P
				241		516			516	31011	757	FT	2" DEEP JOINT SEALER, AS PER PLAN (A)
			1,452				16	62	617	10101	1,530	CY	COMPACTED AGGREGATE, AS PER PLAN
			24.47						618	40600	24.47	MILE	RUMBLE STRIPS, SHOULDER (ASPHALT CONCRETE)
	6,934								SPECIAL	69012050	6,934	SY	REINFORCED MESH FOR TRANSVERSE AND/OR LONGITUDINAL JOINTS AND CRACKS

DESIGN AGENCY

 DESIGNER
 RMA
 REVIEWER
 JSL 07/21/23
 PROJECT ID
 25675
 SHEET TOTAL
 34 91

LOCATION TOTALS		PLAN SPLITS		ITEM	ITEM EXT.	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET
1	2	01/IMS/05	02/STR/05						
PAVEMENT									
250		250		253	02000	250	CY	PAVEMENT REPAIR	
314,202		314,202		254	01000	314,202	SY	PAVEMENT PLANING, ASPHALT CONCRETE, 3.25"	
952		952		254	01000	952	SY	PAVEMENT PLANING, ASPHALT CONCRETE, 4.25"	
558		558		255	10160	558	SY	FULL DEPTH PAVEMENT REMOVAL AND RIGID REPLACEMENT, CLASS QC MS (12" REINFORCED)	80
699		699		255	10160	699	SY	FULL DEPTH PAVEMENT REMOVAL AND RIGID REPLACEMENT, CLASS QC MS (12" UNREINFORCED)	80
	4,290		4,290	255	10160	4,290	SY	FULL DEPTH PAVEMENT REMOVAL AND RIGID REPLACEMENT, CLASS QC MS (13" REINFORCED)	80
	383		383	255	10160	383	SY	FULL DEPTH PAVEMENT REMOVAL AND RIGID REPLACEMENT, CLASS QC MS (13" UNREINFORCED)	80
3,409	5,857	3,409	5,857	255	20000	9,266	FT	FULL DEPTH PAVEMENT SAWING	
9,343	26,057	9,343	26,057	257	10001	35,400	SY	DIAMOND GRINDING PORTLAND CEMENT CONCRETE PAVEMENT, AS PER PLAN	80
80		80		301	56000	80	CY	ASPHALT CONCRETE BASE, PG64-22, (449)	
622.00	3	622	3	304	20000	625	CY	AGGREGATE BASE	
LS		LS		400	10000		LS	SPECIAL – PAVER MOUNTED THERMAL PROFILING	3
41,278		41,278		407	20000	41,278	GAL	NON-TRACKING TACK COAT	
12,095	1,102	12,095	1,102	408	10001	13,197	GAL	PRIME COAT, AS PER PLAN	2
33		33		441	70000	33	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), PG64-22	
17,280		17,280		442	00100	17,280	CY	ANTI-SEGREGATION EQUIPMENT	
15,275		15,275		442	10095	15,275	CY	ASPHALT CONCRETE INTERMEDIATE COURSE, 12.5 MM, TYPE B (446), PWL 2024, AS PER PLAN	3
13,232		13,232		442	10321	13,232	CY	ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (447), PWL 2024, AS PER PLAN	3
3,620	18	3,620	18	451	16010	3,638	SY	12" REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	
757		757		516	31011	757	FT	2" DEEP JOINT SEALER, AS PER PLAN (A)	2
1,530	153	1,530	153	617	10101	1,683	CY	COMPACTED AGGREGATE, AS PER PLAN	2
24.47		24.47		618	40600	24.47	MILE	RUMBLE STRIPS, SHOULDER (ASPHALT CONCRETE)	
6,934		6,934		SPECIAL	69012050	6,934	SY	REINFORCED MESH FOR TRANSVERSE AND/OR LONGITUDINAL JOINTS AND CRACKS	3

GENERAL SUMMARY

DESIGN AGENCY



DESIGNER

RMA

REVIEWER

JSL 07/21/23

PROJECT ID

25675

SHEET TOTAL

40 91