

SEE SHEET 6 FOR TYPICALS


SHOULDER DATA																		
LOCATION	COUNTY	ROUTE	BEGIN LOG POINT SLM	END LOG POINT SLM	LENGTH		TYPICAL	PAVED SHOULDER WIDTH (FT.)		SHOULDER AREA	254	407	408	441		617		
					MILES	LIN. FT.		A	B		PAVEMENT PLANING, ASPHALT CONCRETE, 1.50"	NON-TRACKING TACK COAT @ 0.08 GAL./S.Y.	PRIME COAT, AS PER PLAN @ 0.40 GAL./S.Y.	THICKNESS	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), PG 70-22M	THICKNESS	COMPACTED AGGREGATE, AS PER PLAN (2' WIDTH)	
					SQ. YD.	SQ. YD.		GAL.	GAL.									INCHES
1A	LIC	U.S. 62	0.00	0.45	0.45	2,376.0	1	2	2	1,056.0	1,056.0	84.5	422.4	1.50	44.0	2.00	58.7	
			0.45	0.71	0.26	1,372.8	1	4	4	1,220.3	SUSPEND WORK (RESURFACED W/ PID 109329)							
			0.71	2.44	1.73	9,134.4	1	2	2	4,059.7	4,059.7	324.8	1,623.9	1.50	169.2	2.00	225.5	
			2.44	2.46	0.02	105.6	1	4	8	140.8	140.8	11.3	18.8	1.50	5.9	2.00	2.6	
			2.46	2.49	0.03	158.4	4	4	8	211.2	211.2	16.9	28.2	1.50	8.8	2.00	2.0	
			2.49	2.74	0.25	1,320.0	1	4	8	1,760.0	1,760.0	140.8	234.7	1.50	73.4	2.00	32.6	
			2.74	3.32	0.58	3,062.4	1	2	2	1,361.1	1,361.1	108.9	544.4	1.50	56.8	2.00	75.6	
			3.32	3.53	0.21	1,108.8	2				CURBED SECTION							
			3.53	3.64	0.11	580.8	1	2	2	258.1	258.1	20.7	103.3	1.50	10.8	2.00	14.3	
			3.64	3.94	0.30	1,584.0	2				SUSPEND WORK (RESURFACED W/ PID 110861)							
			3.94	4.20	0.26	1,372.8	1	2	2	610.1	610.1	48.9	244.1	1.50	25.5	2.00	33.9	
			4.20	4.71	0.51	2,692.8	3				CURBED SECTION							
			BRIDGE DEDUCTIONS								(47.4)	(47.4)	(3.8)	(19.0)	1.50	(1.9)	2.00	(2.6)
			LOCATION 1A TOTALS (CARRIED TO SUB-SUMMARY)									9,409.6	753.0	3,200.8		392.5		442.6
1B	LIC	U.S. 62	4.71	4.89	0.18	950.4	3				CURBED SECTION							
			4.89	10.57	5.68	29,990.4	1	3	3	19,993.6	19,993.6	1,599.5	5,331.6	1.50	833.1	2.00	740.5	
			BRIDGE DEDUCTIONS								(53.3)	(53.3)	(4.3)	(21.3)	1.50	(2.2)	2.00	(2.0)
			LOCATION 1B TOTALS (CARRIED TO SUB-SUMMARY)								19,940.3	1,595.2	5,310.3		830.9		738.5	

SHOULDER DATA

LIC-62-0.00

MODEL: Sheet PAPER: 17x11 (in.) DATE: 11/14/2022 TIME: 2:02:31 PM USER: jluiz1 pwc:\hobol-pw-bentley.com\shahid-pw-02\Documents\01 Active Projects\Distret\05\Licking\98002\400-Engineering\Roadway\Sheets\98002\_G0002.dgn

DESIGN AGENCY



DESIGNER  
LME

REVIEWER  
JSL 08/01/22

PROJECT ID  
98002

SHEET TOTAL  
8 | 27

LOCATION 1A SHEET TOTALS									ITEM	ITEM EXT.	TOTAL	UNIT	DESCRIPTION
2	3	7	8	9	10	12	13	21					
				2,727					202	23500	2,727	SY	ROADWAY WEARING COURSE REMOVED
6.26									209	60500	6.26	MILE	LINEAR GRADING
													DRAINAGE
	5								611	98630	5	EACH	CATCH BASIN ADJUSTED TO GRADE
	6								611	99654	6	EACH	MANHOLE ADJUSTED TO GRADE
	13								638	10800	13	EACH	VALVE BOX ADJUSTED TO GRADE
													PAVEMENT
250									253	01000	250	CY	PAVEMENT REPAIR
	1,320	62,046	9,410		416				254	01000	73,192	SY	PAVEMENT PLANING, ASPHALT CONCRETE, 1.50"
		4,965	753	219	40				407	20000	5,977	GAL	NON-TRACKING TACK COAT
			3,201						408	10001	3,201	GAL	PRIME COAT, AS PER PLAN
					73				409	30000	73	FT	SAWING AND SEALING ASPHALT CONCRETE PAVEMENT JOINTS
	50	2,587	393		18				441	50100	3,048	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), PG70-22M
				96					441	70000	96	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), PG64-22
					88				516	31011	88	FT	2" DEEP JOINT SEALER, AS PER PLAN (A)
			443						617	10101	443	CY	COMPACTED AGGREGATE, AS PER PLAN
						2.98			618	43000	2.98	MILE	RUMBLE STRIPES, CENTER LINE (ASPHALT CONCRETE)
	1.43								874	21001	1.43	MILE	LONGITUDINAL JOINT PREPARATION, AS PER PLAN (A)
	1.44								874	21001	1.44	MILE	LONGITUDINAL JOINT PREPARATION, AS PER PLAN (B)
													TRAFFIC CONTROL
								245	621	00100	245	EACH	RPM
								245	621	54000	245	EACH	RAISED PAVEMENT MARKER REMOVED
						6.90			644	00104	6.90	MILE	EDGE LINE, 6"
						4.79			644	00300	4.79	MILE	CENTER LINE
							2,335		644	00400	2,335	FT	CHANNELIZING LINE, 8"
							370		644	00500	370	FT	STOP LINE
							1,020		644	00620	1,020	FT	CROSSWALK LINE, 12"
							859		644	00700	859	FT	TRANSVERSE/DIAGONAL LINE
							120		644	01200	120	FT	PARKING LOT STALL MARKING
							41		644	01300	41	EACH	LANE ARROW
							9		644	01410	9	EACH	WORD ON PAVEMENT, 96"



LOCATION 1B SHEET TOTALS									ITEM	ITEM EXT.	TOTAL	UNIT	DESCRIPTION
2	3	7	8	9	10	12	13	21					
													<b>ROADWAY</b>
				2,371					202	23500	2,371	SY	WEARING COURSE REMOVED
10.12									209	60500	10.12	MILE	LINEAR GRADING
													<b>DRAINAGE</b>
	1								611	98630	1	EACH	CATCH BASIN ADJUSTED TO GRADE
	1								611	99654	1	EACH	MANHOLE ADJUSTED TO GRADE
	2								638	10800	2	EACH	VALVE BOX ADJUSTED TO GRADE
													<b>PAVEMENT</b>
250									253	01000	250	CY	PAVEMENT REPAIR
	1,470	85,321	19,941		356				254	01000	107,088	SY	PAVEMENT PLANING, ASPHALT CONCRETE, 1.50"
		6,826	1,596	190	29				407	20000	8,641	GAL	NON-TRACKING TACK COAT
			5,311						408	10001	5,311	GAL	PRIME COAT, AS PER PLAN
						80			409	30000	80	FT	SAWING AND SEALING ASPHALT CONCRETE PAVEMENT JOINTS
	55	3,556	831						441	50100	4,442	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), PG70-22M
				83	15				441	70000	98	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), PG64-22
						30			516	31011	30	FT	2" DEEP JOINT SEALER, AS PER PLAN (A)
			739						617	10101	739	CY	COMPACTED AGGREGATE, AS PER PLAN
						10.12			618	41000	10.12	MILE	RUMBLE STRIPES, EDGE LINE (ASPHALT CONCRETE)
						5.19			618	43000	5.19	MILE	RUMBLE STRIPES, CENTER LINE (ASPHALT CONCRETE)
	2.55								874	21001	2.55	MILE	LONGITUDINAL JOINT PREPARATION, AS PER PLAN (A)
	2.51								874	21001	2.51	MILE	LONGITUDINAL JOINT PREPARATION, AS PER PLAN (B)
													<b>TRAFFIC CONTROL</b>
								349	621	00100	349	EACH	RPM
								349	621	54000	349	EACH	RAISED PAVEMENT MARKER REMOVED
						11.38			644	00104	11.38	MILE	EDGE LINE, 6"
						5.99			644	00300	5.99	MILE	CENTER LINE
							720		644	00400	720	FT	CHANNELIZING LINE, 8"
							321		644	00500	321	FT	STOP LINE
							190		644	00620	190	FT	CROSSWALK LINE, 12"
							318		644	00700	318	FT	TRANSVERSE/DIAGONAL LINE
							2		644	01110	2	EACH	SCHOOL SYMBOL MARKING, 96"
							6		644	01300	6	EACH	LANE ARROW
							3		644	01410	3	EACH	WORD ON PAVEMENT, 96"

DESIGN AGENCY



DESIGNER  
LME

REVIEWER  
JSL 08/01/22

PROJECT ID  
98002

SHEET TOTAL  
24 27

LOCATION TOTALS		PLAN SPLITS				ITEM	ITEM EXT.	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET
LOC 1A	LOC 1B	01/NHS/PV	02/STR/PV	03/NHS/BR	04/STR/BR						
<b>ROADWAY</b>											
2,727	2,371	2,727	2,371			202	23500	5,098	SY	WEARING COURSE REMOVED	
6.26	10.12	6.26	10.12			209	60500	16.38	MILE	LINEAR GRADING	
<b>DRAINAGE</b>											
5	1	5	1			611	98630	6	EACH	CATCH BASIN ADJUSTED TO GRADE	
6	1	6	1			611	99654	7	EACH	MANHOLE ADJUSTED TO GRADE	
13	2	13	2			638	10800	15	EACH	VALVE BOX ADJUSTED TO GRADE	
<b>PAVEMENT</b>											
250	250	250	250			253	02000	500	CY	PAVEMENT REPAIR	
73,192	107,088	73,192	107,088			254	01000	180,280	SY	PAVEMENT PLANING, ASPHALT CONCRETE, 1.50"	
5,977	8,641	5,977	8,641			407	20000	14,618	GAL	NON-TRACKING TACK COAT	
3,201	5,311	3,201	5,311			408	10001	8,512	GAL	PRIME COAT, AS PER PLAN	3
73	80	73	80			409	30000	153	FT	SAWING AND SEALING ASPHALT CONCRETE PAVEMENT JOINTS	
3,048	4,442	3,048	4,442			441	50100	7,490	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), PG70-22M	
96	98	96	98			441	70000	194	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), PG64-22	
88	30	88	30			516	31011	118	FT	2" DEEP JOINT SEALER, AS PER PLAN (A)	2
443	739	443	739			617	10101	1,182	CY	COMPACTED AGGREGATE, AS PER PLAN	2
	10.12		10.12			618	41000	10.12	MILE	RUMBLE STRIPES, EDGE LINE (ASPHALT CONCRETE)	
2.98	5.19	2.98	5.19			618	43000	8.17	MILE	RUMBLE STRIPES, CENTER LINE (ASPHALT CONCRETE)	
1.43	2.55	1.43	2.55			874	21001	3.98	MILE	LONGITUDINAL JOINT PREPARATION, AS PER PLAN (A)	3
1.44	2.51	1.44	2.51			874	21001	3.95	MILE	LONGITUDINAL JOINT PREPARATION, AS PER PLAN (B)	3
<b>TRAFFIC CONTROL</b>											
245	349	245	349			621	00100	594	EACH	RPM	
245	349	245	349			621	54000	594	EACH	RAISED PAVEMENT MARKER REMOVED	
6.90	11.38	6.90	11.38			644	00104	18.28	MILE	EDGE LINE, 6"	
4.79	5.99	4.79	5.99			644	00300	10.78	MILE	CENTER LINE	
2,335	720	2,335	720			644	00400	3,055	FT	CHANNELIZING LINE, 8"	
370	321	370	321			644	00500	691	FT	STOP LINE	
1,020	190	1,020	190			644	00620	1,210	FT	CROSSWALK LINE, 12"	
859	318	859	318			644	00700	1,177	FT	TRANSVERSE/DIAGONAL LINE	
	2		2			644	01110	2	EACH	SCHOOL SYMBOL MARKING, 96"	
120		120				644	01200	120	FT	PARKING LOT STALL MARKING	
41	6	41	6			644	01300	47	EACH	LANE ARROW	
9	3	9	3			644	01410	12	EACH	WORD ON PAVEMENT, 96"	

GENERAL SUMMARY

DESIGN AGENCY



DESIGNER  
**LME**  
REVIEWER  
JSL 08/01/22  
PROJECT ID  
98002  
SHEET TOTAL  
26 | 27