

STATION	302	302	304	304	407	407	441	441	441	441	442	442	452	452	609	609	609	CALCULATED C/C	CHECKED M/RG					
	4" ASPHALT CONCRETE BASE, PG64-22	5 1/2" ASPHALT CONCRETE BASE, PG64-22	6" AGGREGATE BASE	8" AGGREGATE BASE	NON-TRACKING TACK COAT (0.055 GAL/SY - 2 APPLICATIONS)	NON-TRACKING TACK COAT (0.055 GAL/SY - 1 APPLICATIONS)	1 1/4" ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448) (DRIVEWAYS)	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (DRIVEWAYS)	1 1/4" ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448) PG64-22	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (448)	1 1/2" ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (446)	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, 19 MM, TYPE A (446)	8" NON-REINFORCED CONCRETE PAVEMENT, CLASS GC 1P	9" NON-REINFORCED CONCRETE PAVEMENT, CLASS GC 1P	COMBINATION CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 7')	COMBINATION CURB AND GUTTER, TYPE 2, AS PER PLAN (GUTTER PLATE THICKNESS = 7')	COMBINATION CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 8')							
	CY	CY	CY	CY	GAL	GAL	CY	CY	CY	CY	CY	CY	SY	SY	FT	FT	FT							
	01/NHS/PV 02/NHS/PV	03/ENH/PV 04/ENH/PV	01/NHS/PV 02/NHS/PV	01/NHS/PV 02/NHS/PV	03/ENH/PV 04/ENH/PV	01/NHS/PV 02/NHS/PV	01/NHS/PV 02/NHS/PV	01/NHS/PV 02/NHS/PV	01/NHS/PV 02/NHS/PV	03/ENH/PV 04/ENH/PV	01/NHS/PV 02/NHS/PV	03/ENH/PV 04/ENH/PV	01/NHS/PV 02/NHS/PV	01/NHS/PV 02/NHS/PV	01/NHS/PV 02/NHS/PV	01/NHS/PV 02/NHS/PV	03/ENH/PV 04/ENH/PV	01/NHS/PV 02/NHS/PV	03/ENH/PV 04/ENH/PV	01/NHS/PV 02/NHS/PV	01/NHS/PV 02/NHS/PV			
2			6046	7342		26	4353		13	4	6			1649	1924									
3			5918	7202		3	4260		2	1	1			1614	1883									
4			313	412			226							86	100	115								
5	14		167	301			133				5		6	46	53	477								
6			119	439			86							33	38	526	841					317		
7				982	1039											4720	5151							
8	304			514			301				95		133					393			141			
9		36	118	143	1230		85	35				11		33	38			5670		167				
10	56			110			-170				12		16	-78	-91					250				
12																				-296		296		
TOTALS CARRIED TO THE GENERAL SUMMARY	374	36	12681	17445	2269	29	9274	35	15	5	7	112	11	155	16	3383	3945	1118	5561	10821	347	167	437	317
STATION	609	609	609	609	609	609	617	609																
	COMBINATION CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 8 3/4")	COMBINATION CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 9')	CURB, TYPE 2-A	CURB, TYPE 6	CONCRETE MEDIAN	2" COMPACTED AGGREGATE, AS PER PLAN	COMBINATION CURB AND GUTTER, TYPE 2, AS PER PLAN (GUTTER PLATE THICKNESS = 8 3/4")																	
	FT	FT	FT	FT	SY	CY	FT																	
	01/NHS/PV 02/NHS/PV	01/NHS/PV 02/NHS/PV	03/ENH/PV 04/ENH/PV	01/NHS/PV 02/NHS/PV	03/ENH/PV 04/ENH/PV	01/NHS/PV 02/NHS/PV	01/NHS/PV 02/NHS/PV	01/NHS/PV 02/NHS/PV	03/ENH/PV 04/ENH/PV	08/ENH/OT	01/NHS/PV 02/NHS/PV													
2	9498					152																		
3	9488					81																		
4	547			86		409																		
5				258		593																		
6	398	488		28																				
7		2683	2650			54																		
8						697																		
9	207		3342		126																			
10						165	2033																	
11								30	3	26														
12	-506										506													
TOTALS CARRIED TO THE GENERAL SUMMARY	19632	3171	5992	372	126	2151	2033	30	3	26	506													

PAVEMENT SUBSUMMARY

MED - 18 - 12.99

STATION		SIDE	LENGTH (L) FT	AVERAGE WIDTH (W) FT	SURFACE AREA (A=L*W) SF	CADD AREA SF	AREA FOR 4" EXTENSION SF	AREA FOR 6" EXTENSION SF	AREA FOR 14" EXTENSION SF	AREA FOR 30" EXTENSION SF			302	304	304	407	407	441	441	442	442		609	609	CALCULATED C/C	CHECKED M/RG																					
FROM	TO												5 1/2" ASPHALT CONCRETE BASE, PG64-22	6" AGGREGATE BASE CY	8" AGGREGATE BASE CY	NON-TRACKING TACK COAT (0.055 GAL/SY - 2 APPLICATIONS) GAL	NON-TRACKING TACK COAT (0.055 GAL/SY - 1 APPLICATIONS) GAL	1 1/4" ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448) CY	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (DRIVEWAYS) CY	1 1/2" ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (446) CY	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, 19 MM, TYPE A (446) CY	COMBINATION CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 8 3/4") FT	CURB, TYPE 6 FT																								
WESTBOUND S.R. 18																																															
FULL DEPTH LANES																																															
85+31.78	86+54.28	LT	122.50	21.27	2605.58		40.83		142.92				44.92	51.65		31.85				12.06	14.07																										
86+54.28	88+24.18	LT	169.90	18.00	3058.20				198.22	424.75			51.91	68.17		37.38				14.16	16.52		169.90																								
88+24.18	89+07.33	LT	83.15	18.00	1496.70				97.01	207.87			25.41	33.36		18.29				6.93	8.08																										
89+07.33	92+76.42	LT	369.09	18.00	6643.62				430.61	922.73			112.78	148.09		81.20				30.76	35.88		369.09																								
92+76.42	93+59.59	LT	83.17	18.00	1497.06				83.17	207.93			25.41	33.37		18.30				6.93	8.09																										
93+59.59	100+03.97	LT	644.38	18.00	11598.84				751.78	1610.95			196.89	258.55		141.76				53.70	62.65		644.38																								
100+03.97	101+28.21	LT	124.24	18.00	2236.32				144.95	310.60			37.96	49.85		27.33				10.35	12.08																										
101+28.21	104+21.78	LT	293.57	18.00	5284.26				342.50	733.93			89.70	117.79		64.59				24.46	28.54		293.57																								
104+21.78	106+66.78	LT	245.00	24.00	5880.00				285.83	612.50			99.81	125.52		71.87				27.22	31.76		245.00																								
106+66.78	113+27.63	LT	660.85	30.00	19825.50				770.99	1652.13			336.54	412.01		242.31				91.78	107.08		660.85																								
113+27.63	114+93.76	LT	166.13	30.00	4983.90				193.82	415.33			84.60	103.58		60.91				23.07	26.92																										
114+93.76	116+03.26	LT	109.50	42.00	4599.00				127.75	273.75			78.07	92.60		56.21				21.29	24.84																										
116+03.26	119+49.47	LT	346.21	42.00	14540.82				403.91	865.52			246.83	292.78		177.72				67.32	78.54		346.21																								
119+49.47	119+99.47	LT	50.00	36.00	1800.00				58.33	125.00			30.56	36.73		22.00				8.33	9.72		50.00																								
119+99.47	121+92.59	LT	193.12	30.00	5793.60				225.31	482.80			98.35	120.40		70.81				26.82	31.29		193.12																								
121+92.59	122+94.59	LT	102.00	30.00	3060.00				119.00	255.00			51.94	63.59		37.40				14.17	16.53																										
122+94.59	130+86.53	LT	791.94	30.00	23758.20				923.93	1979.85			403.30	493.74		290.38				109.99	128.32		791.94																								
130+86.53	131+65.39	LT	78.86	30.00	2365.80				92.00	197.15			40.16	49.17		28.92				10.95	12.78																										
131+65.39	138+81.24	LT	715.85	30.00	21475.50				835.16	1789.63			364.55	446.30		262.48				99.42	115.99		715.85																								
138+81.24	140+36.24	LT	155.00	32.52	5040.60				180.83	387.50			85.57	103.87		61.61				23.34	27.23		155.00																								
141+65.29	143+20.29	LT	155.00	32.50	5037.50				180.83	387.50			85.51	103.81		61.57				23.32	27.21		155.00																								
143+20.29	147+61.60	LT	441.31	30.00	13239.30				514.86	1103.28			224.74	275.14		161.81				61.29	71.51		441.31																								
147+61.60	149+62.50	LT	200.90	30.00	6027.00				234.38	502.25			102.31	125.25		73.66				27.90	32.55																										
149+62.50	153+96.57	LT	434.07	30.00	13022.10				506.42	1085.18			221.05	270.62		159.16				60.29	70.34		434.07																								
153+96.57	155+59.91	LT	163.34	30.00	4900.20				190.56	408.35			83.18	101.84		59.89				22.69	26.47																										
155+59.91	166+18.80	LT	1058.89	30.00	31766.70				1235.37	2647.23			539.25	660.17		388.26				147.07	171.58		1058.89																								
166+18.80	167+87.09	LT	168.29	33.16	5579.69				196.34	420.73			94.72	114.75		68.20				25.83	30.14		168.29																								
167+87.09	169+40.00	LT	151.71	39.16	5940.24				176.99	379.27			100.84	120.31		72.60				27.50	32.08		151.71																								
169+40.00	171+60.98	LT	220.98	42.00	9281.16				257.81	552.45			157.55	186.88		113.44				42.97	50.13																										
171+60.98	179+55.00	LT	794.02	42.00	33348.84				926.36	1985.05			566.11	671.49		407.60				154.39	180.12		794.02																								
179+55.00	180+45.00	LT	90.00	42.00	3780.00				105.00	225.00			64.17	76.11		46.20				17.50	20.42																										
180+45.00	191+58.21	LT	1113.21	42.00	46754.82				1298.75	2783.03			793.68	941.42		571.45				216.46	252.53		1113.21																								
191+58.21	193+71.54	LT	213.33	46.00	9813.18				248.89	533.33			166.58	196.21		119.94				45.43	53.00		213.33																								
193+71.54	197+04.74	LT	333.20	50.00	16660.00				388.73	833.00			282.81	331.14		203.62				77.13	89.98		333.20																								
197+04.74	197+58.89	LT	53.72		CADD	3415.75		26.86	62.67				57.98	64.91		41.75				15.81	18.45			53.72																							
PARKING LOT																																															
167+66.80	168+62.38	LT	97.63		CADD	1027.98								25.38		12.56	3.97	5.55					97.63																								
TOTALS CARRIED TO PAVEMENT SUBSUMMARY																																		6046	7342	26	4353	13	4	6	1649	1924		9498	152		

PAVEMENT CALCULATIONS

MED - 18 - 12.99

STATION		SIDE	LENGTH (L) FT	AVERAGE WIDTH (W) FT	SURFACE AREA (A=L*W) SF	CADD AREA SF	AREA FOR 4" EXTENSION SF	AREA FOR 6" EXTENSION SF	AREA FOR 14" EXTENSION SF	AREA FOR 30" EXTENSION SF			302	304	304	407	407	441	441	442	442		609	609	CALCULATED C/C	CHECKED M/RG																				
FROM	TO												5 1/2" ASPHALT CONCRETE BASE, PG64-22	6" AGGREGATE BASE CY	8" AGGREGATE BASE CY	NON-TRACKING TACK COAT (0.055 GAL/SY - 2 APPLICATIONS) GAL	NON-TRACKING TACK COAT (0.055 GAL/SY - 1 APPLICATIONS) GAL	1 1/4" ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448) CY	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (DRIVEWAYS) CY	1 1/2" ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (446) CY	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, 19 MM, TYPE A (446) CY	COMBINATION CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 8 3/4") FT	CURB, TYPE 6 FT																							
EASTBOUND S.R. 18																																														
FULL DEPTH LANES																																														
85+31.78	86+54.28	RT	122.50	21.04	2577.40		40.83		142.92				44.45	51.13		31.50				11.93	13.92																									
86+54.28	90+43.88	RT	389.60	18.00	7012.80				454.53	974.00			119.04	156.32		85.71				32.47	37.88		389.60																							
90+43.88	90+93.88	RT	50.00	24.00	1200.00				58.33	125.00			20.37	25.62		14.67				5.56	6.48		50.00																							
90+93.88	92+68.88	RT	175.00	30.00	5250.00				204.17	437.50			89.12	109.11		64.17				24.31	28.36		175.00																							
92+68.88	93+21.15	RT	52.27	30.00	1568.10				60.98	130.68			26.62	32.59		19.17				7.26	8.47																									
93+21.15	93+75.65	RT	54.50	18.00	981.00				63.58	136.25			16.65	21.87		11.99				4.54	5.30																									
93+75.65	98+26.98	RT	451.33	18.00	8123.94				526.55	1128.33			137.91	181.09		99.29				37.61	43.88		451.33																							
98+26.98	99+35.31	RT	108.33	18.00	1949.94				126.39	270.83			33.10	43.47		23.83				9.03	10.53																									
99+35.31	104+21.78	RT	486.47	18.00	8756.46				567.55	1216.18			148.64	195.19		107.02				40.54	47.30		486.47																							
104+21.78	106+66.78	RT	245.00	24.00	5880.00				285.83	612.50			99.81	125.52		71.87				27.22	31.76		245.00																							
106+66.78	113+89.50	RT	722.72	30.00	21681.60				843.17	1806.80			368.05	450.58		265.00				100.38	117.11		722.72																							
113+89.50	116+66.09	RT	276.59	30.00	8297.70				322.69	691.48			140.86	172.44		101.42				38.42	44.82																									
116+66.09	123+71.48	RT	705.39	30.00	21161.70				822.95	1763.48			359.23	439.78		258.64				97.97	114.30		705.39																							
123+71.48	125+08.48	RT	137.00	30.00	4110.00				159.83	342.50			69.77	85.41		50.23				19.03	22.20																									
125+08.48	135+85.36	RT	1076.88	30.00	32306.40				1256.36	2692.20			548.41	671.39		394.86				149.57	174.49		1076.88																							
135+85.36	137+26.59	RT	141.23	30.00	4236.90				164.77	353.07			71.92	88.05		51.78				19.62	22.88																									
137+26.59	138+81.24	RT	154.65	30.00	4639.50				180.43	386.62			78.76	96.42		56.71				21.48	25.06		154.65																							
138+81.24	140+36.24	RT	155.00	32.90	5099.50				180.83	387.50			86.57	104.96		62.33				23.61	27.54		155.00																							
141+65.29	143+20.29	RT	155.00	32.88	5096.40				180.83	387.50			86.51	104.90		62.29				23.59	27.53		155.00																							
143+20.29	154+12.26	RT	1091.97	30.00	32759.10				1273.97	2729.93			556.10	680.80		400.39				151.66	176.94		1091.97																							
154+12.26	155+51.02	RT	138.76	30.00	4162.80				161.89	346.90			70.66	86.51		50.88				19.27	22.48																									
155+51.02	167+87.09	RT	1236.07	30.00	37082.10				1442.08	3090.18			629.48	770.64		453.23				171.68	200.29		1236.07																							
167+87.09	169+42.37	RT	154.08	30.00	4622.40				179.76	385.20			78.47	96.06		56.50				21.40	24.97		154.08																							
169+42.37	171+73.84	RT	231.47	30.00	6944.10				270.05	578.68			117.88	144.31		84.87				32.15	37.51																									
171+73.84	179+55.00	RT	781.16	42.00	32808.72				911.35	1952.90			556.94	660.61		401.00				151.89	177.21		781.16																							
179+55.00	180+45.00	RT	90.00	42.00	3780.00				105.00	225.00			64.17	76.11		46.20				17.50	20.42																									
180+45.00	190+76.70	RT	1031.70	42.00	43331.40				1203.65	2579.25			735.56	872.49		529.61				200.61	234.04		1031.70																							
190+76.70	191+58.21	RT	81.51	42.00	3423.42				95.09	203.77			58.11	68.93		41.84				15.85	18.49																									
191+58.21	192+91.18	RT	132.97	44.50	5917.17				155.13	332.43			100.45	118.61		72.32				27.39	31.96																									
192+91.18	193+71.54	RT	80.36	48.50	3897.46				93.75	200.90			66.16	77.63		47.64				18.04	21.05		80.4																							
193+71.54	197+16.94	RT	345.40	50.00	17270.00				402.97	863.50			293.16	343.27		211.08				79.95	93.28		345.40																							
197+16.94	197+58.89	RT	60.72			2598.1		30.36	70.84				44.10	49.99		31.75				12.03	14.03			60.72																						
PARKING LOT																																														
123+14.57	123+34.41	RT	19.84	5.00	99.20										2.45		1.21	0.38	0.54					19.84																						
TOTALS CARRIED TO PAVEMENT SUBSUMMARY												5918	7202	3	4260	2	1	1	1614	1883	9488	81																								

PAVEMENT CALCULATIONS

MED - 18 - 12.99

3
12

STATION		SIDE	LENGTH (L) FT	AVERAGE WIDTH (W) FT	SURFACE AREA (A=L*W) SF	CADD AREA SF	AREA FOR 6" EXTENSION SF	AREA FOR 14" EXTENSION SF	AREA FOR 30" EXTENSION SF				302	304	407	442	442	452	609	609	609	CALCULATED C/C	CHECKED M/RG																				
FROM	TO												5 1/2" ASPHALT CONCRETE BASE, PG64-22	6" AGGREGATE BASE	NON-TRACKING TACK COAT (0.055 GAL/SY - 2 APPLICATIONS)	1 1/2" ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (446)	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, 19 MM, TYPE A (446)	8" NON-REINFORCED CONCRETE PAVEMENT, CLASS GC 1P	COMBINATION CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 8 3/4")	CURB, TYPE 2-A	CURB, TYPE 6																						
ALBER DR.																																											
ASPHALT PAVEMENT																																											
10+23.57	10+52.28	LT	44.55		CADD	213.44	22.28	51.98				3.62	5.33	2.61		0.99	1.15					44.55																					
10+23.57	10+52.28	LT	28.71	12.00	344.52							5.85	6.38	4.21		1.60	1.86																										
10+52.28	10+63.57	LT	11.29	12.00	135.48		5.64	13.17				2.30	2.86	1.66		0.63	0.73					11.29																					
10+63.57	10+68.57	LT	5.00	11.94	59.70		2.50	5.83				1.01	1.26	0.73		0.28	0.32					5.00																					
10+23.57	10+58.58	RT	49.05		CADD	289.44	24.53	57.23				4.91	6.87	3.54		1.34	1.56					49.05																					
10+23.57	10+58.58	RT	35.01	12.00	420.12							7.13	7.78	5.13		1.95	2.27																										
10+58.58	10+63.57	RT	4.99	12.00	59.88		2.50	5.82				1.02	1.26	0.73		0.28	0.32					4.99																					
10+63.57	10+68.57	RT	5.00	11.80	59.00		2.50	5.83				1.00	1.25	0.72		0.27	0.32					5.00																					
WOODLAND DR.																																											
ASPHALT PAVEMENT																																											
10+23.75	10+57.36	LT	48.12		CADD	271.78	24.06	56.14				4.61	6.52	3.32		1.26	1.47					48.12																					
10+23.75	10+57.36	LT	33.61	12.00	403.32							6.85	7.47	4.93		1.87	2.18																										
10+23.75	10+53.81	RT	45.58		CADD	228.90	22.79	53.18				3.89	5.65	2.80		1.06	1.24					45.58																					
10+23.75	10+53.81	RT	30.06	12.00	360.72							6.12	6.68	4.41		1.67	1.95																										
10+53.81	10+57.36	RT	3.55	12.00	42.60		1.77	4.14				0.72	0.90	0.52		0.20	0.23					3.55																					
CONCRETE PAVEMENT																																											
10+57.36	10+96.00	LT	38.64	12.00	463.68		1.93	45.08					9.46					51.95				38.64																					
10+96.00	11+00.00	LT	4.00	11.86	47.44		0.20	4.67					0.97					5.32				4.00																					
10+57.36	10+96.00	RT	38.64	12.00	463.68		1.93	45.08					9.46					51.95				38.64																					
10+96.00	11+00.00	RT	4.00	11.97	47.88		0.20	4.67					0.98					5.36				4.00																					
GLENSHIRE LN.																																											
ASPHALT PAVEMENT																																											
10+30.75	10+86.94	LT	81.90		CADD	692.43	40.95	95.55				11.75	15.35	8.46		3.21	3.74					81.90																					
10+30.75	10+86.94	LT	56.19	12.00	674.28							11.45	12.49	8.24		3.12	3.64																										
10+86.94	10+96.00	LT	9.06	12.00	108.72		4.53	10.57				1.85	2.29	1.33		0.50	0.59					9.06																					
10+96.00	11+00.00	LT	4.00	11.81	47.24		2.00	4.67				0.80	1.00	0.58		0.22	0.26					4.00																					
10+30.75	10+79.29	RT	75.73		CADD	592.82	37.87	88.35				10.06	13.32	7.25		2.74	3.20					75.73																					
10+30.75	10+79.29	RT	48.54	12.00	582.48							9.89	10.79	7.12		2.70	3.15																										
10+79.29	10+96.00	RT	16.71	12.00	200.52		8.36	19.50				3.40	4.23	2.45		0.93	1.08					16.71																					
10+96.00	11+00.00	RT	4.00	12.03	48.12		2.00	4.67				0.82	1.01	0.59		0.22	0.26					4.00																					
FOOTE RD.																																											
ASPHALT PAVEMENT																																											
16+24.37	16+88.98	LT	118.92		CADD	1417.03		138.74	297.30			24.05	34.32	17.32		6.56	7.65					118.92																					
16+24.37	16+88.98	LT	64.61	24.00	1550.64							26.32	28.72	18.95		7.18	8.38																										
16+24.37	16+88.98	RT	159.11		CADD	1936.06		185.63	397.78			32.87	46.66	23.66		8.96	10.46					159.11																					
16+24.37	16+88.98	RT	64.61	24.00	1550.64							26.32	28.72	18.95		7.18	8.38																										
17+49.21	18+15.04	LT	160.11		CADD	1943.04		186.80	400.28			32.98	46.85	23.75		9.00	10.49					160.11																					
17+49.21	18+15.04	LT	65.83	24.00	1579.92							26.82	29.26	19.31		7.31	8.53																										
17+61.26	18+15.04	RT	108.39		CADD	1323.74		126.46	270.98			22.47	31.87	16.18		6.13	7.15					108.39																					
17+61.26	18+15.04	RT	53.78	24.00	1290.72							21.91	23.90	15.78		5.98	6.97																										
TOTALS CARRIED TO PAVEMENT SUBSUMMARY												313	412	226	86	100	115	547	86	409																							

PAVEMENT CALCULATIONS

MED - 18 - 12.99

STATION		SIDE	LENGTH (L) FT	AVERAGE WIDTH (W) FT	SURFACE AREA (A=L*W) SF	CADD AREA SF	AREA FOR 6" EXTENSION SF	AREA FOR 14" EXTENSION SF	AREA FOR 30" EXTENSION SF				302	304	407		442	442	452	452	609	609	609		609	CALCULATED C/C	CHECKED M/RG											
FROM	TO												5 1/2" ASPHALT CONCRETE BASE, PG64-22	6" AGGREGATE BASE	NON-TRACKING TACK COAT (0.065 GAL/SY - 2 APPLICATIONS)	1 1/2" ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (446)	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, 19 MM, TYPE A (446)	8" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	9" NON-REINFORCED CONCRETE PAVEMENT, CLASS QC 1P	COMBINAITON CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 8")	COMBINAITON CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 8 3/4")	COMBINAITON CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 9")	CURB, TYPE 2-A															
													CY	CY	GAL		CY	CY	SY	SY	FT	FT	FT		FT													
SHADY BROOKE LN.																																						
ASPHALT PAVEMENT																																						
922+76.64	923+37.87	LT	136.65		CADD	1256.26		159.43	341.63				21.33	32.54	15.35		5.82	6.79																				
922+76.64	923+37.87	LT	61.23	14.50	887.83								15.07	16.44	10.85		4.11	4.80																				
922+76.64	923+37.87	RT	104.07		CADD	1376.59		121.42	260.18				23.37	32.56	16.82		6.37	7.44																				
922+76.64	923+37.87	RT	61.23	14.50	887.83								15.07	16.44	10.85		4.11	4.80																				
CONCRETE PAVEMENT																																						
923+37.87	924+86.68	LT / OUT	148.81	14.5	2157.74			173.61	372.02					50.06					239.75																			
924+86.68	924+95.68	LT / OUT	9.00	14.24	128.16			10.50	22.50					2.98					14.24																			
923+37.87	923+98.72	RT	61.30		CADD	156.29		71.52	153.25					7.06					17.37																			
923+37.87	923+98.72	RT	60.85	14.5	882.33									16.34					98.04																			
923+98.72	924+86.68	RT	87.96	14.5	1275.42			102.62	219.90					29.59					141.71																			
924+86.68	924+95.68	RT	9.00	14.06	126.54			10.50	22.50					2.95					14.06																			
FRONTAGE RD.																																						
ASPHALT PAVEMENT																																						
10+38.00	10+65.00	LT	39.27		CADD	156.44		45.82	98.18				2.66	5.56	1.91		0.72	0.84																				
10+38.00	10+65.00	LT	27.00	18.00	486.00								8.25	9.00	5.94		2.25	2.63																				
10+38.00	10+65.00	RT	39.27		CADD	156.44		45.82	98.18				2.66	5.56	1.91		0.72	0.84																				
10+38.00	10+65.00	RT	27.00	18.00	486.00								8.25	9.00	5.94		2.25	2.63																				
11+49.00	11+76.00	LT	39.27		CADD	156.44		45.82	98.18				2.66	5.56	1.91		0.72	0.84																				
11+49.00	11+76.00	LT	27.00	18.00	486.00								8.25	9.00	5.94		2.25	2.63																				
11+49.00	11+76.00	RT	39.27		CADD	156.44		45.82	98.18				2.66	5.56	1.91		0.72	0.84																				
11+49.00	11+76.00	RT	27.00	18.00	486.00								8.25	9.00	5.94		2.25	2.63																				
CONCRETE PAVEMENT																																						
10+12.00	10+34.00	LT	31.42		CADD	103.87		36.66	78.55					4.06						11.54																		
10+12.00	10+34.00	LT	22.00	18.00	396.00									7.33						44.00																		
10+34.00	10+38.00	LT	4.00	18.00	72.00			4.67	10.00					1.61						8.00																		
10+12.00	10+34.00	RT	31.42		CADD	103.87		36.66	78.55					4.06						11.54																		
10+12.00	10+34.00	RT	22.00	18.00	396.00									7.33						44.00																		
10+34.00	10+38.00	RT	4.00	18.00	72.00			4.67	10.00					1.61						8.00																		
11+76.00	11+80.00	LT	4.00	18.00	72.00			4.67	10.00					1.61						8.00																		
11+80.00	12+02.00	LT	31.42		CADD	103.87		36.66	78.55					4.06						11.54																		
11+80.00	12+02.00	LT	22.00	18.00	396.00									7.33						44.00																		
11+76.00	11+80.00	RT	4.00	18.00	72.00			4.67	10.00					1.61						8.00																		
11+80.00	12+02.00	RT	31.42		CADD	103.87		36.66	78.55					4.06						11.54																		
11+80.00	12+02.00	RT	22.00	18.00	396.00									7.33						44.00																		
N. FRONTAGE RD.																																						
CONCRETE PAVEMENT																																						
40+66.96		BOTH	28.00																																			
40+66.96	40+80.63	LT	13.67	12.00	164.04			15.95	34.18					3.97						18.23																		
40+80.63	41+68.63	LT	122.24		CADD	1543.50		142.61	305.60					36.88						171.50																		
40+80.63	41+68.63	LT	88.00	12.00	1056.00									19.56						117.33																		
41+68.63	43+78.42	LT	209.79	12.00	2517.48			244.76	524.48					60.87						279.72																		
TOTALS CARRIED TO PAVEMENT SUBSUMMARY																								119	439	86		33	38	526	841	317	398	488		28		

PAVEMENT CALCULATIONS

MED - 18 - 12.99

STATION		SIDE	LENGTH (L) FT	AVERAGE WIDTH (W) FT	SURFACE AREA (A=L*W) SF	CADD AREA SF	AREA FOR 6" EXTENSION SF	AREA FOR 14" EXTENSION SF	AREA FOR 30" EXTENSION SF	304		452		609		609	CALCULATED C/C	CHECKED M/RG	
FROM	TO									6" AGGREGATE BASE CY		9" NON-REINFORCED CONCRETE PAVEMENT, CLASS OC 1P SY		COMBINATION CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 9") FT		CURB, TYPE 6 FT			
N. FRONTAGE RD. (CONT.)										01/NHS/PV 02/NHS/PV	03/ENH/PV 04/ENH/PV	01/NHS/PV 02/NHS/PV	03/ENH/PV 04/ENH/PV	01/NHS/PV 02/NHS/PV	03/ENH/PV 04/ENH/PV	01/NHS/PV 02/NHS/PV			
CONCRETE PAVEMENT																			
40+66.96	42+60.00	RT	193.04	12.00	2316.48			225.21	482.60	56.01		257.39		193.04					
42+60.00	43+40.00	RT	80.00	12.00	960.00			93.33	200.00	23.21		106.67							
43+40.00	43+78.42	RT	38.42	12.00	461.04			44.82	96.05	11.15		51.23		38.42					
43+78.42	44+92.00	CIRCLE	406.19			10244.97		473.89	1015.48	217.30		1138.33		406.19					
S. FRONTAGE RD.																			
CONCRETE PAVEMENT																			
20+92.69	21+02.69	LT	10.00	13.00	130.00		5.00	11.67		2.72		14.44						10.00	
21+02.69	21+14.63	LT	11.94	14.00	167.16		5.97	13.93		3.46		18.57						11.94	
21+14.63	25+60.00	LT	445.37	12.00	5344.44			519.60	1113.43	129.21		593.83		445.37					
25+60.00	26+40.00	LT	80.00	12.00	960.00			93.33	200.00	23.21		106.67							
26+40.00	31+42.65	LT	502.65	12.00	6031.80			586.43	1256.63	145.83		670.20		502.65					
20+92.69	21+14.63	RT	31.64			125.17	15.82	36.91		3.29		13.91						31.64	
20+92.69	21+14.63	RT	21.94	14.00	307.16					5.69		34.13							
21+14.63	21+24.06	RT	9.43	12.00	113.16			11.00	23.57	2.74		12.57		9.43					
21+24.06	22+12.06	RT	122.24			1543.50		142.61	305.60	36.88		171.50		122.24					
21+24.06	22+12.06	RT	88.00	12.00	1056.00					19.56		117.33							
22+12.06	30+40.65	RT	828.59	12.00	9943.08			966.69	2071.48	240.39		1104.79		828.59					
30+40.65	31+28.65	RT	122.24			1543.50		142.61	305.60	36.88		171.50		122.24					
30+40.65	31+28.65	RT	88.00	12.00	1056.00					19.56		117.33							
31+28.65	31+42.65	RT	14.00	12.00	168.00			16.33	35.00	4.06		18.67		14.00					
FOOTE RD.																			
CONCRETE PAVEMENT																			
10+37.00	10+40.00	LT	3.00	11.89	35.67			3.50	7.50	0.86		3.96		3.00					
10+40.00	13+60.00	LT	320.00	18.00	5760.00			373.33	800.00	128.40		640.00		320.00					
13+60.00	15+60.16	LT	200.16	24.00	4803.84			233.52	500.40	102.55		533.76		200.16					
15+60.16	16+24.37	LT	63.84			147.35		74.48	159.60	7.06		16.37		63.84					
15+60.16	16+24.37	LT	64.21	24.00	1541.04					28.54		171.23							
10+37.00	10+40.00	RT	3.00	11.96	35.88			3.50	7.50	0.87		3.99		3.00					
10+40.00	13+60.00	RT	320.00	18.00	5760.00			373.33	800.00	128.40		640.00		320.00					
13+60.00	15+91.49	RT	231.49	24.00	5555.76			270.07	578.73	118.60		617.31		231.49					
15+91.49	16+24.37	RT	32.37			30.15		37.77	80.93	2.76		3.35		32.37					
15+91.49	16+24.37	RT	32.88	24.00	789.12					14.61		87.68							
18+15.04	18+50.54	LT	34.37			29.90		40.10	85.93	2.89		3.32		34.37					
18+15.04	18+50.54	LT	35.50	24.00	852.00					15.78		94.67							
18+50.54	21+75.00	LT	324.46	24.00	7787.04			378.54	811.15	166.24		865.23		324.46					
21+75.00	22+20.00	LT	45.00	10.45	470.25			52.50	112.50	11.76		52.25		45.00					
22+20.00	25+17.61	LT	297.61	6.39	1901.73			347.21	744.03	55.43		211.30		297.61					
25+17.61	25+53.00	LT	35.39	2.00	70.78			41.29	88.47	3.71		7.86		35.39					
18+15.04	18+79.77	RT	65.75			192.62		76.71	164.38	8.03		21.40		65.75					
18+15.04	18+79.77	RT	64.73	24.00	1553.52					28.77		172.61							
18+79.77	21+75.00	RT	295.23	24.00	7085.52			344.44	738.08	151.26		787.28		295.23					
21+75.00	22+20.00	RT	45.00	7.69	346.05			52.50	112.50	9.46		38.45		45.00					
22+20.00	25+12.44	RT	292.44	5.21	1523.61			341.18	731.10	48.07		169.29		292.44					
25+12.44	25+53.00	RT	40.56	2.00	81.12			47.32	101.40	4.26		9.01		40.56					
TOTALS CARRIED TO PAVEMENT SUBSUMMARY										982	1039	4720	5151	2683	2650	54			

PAVEMENT CALCULATIONS

MED - 18 - 12.99

STATION	SIDE	LENGTH (L)	AVERAGE WIDTH (W)	SURFACE AREA (A=L*W)	CADD AREA	AREA FOR 6" EXTENSION	AREA FOR 14" EXTENSION	AREA FOR 30" EXTENSION				302		304		407		441	441	609	609	609	CALCULATED C/C	CHECKED M/RG																							
												4" ASPHALT CONCRETE BASE, PG64-22		6" AGGREGATE BASE		NON-TRACKING TACK COAT (0.065 GAL/SY - 2 APPLICATIONS)		1 1/4" ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448) PG64-22	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (448)	COMBINATION CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 7")	COMBINATION CURB AND GUTTER, TYPE 2, AS PER PLAN (GUTTER PLATE THICKNESS = 7")	CURB, TYPE 6																									
FROM	TO	FT	FT	SF	SF	SF	SF	SF				CY		CY		GAL		CY	CY	FT	FT	FT																									
W. HOSPITAL DR.																																															
ASPHALT PAVEMENT																																															
9+23.91	9+75.71	LT	139.49	CADD	1700.37	139.49						20.99		36.65		20.78		6.56	9.18																												
9+23.91	9+87.72	RT	146.25	CADD	1881.73	146.25						23.23		40.26		23.00		7.26	10.16																												
E. HOSPITAL DR.																																															
ASPHALT PAVEMENT																																															
10+53.67	10+56.36	LT	2.69	14.00	37.66		1.34					0.46		0.75		0.46		0.15	0.20																												
10+56.36	10+98.42	LT	63.05	CADD	426.31	31.53						5.26		9.06		5.21		1.64	2.30																												
10+56.36	10+98.42	LT	42.06	14.00	588.84							7.27		10.90		7.20		2.27	3.18																												
10+53.67	10+56.42	RT	2.75	14.00	38.50		1.38					0.48		0.76		0.47		0.15	0.21																												
10+56.42	10+98.42	RT	62.83	CADD	423.70	31.42						5.23		9.01		5.18		1.63	2.29																												
10+56.42	10+98.42	RT	42.00	14.00	588.00							7.26		10.89		7.19		2.27	3.18																												
WATERFORD DR.																																															
ASPHALT PAVEMENT																																															
10+93.94	10+97.94	LT	4.00	21.82	87.28		4.67	10.00				1.08		1.89		1.07		0.34	0.47	4.00																											
10+97.94	11+02.24	LT	4.30	22.00	94.60		5.02	10.75				1.17		2.04		1.16		0.36	0.51	4.30																											
11+02.24	11+54.25	LT	78.55	CADD	580.50		91.64	196.38				7.17		16.08		7.10		2.24	3.14		78.55																										
11+02.24	11+54.25	LT	52.01	22.00	1144.22							14.13		21.19		13.98		4.41	6.18																												
10+93.94	10+97.94	RT	4.00	11.17	44.68		4.67	10.00				0.55		1.10		0.55		0.17	0.24	4.00																											
10+97.94	11+02.24	RT	4.30	11.00	47.30		5.02	10.75				0.58		1.17		0.58		0.18	0.26	4.30																											
11+02.24	11+54.25	RT	78.53	CADD	580.06		91.62	196.33				7.16		16.07		7.09		2.24	3.13	78.53																											
11+02.24	11+54.25	RT	52.01	11.00	572.11							7.06		10.59		6.99		2.21	3.09																												
SUMMA HEALTH CARE DR.																																															
ASPHALT PAVEMENT																																															
10+25.00	10+96.66	LT	71.66	17.00	1218.22		35.83	83.60				15.04		24.77		14.89		4.70	6.58																												
10+96.66	11+39.61	LT	72.28	CADD	552.93	36.14	84.33					6.83		12.47		6.76		2.13	2.99																												
10+96.66	11+39.61	LT	42.95	17.00	730.15							9.01		13.52		8.92		2.82	3.94																												
10+25.00	10+26.00	RT	1.00	16.97	16.97		0.50	1.17				0.21		0.35		0.21		0.07	0.09																												
10+26.00	10+65.41	RT	39.41	17.00	669.97		19.71	45.98				8.27		13.62		8.19		2.58	3.62																												
10+65.41	11+39.61	RT	95.24	CADD	938.29	47.62	111.11					11.58		20.32		11.47		3.62	5.07																												
10+65.41	11+39.61	RT	74.20	17.00	1261.40							15.57		23.36		15.42		4.87	6.81																												
BUEHLER DR.																																															
ASPHALT PAVEMENT																																															
8+05.00	8+51.53	LT	35.32	CADD	312.35		41.21	88.30				3.86		8.18		3.82		1.21	1.69	35.32																											
8+05.00	8+51.53	LT	46.53	25.00	1163.25							14.36		21.54		14.22		4.49	6.28																												
8+51.53	9+28.38	LT	76.85	25.00	1921.25		89.66	192.13				23.72		40.80		23.48		7.41	10.38	76.85																											
9+28.38	9+70.00	LT	62.32	CADD	369.54		72.71	155.80				4.56		11.08		4.52		1.43	2.00	62.32																											
9+28.47	9+70.00	LT	41.53	25.00	1038.25							12.82		19.23		12.69		4.01	5.61																												
8+05.00	8+25.00	RT	20.00	32.31	646.20		23.33	50.00				7.98		13.32		7.90		2.49	3.49	20.00																											
8+25.00	9+28.38	RT	103.38	31.50	3256.47		120.61	258.45				40.20		67.32		39.80		12.56	17.59	103.38																											
9+28.38	9+70.00	RT	62.37	CADD	370.62		72.77	155.93				4.58		11.10		4.53		1.43	2.00		62.37																										
9+28.38	9+70.00	RT	41.62	31.50	1311.03							16.19		24.28		16.02		5.06	7.08																												
TOTALS CARRIED TO PAVEMENT SUBSUMMARY												304		514		301		95	133	393	141	697																									

PAVEMENT CALCULATIONS

MED - 18 - 12.99

STATION	SIDE	LENGTH (L)	AVERAGE WIDTH (W)	SURFACE AREA (A=L*W)	CADD AREA	AREA FOR 6" EXTENSION	AREA FOR 14" EXTENSION	AREA FOR 30" EXTENSION	302	302	304	407	441	441	442	442	452	609	609	609	609	CALCULATED C/C	CHECKED M/RG		
									4" ASPHALT CONCRETE BASE, PG64-22	5 1/2" ASPHALT CONCRETE BASE, PG64-22	6" AGGREGATE BASE	NON-TRACKING TACK COAT (0.055 GAL/SY - 2 APPLICATIONS)	1 1/4" ASPHALT CONCRETE SURFACE COURSE< TYPE 1, (448) PG64-22	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2 (446)	1 1/2" ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (446)	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, 19 MM, TYPE A (446)	9" NON-REINFORCED CONCRETE PAVEMENT, CLASS GC 1P	COMBINATION CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 7')	COMBINATION CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 8 3/4')	COMBINATION CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 9')	CURB, TYPE 2-A				
FROM	TO	FT	FT	SF	SF	SF	SF	SF	CY	CY	CY	GAL	CY	CY	CY	CY	SY	FT	FT	FT	FT				
RIVER STYX DR.																									
ASPHALT PAVEMENT																									
921+45.53	922+04.12	LT	86.96	CADD	1669.09		101.45	217.40																	
921+45.53	922+04.12	LT	58.59	24.00	1406.16					28.33	36.81					7.73	9.02				86.96				
921+45.53	922+04.12	RT	119.14	CADD	2457.06		139.00	297.85																	
921+45.53	922+04.12	RT	58.59	24.00	1406.16					41.71	53.59					11.38	13.27				119.14				
921+45.53	922+04.12	RT	58.59	24.00	1406.16					23.87	26.04					6.51	7.60								
CONCRETE PAVEMENT																									
903+62.31	904+02.11	LT	57.25	CADD	579.71		66.79	143.13																	
904+02.11	904+19.83	LT	17.72	8.00	141.76																				
904+19.83	905+61.72	LT	141.89	6.00	851.34		165.54	354.72																	
905+61.72	907+14.77	LT	155.39	CADD	1395.36		181.29	388.48																	
907+14.77	910+92.00	LT	377.23	12.00	4526.76		440.1	943.07																	
910+92.00	911+57.00	LT	65.00	24.00	1560.00		75.83	162.50																	
911+57.00	912+46.67	LT	89.67	12.00	1076.04		104.61	224.17																	
912+46.67	917+50.00	LT	503.33	12.00	6039.96		587.22	1258.33																	
917+50.00	920+11.77	LT	261.77	24.00	6282.48		305.4	654.43																	
920+11.77	921+45.53	LT	131.14	CADD	674.35		153	327.85																	
920+11.77	921+45.53	LT	133.76	24.00	3210.24																				
903+48.75	903+92.73	RT	68.01	CADD	611.18		79.35	170.03																	
903+92.73	904+19.83	RT	27.10	8.00	216.80		31.62	67.75																	
904+19.83	905+18.84	RT	99.01	6.00	594.06		115.51	247.52																	
905+18.84	905+61.72	RT	42.88	8.00	343.04		50.03	107.20																	
905+61.72	907+14.77	RT	153.05	CADD	756.92		178.56	382.63																	
907+14.77	907+55.00	RT	40.23	2.00	80.46		46.93	100.57																	
907+55.00	910+00.00	RT	245.00	8.00	1960.00		285.83	612.50																	
910+00.00	910+92.00	RT	92.00	12.00	1104.00		107.33	230.00																	
910+92.00	911+19.01	RT	27.01	24.00	648.24		31.51	67.52																	
911+19.01	911+57.00	RT	37.99	25.00	949.75		44.32	94.98																	
911+57.00	911+94.68	RT	37.68	15.00	565.20		43.96	94.20																	
911+94.68	913+11.67	RT	116.99	16.00	1871.84		136.49	292.48																	
913+11.67	913+87.34	RT	75.67	14.00	1059.38		88.28	189.17																	
913+87.34	917+50.00	RT	362.66	12.00	4351.92		423.1	906.65																	
917+50.00	921+03.54	RT	353.54	24.00	8484.96		412.46	883.85																	
921+03.54	921+45.53	RT	42.72	CADD	80.66		49.84	106.80																	
921+03.54	921+45.53	RT	41.99	24.00	1007.76																				
921+03.54	921+45.53	RT	41.99	24.00	1007.76																				
OCTAGON DR.																									
ASPHALT PAVEMENT																									
11+71.00	11+72.00	LT	1.00	11.02	11.02		1.17	2.50																	
11+72.00	11+79.63	LT	7.63	11.00	83.93		8.90	19.08																	
11+79.63	12+25.97	LT	74.56	CADD	433.77		86.99	186.40																	
11+79.63	12+25.97	LT	46.34	11.00	509.74																				
11+71.00	11+72.00	RT	1.00	21.97	21.97		1.17	2.50																	
11+72.00	12+25.97	RT	82.73	CADD	598.66		96.52	206.83																	
11+72.00	12+25.97	RT	53.97	22.00	1187.34																				
11+72.00	12+25.97	RT	53.97	22.00	1187.34																				
TOTALS CARRIED TO PAVEMENT SUBSUMMARY									36	118	143	1230	85	35	11	16	33	38	5670	167	207	3342	126		

PAVEMENT CALCULATIONS

MED - 18 - 12.99

9
12

STATION		SIDE	LENGTH (L) FT	AVERAGE WIDTH (W) FT	SURFACE AREA (A=L*W) SF	CADD AREA SF	AREA FOR 4" EXTENSION SF	AREA FOR 6" EXTENSION SF	AREA FOR 14" EXTENSION SF	AREA FOR 30" EXTENSION SF			302	304	407	441	441	442	442	609	609	609	CALCULATED C/C	CHECKED M/RG																					
FROM	TO												4" ASPHALT CONCRETE BASE, PG64-22 CY	6" AGGREGATE BASE CY	NON-TRACKING TACK COAT (0.055 GAL/SY - 2 APPLICATIONS) GAL	1 1/4" ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448) PG64-22 CY	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2 (448) CY	1 1/2" ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (446) CY	1 3/4" ASPHALT CONCRETE INTERMEDIATE COURSE, 19 MM, TYPE A (446) CY	COMBINATION CURB AND GUTTER, TYPE 2 (GUTTER PLATE THICKNESS = 7") FT	CURB, TYPE 6 FT	CONCRETE MEDIAN SY																							
RUSTIC HILLS DR.																																													
ASPHALT PAVEMENT																																													
14+95.00	15+10.00	LT	15.00	11.86	177.90			22.50	17.50				2.20	4.04	2.17	0.69	0.96								15.00																				
14+95.00	15+10.00	LT/SHLDR	15.00	1.00	15.00		5.00		17.50				0.19	0.69	0.18	0.06	0.08																												
15+10.00	15+75.00	LT	66.75			964.17		66.75	125.66	166.88			11.90	24.51	11.78	3.72	5.21			40.96	66.75																								
15+75.00	16+06.24	LT	85.21			1072.89			99.41	213.03			13.25	25.65	13.11	4.14	5.79			85.21																									
14+95.00	15+10.00	RT	15.00	12.09	181.35			22.50	17.50				2.24	4.10	2.22	0.70	0.98							15.00																					
14+95.00	15+10.00	RT/SHLDR	15.00	1.00	15.00		5.00		17.50				0.19	0.69	0.18	0.06	0.08																												
15+10.00	15+75.00	RT	67.60			1001.03		67.60	126.79	169.00			12.36	25.27	12.23	3.86	5.41			41.08	67.60																								
15+75.00	16+06.24	RT	82.31			1041.26			96.03	205.78			12.86	24.87	12.73	4.02	5.62			82.31																									
MEDIAN																																													
VICTOR DR.																																													
10+34.11	10+68.00	BOTH	33.89			692.01																			76.89																				
BUEHLER DR.																																													
8+50.00	9+24.41	LT	74.41			593.69																			65.97																				
RIVER STYX RD.																																													
921+70.23	922+03.44	RT	33.21			562.99																			62.55																				
RUSTIC HILLS DR.																																													
15+75.00	16+02.24	BOTH	27.24			983.60																			109.29																				
S.R. 18																																													
182+66.00	197+12.54	BOTH	1446.54			15462.44																			1718.05																				
TOTALS CARRIED TO PAVEMENT SUBSUMMARY																																	56	110	-170	12	16	-78	-91	250	165		2033		

PAVEMENT CALCULATIONS

MED - 18 - 12.99

10
12

