

RAMP PAVEMENT DATA

RAMP PAVEMENT DATA												
LOCATION	COUNTY	ROUTE	DESCRIPTION	RAMP LENGTH	RAMP WIDTH	RAMP PAVEMENT AREA	254	407	442		SPECIAL	
							PAVEMENT PLANING, ASPHALT CONCRETE, 1.75"	NON-TRACKING TACK COAT @ 0.08 GAL./S.Y.	ANTI-SEGREGATION EQUIPMENT	THICKNESS	SURFACE COURSE, 12.5 MM, TYPE A (447)	RUMBLE STRIPS, TRANSVERSE (ASPHALT CONCRETE)
				LIN. FT.	FT.	SQ. YD.	SQ. YD.	GAL.	CU. YD.	INCH	CU. YD.	EACH
1	LIC	I.R. 70 E.B.	OFF RAMP TO U.S. 40	816.0	16.0	1,450.7	1,450.7	116.1	70.6	1.75	70.6	3
		I.R. 70 W.B.	ON RAMP FROM U.S. 40	1,471.0	16.0	2,615.1	2,615.1	209.3	127.2	1.75	127.2	
			SLIP RAMP FROM U.S. 40	42.0	16.0	74.7	74.7	6.0	3.7	1.75	3.7	
LOCATION 1 TOTALS (CARRIED TO GENERAL SUMMARY)							4,140.5	331.4	201.5		201.5	3


I:\ProjectData\MUS\21640\Design\Roadway\Sheets\21640_G0005.dgn Sheet 3/25/2021 2:38:41 PM jluTzl




CALCULATED LIME CHECKED JSL

**PAVEMENT MARKING DETAILS
E.B. OFF RAMP TO U.S. 40**

MUS-70-5.57



CHL = CHANNELLIZING LINE
 DLL = DASHED LANE LINE
 DTL = DOTTED LINE
 WEL = WHITE EDGE LINE
 YEL = YELLOW EDGE LINE



NOTE: SEE SCD BP-9.2 FOR TRANSVERSE RUMBLE STRIP DETAILS

I:\ProjectData\MUS\21640\Design\Roadway\Sheets\21640_IP001.dgn Sheet 3/25/2021 2:33:33 PM jltzl

I:\ProjectData\MUS\21640\Design\Roadway\Sheets\21640_IP002.dgn Sheet 3/25/2021 2:24:56 PM jJutzl

MATCHLINE B

- CHL = CHANNELLIZING LINE
- DLL = DASHED LANE LINE
- DTL = DOTTED LINE
- WEL = WHITE EDGE LINE
- WWA = WRONG WAY ARROW
- YEL = YELLOW EDGE LINE

E.B. OFF RAMP

YEL

WEL

PAVED SHOULDER

300'

16'

TRANSVERSE RUMBLE STRIPS (TYP.)

BUTT JOINT (END RESURFACING)

100'

MUS-40-0940

END BRIDGE MARKINGS

WWA

NOTE: SEE SCD BP-9.2 FOR TRANSVERSE RUMBLE STRIP DETAILS



CALCULATED	
LIME	
CHECKED	JSL

PAVEMENT MARKING DETAILS
E.B. OFF RAMP TO U.S. 40

MUS-70-5.57

I:\ProjectData\MUS\21640\Design\Roadway\Sheets\21640_GG001.dgn Sheet 3/25/2021 4:26:48 PM jlu+zl

LOCATION 1 SHEET TOTALS									PLAN SPLITS			ITEM	ITEM EXT.	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET
2	3	8	9	10	11	12	13	14	01/IMS/PV	02/IMS/BR	03/S<2/BR						
					205				205			203	10000	205	CY	EXCAVATION	
					1,016				1,016			204	10000	1,016	SY	SUBGRADE COMPACTION	
16.04									16.04			209	60500	16.04	MILE	LINEAR GRADING	
					1,000				1,000			659	00510	1,000	SY	SEEDING AND MULCHING, CLASS 2	
									1,000			832	30000	1,000	EACH	EROSION CONTROL	
250									250			253	02000	250	CY	PAVEMENT REPAIR (A)	
700									700			253	02000	700	CY	PAVEMENT REPAIR (B)	
					1,016							254	01000	1,016	SY	PAVEMENT PLANING, ASPHALT CONCRETE , 1.25"	
		113,767	67,584	4,909		4,141	2,329		192,730			254	01000	192,730	SY	PAVEMENT PLANING, ASPHALT CONCRETE , 1.75"	
					170				170			301	46000	170	CY	ASPHALT CONCRETE BASE, PG64-22	
		9,102	5,408	394	164	332	187		15,587			407	20000	15,587	GAL	NON-TRACKING TACK COAT	
			7,585				415		8,000			408	10001	8,000	GAL	PRIME COAT, AS PER PLAN	2
					71				71			441	50000	71	CY	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), PG64-22	
		5,531		239		202			5,972			442	00100	5,972	CY	ANTI-SEGREGATION EQUIPMENT	
		5,531	3,286	239		202	114		9,372			442	10300	9,372	CY	ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (447)	2
								192	192			516	31011	192	FT	2" DEEP JOINT SEALER, AS PER PLAN (A)	2
			1,046				58		1,104			617	10101	1,104	CY	COMPACTED AGGREGATE, AS PER PLAN	2
			16.04						16.04			618	40600	16.04	MILE	RUMBLE STRIPS, SHOULDER (ASPHALT CONCRETE)	
						3			3			SPECIAL	69098000	3	EACH	RUMBLE STRIPS, TRANSVERSE (ASPHALT CONCRETE)	17-18
	LS								LS			SPECIAL	69098400		LS	PAVER MOUNTED THERMAL PROFILING (PMP)	3

CALCULATED	LIME	CHECKED	JSL		
GENERAL SUMMARY					
MUS - 70 - 5.57					
<table border="1"> <tr> <td>22</td> </tr> <tr> <td>24</td> </tr> </table>				22	24
22					
24					