LEGEND

OVERLAY TYPE A (TYP. .42" TO 7.50" (8" MAX.))
OVERLAY TYPE B (TYP. 7.50" AND GREATER, NO LESS THAN 3")
VARIABLE DEPTH PLANING TO MAINTAIN CONSISTENT PAVEMENT COMPOSITION

O:\2014\2014333\ProjectData\POR\98585\Design\Roadway\EngData\98585_PAVEMENT OVERLAY TABLE

COMPARISION OF EXISTING AND PROPOSED PAVEMENT ELEVATIONS AT CENTERLINE, LANE LINES, AND SAW CUT LINES - C.R. 18 *FOR ESTIMATED QUANTITY PURPOSES ONLY - FIELD ADJUST AS NECESSARY*

C.R. 18 - TABLE 1

"A"						"A" QUANTITY CALCS				"B"						"B" QUANTITY CALCS				"C"						"C" QUANTITY CALCS				"D"						"D" QUANTITY CALCS				CENTERLINE (P.G.)	
TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV	EXIST. ELEV	WIDTH	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV	EXIST. ELEV	WIDTH	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV	EXIST. ELEV	WIDTH	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV	EXIST. ELEV	WIDTH	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	STATION	EXIST. P.G. ELEV.
(INCH)	(INCH)	(INCH)			(FT)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(INCH)	(INCH)	(INCH)			(FT)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(INCH)	(INCH)	(INCH)			(FT)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(INCH)	(INCH)	(INCH)			(FT)	(INCH)	(INCH)	(SQ FT)	(CU YD)		
										0.0	2.0	2.0	1098.09	1097.92	11.00	0.0				0.0	5.4	-1.4	1098.26	1098.38	11.00	0.0				0.0	4.0	0.0	1098.44	1098.44	0.00	0.0				010+30.55	1098.44
										0.0	2.3	1.7	1098.05	1,097.91	10.42	0.0				0.0	4.4	-0.4	1098.21	1098.25	11.00	0.0				0.0	2.7	1.3	1098.39	1098.28	0.58	0.0				010+50.00	1098.27
										0.0	2.5	1.5	1098.02	1097.89	10.06	0.0				0.0	3.9	0.1	1098.18	1098.17	11.00	0.0				0.0	2.3	1.7	1098.35	1098.21	0.94	0.0				010+62.45	1098.20
										0.0	3.1	0.9	1097.99	1,097.91	9.69	0.0				0.0	3.7	0.3	1098.14	1098.12	11.00	0.0				0.0	1.9	2.1	1098.32	1098.14	1.31	0.0				010+75.00	1098.12
										0.0	2.7	1.3	1097.92	1,097.81	8.95	0.0				0.0	3.3	0.7	1098.06	1098.00	11.00	0.0				0.0	1.5	2.5	1098.24	1098.03	2.05	0.0				011+00.00	1098.02
										0.0	1.6	2.4	1097.85	1,097.65	8.21	0.0				0.0	2.8	1.2	1097.98	1097.88	11.00	0.0				0.0	1.8	2.2	1098.16	1097.97	2.79	0.0				011+25.00	1097.94
										0.0	0.5	3.5	1097.77	1,097.48	7.47	0.0				0.0	2.2	1.8	1097.89	1097.74	11.00	0.0				0.0	1.4	2.6	1098.06	1097.85	3.53	0.1				011+50.00	1097.81
										0.4	0.5	3.9	1097.70	1,097.37	6.73	0.2				0.0	1.5	2.5	1097.81	1097.60	11.00	0.0				0.0	1.1	2.9	1097.98	1097.74	4.27	0.2				011+75.00	1097.73
										0.8	0.5	4.3	1097.63	1097.27	6.11	0.4				0.0	0.9	3.1	1097.73	1097.47	11.00	0.0				0.0	0.7	3.3	1097.90	1097.63	4.89	0.2				011+96.00	1097.66
										0.8	0.5	4.3	1097.62	1,097.26	5.99	0.4				0.0	0.7	3.3	1097.71	1097.44	11.00	0.0				0.0	0.6	3.4	1097.89	1097.61	5.01	0.2				012+00.00	1097.65
										1.4	0.5	4.9	1097.57	1097.16	5.50	1.1	0.64	22.45	6.54	0.9	0.5	4.4	1097.66	1097.29	11.00	0.9	0.62	21.57	8.79	0.8		4.3	1097.83	1097.47	5.50	1.0	0.88	30.66	4.72	012+16.55	1097.54
										1.8	0.5	5.3	1097.55	1,097.11	5.50	1.6				1.4	0.5	4.9	1097.64	1,097.23	11.00	1.4				1.4		4.9	1097.81	1097.40	5.50	1.6				012+25.00	1097.47
										2.5	0.5	6.0	1097.47	1,096.97	5.50	2.2				2.0	0.5	5.5	1097.56	1,097.10	11.00	1.6				1.3		4.8	1097.73	1097.33	5.50	1.4				012+50.00	1097.40
										1.4	0.5	4.9	1097.40	1,096.99	5.50	1.3				1.3	0.5	4.8	1097.49	1,097.09	11.00	1.3				1.4		4.9	1097.66	1097.25	5.50	1.8				012+75.00	1097.28
										1.4	0.5	4.9	1097.32	1,096.91	5.50	1.3				1.1	0.5	4.6	1097.41	1,097.02	11.00	1.3				1.6		5.1	1097.58	1097.16	5.50	2.1				013+00.00	1097.16
										1.3	0.5	4.8	1097.25	1,096.85	5.50	1.6				2.0	0.5	5.5	1097.34	1,096.88	11.00	2.2				2.4		5.9	1097.51	1097.02	5.50	2.7				013+25.00	1097.06
										1.9	0.5	5.4	1097.25	1096.80	5.50	2.0				2.1	0.5	5.6	1097.34	1096.87	11.00	2.0				1.9		5.4	1097.51	1097.06	5.50	2.5				013+25.53	1097.06
										1.8	0.5	5.3	1097.17	1,096.73	5.50	1.9				2.0	0.5	5.5	1097.26	1,096.80	11.00	2.1				2.3		5.8	1097.43	1096.95	5.50	2.4				013+50.00	1097.02
										0.1	0.5	3.6	1097.09	1,096.79	5.50	0.1				0.2	0.5	3.7	1097.18	1,096.87	11.00	0.4				0.7		4.2	1097.35	1097.00	5.50	1.1				013+75.00	1097.02
										0.0	1.1	2.9	1096.87	1096.63	13.00	0.0				0.0	1.9	2.1	1097.08	1,096.90	11.00	0.0				0.0	0.7	3.3	1097.25	1096.98	5.50	0.5				014+00.00	1096.97
										0.0	2.9	1.1	1096.75	1,096.66	13.00	0.0				0.0	2.4	1.6	1096.96	1,096.82	11.00	0.0				0.0	1.0	3.0	1097.13	1096.88	5.50	0.4				014+25.00	1096.86
										0.0	3.3	0.7	1096.61	1,096.55	13.00	0.0				0.0	2.5	1.5	1096.82	1,096.69	11.00	0.2				0.4	0.1	3.9	1096.99	1096.67	5.50	1.3				014+50.00	1096.60
0.0	4.1	-0.1	1096.18	1,096.19	7.25	0.0				0.0	1.8	2.2	1096.47	1,096.29	12.00	0.0				0.0	1.0	3.0	1096.67	1,096.42	11.00	0.6				1.2		4.7	1096.84	1096.45	5.50	2.1				014+75.00	1096.39
0.0	4.1	-0.1	1096.13	1096.14	8.00	0.0				0.0	1.7	2.3	1096.45	1096.26	12.00	0.0				0.0	1.2	2.8	1096.65	1096.41	11.00	0.7				1.4		4.9	1096.82	1096.41	5.50	2.3				014+78.00	1096.36
0.0	2.5	1.5	1095.98	1,095.86	8.00	0.1				0.1	0.5	3.6	1096.30	1,096.00	12.00	0.3				0.5	0.5	4.0	1096.50	1,096.16	11.00	1.2				1.8		5.3	1096.67	1096.23	5.50	2.3				015+00.00	1096.23
0.0	3.0	1.0	1095.80	1,095.72	8.00	0.0				0.0	0.6	3.4	1096.12	1,095.84	12.00	0.4				0.8	0.5	4.3	1096.32	1,095.96	11.00	1.3				1.8		5.3	1096.49	1096.05	5.50	2.2				015+25.00	1096.07
0.0	3.7	0.3	1095.62	1,095.60	8.00	0.0				0.0	1.3	2.7	1095.94	1,095.72	12.00	0.0				0.0	0.7	3.3	1096.14	1,095.86	11.00	0.3				0.6		4.1	1096.31	1095.97	5.50	1.1				015+50.00	1095.98
0.0	3.7	0.3	1095.62	1095.60	8.00	0.0				0.0	1.3	2.7	1095.94	1095.72	12.00	0.0				0.0	0.7	3.3	1096.14	1095.86	11.00	0.3				0.6		4.1	1096.31	1095.97	5.50	1.1				015+50.12	1095.97
0.0	4.2	-0.2	1095.44	1095.46	8.00	0.0				0.0	2.3	1.7	1095.76	1095.62	12.00	0.0				0.0	1.9	2.1	1095.95	1095.78	11.49	0.0				0.0	0.7	3.3	1096.14	1095.86	5.74	0.5				015+75.00	1095.85
0.0	4.2	-0.2	1095.28	1095.30	8.00	0.0				0.0	2.9	1.1	1095.60	1095.51	12.00	0.0				0.0	2.4	1.6	1095.79	1095.66	11.98	0.0				0.0	0.8	3.2	1095.98	1095.72	5.99	0.5				016+00.00	1095.70
0.0	4.0	0.0	1095.27	1095.27	8.00	0.0				0.0	2.9	1.1	1095.59	1095.50	12.00	0.0				0.0	2.4	1.6	1095.78	1095.65	12.00	0.0				0.0	0.8	3.2	1095.97	1095.71	6.00	0.5				016+01.12	1095.70
0.0	4.1	-0.1	1095.19	1095.20	8.00	0.0				0.0	3.4	0.6	1095.51	1095.46	12.00	0.0				0.0	2.8	1.2	1095.70	1095.60	12.00	0.0				0.0	1.0	3.0	1095.89	1095.64	6.00	0.5				016+15.00	1095.61
0.0	3.9	0.1	1095.14	1095.13	8.00	0.0	0.01	0.44	0.13	0.0	3.5	0.5	1095.46	1095.42	12.00	0.0	0.07	2.39	1.06	0.0	3.0	1.0	1095.65	1,095.57	12.00	0.0	0.45	14.98	6.47	0.0	0.8	3.2	1095.84	1095.58	6.00	0.6	1.37	45.00	10.95	016+25.00	1095.55
0.0	4.0	0.0	1095.02	1095.02	8.00	0.0				0.0	3.3	0.7	1095.34	1095.28	12.00	0.0				0.0	3.0	1.0	1095.53	1,095.45	12.00	0.0				0.0	1.0	3.0	1095.72	1095.47	6.00	0.6				016+50.00	1095.42
0.0	4.2	-0.2	1094.91	1094.93	8.00	0.0				0.0	3.3	0.7	1095.23	1095.17	12.00	0.0				0.0	2.7	1.3	1095.42	1,095.31	12.00	0.0				0.0	0.7	3.3	1095.61	1095.34	6.00	0.7				016+75.00	1095.31
0.0	3.9	0.1	1094.84	1094.83	8.00	0.0				0.0	2.8	1.2	1095.16	1095.06	12.00	0.0				0.0	2.1	1.9	1095.35	1095.19	12.00	0.2				0.4	0.1	3.9	1095.54	1095.22	6.00	1.0				016+95.00	1095.22
0.0	4.1	-0.1	1094.82	1094.83	8.00	0.0				0.0	2.7	1.3	1095.14	1095.03	12.00	0.0				0.0	2.0	2.0	1095.33	1,095.16	12.00	0.2				0.4	0.1	3.9	1095.52	1095.20	6.15	0.9				017+00.00	1095.20
0.0	4.2	-0.2	1094.74	1094.75	8.00	0.0				0.0	2.5	1.5	1095.06	1094.93	12.00	0.0				0.0	1.9	2.1	1095.25	1095.07	12.00	0.2				0.5		4.0	1095.44	1095.11	6.88	1.0				017+25.00	1095.13
0.0	4.0	0.0	1094.66	1094.66	8.00	0.0				0.0	1.6	2.4	1094.98	1094.78	12.00	0.0				0.0	1.2	2.8	1095.18	1094.94	12.00	0.4				0.8		4.3	1095.37	1095.01	7.62	1.3				017+50.00	1095.05
0.0	3.5	0.5	1094.61	1094.57	8.00	0.0				0.0	1.1	2.9	1094.93	1094.69	12.00	0.0				0.0	0.6	3.4	1095.12	1094.84	12.00	0.7				1.4		4.9	1095.32	1094.91	8.35	1.9				017+75.00	1094.95
0.0	2.9	1.1	1094.57	1094.48	8.00	0.0				0.0	0.6	3.4	1094.89	1094.61	12.00	0.0				0.0	0.5	3.5	1095.08	1094.79	12.00	0.8				1.6		5.1	1095.27	1094.85	9.09	2.2				018+00.00	1094.90
0.0	2.7	1.3	1094.54	1094.43	8.00	0.1				0.2	0.5	3.7	1094.86	1094.55	12.00	0.5				0.7	0.5	4.2	1095.05	1094.70	12.00	1.5				2.3		5.8	1095.24	1094.76	9.82	2.7				018+25.00	1094.85
0.0	2.7	1.3	1094.52	1094.41	8.00	0.1				0.2	0.5	3.7	1094.84	1094.53	12.00	0.4				0.6	0.5	4.1	1095.03	1094.69	12.00	1.4				2.3		5.8	1095.22	1094.74	10.41	2.7				018+45.00	1094.84
0.6	0.5	4.1	1094.69	1094.35	2.26	0.9				1.2	0.5	4.7	1094.78	1094.39	12.00	1.2				1.3	0.5	4.8	1094.97	1094.57	12.00	1.7				2.2		5.7	1095.16	1094.69	11.74	2.5				018+90.00	1094.83
1.2	0.5	4.7	1094.69	1094.30	1.97	1.5				1.7	0.5	5.2	1094.77	1094.34	12.00	1.7				1.7	0.5	5.2	1094.97	1094.53	12.00	2.0				2.2		5.7	1095.16	1094.68	12.03	2.4				019+00.00	1094.84
1.8	0.5	5.3	1094.69	1094.25	1.24	1.9				2.0	0.5	5.5	1094.74	1094.28	12.00	1.5				1.0	0.5	4.5	1094.93	1094.56	12.00	1.5				2.1		5.6	1095.13	1094.66	12.76	2.2				019+25.00	1094.84
2.3	0.5	5.8	1094.69	1094.21	0.50	2.3				2.4	0.5	5.9	1094.71	1094.22	12.00	1.7				1.0	0.5	4.5	1094.90	1,094.53	12.00	1.5				1.9		5.4	1095.09	1094.64	13.50	2.4				019+50.00	1094.78
2.3	0.5	5.8	1094.68	1094.20	0.50	2.2	1.28	24.99	0.83	2.1	0.5	5.6	1094.69	1094.22	12.00	1.5	1.11	21.71	9.65	0.8	0.5	4.3	1094.88	1,094.52	12.00	1.3	1.55	30.40	13.51	1.8		5.3	1095.07	1094.63	13.50	1.9	2.60	50.96	24.80	019+75.00	1094.83
1.4	0.5	4.9	1094.66	1094.25	0.50	1.3				1.2	0.5	4.7	1094.67	1094.28	12.00	0.9				0.6	0.5	4.1	1094.86	1,094.52	12.00	1.5				2.3		5.8	1095.05	1094.57	13.50	2.3				020+00.00	1094.78
0.7	0.5	4.2	1094.64	1094.29	0.50	0.7				0.7	0.5	4.2	1094.65	1094.30	12.00	0.7				0.6	0.5	4.1	1094.84	1,094.50	12.00	1.5				2.3		5.8	1095.03	1094.55	13.50	2.9				020+25.00	1094.67
0.8	0.5	4.3	1094.63	1094.27	0.50	0.8				0.8	0.5	4.3	1094.64	1094.28	12.00	0.9				1.0	0.5	4.5	1094.83	1,094.46	12.00	1.8				2.5		6.0	1095.02	1094.52	13.50	3.5				020+50.00	1094.58
0.6	0.5	4.1	1094.61	1094.27	0.50	0.6				0.6	0.5	4.1	1094.62	1094.28	12.00	0.8				1.0	0.5	4.5	1094.81	1,094.44	12.00	1.8				2.7		6.2	1095.00	1094.49	13.50	3.7				020+75.00	1094.53
0.5	0.5	4.0	1094.59	1094.26	0.50	0.5				0.6	0.5	4.1	1094.60	1094.26	12.00	0.8				1.1	0.5	4.6	1094.79	1,094.41	12.00	1.4				1.7		5.2	1094.98	1094.55	13.50	2.6				021+00.00	1094.61
										0.2	0.5	3.7	1094.58	1094.27	12.00	0.5				0.8	0.5	4.3	1094.77	1,094.41	12.00	1.2				1.5		5.0	1094.96	1094.55	13.50	2.1				021+25.00	1094.66
										1.3	0.5	4.8	1094.56	1094.16	12.00	1.0	0.89	4.53	2.02	0.6	0.5	4.1	1094.75	1,094.41	12.00	0.9	1.08	5.50	2.44	1.1		4.6	1094.94	1094.56	13.50	1.1	2.04	10.39	5.20	021+50.00	1094.78
										1.8	0.5	5.3	1094.56	1094.12	12.00	1.3				0.7	0.5	4.2	1094.75	1094.40	12.00	0.9				1.1		4.6	1094.94	1094.56	13.50	2.3				021+61.00	1094.57
FOR STA. 21+61.00 TO STA. 28+22.00, SEE TABLE 'C.R. 18 -TABLE 2'																																									
										0.0	2.6	1.4	1093.48	1093.36	12.00	0.0				0.0	2.5	1.5	1093.67	1093.55	12.00	0.0				0.0	0.5	3.5	1093.86	1093.57	13.50	2.7				028+22.00	1093.34
										0.0	2.7	1.3	1093.47	1093.36	12.00	0.0				0.0	2.7	1.3	1093.66	1093.55	12.00	0.0				0.0	0.7	3.3	1093.85	1093.58	13.50	2.3				028+25.00	1093.39
										0.0	3.6	0.4	1093.44	1093.41	12.00	0.0	0.00	0.00	0.00	0.0	3.3	0.7	1093.63	1093.57	12.00	0.0	0.00	0.02	0.01	0.0	1.2	2.8	1093.82	1093.59	13.50	1.8	2.02	15.50	7.75	028+50.00	1093.45
										0.0	3.9	0.1	1093.41	1093.40	12.00	0.0				0.0	3.4	0.6	1093.60	1093.55	12.00	0.0				0.0	1.8	2.2	1093.79	1093.61	13.50	1.8				028+75.00	1093.42
										0.0	3.9	0.1	1093.38	1093.37	12.00	0.0				0.0	3.1	0.9	1093.57	1093.50	12.00	0.0				0.0	1.6	2.4	1093.76	1093.56	13.50	1.7				029+00.00	1093.41
										0.0	4.0	0.0	1093.37	1093.37	12.00	0.0				0.0	3.0	1.0	1093.56	1093.48	12.00	0.0				0.0	1.8	2.2	1093.75	1093.57	13.50	1.9				029+14.00	1093.37

COMPARISION OF EXISTING AND PROPOSED PAVEMENT ELEVATIONS AT CENTERLINE AND SAW CUT LINES *FOR ESTIMATED QUANTITY PURPOSES ONLY*

C.R. 18 - TABLE 1

CENTERLINE (PROFILE GRADE)				"E" QUANTITY CALCS				"E"						"F" QUANTITY CALCS				"F"						"G" QUANTITY CALCS				"G"					
P.G. ELEV.	PR-EX	TOTAL PLANING	TOTAL LEVELING	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	WIDTH	EXIST. ELEV.	PROP. ELEV.	PR-EX	TOTAL PLANING	TOTAL LEVELING	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	WIDTH	EXIST. ELEV.	PROP. ELEV.	PR-EX	TOTAL PLANING	TOTAL LEVELING	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	WIDTH	EXIST. ELEV.	PROP. ELEV.	PR-EX	TOTAL PLANING	TOTAL LEVELING
	(INCH)	(INCH)	(INCH)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(FT)			(INCH)	(INCH)	(INCH)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(FT)			(INCH)	(INCH)	(INCH)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(FT)			(INCH)	(INCH)	(INCH)
1098.44	0.0	4.0	0.0	0.0			8.26	0.00	1098.44	1098.44	0.0	4.0	0.0	0.0				11.00	1098.24	1098.26	0.3	3.7	0.0	0.0				9.30	1097.96	1098.12	1.9	2.1	0.0
1098.40	1.6	2.4	0.0	0.0				0.58	1098.26	1098.41	1.8	2.2	0.0	0.0				11.00	1098.07	1098.23	2.0	2.0	0.0	0.0				8.12	1097.82	1098.10	3.4	0.6	0.0
1098.37	2.0	2.0	0.0	0.0				0.94	1098.19	1098.39	2.3	1.7	0.0	0.0				11.00	1097.98	1098.21	2.7	1.3	0.0	0.3				7.52	1097.74	1098.09	4.2	0.5	0.7
1098.34	2.6	1.4	0.0	0.0				1.31	1098.11	1098.36	3.0	1.0	0.0	0.0				11.00	1097.89	1098.19	3.5	0.5	0.0	0.7				7.00	1097.66	1098.07	5.0	0.5	1.5
1098.27	3.0	1.0	0.0	0.1				2.05	1098.00	1098.30	3.6	0.5	0.1	0.5				11.00	1097.77	1098.13	4.3	0.5	0.8	1.5				6.74	1097.55	1098.02	5.6	0.5	2.1
1098.20	3.1	0.9	0.0	0.3				2.79	1097.91	1098.24	4.0	0.5	0.5	1.0				11.00	1097.66	1098.07	4.9	0.5	1.4	1.9				6.44	1097.47	1097.97	5.9	0.5	2.4
1098.12	3.7	0.5	0.2	0.7				3.53	1097.78	1098.18	4.8	0.5	1.3	1.6				11.00	1097.55	1098.00	5.4	0.5	1.9	2.5				6.28	1097.35	1097.90	6.6	0.5	3.1
1098.05	3.8	0.5	0.3	1.0				4.27	1097.69	1098.12	5.1	0.5	1.6	1.6				11.00	1097.52	1097.94	5.1	0.5	1.6	1.9				6.71	1097.35	1097.83	5.8	0.5	2.3
1097.98	3.8	0.5	0.3	1.0				4.89	1097.63	1098.06	5.1	0.5	1.6	1.5				11.00	1097.48	1097.88	4.8	0.5	1.3	1.7				8.11	1097.28	1097.75	5.7	0.5	2.2
1097.97	3.8	0.5	0.3	1.0				5.01	1097.62	1098.05	5.2	0.5	1.7	1.5				11.00	1097.47	1097.87	4.9	0.5	1.4	1.9				8.51	1097.24	1097.74	6.0	0.5	2.5
1097.92	4.6	0.5	1.1	1.5	1.54	53.67		5.50	1097.55	1098.01	5.5	0.5	2.0	1.7	1.46	50.90	20.74	11.00	1097.43	1097.83	4.8	0.5	1.3	2.1	1.08	39.84	14.68	7.27	1097.19	1097.72	6.3	0.5	2.8
1097.90	5.2	0.5	1.7	2.1				5.50	1097.48	1097.99	6.1	0.5	2.6	1.8				11.00	1097.43	1097.81	4.6	0.5	1.1	1.9				8.13	1097.17	1097.68	6.1	0.5	2.6
1097.82	5.0	0.5	1.5	1.7				5.50	1097.46	1097.91	5.4	0.5	1.9	0.9				11.00	1097.44	1097.73	3.5	0.5	0.0	0.0				10.26	1097.28	1097.57	3.5	0.5	0.0
1097.75	5.6	0.5	2.1	2.5				5.50	1097.30	1097.84	6.5	0.5	3.0	1.7				11.00	1097.33	1097.66	4.0	0.5	0.5	0.3				11.77	1097.18	1097.47	3.5	0.5	0.0
1097.67	6.1	0.5	2.6	3.3				5.50	1097.14	1097.76	7.4	0.5	3.9	2.5				11.00	1097.20	1097.58	4.6	0.5	1.1	0.6				12.69	1097.07	1097.38	3.7	0.5	0.2
1097.60	6.5	0.5	3.0	3.4				5.50	1097.07	1097.69	7.4	0.5	3.9	2.7				11.00	1097.09	1097.51	5.1	0.5	1.6	1.0				13.00	1096.98	1097.30	3.9	0.5	0.4
1097.60	6.5	0.5	3.0	3.4				5.50	1097.07	1097.69	7.4	0.5	3.9	2.7				11.00	1097.09	1097.51	5.1	0.5	1.6	1.0				13.00	1096.98	1097.30	3.9	0.5	0.4
1097.52	6.0	0.5	2.5	3.0				5.50	1097.03	1097.61	6.9	0.5	3.4	2.3				11.00	1097.04	1097.43	4.7	0.5	1.2	1.0				13.00	1096.87	1097.22	4.2	0.5	0.7
1097.44	5.0	0.5	1.5	2.1				5.50	1097.01	1097.53	6.2	0.5	2.7	2.0				11.00	1096.96	1097.35	4.7	0.5	1.2	1.4				13.00	1096.72	1097.14	5.1	0.5	1.6
1097.34	4.4	0.5	0.9	1.6				5.50	1096.94	1097.43	5.9	0.5	2.4	1.7				11.00	1096.87	1097.25	4.6	0.5	1.1	0.9				13.00	1096.69	1097.04	4.2	0.5	0.7
1097.22	4.3	0.5	0.8	1.6				5.50	1096.81	1097.31	6.0	0.5	2.5	1.7				11.00	1096.77	1097.13	4.3	0.5	0.8	0.6				13.00	1096.61	1096.92	3.8	0.5	0.3
1097.08	5.8	0.5	2.3	3.3				5.50	1096.52	1097.17	7.8	0.5	4.3	2.6				11.00	1096.62	1096.99	4.5	0.5	1.0	0.5				13.00	1096.49	1096.78	3.5	0.5	0.0
1096.93	6.5	0.5	3.0	3.9				5.50	1096.32	1097.02	8.4	0.5	4.9	3.2				11.00	1096.43	1096.84	4.9	0.5	1.4	1.0				13.00	1096.29	1096.63	4.1	0.5	0.6
1096.91	6.6	0.5	3.1	4.0				5.50	1096.29	1097.00	8.5	0.5	5.0	3.2				11.00	1096.41	1096.82	4.9	0.5	1.4	1.1				13.00	1096.26	1096.61	4.2	0.5	0.7
1096.76	6.4	0.5	2.9	3.6				5.50	1096.20	1096.85	7.8	0.5	4.3	2.7				11.00	1096.28	1096.67	4.7	0.5	1.2	0.9				13.00	1096.13	1096.46	4.0	0.5	0.5
1096.58	6.1	0.5	2.6	3.2				5.50	1096.06	1096.67	7.3	0.5	3.8	1.9				11.00	1096.21	1096.49	3.4	0.6	0.0	0.0				13.00	1096.00	1096.28	3.4	0.6	0.0
1096.40	5.0	0.5	1.5	2.2				5.50	1095.95	1096.49	6.5	0.5	3.0	1.5				11.00	1096.10	1096.31	2.5	1.5	0.0	0.0				13.00	1095.87	1096.10	2.8	1.2	0.0
1096.40	5.2	0.5	1.7	2.3				5.50	1095.95	1096.49	6.5	0.5	3.0	1.5				11.00	1096.10	1096.31	2.5	1.5	0.0	0.0				13.00	1095.87	1096.10	2.8	1.2	0.0
1096.23	4.6	0.5	1.1	1.9				5.74	1095.80	1096.32	6.3	0.5	2.8	1.4				11.49	1095.96	1096.14	2.1	1.9	0.0	0.0				13.00	1095.72	1095.93	2.5	1.5	0.0
1096.08	4.6	0.5	1.1	1.9				5.99	1095.65	1096.18	6.3	0.5	2.8	1.4				11.98	1095.81	1095.98	2.1	1.9	0.0	0.0				13.00	1095.56	1095.78	2.6	1.4	0.0
1096.07	4.4	0.5	0.9	1.9				6.00	1095.64	1096.17	6.3	0.5	2.8	1.4				12.00	1095.80	1095.97	2.1	1.9	0.0	0.0				13.00	1095.56	1095.77	2.5	1.5	0.0
1095.99	4.6	0.5	1.1	1.9				6.00	1095.57	1096.09	6.2	0.5	2.7	1.3				12.00	1095.71	1095.89	2.2	1.8	0.0	0.0				13.00	1095.48	1095.69	2.5	1.5	0.0
1095.94	4.7	0.5	1.2	2.0	2.70	88.77	19.16	6.00	1095.51	1096.04	6.3	0.5	2.8	1.4	1.84	60.56	26.15	12.00	1095.65	1095.84	2.3	1.7	0.0	0.0	0.16	5.21	2.41	12.00	1095.43	1095.65	2.7	1.3	0.0
1095.82	4.8	0.5	1.3	2.2				6.00	1095.36	1095.92	6.7	0.5	3.2	1.6				12.00	1095.51	1095.72	2.6	1.4	0.0	0.0				12.00	1095.30	1095.53	2.8	1.2	0.0
1095.71	4.8	0.5	1.3	2.1				6.00	1095.27	1095.81	6.4	0.5	2.9	1.5				12.00	1095.43	1095.61	2.2	1.8	0.0	0.0				12.00	1095.24	1095.42	2.2	1.8	0.0
1095.64	5.0	0.5	1.5	2.3				6.00	1095.19	1095.74	6.6	0.5	3.1	1.5				12.00	1095.39	1095.54	1.8	2.2	0.0	0.0				12.00	1095.19	1095.35	1.9	2.1	0.0
1095.62	5.0	0.5	1.5	2.3				6.00	1095.17	1095.72	6.6	0.5	3.1	1.5				12.00	1095.38	1095.52	1.7	2.3	0.0	0.0				12.00	1095.17	1095.33	1.9	2.1	0.0
1095.55	5.0	0.5	1.5	2.2				6.00	1095.12	1095.65	6.3	0.5	2.8	1.4				12.00	1095.30	1095.45	1.8	2.2	0.0	0.0				12.00	1095.11	1095.26	1.8	2.2	0.0
1095.49	5.3	0.5	1.8	2.3				6.00	1095.06	1095.59	6.3	0.5	2.8	1.4				12.00	1095.24	1095.39	1.8	2.2	0.0	0.0				12.00	1095.02	1095.20	2.2	1.8	0.0
1095.45	6.0	0.5	2.5	3.2				6.00	1094.93	1095.55	7.4	0.5	3.9	1.9				12.00	1095.16	1095.35	2.3	1.7	0.0	0.0				12.00	1094.95	1095.16	2.5	1.5	0.0
1095.42	6.2	0.5	2.7	3.5				6.00	1094.87	1095.52	7.8	0.5	4.3	2.1				12.00	1095.13	1095.32	2.3	1.7	0.0	0.0				12.00	1094.91	1095.13	2.7	1.3	0.0
1095.40	6.6	0.5	3.1	3.6				6.00	1094.87	1095.50	7.5	0.5	4.0	2.0				12.00	1095.10	1095.30	2.4	1.6	0.0	0.0				12.00	1094.88	1095.11	2.8	1.2	0.0
1095.39	6.6	0.5	3.1	3.5				6.00	1094.87	1095.49	7.4	0.5	3.9	1.9				12.00	1095.09	1095.29	2.4	1.6	0.0	0.0				12.00	1094.86	1095.10	2.9	1.1	0.0
1095.35	6.2	0.5	2.7	3.1				6.00	1094.87	1095.45	6.9	0.5	3.4	1.7				12.00	1095.09	1095.25	2.0	2.0	0.0	0.0				12.00	1094.84	1095.06	2.7	1.3	0.0
1095.35	6.1	0.5	2.6	3.0				6.00	1094.87	1095.45	6.9	0.5	3.4	1.7				12.00	1095.08	1095.25	2.1	1.9	0.0	0.0				12.00	1094.83	1095.06	2.8	1.2	0.0
1095.33	5.9	0.5	2.4	2.9				6.00	1094.85	1095.43	6.9	0.5	3.4	1.7				12.00	1095.06	1095.23	2.1	1.9	0.0	0.0				12.00	1094.83	1095.04	2.5	1.5	0.0
1095.31	6.4	0.5	2.9	3.3				6.00	1094.80	1095.41	7.3	0.5	3.8	1.9				12.00	1095.09	1095.21	1.5	2.5	0.0	0.0				12.00	1094.82	1095.02	2.4	1.6	0.0
1095.29	5.5	0.5	2.0	2.9	3.43	67.07	14.91	6.00	1094.78	1095.39	7.3	0.5	3.8	1.9	1.88	36.83	16.37	12.00	1095.12	1095.19	0.9	3.1	0.0	0.0	0.00	0.00	0.00	12.00	1094.80	1095.00	2.4	1.6	0.0
1095.27	5.9	0.5	2.4	3.2				6.00	1094.74	1095.37	7.5	0.5	4.0	2.0				12.00	1095.12	1095.17	0.6	3.4	0.0	0.0				12.00	1094.79	1094.98	2.3	1.7	0.0
1095.25	7.0	0.5	3.5	3.9				6.00	1094.70	1095.35	7.8	0.5	4.3	2.1				12.00	1095.04	1095.15	1.4	2.6	0.0	0.0				12.00	1094.80	1094.96	1.9	2.1	0.0
1095.24	7.9	0.5	4.4	4.4				6.00	1094.68	1095.34	7.9	0.5	4.4	2.2				12.00	1094.95	1095.14	2.3	1.7	0.0	0.0				12.00	1094.77	1094.95	2.2	1.8	0.0
1095.22	8.3	0.5	4.8	4.3				6.00	1094.71	1095.32	7.3	0.5	3.8	1.9				12.00	1094.92	1095.12	2.4	1.6	0.0	0.0				12.00	1094.77	1094.93	1.9	2.1	0.0
1095.20	7.1	0.5	3.6	3.7				6.00	1094.69	1095.30	7.3	0.5	3.8	1.9				12.00	1094.86	1095.10	2.9	1.1	0.0	0.0				12.00	1094.75	1094.91	1.9	2.1	0.0
1095.18	6.2	0.5	2.7	3.1				6.00	1094.70	1095.28	6.9	0.5	3.4	1.7				12.00	1094.90	1095.08	2.2	1.8	0.0	0.0				12.00	1094.74	1094.89	1.8	2.2	0.0
1095.16	4.6	0.5	1.1	1.5	2.85	14.49	3.22	6.00	1094.81	1095.26	5.4	0.5	1.9	0.9	1.48	7.53	3.35	12.00	1094.93	1095.06	1.6	2.4	0.0	0.0	0.00	0.00	0.00	12.00	1094.73	1094.87	1.7	2.3	0.0
1095.16	7.1	0.5	3.6	3.2				6.00	1094.73	1095.26	6.3	0.5	2.8	1.4				12.00	1094.94	1095.06	1.5	2.5	0.0	0.0				12.00	1094.73	1094.87	1.7	2.3	0.0
1094.08	8.9	0.5	5.4	5.4				6.00	1093.43	1094.18	9.0	0.5	5.5	4.1				12.00	1093.47	1093.98	6.2	0.5	2.7	2.2				12.00	1093.36	1093.79	5.2	0.5	1.7
1094.07	8.2	0.5	4.7	4.9				6.00	1093.45	1094.17	8.6	0.5	5.1	3.8				12.00	1093.47	1093.97	6.0	0.5	2.5	2.1				12.00	1093.36	1093.78	5.1	0.5	1.6
1094.04	7.1	0.5	3.6	4.0	4.40	33.70	7.49	6.00	1093.47	1094.14	8.0	0.5	4.5	3.6	3.62	27.75	12.33	12.00	1093.43	1093.94	6.2	0.5	2.7	1.7	1.97	15.07	6.70	12.00	1093.40	1093.75	4.2	0.5	0.7
1094.01	7.1	0.5	3.6	4.0				6.00	1093.44	1094.11	8.0	0.5	4.5	3.7				12.00	1093.38	1093.91	6.4	0.5	2.9	1.9				12.00	1093.36	1093.72	4.3	0.5	0.8
1093.98	6.8	0.5	3.3	3.7				6.00	1093.44	1094.08	7.6	0.5	4.1	3.1				12.00	1093.42	1093.88	5.6	0.5	2.1	1.8				12.00	1093.28	1093.69	4.9	0.5	1.4
1093.97	7.2	0.5	3.7	4.3				6.00	1093.37	1094.07	8.4	0.5	4.9	3.5				12.00	1093.41	1093.87	5.6	0.5	2.1	2.2				12.00	1093.19	1093.68	5.9	0.5	2.4

LEGEND

- 0" TO 7.50" (8" MAX.)
- 7.50" AND GREATER
- VARIABLE DEPTH PLANING TO MAINTAIN CONSISTENT PAVEMENT COMPOSITION

COMPARISION OF EXISTING AND PROPOSED PAVEMENT ELEVATIONS AT CENTERLINE, LANE LINES, AND SAW CUT LINES *FOR ESTIMATED QUANTITY PURPOSES ONLY - FIELD ADJUST AS NECESSARY*

COMPARISION OF EXISTING AND PROPOSED PAVEMENT ELEVATIONS AT CENTERLINE AND SAW CUT LINES *FOR ESTIMATED QUANTITY PURPOSES ONLY - FIELD ADJUST AS NECESSARY*

C.R. 18 - TABLE 2

STATION	"H" TOTAL LEVELING (INCH)	"H" TOTAL PLANING (INCH)	"H" PR-EX (INCH)	"H" PROP. ELEV.	"H" EXIST. ELEV.	"H" WIDTH (FT)	"H" QUANTITY CALS AVERAGE LEVELING REQUIRED (INCH)	AVERAGE LEVELING OVER LIMITS (INCH)	AREA OF LEVELING (SQ FT)	VARIABLE DEPTH ASPHALT (CU YD)	"I" TOTAL LEVELING (INCH)	"I" TOTAL PLANING (INCH)	"I" PR-EX (INCH)	"I" PROP. ELEV.	"I" EXIST. ELEV.	"I" WIDTH (FT)	"I" QUANTITY CALCS AVERAGE LEVELING REQUIRED (INCH)	AVERAGE LEVELING OVER LIMITS (INCH)	AREA OF LEVELING (SQ FT)	VARIABLE DEPTH ASPHALT (CU YD)
021+61.00	1.8	0.5	5.3	1094.56	1094.12	12.00	1.3				0.7	0.5	4.2	1094.75	1094.40	12.00	0.9			
021+75.00	2.5	0.5	6.0	1094.55	1094.05	12.00	1.7				1.0	0.5	4.5	1094.74	1094.37	12.00	1.0			
022+00.00	1.9	0.5	5.4	1094.53	1094.08	12.00	1.5				1.1	0.5	4.6	1094.72	1094.34	12.00	1.0			
022+25.00	1.7	0.5	5.2	1094.51	1094.08	12.00	1.4				1.1	0.5	4.6	1094.70	1094.32	12.00	1.3			
022+50.00	1.4	0.5	4.9	1094.49	1094.08	12.00	1.4				1.3	0.5	4.8	1094.68	1094.28	12.00	1.6			
022+75.00	1.4	0.5	4.9	1094.47	1094.06	12.00	1.4				1.4	0.5	4.9	1094.66	1094.25	12.00	1.8			
023+00.00	1.3	0.5	4.8	1094.45	1094.05	12.00	1.4	1.21	26.55	11.80	1.6	0.5	5.1	1094.64	1094.22	12.00	1.8	1.35	29.80	13.24
023+25.00	1.1	0.5	4.6	1094.43	1094.05	12.00	1.3				1.6	0.5	5.1	1094.62	1094.20	12.00	1.8			
023+50.00	1.1	0.5	4.6	1094.39	1094.01	12.00	1.3				1.6	0.5	5.1	1094.58	1094.16	12.00	1.6			
023+64.93	0.9	0.5	4.4	1094.36	1093.99	12.00	1.1				1.3	0.5	4.8	1094.55	1094.15	12.00	1.5			
023+75.00	0.9	0.5	4.4	1094.34	1093.97	12.00	1.1				1.3	0.5	4.8	1094.53	1094.13	12.00	1.6			
024+00.00	0.5	0.5	4.0	1094.27	1093.94	12.00	0.7				0.8	0.5	4.3	1094.46	1094.10	12.00	1.2			
024+25.00	0.0	0.6	3.4	1094.19	1093.91	12.00	0.1				0.1	0.5	3.6	1094.38	1094.08	12.00	0.6			
024+50.00	0.0	1.5	2.5	1094.09	1093.88	12.00	0.0				0.0	1.1	2.9	1094.28	1094.04	12.00	0.8			
024+56.53	0.0	1.6	2.4	1094.07	1093.87	12.00	0.0				0.0	1.2	2.8	1094.26	1094.03	12.00	1.3			
024+75.00	0.0	2.2	1.8	1093.99	1093.84	12.00	0.0				0.0	1.8	2.2	1094.18	1094.00	12.00	0.7			
025+00.00	0.0	2.9	1.1	1093.89	1093.80	12.00	0.0				0.0	2.5	1.5	1094.08	1093.96	12.00	0.4			
025+25.00	0.0	3.8	0.2	1093.79	1093.77	12.00	0.0				0.0	3.4	0.6	1093.98	1093.93	12.00	0.1			
025+50.00	0.0	3.6	0.4	1093.77	1093.74	12.00	0.0				0.0	3.1	0.9	1093.96	1093.89	12.00	0.1			
025+75.00	0.0	3.6	0.4	1093.75	1093.72	12.00	0.0				0.0	3.4	0.6	1093.94	1093.89	12.00	0.2			
026+00.00	0.0	3.5	0.5	1093.73	1093.69	12.00	0.0				0.0	3.3	0.7	1093.92	1093.86	12.00	0.2			
026+25.00	0.0	3.4	0.6	1093.70	1093.65	12.00	0.0				0.0	3.3	0.7	1093.89	1093.83	12.00	0.1			
026+50.00	0.0	3.2	0.8	1093.68	1093.61	12.00	0.0	0.00	0.10	0.05	0.0	2.9	1.1	1093.87	1093.78	12.00	0.2	0.36	11.78	5.24
026+75.00	0.0	3.0	1.0	1093.65	1093.57	12.00	0.0				0.0	2.9	1.1	1093.84	1093.75	12.00	0.2			
027+00.00	0.0	3.0	1.0	1093.62	1093.54	12.00	0.0				0.0	2.7	1.3	1093.81	1093.70	12.00	0.3			
027+25.00	0.0	3.0	1.0	1093.59	1093.51	12.00	0.0				0.0	2.5	1.5	1093.78	1093.66	12.00	0.3			
027+50.00	0.0	2.4	1.6	1093.56	1093.43	12.00	0.0				0.0	2.5	1.5	1093.75	1093.63	12.00	0.4			
027+60.00	0.0	2.3	1.7	1093.55	1093.41	12.00	0.0				0.0	2.4	1.6	1093.74	1093.61	12.00	0.4			
027+75.00	0.0	2.2	1.8	1093.53	1093.38	12.00	0.0				0.0	2.2	1.8	1093.72	1093.57	12.00	0.4			
027+83.98	0.0	2.2	1.8	1093.52	1093.37	12.00	0.0				0.0	2.3	1.7	1093.71	1093.57	12.00	0.3			
028+00.00	0.0	2.7	1.3	1093.50	1093.39	12.00	0.0				0.0	2.4	1.6	1093.69	1093.56	12.00	0.1			
028+22.00	0.0	2.6	1.4	1093.48	1093.36	12.00	0.0				0.0	2.5	1.5	1093.67	1093.55	12.00	0.0			
029+14.00	0.0	4.0	0.0	1093.37	1093.37	12.00	0.0				0.0	3.0	1.0	1093.56	1093.48	12.00	0.0			
029+25.00	0.0	3.9	0.1	1093.35	1093.34	12.00	0.0				0.0	3.1	0.9	1093.54	1093.47	12.00	0.0			
029+50.00	0.0	3.0	1.0	1093.32	1093.24	12.00	0.0	0.00	0.00	0.00	0.0	3.3	0.7	1093.51	1093.45	12.00	0.0	0.05	0.43	0.19
029+75.00	0.0	2.3	1.7	1093.29	1093.15	12.00	0.0				0.0	3.3	0.7	1093.48	1093.42	12.00	0.0			
030+00.00	0.0	2.3	1.7	1093.26	1093.12	12.00	0.0				0.0	3.0	1.0	1093.45	1093.37	12.00	0.1			
030+09.28	0.0	2.3	1.7	1093.25	1093.11	12.00	0.0				0.0	2.9	1.1	1093.44	1093.35	12.00	0.2			

STATION	"J" TOTAL LEVELING (INCH)	"J" TOTAL PLANING (INCH)	"J" PR-EX (INCH)	"J" PROP. ELEV.	"J" EXIST. ELEV.	"J" WIDTH (FT)	"J" QUANTITY CALCS AVERAGE LEVELING REQUIRED (INCH)	AVERAGE LEVELING OVER LIMITS (INCH)	AREA OF LEVELING (SQ FT)	VARIABLE DEPTH ASPHALT (CU YD)	"K" TOTAL LEVELING (INCH)	"K" TOTAL PLANING (INCH)	"K" PR-EX (INCH)	"K" PROP. ELEV.	"K" EXIST. ELEV.	"K" WIDTH (FT)
021+61.00	1.1	0.5	4.6	1094.94	1094.56	11.50	2.6				4.0	0.5	7.5	1095.13	1094.50	2.00
021+75.00	1.1	0.5	4.6	1094.93	1094.55	11.50	3.1				5.0	0.5	8.5	1095.12	1094.41	2.00
022+00.00	0.9	0.5	4.4	1094.91	1094.55	11.50	3.0				5.1	0.5	8.6	1095.10	1094.38	2.00
022+25.00	1.6	0.5	5.1	1094.89	1094.47	11.50	3.6				5.6	0.5	9.1	1095.08	1094.32	2.00
022+50.00	1.8	0.5	5.3	1094.87	1094.43	11.50	3.8				5.8	0.5	9.3	1095.06	1094.28	2.00
022+75.00	2.1	0.5	5.6	1094.85	1094.39	11.50	4.1				6.1	0.5	9.6	1095.04	1094.24	2.00
023+00.00	2.1	0.5	5.6	1094.83	1094.37	11.50	4.1	3.33	73.32	28.59	6.1	0.5	9.6	1095.02	1094.22	2.00
023+25.00	1.9	0.5	5.4	1094.81	1094.36	11.50	4.0				6.1	0.5	9.6	1095.00	1094.20	2.00
023+50.00	1.6	0.5	5.1	1094.77	1094.35	11.50	3.5				5.4	0.5	8.9	1094.96	1094.22	2.00
023+64.93	1.7	0.5	5.2	1094.74	1094.31	11.50	3.5				5.2	0.5	8.7	1094.93	1094.20	2.00
023+75.00	1.9	0.5	5.4	1094.72	1094.27	10.29	3.4				4.9	0.5	8.4	1094.89	1094.19	3.21
024+00.00	1.5	0.5	5.0	1094.65	1094.24	7.29	2.9				4.3	0.5	7.8	1094.77	1094.12	6.21
024+25.00	1.0	0.5	4.5	1094.57	1094.20	4.29	1.9				2.8	0.5	6.3	1094.64	1094.12	9.21
024+50.00	1.6	0.5	5.1	1094.47	1094.05	1.28	2.1				2.7	0.5	6.2	1094.49	1093.98	12.22
024+56.53	2.5	0.5	6.0	1094.45	1093.95	0.50	2.8				3.0	0.5	6.5	1094.46	1093.92	13.00
024+75.00	1.3	0.5	4.8	1094.37	1093.97	0.50	1.4				1.4	0.5	4.9	1094.38	1093.97	13.00
025+00.00	0.9	0.5	4.4	1094.27	1093.91	0.50	0.9				0.8	0.5	4.3	1094.28	1093.92	13.00
025+25.00	0.1	0.5	3.6	1094.17	1093.87	0.50	0.2				0.2	0.5	3.7	1094.18	1093.87	13.00
025+50.00	0.3	0.5	3.8	1094.15	1093.84	0.50	0.4				0.5	0.5	4.0	1094.16	1093.83	13.00
025+75.00	0.4	0.5	3.9	1094.13	1093.81	0.50	0.5				0.6	0.5	4.1	1094.14	1093.80	13.00
026+00.00	0.4	0.5	3.9	1094.11	1093.79	0.50	0.5				0.6	0.5	4.1	1094.12	1093.78	13.00
026+25.00	0.3	0.5	3.8	1094.08	1093.77	0.50	0.4				0.6	0.5	4.1	1094.09	1093.75	13.00
026+50.00	0.4	0.5	3.9	1094.06	1093.74	0.50	0.6	0.91	30.22	1.05	0.7	0.5	4.2	1094.07	1093.72	13.00
026+75.00	0.4	0.5	3.9	1094.03	1093.71	0.50	0.6				0.7	0.5	4.2	1094.04	1093.69	13.00
027+00.00	0.5	0.5	4.0	1094.00	1093.67	0.50	0.6				0.7	0.5	4.2	1094.01	1093.66	13.00
027+25.00	0.6	0.5	4.1	1093.97	1093.63	0.50	0.7				0.7	0.5	4.2	1093.98	1093.63	13.00
027+50.00	0.7	0.5	4.2	1093.94	1093.59	0.50	0.9				1.0	0.5	4.5	1093.95	1093.58	13.00
027+60.00	0.9	0.5	4.4	1093.93	1093.57	0.50	0.9				1.0	0.5	4.5	1093.94	1093.57	13.00
027+75.00	0.9	0.5	4.4	1093.91	1093.55	0.50	0.9				1.0	0.5	4.5	1093.92	1093.55	13.00
027+83.98	0.6	0.5	4.1	1093.90	1093.56	0.50	0.7				0.7	0.5	4.2	1093.91	1093.56	13.00
028+00.00	0.3	0.5	3.8	1093.88	1093.57	1.76	0.6				0.8	0.5	4.3	1093.91	1093.55	11.74
028+22.00	0.0	0.5	3.5	1093.86	1093.57	3.50	0.9				1.8	0.5	5.3	1093.92	1093.48	10.00
029+14.00	0.0	1.8	2.2	1093.75	1093.57	10.99	1.5				3.0	0.5	6.5	1093.93	1093.39	2.51
029+25.00	0.0	1.7	2.3	1093.73	1093.54	9.72	1.2				2.4	0.5	5.9	1093.89	1093.40	3.78
029+50.00	0.0	1.3	2.7	1093.70	1093.48	6.84	0.9	0.75	5.95	1.20	1.7	0.5	5.2	1093.81	1093.38	6.66
029+75.00	0.0	1.4	2.6	1093.67	1093.46	3.95	0.2				0.3	0.5	3.8	1093.74	1093.42	9.55
030+00.00	0.3	0.5	3.8	1093.64	1093.33	1.07	0.4				0.6	0.5	4.1	1093.66	1093.32	12.43
030+09.28	0.4	0.5	3.9	1093.63	1093.31	0.00	0.4				0.4	0.5	3.9	1093.63	1093.31	13.50

CENTERLINE (P.G.) STATION	P.G. ELEV.	"L" OFFSET (FT)	"L" EXIST. ELEV.	"L" PROP. ELEV.	"L" PR-EX (INCH)	"L" TOTAL PLANING (INCH)	"L" TOTAL LEVELING (INCH)	"M" QUANTITY CALCS AVERAGE LEVELING REQUIRED (INCH)	AVERAGE LEVELING OVER LIMITS (INCH)	AREA OF LEVELING (SQ FT)	VARIABLE DEPTH ASPHALT (CU YD)
021+61.00	1095.16	6.50	1094.76	1095.25	5.9	0.5	2.4	1.2			
021+75.00	1095.15	6.50	1094.59	1095.24	7.8	0.5	4.3	2.1			
022+00.00	1095.13	6.50	1094.53	1095.22	8.3	0.5	4.8	2.4			
022+25.00	1095.11	6.50	1094.56	1095.20	7.7	0.5	4.2	2.1			
022+50.00	1095.09	6.50	1094.55	1095.18	7.5	0.5	4.0	2.0			
022+75.00	1095.07	6.50	1094.56	1095.16	7.2	0.5	3.7	1.8			
023+00.00	1095.05	6.50	1094.49	1095.14	7.8	0.5	4.3	2.1	2.19	48.25	20.55
023+25.00	1095.03	6.50	1094.43	1095.12	8.3	0.5	4.8	2.4			
023+50.00	1094.99	6.50	1094.37	1095.08	8.5	0.5	5.0	2.5			
023+64.93	1094.96	6.50	1094.33	1095.05	8.6	0.5	5.1	2.6			
023+75.00	1094.94	6.50	1094.31	1095.03	8.6	0.5	5.1	2.6			
024+00.00	1094.87	6.50	1094.26	1094.96	8.4	0.5	4.9	2.4			
024+25.00	1094.79	6.50	1094.20	1094.88	8.1	0.5	4.6	2.3			
024+50.00	1094.69	6.50	1094.14	1094.78	7.7	0.5	4.2	2.1			
024+56.53	1094.67	6.50	1094.12	1094.76	7.7	0.5	4.2	2.1			
024+75.00	1094.59	6.50	1094.05	1094.68	7.5	0.5	4.0	2.0			
025+00.00	1094.49	6.50	1093.95	1094.58	7.5	0.5	4.0	2.0			
025+25.00	1094.39	6.50	1093.86	1094.48	7.4	0.5	3.9	2.0			
025+50.00	1094.37	6.50	1093.76	1094.46	8.4	0.5	4.9	2.4			
025+75.00	1094.35	6.50	1093.67	1094.44	9.2	0.5	5.7	3.1			
026+00.00	1094.33	6.50	1093.57	1094.42	10.2	0.5	6.7	4.0			
026+25.00	1094.30	6.50	1093.48	1094.39	10.9	0.5	7.4	3.7			
026+50.00	1094.28	6.50	1093.38	1094.37	11.9	0.5	8.4	4.4	3.65	120.91	57.32
026+75.00	1094.25	6.50	1093.35	1094.34	11.9	0.5	8.4	4.6			
027+00.00	1094.22	6.50	1093.50	1094.31	9.7	0.5	6.2	3.8			
027+25.00	1094.19	6.50	1093.47	1094.28	9.7	0.5	6.2	4.1			
027+50.00	1094.16	6.50	1093.43	1094.25	9.8	0.5	6.3	4.4			
027+60.00	1094.15	6.50	1093.43	1094.24	9.7	0.5	6.2	4.5			
027+75.00	1094.13	0.00	1093.12	1094.13	12.1	0.5	8.6	5.9			
027+83.98	1094.12	0.00	1093.10	1094.12	12.2	0.5	8.7	6.1			
028+00.00	1094.10	0.00	1093.13	1094.10	11.6	0.5	8.1	5.8			
028+22.00	1094.08	0.00	1093.35	1094.08	8.8	0.5	5.3	4.0			
029+14.00	1093.97	6.50	1093.39	1094.06	8.0	0.5	4.5	3.3			
029+25.00	1093.95	6.50	1093.25	1094.04	9.5	0.5	6.0	3.8			
029+50.00	1093.92	6.50	1093.18	1094.01	9.9	0.5	6.4	4.2	3.89	30.88	13.15
029+75.00	1093.89	6.50	1093.12	1093.98	10.3	0.5	6.8	4.3			
030+00.00	1093.86	6.50	1093.07	1093.95	10.5	0.5	7.0	4.3			
030+09.28	1093.85	6.50	1093.07	1093.94	10.4	0.5	6.9	3.5			

STATION	"M" WIDTH (FT)	"M" EXIST. ELEV.	"M" PROP. ELEV.	"M" PR-EX (INCH)	"M" TOTAL PLANING (INCH)	"M" TOTAL LEVELING (INCH)	"N" QUANTITY CALCS AVERAGE LEVELING REQUIRED (INCH)	AVERAGE LEVELING OVER LIMITS (INCH)	AREA OF LEVELING (SQ FT)	VARIABLE DEPTH ASPHALT (CU YD)	"N" WIDTH (FT)	"N" EXIST. ELEV.	"N" PROP. ELEV.	"N" PR-EX (INCH)	"N" TOTAL PLANING (INCH)	"N" TOTAL LEVELING (INCH)
021+61.00	11.50	1094.94	1095.06	1.5	2.5	0.0	0.0				12.00	1094.72	1094.87	1.8	2.2	0.0
021+75.00	11.50	1094.91	1095.05	1.7	2.3	0.0	0.0				12.00	1,094.72	1094.86	1.7	2.3	0.0
022+00.00	11.50	1094.90	1095.03	1.6	2.4	0.0	0.0				12.00	1,094.71	1094.84	1.6	2.4	0.0
022+25.00	11.50	1094.87	1095.01	1.7	2.3	0.0	0.0				12.00	1,094.70	1094.82	1.5	2.5	0.0
022+50.00	11.50	1094.86	1094.99	1.6	2.4	0.0	0.0				12.00	1,094.69	1094.80	1.3	2.7	0.0
022+75.00	11.50	1094.88	1094.97	1.1	2.9	0.0	0.0				12.00	1,094.66	1094.78	1.5	2.5	0.0
023+00.00	11.50	1094.89	1094.95	0.8	3.2	0.0	0.0	0.00	0.00	0.00	12.00	1,094.63	1094.76	1.6	2.4	0.0
023+25.00	11.50	1094.89	1094.93	0.5	3.5	0.0	0.0				12.00	1,094.59	1094.74	1.8	2.2	0.0
023+50.00	11.50	1094.81	1094.89	1.0	3.0	0.0	0.0				12.00	1,094.55	1094.70	1.8	2.2	0.0
023+64.93	11.50	1094.76	1094.86	1.2	2.8	0.0	0.0				12.00	1094.53	1094.67	1.7	2.3	0.0
023+75.00	11.50	1094.73	1094.84	1.4	2.6	0.0	0.0				12.00	1,094.51	1094.65	1.7	2.3	0.0
024+00.00	11.50	1094.66	1094.77	1.4	2.6	0.0	0.0				12.00	1,094.46	1094.58	1.5	2.5	0.0
024+25.00	11.50	1094.58	1094.69	1.4	2.6	0.0	0.0				12.00	1,094.37	1094.50	1.6	2.4	0.0
024+50.00	11.50	1094.50	1094.59	1.1	2.9	0.0	0.0				12.00	1,094.28	1094.40	1.5	2.5	0.0
024+56.53	11.50	1094.48	1094.57	1.1	2.9	0.0	0.0				12.00	1094.26	1094.38	1.5	2.5	0.0
024+75.00	11.50	1094.37	1094.49	1.5	2.5	0.0	0.0				12.00	1,094.20	1094.30	1.2	2.8	0.0
025+00.00	11.50	1094.24	1094.39	1.8	2.2	0.0	0.0				12.00	1,094.11	1094.20	1.1	2.9	0.0
025+25.00	11.50	1094.12	1094.29	2.1	1.9	0.0	0.0				12.00	1,094.02	1094.10	1.0	3.0	0.0
025+50.00	11.50	1094.02	1094.27	3.0	1.0	0.0	0.0				12.00	1,093.94	1094.08	1.7	2.3	0.0
025+75.00	11.50	1093.93	1094.25	3.9	0.5	0.4	0.2				12.00	1,093.79	1094.06	3.3	0.7	0.0
026+00.00	11.50	1093.83	1094.23	4.8	0.5	1.3	0.9				12.00	1,093.71	1094.04	4.0	0.5	0.5
026+25.00	11.50	1093.93	1094.20	3.3	0.7	0.0	0.3				12.00	1,093.67	1094.01	4.1	0.5	0.6
026+50.00	11.50	1093.86	1094.18	3.9	0.5	0.4	1.0	1.34	44.48	19.77	12.00	1,093.57	1093.99	5.1	0.5	1.6
026+75.00	11.50	1093.79	1094.15	4.4	0.5	0.9	1.4				12.00	1,093.51	1093.96	5.4	0.5	1.9
027+00.00	11.50	1093.72	1094.12	4.8	0.5	1.3	2.0				12.00	1,093.42	1093.93	6.1	0.5	2.6
027+25.00	11.50	1093.64	1094.09	5.4	0.5	1.9	2.8				12.00	1,093.30	1093.90	7.2	0.5	3.7
027+50.00	11.50	1093.56	1094.06	6.0	0.5	2.5	3.4				12.00	1,093.22	1093.87	7.8	0.5	4.3
027+60.00	11.50	1093.53	1094.05	6.3	0.5	2.8	3.4				12.00	1,093.23	1093.86	7.6	0.5	4.1
027+75.00	18.00	1093.48	1094.03	6.6	0.5	3.1	3.2				12.00	1,093.28	1093.84	6.7	0.5	3.2
027+83.98	18.00	1093.45	1094.02	6.9	0.5	3.4	3.1				12.00	1093.30	1093.83	6.4	0.5	2.9
028+00.00	18.00	1093.43	1094.00	6.9	0.5	3.4	2.9				12.00	1093.32	1093.81	5.9	0.5	2.4
028+22.00	18.00	1093.47	1093.98	6.2	0.5	2.7	2.2				12.00	1093.36	1093.79	5.2	0.5	1.7
029+14.00	11.50	1093.41	1093.87	5.6	0.5	2.1	2.2				12.00	1093.19	1093.68	5.9	0.5	2.4
029+25.00	11.50	1093.42	1093.85	5.2	0.5	1.7	2.0				12.00	1093.18	1093.66	5.8	0.5	2.3
029+50.00	11.50	1093.37	1093.82	5.4	0.5	1.9	1.8	1.55	12.34	5.48	12.00	1093.20	1093.63	5.2	0.5	1.7
029+75.00	11.50	1093.36	1093.79	5.2	0.5	1.7	1.4				12.00	1093.22	1093.60	4.6	0.5	1.1
030+00.00	11.50	1093.34	1093.76	5.1	0.5	1.6	1.3				12.00	1093.19	1093.57	4.6	0.5	1.1
030+09.28	11.50	1093.53	1093.75	2.7	1.3	0.0	0.5				12.00	1093.18	1093.56	4.6	0.5	1.1

FOR STA. 28+22.00 TO STA. 29+14.00, SEE TABLE 'C.R. 18 - TABLE 1'

FOR STA. 30+09.28, SEE TABLE 'C.R. 18 - TABLE 3'

LEGEND

- 0" TO 7.50" (8" MAX.)
- 7.50" AND GREATER
- VARIABLE DEPTH PLANING TO MAINTAIN CONSISTENT PAVEMENT COMPOSITION

COMPARISION OF EXISTING AND PROPOSED PAVEMENT ELEVATIONS AT CENTERLINE AND SAW CUT LINES - C.R. 18 - TABLE 3 *FOR ESTIMATED QUANTITY PURPOSES ONLY - FIELD ADJUST AS NECESSARY*

C.R. 18 WB

"O"						"O" QUANTITY CALCS				"P"						"P" QUANTITY CALCS				C.R. 18 WB CENTERLINE (P.G.)			C.R. 18 WB CENTERLINE (P.G.)		
TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV.	EXIST. ELEV.	WIDTH	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV.	EXIST. ELEV.	WIDTH	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	STATION	EXIST. P.G. ELEV.	P.G. ELEV.	PR-EX	TOTAL PLANING	TOTAL LEVELING
(INCH)	(INCH)	(INCH)			(FT)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(INCH)	(INCH)	(INCH)			(FT)	(INCH)	(INCH)	(SQ FT)	(CU YD)				(INCH)	(INCH)	(INCH)
0.0	2.8	1.2	1093.33	1093.23	7.00	0.0				0.0	2.9	1.1	1093.44	1093.35	12.00	0.2				130+09.28	1093.31	1093.63	3.8	0.5	0.3
0.0	2.6	1.4	1093.31	1093.19	7.00	0.0				0.0	2.7	1.3	1093.42	1093.31	12.00	0.3				130+25.00	1093.26	1093.61	4.2	0.5	0.7
0.0	2.2	1.8	1093.28	1093.13	7.00	0.0				0.0	2.5	1.5	1093.39	1093.26	12.00	0.0				130+50.00	1093.31	1093.58	3.2	0.8	0.0
0.0	2.1	1.9	1093.25	1093.09	7.00	0.0				0.0	2.2	1.8	1093.36	1093.21	12.00	0.0				130+75.00	1093.35	1093.55	2.4	1.6	0.0
0.0	1.8	2.2	1093.22	1093.03	7.00	0.0	0.03	0.52	0.13	0.0	1.9	2.1	1093.33	1093.15	12.00	0.0	0.24	3.73	1.66	131+00.00	1093.27	1093.52	3.0	1.0	0.0
0.0	1.6	2.4	1093.19	1092.99	7.00	0.0				0.0	2.0	2.0	1093.30	1093.13	12.00	0.2				131+25.00	1093.17	1093.49	3.8	0.5	0.3
0.0	1.3	2.7	1093.16	1092.93	7.00	0.0				0.0	2.1	1.9	1093.27	1093.11	12.00	0.5				131+50.00	1093.09	1093.46	4.4	0.5	0.9
0.0	0.6	3.4	1093.13	1092.84	7.00	0.0				0.0	1.0	3.0	1093.24	1092.99	12.00	0.6				131+75.00	1093.04	1093.43	4.7	0.5	1.2
0.3	0.5	3.8	1093.11	1092.79	7.00	0.3				0.3	0.5	3.8	1093.22	1092.90	12.00	0.4				131+92.62	1093.07	1093.41	4.1	0.5	0.6

C.R. 18 EB

"Q"						"Q" QUANTITY CALCS				C.R. 18 EB CENTERLINE (P.G.)				C.R. 18 EB		"R" QUANTITY CALCS				"R"					
TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV.	EXIST. ELEV.	WIDTH	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	STATION	EXIST. P.G. ELEV.	P.G. ELEV.	PR-EX	TOTAL PLANING	TOTAL LEVELING	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	WIDTH	EXIST. ELEV.	PROP. ELEV.	PR-EX	TOTAL PLANING	TOTAL LEVELING
(INCH)	(INCH)	(INCH)			(FT)	(INCH)	(INCH)	(SQ FT)	(CU YD)				(INCH)	(INCH)	(INCH)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(FT)			(INCH)	(INCH)	(INCH)
7.0	0.5	10.5	1093.94	1093.07	11.50	4.3				030+09.28	1093.33	1093.76	5.2	0.5	1.7	1.4				12.00	1093.18	1093.57	4.7	0.5	1.2
6.2	0.5	9.7	1093.90	1093.09	11.08	3.7				030+25.00	1,093.32	1,093.72	4.8	0.5	1.3	1.0				12.00	1093.17	1093.53	4.3	0.5	0.8
5.3	0.5	8.8	1093.83	1093.09	10.41	3.1				030+50.00	1,093.29	1,093.66	4.4	0.5	0.9	0.7				12.00	1093.14	1093.47	3.9	0.5	0.4
4.5	0.5	8.0	1093.78	1093.11	10.00	2.6				030+65.31	1093.28	1093.62	4.1	0.5	0.6	0.3				12.00	1093.14	1093.43	3.5	0.5	0.0
4.1	0.5	7.6	1093.75	1093.12	10.00	2.3	2.93	44.71	17.05	030+75.00	1,093.25	1,093.59	4.1	0.5	0.6	0.3	0.56	8.50	3.78	12.00	1093.11	1093.40	3.5	0.5	0.0
3.9	0.5	7.4	1093.73	1093.11	10.00	2.3				031+00.00	1,093.23	1,093.57	4.1	0.5	0.6	0.4				12.00	1093.07	1093.38	3.7	0.5	0.2
5.6	0.5	9.1	1093.70	1092.94	10.00	3.3				031+25.00	1,093.17	1,093.54	4.4	0.5	0.9	0.6				12.00	1093.03	1093.35	3.8	0.5	0.3
5.6	0.5	9.1	1093.68	1092.92	10.00	3.2				031+50.00	1,093.17	1,093.52	4.2	0.5	0.7	0.5				12.00	1093.01	1093.33	3.8	0.5	0.3
5.1	0.5	8.6	1093.65	1092.93	10.00	2.6				031+75.00	1,093.21	1,093.49	3.4	0.6	0.0	0.2				12.00	1092.98	1093.30	3.8	0.5	0.3
3.8	0.5	7.3	1093.64	1093.03	10.00	1.9				031+92.60	1093.20	1093.48	3.4	0.6	0.0	0.2				12.00	1092.97	1093.29	3.8	0.5	0.3

FOR STA. 131+92.62 SEE TABLE 'C.R. 18 - TABLE 4'

LEGEND

- (green) 0" TO 7.50" (8" MAX.)
- (purple) 7.50" AND GREATER
- (orange) VARIABLE DEPTH PLANING TO MAINTAIN CONSISTENT PAVEMENT COMPOSITION

COMPARISION OF EXISTING AND PROPOSED PAVEMENT ELEVATIONS AT CENTERLINE AND SAW CUT LINES - C.R. 18 - TABLE 4 *FOR ESTIMATED QUANTITY PURPOSES ONLY - FIELD ADJUST AS NECESSARY*

C.R. 18 WB

"S"						"S" QUANTITY CALCS				"T"						"T" QUANTITY CALCS				C.R. 18 WB CENTERLINE (P.G.)			C.R. 18 WB CENTERLINE (P.G.)		
TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV	EXIST. ELEV	WIDTH	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV	EXIST. ELEV	WIDTH	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	STATION	EXIST. P.G. ELEV.	P.G. ELEV.	PR-EX	TOTAL PLANING	TOTAL LEVELING
(INCH)	(INCH)	(INCH)			(FT)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(INCH)	(INCH)	(INCH)			(FT)	(INCH)	(INCH)	(SQ FT)	(CU YD)				(INCH)	(INCH)	(INCH)
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

C.R. 18 WB CENTERLINE "U"							"U" QUANTITY CALCS			
TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV.	EXIST. ELEV.	WIDTH	STATION	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT
(INCH)	(INCH)	(INCH)			(FT)		(INCH)	(INCH)	(SQ FT)	(CU YD)
0.6	0.5	4.1	1093.41	1093.07	27.31	131+92.62	0.3			
0.6	0.5	4.1	1093.40	1093.06	27.09	132+00.02	0.3			
0.2	0.5	3.7	1093.37	1093.06	26.28	132+25.03	0.1			
0.0	0.5	3.5	1093.33	1093.04	25.36	132+50.05	0.0	0.09	1.13	1.03
0.0	1.5	2.5	1093.27	1093.06	24.35	132+75.07	0.0			
0.0	2.3	1.7	1093.21	1093.07	23.24	133+00.10	0.0			
0.0	2.3	1.7	1093.13	1092.99	22.02	133+25.13	0.0			
0.0	2.4	1.6	1093.05	1092.92	20.71	133+50.16	0.0			
0.0	2.9	1.1	1092.95	1092.86	19.29	133+75.20	0.0			
0.0	2.7	1.3	1092.84	1092.73	17.78	134+00.25	0.0			
0.0	2.1	1.9	1092.72	1092.56	16.16	134+25.30	0.0			
0.0	2.2	1.8	1092.59	1092.44	14.46	134+50.36	0.0			
0.0	1.8	2.2	1092.45	1092.27	12.82	134+75.41	0.0			
0.0	2.4	1.6	1092.30	1092.17	11.29	135+00.46	0.0			
0.0	2.8	1.2	1092.17	1092.07	9.85	135+25.50	0.0			
0.0	2.4	1.6	1092.06	1091.93	8.52	135+50.53	0.0			
0.0	2.8	1.2	1091.98	1091.88	7.28	135+75.56	0.0	0.00	0.00	0.00
0.0	2.8	1.2	1091.92	1091.82	6.15	136+00.59	0.0			
0.0	3.2	0.8	1091.88	1091.81	5.11	136+25.61	0.0			
0.0	2.9	1.1	1091.86	1091.77	4.18	136+50.63	0.0			
0.0	2.9	1.1	1091.80	1091.71	3.34	136+75.64	0.0			
0.0	2.7	1.3	1091.71	1091.60	2.60	137+00.65	0.0			
0.0	2.6	1.4	1091.57	1091.45	1.87	137+25.66	0.0			
0.0	2.4	1.6	1091.38	1091.25	1.14	137+50.67	0.0			
0.0	3.2	0.8	1091.16	1091.09	0.42	137+75.69	0.0			
0.0	3.6	0.4	1091.01	1090.98	0.00	137+90.00	0.0			

C.R. 18 EB

C.R. 18 EB CENTERLINE (P.G.)			C.R. 18 EB CENTERLINE (P.G.)			"V" QUANTITY CALCS				"V"						"W" QUANTITY CALCS				"W"					
STATION	EXIST. P.G. ELEV.	P.G. ELEV.	PR-EX	TOTAL PLANING	TOTAL LEVELING	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	WIDTH	EXIST. ELEV.	PROP. ELEV.	PR-EX	TOTAL PLANING	TOTAL LEVELING	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	WIDTH	EXIST. ELEV.	PROP. ELEV.	PR-EX	TOTAL PLANING	TOTAL LEVELING
			(INCH)	(INCH)	(INCH)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(FT)			(INCH)	(INCH)	(INCH)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(FT)			(INCH)	(INCH)	(INCH)
031+92.60	1093.20	1093.48	3.4	0.6	0.0	0.2				12.00	1092.97	1093.29	3.8	0.5	0.3										
032+00.00	1093.19	1093.47	3.4	0.6	0.0	0.2				12.00	1,092.96	1093.28	3.8	0.5	0.3										
032+25.00	1093.21	1093.44	2.8	1.2	0.0	0.3				12.00	1,092.90	1093.25	4.2	0.5	0.7										
032+50.00	1093.24	1093.42	2.2	1.8	0.0	0.5	0.49	6.40	2.84	12.00	1,092.86	1093.23	4.4	0.5	0.9										
032+75.00	1093.21	1093.39	2.2	1.8	0.0	0.6				12.00	1,092.81	1093.20	4.7	0.5	1.2										
033+00.00	1093.20	1093.36	1.9	2.1	0.0	0.8				12.00	1,092.75	1093.17	5.0	0.5	1.5										
033+25.00	1093.18	1093.31	1.6	2.4	0.0	0.8				12.00	1,092.70	1093.12	5.0	0.5	1.5										
033+50.00	1093.13	1093.23	1.2	2.8	0.0	0.7				12.00	1,092.63	1093.04	4.9	0.5	1.4	1.2				4.00	1092.88	1093.26	4.6	0.5	1.1
033+75.00	1093.10	1093.12	0.2	3.8	0.0	0.5				12.00	1,092.56	1092.93	4.4	0.5	0.9	1.0				4.00	1092.77	1093.15	4.6	0.5	1.1
034+00.00	1092.94	1092.98	0.5	3.5	0.0	0.2				12.00	1,092.47	1092.79	3.8	0.5	0.3	0.6				4.00	1092.65	1093.01	4.3	0.5	0.8
034+25.00	1092.76	1092.82	0.7	3.3	0.0	0.0				12.00	1,092.35	1092.63	3.3	0.7	0.0	0.7				4.00	1092.45	1092.85	4.8	0.5	1.3
034+50.00	1092.60	1092.64	0.5	3.5	0.0	0.0				12.00	1,092.25	1092.45	2.4	1.6	0.0	0.8				4.00	1092.24	1092.67	5.2	0.5	1.7
034+75.00	1092.40	1092.48	1.0	3.0	0.0	0.0				12.00	1,092.16	1092.29	1.5	2.5	0.0	0.8				4.00	1092.08	1092.51	5.2	0.5	1.7
035+00.00	1092.24	1092.33	1.1	2.9	0.0	0.0				12.00	1,092.04	1092.14	1.2	2.8	0.0	0.8				4.00	1091.94	1092.36	5.1	0.5	1.6
035+25.00	1092.13	1092.21	1.0	3.0	0.0	0.0				12.00	1,091.95	1092.02	0.8	3.2	0.0	0.7				4.00	1091.84	1092.24	4.8	0.5	1.3
035+50.00	1092.02	1092.11	1.1	2.9	0.0	0.0				12.00	1,091.84	1091.92	0.9	3.1	0.0	0.7				4.00	1091.73	1092.14	4.9	0.5	1.4
035+75.00	1091.96	1092.03	0.8	3.2	0.0	0.0	0.07	2.53	1.13	12.00	1,091.75	1091.84	1.1	2.9	0.0	0.8	1.13	41.49	6.15	4.00	1091.64	1092.06	5.1	0.5	1.6
036+00.00	1091.93	1091.97	0.5	3.5	0.0	0.0				12.00	1,091.67	1091.78	1.3	2.7	0.0	0.9				4.00	1091.56	1092.00	5.3	0.5	1.8
036+25.00	1091.88	1091.94	0.7	3.3	0.0	0.0				12.00	1,091.59	1091.75	1.9	2.1	0.0	1.2				4.00	1091.48	1091.97	5.9	0.5	2.4
036+50.00	1091.82	1091.91	1.1	2.9	0.0	0.0				12.00	1,091.51	1091.72	2.5	1.5	0.0	1.5				4.00	1091.40	1091.94	6.5	0.5	3.0
036+75.00	1091.75	1091.84	1.1	2.9	0.0	0.0				12.00	1,091.40	1091.65	3.0	1.0	0.0	1.9				4.00	1091.27	1091.87	7.2	0.5	3.7
037+00.00	1091.64	1091.74	1.2	2.8	0.0	0.0				12.00	1,091.26	1091.55	3.5	0.5	0.0	2.2				4.00	1091.11	1091.77	7.9	0.5	4.4
037+25.00	1091.49	1091.59	1.2	2.8	0.0	0.0				12.00	1,091.13	1091.40	3.2	0.8	0.0	1.9				4.00	1091.01	1091.62	7.3	0.5	3.8
037+50.00	1091.28	1091.39	1.3	2.7	0.0	0.0				12.00	1,090.98	1091.20	2.6	1.4	0.0	1.6				4.00	1090.87	1091.42	6.6	0.5	3.1
037+75.00	1091.08	1091.16	1.0	3.0	0.0	0.0				12.08	1,090.80	1090.97	2.0	2.0	0.0	1.3				4.00	1090.69	1091.19	6.0	0.5	2.5
037+89.31	1090.98	1091.01	0.4	3.6	0.0	0.0				12.13	1090.71	1090.82	1.3	2.7	0.0	1.0				4.00	1090.59	1091.04	5.4	0.5	1.9
037+89.31	1090.98	1091.01	0.4	3.6	0.0	0.0				12.13	1090.71	1090.82	1.3	2.7	0.0	1.0				4.00	1090.59	1091.04	5.4	0.5	1.9
037+90.00	1090.97	1091.00	0.4	3.6	0.0	0.0	0.00	0.00	0.00	12.13	1090.71	1090.81	1.2	2.8	0.0	1.0	0.96	0.85	0.14	4.00	1090.58	1091.03	5.4	0.5	1.9
038+00.00	1090.89	1090.89	0.0	4.0	0.0	0.0				13.22	1090.64	1090.68	0.5	3.5	0.0	0.9				5.37	1090.44	1090.89	5.4	0.5	1.9

LEGEND

- 0" TO 7.50" (8" MAX.)
- 7.50" AND GREATER
- VARIABLE DEPTH PLANING TO MAINTAIN CONSISTENT PAVEMENT COMPOSITION

COMPARISION OF EXISTING AND PROPOSED PAVEMENT ELEVATIONS AT CENTERLINE AND SAW CUT LINES - C.R. 81 N - TBALE 1 *FOR ESTIMATED QUANTITY PURPOSES ONLY - FIELD ADJUST AS NECESSARY*

C.R. 81 N

	"AA"						"AA" QUANTITY CALCS				"BB"						"BB" QUANTITY CALCS			
STATION	TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV.	EXIST. ELEV.	WIDTH	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV.	EXIST. ELEV.	WIDTH	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT
	(INCH)	(INCH)	(INCH)			(FT)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(INCH)	(INCH)	(INCH)			(FT)	(INCH)	(INCH)	(SQ FT)	(CU YD)
015+21.49	0.6	0.5	4.1	1094.61	1094.27	13.25	0.6	0.21	0.95	0.33	0.7	0.5	4.2	1094.60	1094.25	17.25	0.5	0.15	0.68	0.44
015+50.00	0.0	1.1	2.9	1094.34	1094.10	5.53	0.0				0.0	1.8	2.2	1094.33	1094.15	17.25	0.0			
015+75.00	0.0	1.5	2.5	1094.35	1094.14	9.55	0.0				0.0	2.7	1.3	1094.28	1094.17	17.25	0.0			
022+03.22	3.2	0.5	6.7	1097.19	1096.63	14.32	2.6	6.77	44.16	23.28	2.1	0.5	5.6	1098.05	1097.58	17.25	3.8	7.27	47.45	30.31
022+15.00	6.0	0.5	9.5	1097.42	1096.63	13.55	5.1				4.1	0.5	7.6	1098.24	1097.60	17.25	5.6			
022+25.00	7.3	0.5	10.8	1097.57	1096.67	13.64	6.4				5.6	0.5	9.1	1098.39	1097.63	17.25	6.7			
022+50.00	9.1	0.5	12.6	1097.88	1096.83	14.24	8.4				7.7	0.5	11.2	1098.74	1097.80	17.25	8.8			
022+75.00	10.4	0.5	13.9	1098.16	1097.00	14.71	9.3				8.2	0.5	11.7	1099.05	1098.07	17.25	9.4			
022+81.54	9.7	0.5	13.2	1098.23	1097.13	14.94	8.8				7.8	0.5	11.3	1099.13	1098.18	17.25	9.3			
025+86.94	9.2	0.5	12.7	1101.82	1,100.76	12.19	9.3	6.18	45.39	13.20	9.4	0.5	12.9	1102.01	1100.94	12.31	12.7	8.84	64.85	28.91
025+95.68	8.3	0.5	11.8	1101.88	1,100.90	11.55	8.6				9.0	0.5	12.5	1102.07	1101.03	12.00	12.1			
026+00.00	7.8	0.5	11.3	1101.91	1100.97	11.09	8.2				8.6	0.5	12.1	1102.09	1101.08	12.00	11.7			
026+25.00	5.3	0.5	8.8	1102.04	1101.31	8.57	6.0				6.8	0.5	10.3	1102.18	1101.32	12.00	9.2			
026+50.00	4.7	0.5	8.2	1102.11	1101.43	6.53	5.1				5.6	0.5	9.1	1102.22	1101.46	12.00	7.6			
026+54.32	4.6	0.5	8.1	1102.12	1101.44	6.19	5.0				5.4	0.5	8.9	1102.22	1101.48	12.00	7.2			
026+75.00	4.0	0.5	7.5	1102.14	1101.51	4.44	4.3				4.5	0.5	8.0	1102.21	1101.54	12.00	5.8			
027+00.00	2.8	0.5	6.3	1102.11	1101.59	2.24	2.9				3.1	0.5	6.6	1102.15	1101.60	12.00	4.2			
027+19.54	1.4	0.5	4.9	1102.05	1101.64	0.58	1.5	1.77	13.76	0.40	1.5	0.5	5.0	1102.06	1101.64	12.00	2.8	2.44	18.89	8.40
027+25.00	1.5	0.5	5.0	1102.02	1101.60	0.58	1.6				1.6	0.5	5.1	1102.03	1101.60	12.00	2.8			
027+50.00	1.9	0.5	5.4	1101.85	1101.40	0.61	1.9				1.9	0.5	5.4	1101.86	1101.41	12.00	2.5			
027+69.54	1.8	0.5	5.3	1101.69	1101.25	0.58	1.8				1.8	0.5	5.3	1101.70	1101.26	12.00	1.9			
027+75.00	1.6	0.5	5.1	1101.63	1101.20	0.52	1.7				1.8	0.5	5.3	1101.65	1101.21	12.00	1.8			
027+93.03	1.1	0.5	4.6	1101.44	1101.06	0.34	1.1				1.2	0.5	4.7	1101.46	1101.07	12.00	0.9			
028+00.00	0.9	0.5	4.4	1101.37	1101.00	0.27	0.9	0.91	1.76	0.01	0.9	0.5	4.4	1101.38	1101.01	12.00	0.6	0.61	1.19	0.53
028+16.31	0.7	0.5	4.2	1101.20	1100.85	0.00	0.7				0.7	0.5	4.2	1101.20	1100.85	12.00	0.3			
028+25.00											0.6	0.5	4.1	1101.11	1100.77	11.86	0.3	0.06	0.41	0.17
028+50.00											0.0	1.1	2.9	1100.83	1100.59	11.58	0.0			
028+53.00											0.0	1.2	2.8	1100.81	1100.57	11.56	0.0			
028+62.00											0.0	1.8	2.2	1100.71	1100.52	11.49	0.0			
028+68.95											0.0	2.2	1.8	1100.63	1100.48	11.42	0.0			
028+73.00											0.0	2.4	1.6	1100.59	1100.45	11.43	0.0			
028+75.00											0.0	2.5	1.5	1100.57	1100.44	11.44	0.0			
028+88.95											0.0	3.6	0.4	1100.41	1100.37	11.50	0.0			
028+93.95											0.0	4.0	0.0	1100.35	1100.35	11.52	0.0			

CENTERLINE (P.G.)		CENTERLINE (PROFILE GRADE)				"CC" QUANTITY CALCS				"CC"						"DD" QUANTITY CALCS				"DD"					
STATION	EXIST. P.G. ELEV.	P.G. ELEV.	PR-EX	TOTAL PLANING	TOTAL LEVELING	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	WIDTH	EXIST. ELEV.	PROP. ELEV.	PR-EX	TOTAL PLANING	TOTAL LEVELING	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	WIDTH	EXIST. ELEV.	PROP. ELEV.	PR-EX	TOTAL PLANING	TOTAL LEVELING
			(INCH)	(INCH)	(INCH)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(FT)			(INCH)	(INCH)	(INCH)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(FT)			(INCH)	(INCH)	(INCH)
015+21.49	1094.27	1094.58	3.7	0.5	0.2	1.4	0.79	3.52	4.12	57.75	1094.04	1094.54	6.0	0.5	2.5										
015+50.00	1094.13	1094.30	2.0	2.0	0.0	1.0				26.13	1093.79	1094.25	5.5	0.5	2.0										
015+75.00	1094.16	1094.15	-0.1	4.1	0.0	0.0				10.93	1093.94	1094.07	1.6	2.4	0.0										
FOR STA. 15+75.00 TO STA. 17+12.09, SEE 'S.R. 81 N TABLE 2'																									
022+03.22	1098.32	1099.08	9.1	0.5	5.6	4.8	8.40	54.82	1.48	0.00	1098.45	1099.08	7.6	0.5	4.1										
022+15.00	1098.39	1099.27	10.6	0.5	7.1	7.2				1.25	1098.39	1099.29	10.8	0.5	7.3										
022+25.00	1098.48	1099.42	11.3	0.5	7.8	7.6				0.81	1098.52	1099.43	11.0	0.5	7.5										
022+50.00	1098.66	1099.77	13.3	0.5	9.8	9.5				1.41	1098.74	1099.79	12.6	0.5	9.1										
022+75.00	1098.90	1100.08	14.2	0.5	10.7	10.5				0.89	1098.94	1100.09	13.9	0.5	10.4										
022+81.54	1098.97	1100.16	14.3	0.5	10.8	10.8				0.00	1098.97	1100.16	14.3	0.5	10.8										
FOR STA. 22+81.54 TO STA. 25+86.94, SEE 'S.R. 81 N TABLE 2'																									
025+86.94	1100.58	1102.21	19.6	0.5	16.1	16.1	11.37	83.47	13.70	0.00	1100.58	1102.21	19.6	0.5	16.1										
025+95.68	1100.69	1102.26	18.8	0.5	15.3	15.5				0.85	1100.66	1102.26	19.2	0.5	15.7										
026+00.00	1100.75	1102.28	18.4	0.5	14.9	15.1				1.27	1100.71	1102.28	18.8	0.5	15.3										
026+25.00	1101.11	1102.37	15.1	0.5	11.6	12.1				3.71	1101.00	1102.34	16.1	0.5	12.6										
026+50.00	1101.31	1102.41	13.2	0.5	9.7	9.9				5.99	1101.18	1102.32	13.7	0.5	10.2										
026+54.32	1101.36	1102.41	12.6	0.5	9.1	9.4				6.39	1101.21	1102.31	13.2	0.5	9.7										
026+75.00	1101.52	1102.40	10.6	0.5	7.1	7.3				7.90	1101.36	1102.27	11.0	0.5	7.5										
027+00.00	1101.60	1102.34	8.9	0.5	5.4	5.6				9.35	1101.41	1102.19	9.4	0.5	5.9										
027+19.54	1101.61	1102.25	7.7	0.5	4.2	4.9	4.11	31.85	12.89	10.30	1101.32	1102.09	9.2	0.5	5.7										
027+25.00	1101.59	1102.22	7.6	0.5	4.1	4.9				10.49	1101.29	1102.05	9.1	0.5	5.6										
027+50.00	1101.50	1102.05	6.6	0.5	3.1	4.2				11.11	1101.14	1101.87	8.8	0.5	5.3										
027+69.54	1101.42	1101.89	5.6	0.5	2.1	3.5				11.57	1101.00	1101.70	8.5	0.5	5.0										
027+75.00	1101.40	1101.84	5.3	0.5	1.8	3.2				11.67	1100.97	1101.65	8.2	0.5	4.7										
027+93.03	1101.30	1101.65	4.2	0.5	0.7	2.4				12.00	1100.83	1101.46	7.5	0.5	4.0	4.0	3.77	7.31	0.03	0.00	1100.83	1101.46	7.5	0.5	4.0
028+00.00	1101.26	1101.57	3.7	0.5	0.2	1.9	2.03	3.94	1.75	12.00	1100.78	1101.38	7.2	0.5	3.7	3.7				0.12	1100.77	1101.37	7.2	0.5	3.7
028+16.31	1101.13	1101.39	3.1	0.9	0.0	1.8				12.00	1100.61	1101.20	7.1	0.5	3.6	3.6				0.25	1100.60	1101.19	7.1	0.5	3.6
028+25.00	1101.06	1101.30	2.9	1.1	0.0	1.8	0.57	3.69	1.66	12.00	1100.52	1101.11	7.1	0.5	3.6	3.5	1.14	7.37	0.11	0.31	1100.51	1101.10	7.0	0.5	3.5
028+50.00	1100.85	1101.02	2.0	2.0	0.0	1.0				12.00	1100.37	1100.83	5.5	0.5	2.0	2.0				0.56	1100.34	1100.81	5.6	0.5	2.1
028+53.00	1100.83	1100.99	1.9	2.1	0.0	0.9				12.00	1100.36	1100.80	5.3	0.5	1.8	1.7				0.59	1100.34	1100.77	5.2	0.5	1.7
028+62.00	1100.75	1100.89	1.7	2.3	0.0	0.3				12.00	1100.36	1100.70	4.1	0.5	0.6	0.5				0.64	1100.34	1100.67	4.0	0.5	0.5
028+68.95	1100.69	1100.81	1.4	2.6	0.0	0.0				12.14	1100.36	1100.62	3.1	0.9	0.0	0.0				0.55	1100.34	1100.59	3.0	1.0	0.0
028+73.00	1100.66	1100.77	1.3	2.7	0.0	0.0				12.25	1100.36	1100.57	2.6	1.4	0.0	0.0				0.49	1100.34	1100.55	2.6	1.4	0.0
028+75.00	1100.65	1100.75	1.2	2.8	0.0	0.0				12.31	1100.34	1100.55	2.6	1.4	0.0	0.0				0.44	1100.33	1100.54	2.5	1.5	0.0
028+88.95	1100.57	1100.59	0.2	3.8	0.0	0.0				12.34	1100.24	1100.39	1.8	2.2	0.0	0.0				0.12	1100.24	1100.39	1.8	2.2	0.0
028+93.95	1100.54	1100.54	0.0	4.0	0.0	0.0				12.63	1100.21	1100.34	1.5	2.5	0.0	0.0				0.00	1100.21	1100.34	1.5	2.5	0.0

LEGEND

Colour	Meaning
Dark green	NO LEVELING REQUIRED
Bright green	OVERLAY TYPE A (TYP. >0" TO 7.50" (8" MAX.))
Purple	OVERLAY TYPE B (TYP. 7.50" AND GREATER, NO LESS THAN 3")
Orange	VARIABLE DEPTH PLANING TO MAINTAIN CONSISTENT PAVEMENT COMPOSITION

COMPARISION OF EXISTING AND PROPOSED PAVEMENT ELEVATIONS AT CENTERLINE, LANE LINES, AND SAW CUT LINES - C.R. 81 N - TABLE 2 *FOR ESTIMATED QUANTITY PURPOSES ONLY - FIELD ADJUST AS NECESSARY*

C.R. 81 N

"EE"						"EE" QUANTITY CALCS				"FF"						"FF" QUANTITY CALCS				"GG"						"GG" QUANTITY CALS				"HH"						CENTERLINE (P.G.)	
TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV.	EXIST. ELEV.	WIDTH	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV.	EXIST. ELEV.	WIDTH	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV.	EXIST. ELEV.	WIDTH	AVERAGE LEVELING REQUIRED	AVERAGE LEVELING OVER LIMITS	AREA OF LEVELING	VARIABLE DEPTH ASPHALT	TOTAL LEVELING	TOTAL PLANING	PR-EX	PROP. ELEV.	EXIST. ELEV.	WIDTH	STATION	P.G. ELEV.
(INCH)	(INCH)	(INCH)			(FT)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(INCH)	(INCH)	(INCH)			(FT)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(INCH)	(INCH)	(INCH)			(FT)	(INCH)	(INCH)	(SQ FT)	(CU YD)	(INCH)	(INCH)	(INCH)			(FT)		
										0.0	1.5	2.5	1094.35	1094.14	9.55	0.0				0.0	2.7	1.3	1094.28	1094.17	8.62	0.0				0.0	3.8	0.2	1094.21	1094.19	8.63	015+75.00	1094.15
										6.6	0.5	10.1	1094.42	1093.58	13.95	3.3	3.23	12.11	6.09	0.0	0.8	3.2	1094.24	1093.97	8.62	0.0	0.46	1.71	0.55	0.0	3.6	0.4	1094.12	1094.09	8.63	016+00.00	1094.01
										10.1	0.5	13.6	1094.52	1093.39	17.25	6.4				2.7	0.5	6.2	1094.22	1093.70	8.62	1.4				0.0	1.2	2.8	1094.07	1093.84	8.63	016+20.00	1093.92
10.1	0.5	13.6	1094.52	1093.39	0.00	10.1				10.1	0.5	13.6	1094.52	1093.39	17.25	6.4				2.7	0.5	6.2	1094.22	1093.70	17.25	1.4				0.0	4.1	-0.1	1093.92	1093.93	0.00	016+20.00	1093.92
11.0	0.5	14.5	1094.55	1093.34	0.67	11.0	12.04	30.10	1.06	10.9	0.5	14.4	1094.54	1093.34	17.25	7.2	7.98	19.95	12.75	3.5	0.5	7.0	1094.22	1093.64	17.25	1.7	2.25	5.62	3.30	0.0	4.1	-0.1	1093.90	1093.91	0.00	016+25.00	1093.90
15.6	0.5	19.1	1094.71	1093.12	2.18	15.1				14.6	0.5	18.1	1094.65	1093.14	17.25	10.4				6.1	0.5	9.6	1094.24	1093.44	13.10	3.6				1.2	0.5	4.7	1093.92	1093.53	4.15	016+50.00	1093.82
15.8	0.5	19.3	1094.82	1093.21	3.35	15.0				14.3	0.5	17.8	1094.73	1093.25	17.25	10.5				6.7	0.5	10.2	1094.26	1093.41	10.72	5.1				3.6	0.5	7.1	1093.96	1093.37	6.53	016+64.36	1093.78
15.2	0.5	18.7	1094.94	1093.38	4.78	13.9	13.42	69.44	17.64	12.6	0.5	16.1	1094.80	1093.46	17.25	8.6	9.21	47.64	30.44	4.7	0.5	8.2	1094.28	1093.60	8.64	4.7	5.57	28.83	7.46	4.8	0.5	8.3	1094.02	1093.33	8.61	016+75.00	1093.76
14.4	0.5	17.9	1095.33	1093.84	10.16	11.9				9.3	0.5	12.8	1094.97	1093.90	17.25	7.8				6.2	0.5	9.7	1094.36	1093.55	2.48	6.0				5.7	0.5	9.2	1094.27	1093.50	14.77	017+00.00	1093.74
13.2	0.5	16.7	1095.59	1094.20	13.82	11.2				9.2	0.5	12.7	1095.06	1094.00	17.25	8.8				8.4	0.5	11.9	1094.40	1093.41	0.00	8.4				8.4	0.5	11.9	1094.40	1093.41	17.25	017+12.09	1093.74
FOR STA. 17+12.09 TO STA. 18+22.96, SEE 'S.R. 81 N TABLE 3'																																					
12.7	0.5	16.2	1096.00	1,094.65	13.43	12.0				11.4	0.5	14.9	1095.46	1094.22	17.25	12.9				14.4	0.5	17.9	1094.77	1093.28	0.00	14.4				14.4	0.5	17.9	1094.77	1093.28	17.25	018+22.96	1094.08
12.9	0.5	16.4	1096.00	1,094.63	12.91	12.1	12.21	48.38	14.02	11.4	0.5	14.9	1095.48	1094.24	17.25	12.6	11.34	44.92	28.70	13.9	0.5	17.4	1094.79	1093.34	0.30	13.9	10.97	43.47	5.50	14.0	0.5	17.5	1094.78	1093.32	16.95	018+25.00	1094.10
12.7	0.5	16.2	1095.84	1,094.49	4.95	11.6				10.5	0.5	14.0	1095.64	1094.47	17.25	10.0				9.5	0.5	13.0	1094.95	1093.87	4.55	9.5				9.6	0.5	13.1	1094.77	1093.68	12.70	018+50.00	1094.26
13.1	0.5	16.6	1095.79	1,094.41	0.00	13.1				13.1	31.0	16.6	1095.79	1094.41	17.25	9.8				6.6	0.5	10.1	1095.10	1094.26	8.82	6.0				5.5	0.5	9.0	1094.75	1094.00	8.43	018+70.52	1094.41
										13.4	0.5	16.9	1095.80	1094.39	16.47	9.9				6.3	0.5	9.8	1095.14	1094.32	9.71	5.5				4.7	0.5	8.2	1094.75	1094.07	7.54	018+75.00	1094.45
										14.5	0.5	18.0	1095.86	1094.36	12.50	10.8				7.1	0.5	10.6	1095.36	1094.48	13.49	5.0				3.0	1.6	5.4	1094.82	1094.37	3.76	019+00.00	1094.67
										14.6	0.5	18.1	1095.87	1094.36	12.28	11.0				7.3	0.5	10.8	1095.38	1094.48	13.67	5.2				3.0	1.7	5.3	1094.83	1094.39	3.58	019+01.59	1094.69
										13.4	0.5	16.9	1095.80	1094.40	10.48	10.3	9.71	84.58	40.05	7.3	0.5	10.8	1095.47	1094.57	15.36	5.2	4.97	43.30	21.37	3.0	2.0	5.0	1094.98	1094.56	1.89	019+25.00	1094.92
										13.2	0.5	16.7	1095.84	1094.45	10.81	9.8				6.4	0.5	9.9	1095.57	1094.74	15.52	4.7				3.0	0.9	6.1	1095.16	1094.66	1.73	019+42.59	1095.12
										12.3	0.5	15.8	1095.86	1094.54	10.97	9.1				5.9	0.5	9.4	1095.60	1094.82	15.33	4.4				3.0	0.9	6.1	1095.24	1094.74	1.92	019+50.00	1095.20
										9.7	0.5	13.2	1095.94	1094.84	11.52	7.0				4.3	0.5	7.8	1095.77	1095.12	14.70	3.8				3.2	0.5	6.7	1095.56	1095.00	2.55	019+75.00	1095.52
										7.2	0.5	10.7	1096.04	1095.15	12.46	5.1				2.9	0.5	6.4	1095.97	1095.43	14.06	3.4				3.8	0.5	7.3	1095.88	1095.27	3.19	020+00.00	1095.86
										5.5	0.5	9.0	1096.12	1095.37	13.12	3.8				2.0	0.5	5.5	1096.12	1095.66	13.61	3.3				4.5	0.5	8.0	1096.12	1095.45	3.64	020+17.59	1096.12
										4.7	0.5	8.2	1096.15	1095.47	13.40	3.2				1.7	0.5	5.2	1096.19	1095.75	13.42	3.3				4.8	0.5	8.3	1096.22	1095.53	3.83	020+25.00	1096.23
										2.4	0.5	5.9	1096.27	1095.78	14.50	1.7				0.9	0.5	4.4	1096.44	1096.07	12.58	3.2				5.5	0.5	9.0	1096.58	1095.83	4.67	020+50.00	1096.63
										0.0	0.7	3.3	1096.38	1096.10	15.78	0.0				0.0	0.5	3.5	1096.69	1096.40	11.38	2.7				5.3	0.5	8.8	1096.91	1096.18	5.87	020+75.00	1097.03
										0.0	2.8	1.2	1096.43	1096.33	16.69	0.0				0.0	1.7	2.3	1096.86	1096.67	10.54	2.5				5.0	0.5	8.5	1097.14	1096.43	6.71	020+92.59	1097.31
										0.0	3.4	0.6	1096.46	1096.41	16.91	0.0	1.70	32.41	17.72	0.0	2.0	2.0	1096.94	1096.77	10.31	2.5	2.70	51.39	25.96	4.9	0.5	8.4	1097.23	1096.53	6.94	021+00.00	1097.43
										0.0	4.2	-0.2	1096.57	1096.59	16.87	0.0				0.0	2.7	1.3	1097.19	1097.08	10.87	1.9				3.7	0.5	7.2	1097.59	1096.99	6.38	021+25.00	1097.83
										0.0	4.0	0.0	1096.72	1096.72	15.76	0.0				0.0	2.9	1.1	1097.44	1097.35	12.69	1.4				2.8	0.5	6.3	1098.02	1097.50	4.56	021+50.00	1098.23
										0.0	2.1	1.9	1096.87	1096.71	15.31	0.0				0.0	1.6	2.4	1097.70	1097.50	15.19	1.7				3.3	0.5	6.8	1098.52	1097.95	2.06	021+74.59	1098.63
										0.0	2.2	1.8	1096.86	1096.71	15.27	0.0				0.0	1.7	2.3	1097.69	1097.50	15.20	1.6				3.2	0.5	6.7	1098.51	1097.95	2.05	021+75.00	1098.63
										0.1	0.5	3.6	1096.96	1096.66	15.04	0.3				0.4	0.5	3.9	1097.87	1097.54	15.98	2.4				4.3	0.5	7.8	1098.82	1098.17	1.27	021+91.59	1098.90
										2.4	0.5	5.9	1097.12	1096.63	14.52	2.0				1.5	0.5	5.0	1098.00	1097.58	16.84	3.3				5.2	0.5	8.7	1099.01	1098.28	0.41	022+00.00	1099.03
										3.2	0.5	6.7	1097.19	1096.63	14.32	2.6				2.1	0.5	5.6	1098.05	1097.58	17.25	3.8				5.6	0.5	9.1	1099.08	1098.32	0.00	022+03.22	1099.08
FOR STA. 22+03.22 TO STA. 22+81.54, SEE 'S.R. 81 N TABLE 1'																																					
										9.7	0.5	13.2	1098.23	1097.13	14.94	8.8				7.8	0.5	11.3	1099.13	1098.18	17.25	9.3				10.8	0.5	14.3	1100.16	1098.97	0.00	022+81.54	1100.16
										8.7	0.5	12.2	1098.38	1097.36	15.97	8.1	7.63	27.63	16.29	7.5	0.5	11.0	1099.34	1098.42	15.76	9.4	9.48	34.32	19.97	11.3	0.5	14.8	1100.28	1099.05	1.49	023+00.00	1100.37
										5.1	0.5	8.6	1098.57	1097.86	16.84	6.0				7.0	0.5	10.5	1099.59	1098.71	14.12	9.7				12.5	0.5	16.0	1100.43	1099.10	3.13	023+25.00	1100.62
3.7	0.5	7.2	1098.60	1098.00	0.00	3.7	3.70	1.48	0.00	3.7	0.5	7.2	1098.60	1098.00	17.25	5.4	5.72	2.29	1.45	7.1	0.5	10.6	1099.64	1098.75	13.38	9.9	9.82	3.93	2.00	12.7	0.5	16.2	1100.44	1099.09	3.87	023+29.80	1100.67
0.0	1.7	2.3	1098.66	1098.47	1.85	0.0				0.0	0.9	3.1	1098.77	1098.51	17.25	3.7				7.4	0.5	10.9	1099.81	1098.90	9.92	10.2				12.9	0.5	16.4	1100.40	1099.03	7.33	023+50.00	1100.84
0.0	3.8	0.2	1098.72	1098.70	4.00	0.0				0.0	2.1	1.9	1098.96	1098.80	17.25	4.5				8.9	0.5	12.4	1100.00	1098.96	6.50	12.3				15.6	0.5	19.1	1100.39	1098.79	10.75	023+75.00	1101.03
0.0	4.0	0.0	1098.75	1098.75	4.00	0.0				0.0	2.6	1.4	1098.99	1098.87	17.25	4.7				9.4	0.5	12.9	1100.03	1098.95	5.84	12.5				15.5	0.5	19.0	1100.38	1098.79	11.41	023+79.68	1101.06
0.0	3.7	0.3	1099.09	1099.06	4.00	0.0	1.41	14.33	1.76	0.0	2.2	1.8	1099.30	1099.15	17.25	5.3	5.76	58.55	37.41	10.6	0.5	14.1	1100.24	1099.07	3.48	12.3	12.31	125.01	26.70	14.0	0.5	17.5	1100.43	1098.97	13.77	024+00.00	1101.18
0.0	2.3	1.7	1099.49	1099.35	4.00	0.0				0.0	1.0	3.0	1099.68	1099.43	17.25	5.8				11.5	0.5	15.0	1100.50	1099.25	2.64	12.7				14.0	0.5	17.5	1100.63	1099.17	14.61	024+25.00	1101.32
3.0	4.3	2.7	1099.67	1099.44	4.00	3.0				3.0	3.0	4.0	1099.84	1099.51	17.25	7.4				11.8	0.5	15.3	1100.61	1,099.34	2.92	13.1				14.5	0.5	18.0	1100.74	1099.24	14.33	024+35.74	1101.38
3.0	2.8	4.2	1099.92	1099.57	4.00	3.0				3.0	1.7	5.3	1100.08	1099.64	17.25	7.6				12.2	0.5	15.7	1100.78	1,099.47	3.55	13.9				15.5	0.5	19.0	1100.92	1099.34	13.23	024+50.00	1101.46
3.0	2.7	4.3	1099.95	1099.59	4.00	3.0				3.0	1.5	5.5	1100.11	1099.65	17.25	7.6				12.2	0.5	15.7	1100.80	1,099.49	3.67	13.9				15.7	0.5	19.2	1100.95	1099.35	13.06	024+51.68	1101.47
4.1	0.5	7.6	1100.35	1099.72	4.00	4.4				4.7	0.5	8.2	1100.48	1099.80	17.25	8.4				12.1	0.5	15.6	1101.06	1,099.76	5.59	14.3				16.4	0.5	19.9	1101.25	1099.59	10.37	024+75.00	1101.60
8.7	0.5	12.2	1100.87	1099.85	0.00	8.2				7.7	0.5	11.2	1100.87	1099.94	17.25	10.1				12.6	0.5	16.1	1101.33	1,099.99	6.70	15.0				17.4	0.5	20.9	1101.51	1099.77	8.24	025+00.00	1101.73
10.4	0.5	13.9	1101.20	1100.04	2.30	10.4				10.4	0.5	13.9	1101.24	1100.09	17.25	11.5				12.7	0.5	16.2	1101.59	1,100.24	8.41	15.3				18.0	0.5	21.5	1101.75	1099.96	5.91	025+25.00	1101.87
12.1	0.5	15.6	1101.42	1100.12	2.08	12.0	8.40	94.64	6.31	11.9	0.5	15.4	1101.45	1100.17	17.25	12.3	10.02	112.89	72.12	12.7	0.5	16.2	1101.73	1,100.38	9.31	15.4	14.34	161.62	50.56	18.2	0.5	21.7	1101.88	1100.07	4.56	025+38.68	1101.95
11.4	0.5	14.9	1101.49	1100.25	1.59	11.3				11.2	0.5	14.7	1101.52	1100.29	17.25	11.5				11.8	0.5	15.3	1101.79	1,100.52	10.00	14.7				17.7	0.5	21.2	1101.95	1100.19	3.50	025+50.00	1102.01
9.6	0.5	13.1	1101.66	1100.57	0.43	9.7				9.7	0.5	13.2	1101.67	1100.57	17.25	9.9				10.0	0.5	13.5	1101.95	1,100.82	11.58	13.3				16.6	0.5	20.1	1102.13	1100.46	1.16	025+75.00	1102.15
8.2	0.5	11.7	1101.74	1100.76	0.00	8.2				8.2	0.5	11.7	1101.74	1100.76	17.25	8.8				9.4	0.5	12.9	1102.01	1,100.94	12.31	12.7				16.1	0.5	19.6	1102.21	1100.58	0.00	025+86.94	1102.21

LEGEND

- 0" TO 7.50" (8" MAX.)
- 7.50" AND GREATER
- VARIABLE DEPTH PLANING TO MAINTAIN CONSISTENT PAVEMENT COMPOSITION

COMPARISION OF EXISTING AND PROPOSED PAVEMENT ELEVATIONS AT CENTERLINE, LANE LINES, AND SAW CUT LINES - C.R. 81 N TABLE 3 *FOR ESTIMATED QUANTITY PURPOSES ONLY - FIELD ADJUST AS NECESSARY*

C.R. 81 N

CENTERLINE (P.G.) STATION	"II" TOTAL LEVELING (INCH)	TOTAL PLANING (INCH)	PR-EX (INCH)	PROP. ELEV.	EXIST. ELEV.	WIDTH (FT)	"II" QUANTITY CALCS AVERAGE LEVELING REQUIRED (INCH)	AVERAGE LEVELING OVER LIMITS (INCH)	AREA OF LEVELING (SQ FT)	VARIABLE DEPTH ASPHALT (CU YD)
17+12.09										
17+20.00										
17+25.00										
17+36.39	14.5	0.5	18.0	1095.84	1,094.34	0.00	14.5			
17+50.00	12.8	0.5	16.3	1095.83	1,094.47	1.12	13.1			
17+75.00	11.8	0.5	15.3	1095.86	1094.59	2.17	12.5	12.99	75.54	2.37
18+00.00	11.8	0.5	15.3	1096.00	1,094.73	0.95	12.1			
18+06.17	12.7	0.5	16.2	1096.06	1,094.71	0.00	12.7			
18+22.96										

CENTERLINE (P.G.) STATION	"JJ" TOTAL LEVELING (INCH)	TOTAL PLANING (INCH)	PR-EX (INCH)	PROP. ELEV.	EXIST. ELEV.	WIDTH (FT)	"JJ" QUANTITY CALCS AVERAGE LEVELING REQUIRED (INCH)	AVERAGE LEVELING OVER LIMITS (INCH)	AREA OF LEVELING (SQ FT)	VARIABLE DEPTH ASPHALT (CU YD)
17+12.09	13.1	0.5	16.6	1095.59	1094.20	13.84	11.2			
17+20.00	14.0	0.5	17.5	1095.73	1094.27	15.04	12.0	11.98	24.26	13.93
17+25.00	14.1	0.5	17.6	1095.76	1094.30	15.86	12.1			
17+36.39	14.5	0.5	18.0	1095.84	1094.34	17.25	12.7			
17+50.00	13.4	0.5	16.9	1095.86	1094.45	17.25	12.5			
17+75.00	13.3	0.5	16.8	1095.93	1094.53	17.25	13.4			
18+00.00	12.5	0.5	16.0	1096.03	1094.70	17.25	13.1	12.76	92.03	56.63
18+06.17	12.7	0.5	16.2	1096.06	1094.71	17.25	12.8			
18+22.96	12.7	0.5	16.2	1096.00	1094.65	13.43	12.0			

CENTERLINE (P.G.) STATION	"KK" TOTAL LEVELING (INCH)	TOTAL PLANING (INCH)	PR-EX (INCH)	PROP. ELEV.	EXIST. ELEV.	WIDTH (FT)	"KK" QUANTITY CALCS AVERAGE LEVELING REQUIRED (INCH)	AVERAGE LEVELING OVER LIMITS (INCH)	AREA OF LEVELING (SQ FT)	VARIABLE DEPTH ASPHALT (CU YD)
17+12.09	9.2	0.5	12.7	1095.06	1094.00	17.25	8.8			
17+20.00	9.9	0.5	13.4	1095.13	1094.01	15.85	9.9	10.21	20.67	11.81
17+25.00	10.1	0.5	13.6	1095.13	1094.00	15.06	10.3			
17+36.39	10.9	0.5	14.4	1095.15	1093.95	13.52	11.9			
17+50.00	11.6	0.5	15.1	1095.17	1093.91	12.19	12.8			
17+75.00	13.5	0.5	17.0	1095.24	1093.82	12.69	15.7			
18+00.00	13.7	0.5	17.2	1095.34	1093.91	14.49	16.0	14.05	101.35	53.35
18+06.17	12.9	0.5	16.4	1095.37	1094.00	15.13	14.9			
18+22.96	11.4	0.5	14.9	1095.46	1094.22	17.25	12.9			

"LL" TOTAL LEVELING (INCH)	TOTAL PLANING (INCH)	PR-EX (INCH)	PROP. ELEV.	EXIST. ELEV.	WIDTH (FT)	CENTERLINE (P.G.) STATION	P.G. ELEV.
8.4	0.5	11.9	1094.40	1093.41	17.25	17+12.09	1093.74
9.8	0.5	13.3	1094.50	1093.39	18.65	17+20.00	1093.75
10.5	0.5	14.0	1094.53	1093.36	19.44	17+25.00	1093.75
12.9	0.5	16.4	1094.61	1093.24	20.98	17+36.39	1093.77
14.0	0.5	17.5	1094.68	1093.22	22.31	17+50.00	1093.79
17.9	0.5	21.4	1094.73	1092.95	21.81	17+75.00	1093.86
18.3	0.5	21.8	1094.76	1092.94	20.01	18+00.00	1093.96
17.0	0.5	20.5	1094.76	1093.06	19.37	18+06.17	1093.99
14.4	0.5	17.9	1094.77	1093.28	17.25	18+22.96	1094.08

FOR STA. 18+22.96 TO STA. 22+03.22, SEE 'S.R. 81 N TABLE 2'