



SIGNAL SUPPORT ELEVATION

MAST ARM TABLE (TEM FIGURES 498-37 & 498-38)

SUPPORT NO.	STATION	OFFSET	ELEVATION		SIGNAL SUPPORT DETAILS											ORIENTATION ANGLES FROM MAST ARM A								
			A (Pavt. Elev.)	B (Top of Found.)	DESIGN TYPE	DESIGN NO.	POLE HEIGHT	ARM HEIGHT	L	L1	L2	L3	L4	D1	X	MAST ARM A ANGLE	MAST ARM B ANGLE	PEDESTRIAN SIGNAL	PEDESTRIAN PUSHBUTTON	POWER SERVICE	SIGNAL CABINET	BRACKET ARM	HANDHOLE	CABLE ENTRANCE 12" FROM TOP
SP-1	64+78	40' LT	765.82	764.75	TC-81.22	13	36	21	49	40	28	-	46	34	15	0	-	-	-	-	-	308	180	-
SP-2	64+39	56' RT	766.59	766.23	TC-81.22	13	36	21	53	49	37	-	-	-	15	103	-	-	14	-	313	180	-	
SP-3	65+59	24' LT	765.25	765.97	TC-81.22	13	35	20	41	38	26	-	-	-	15	106	-	254	344	-	292	180	-	
SP-4	65+55	45' RT	766.1	766.52	TC-81.22	13	35	20	42	39	27	15	7	33	15	0	-	0	270	-	314	180	-	
SP-5	5+52	28' RT	768.43	768.60	TC-83.20	-	11	-	-	-	-	-	-	-	-	-	-	37	-	-	-	-	-	

