

SHEET NUMBER												PART.		ITEM	ITEM EXT	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET NO.
3	5	6	7	11	12	13	17					01/NHS							
1,500												1,500		251	01041	1,500	SY	PAVEMENT	
				179,102								179,102		254	01000	179,102	SY	PARTIAL DEPTH PAVEMENT REPAIR (ASPHALT CONCRETE BASE), AS PER PLAN	3
				24,785								24,785		254	01001	24,785	SY	PAVEMENT PLANING, ASPHALT CONCRETE 1.5"	3
36,453												36,453		254	01600	36,453	SY	PAVEMENT PLANING, ASPHALT CONCRETE, AS PER PLAN 1.5"	
				17,859								17,859		407	10000	17,859	GAL	PATCHING PLANED SURFACE 1.5"	
																		TACK COAT	
				8,268								8,268		442	10331	8,268	CY	ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (447), PWL 2025, AS PER PLAN PG 70-22	3
						1,072						1,072		621	00100	1,072	EACH	TRAFFIC CONTROL	
						1,072						1,072		621	54000	1,072	EACH	RPM	
					204							204		644	00500	204	FT	RAISED PAVEMENT MARKER REMOVED	
					4,278							4,278		644	01510	4,278	FT	STOP LINE	
					26.35							26.35		807	14010	26.35	MILE	DOTTED LINE, 6"	
																		WET REFLECTIVE THERMOPLASTIC PAVEMENT MARKING, EDGE LINE, 6"	
					11.44							11.44		807	14110	11.44	MILE		
					4,141							4,141		807	14310	4,141	FT	WET REFLECTIVE THERMOPLASTIC PAVEMENT MARKING, LANE LINE, 6"	
					37.79							37.79		850	10010	37.79	MILE	WET REFLECTIVE THERMOPLASTIC PAVEMENT MARKING, CHANNELIZING LINE, 12"	
					4,141							4,141		850	10130	4,141	FT	GROOVING FOR 6" RECESSED PAVEMENT MARKING, (ASPHALT)	
																		GROOVING FOR 12" RECESSED PAVEMENT MARKING, (ASPHALT)	
																		STRUCTURE REPAIR (ROS-35-0675L SFN 7101554)	
							534					534		254	01010	534	SY	PAVEMENT PLANING, PORTLAND CEMENT CONCRETE 3"	
							48.04					48.04		407	10000	48.04	GAL	TACK COAT	
							43					43		409	30000	43	FT	SAWING AND SEALING ASPHALT CONCRETE PAVEMENT JOINTS	
							22.24					22.24		442	10331	22.24	CY	ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (447), PWL 2025, AS PER PLAN PG 70-22	3
							20					20		519	12304	20	SY	PATCHING CONCRETE BRIDGE DECK - TYPE C	
							22.24					22.24		856	10000	22.24	CY	BRIDGE DECK WATERPROOFING ASPHALT CONCRETE	
																		STRUCTURE REPAIR (ROS-35-0675R SFN 7101546)	
							534					534		254	01010	534	SY	PAVEMENT PLANING, PORTLAND CEMENT CONCRETE 3"	
							48.04					48.04		407	10000	48.04	GAL	TACK COAT	
							43					43		409	30000	43	FT	SAWING AND SEALING ASPHALT CONCRETE PAVEMENT JOINTS	
							22.24					22.24		442	10331	22.24	CY	ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (447), PWL 2025, AS PER PLAN PG 70-22	3
							20					20		519	12304	20	SY	PATCHING CONCRETE BRIDGE DECK - TYPE C	
							22.24					22.24		856	10000	22.24	CY	BRIDGE DECK WATERPROOFING ASPHALT CONCRETE	
																		STRUCTURE REPAIR (ROS-35-8.69L 7101600)	
							282					282		254	01010	282	SY	PAVEMENT PLANING, PORTLAND CEMENT CONCRETE 3"	
							25.39					25.39		407	10000	25.39	GAL	TACK COAT	
							38					38		409	30000	38	FT	SAWING AND SEALING ASPHALT CONCRETE PAVEMENT JOINTS	
							11.75					11.75		442	10331	11.75	CY	ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (447), PWL 2025, AS PER PLAN PG 70-22	3
							20					20		519	12304	20	SY	PATCHING CONCRETE BRIDGE DECK - TYPE C	
							11.75					11.75		856	10000	11.75	CY	BRIDGE DECK WATERPROOFING ASPHALT CONCRETE	
																		STRUCTURE REPAIR (ROS-35-0869 SFN 7101589)	
							282					282		254	01010	282	SY	PAVEMENT PLANING, PORTLAND CEMENT CONCRETE 3"	
							25.39					25.39		407	10000	25.39	GAL	TACK COAT	
							38					38		409	30000	38	FT	SAWING AND SEALING ASPHALT CONCRETE PAVEMENT JOINTS	
							11.75					11.75		442	10331	11.75	CY	ASPHALT CONCRETE SURFACE COURSE, 12.5 MM, TYPE A (447), PWL 2025, AS PER PLAN PG 70-22	3
							20					20		519	12304	20	SY	PATCHING CONCRETE BRIDGE DECK - TYPE C	
							11.75					11.75		856	10000	11.75	CY	BRIDGE DECK WATERPROOFING ASPHALT CONCRETE	

GENERAL SUMMARY

DESIGN AGENCY



DESIGNER
JBS

REVIEWER

MCM 02-10-26

PROJECT ID
123784

SHEET
P.9

TOTAL
17

LOCATION	DIRECTION	LOG POINT		LENGTH	807										850				644							COMMENTS
					WET REFLECTIVE THERMOPLASTIC PAVEMENT MARKING					WET REFLECTIVE EPOXY PAVEMENT MARKING					PAVEMENT GROOVING				AUXILIARY MARKINGS							
					EDGE LINE, 6" (YELLOW)	EDGE LINE, 6" (WHITE)	LANE LINE, 6"	DOTTED LINE, 6" (WHITE)	12" CHANNELIZING LINE	EDGE LINE, 6" (YELLOW)	EDGE LINE, 6" (WHITE)	LANE LINE, 6"			FOR 6" RECESSED MARKING, (ASPHALT)	FOR 6" RECESSED MARKING, (CONCRETE)	FOR 6" RECESSED MARKING, (ASPHALT)	FOR 12" RECESSED MARKING, (ASPHALT)	TURN ARROWS	CHANNELIZING LINE	STOP LINE	CHEVERON MARKING	ISLAND MARKING	6" WHITE DOTTED LINE	YELLOW DOTTED LINE	
		FROM	TO	MILE																						
		SLM	SLM	MILE	MILE	MILE	MILE	FEET	FEET	MILE	MILE	MILE			MILE	MILE	FEET	FEET	EACH	FT	FT	FT	SF	FT	FT	
ROS-35	EB	4.4800	4.5560	0.076	0.08	0.08	0.08								0.23											
		4.5560	5.0400	0.484	0.48	0.48	0.48								1.45											
		5.040	5.175	0.135	0.14	0.14	0.14								0.40											
		5.175	6.745	1.570	1.57	1.57	1.57								4.71											
		6.7450	6.7690	0.024											0.00											
		6.7690	7.4680	0.699	0.70	0.70	0.70								2.10											
		7.4680	7.5800	0.112	0.11	0.11	0.11								0.34											
		7.5800	8.0170	0.437	0.44	0.44	0.44								1.31											
		8.0170	8.1600	0.143	0.14	0.14	0.14								0.43											
		8.1600	8.6850	0.525	0.53	0.53	0.53								1.58											
		8.6850	8.6980	0.013											0.00											
		8.6980	9.0700	0.372	0.37	0.37	0.37								1.12											
		9.0700	10.2290	1.159	1.16	1.16	1.16								3.48											
		4.4800	4.5560	0.076	0.08	0.08	0.08								0.23											
		4.5560	5.0400	0.484	0.48	0.48	0.48								1.45											
ROS-35	WB	5.040	5.175	0.135	0.14	0.14	0.14								0.40											
		5.175	6.745	1.570	1.57	1.57	1.57								4.71											
		6.7450	6.7690	0.024											0.00											
		6.7690	7.4680	0.699	0.70	0.70	0.70								2.10											
		7.4680	7.5800	0.112	0.11	0.11	0.11								0.34											
		7.5800	8.0170	0.437	0.44	0.44	0.44								1.31											
		8.0170	8.1600	0.143	0.14	0.14	0.14								0.43											
		8.1600	8.6850	0.525	0.53	0.53	0.53								1.58											
		8.6850	8.6980	0.013	0.01	0.01	0.01								0.04											
		8.6980	9.0700	0.372	0.37	0.37	0.37								1.12											
		9.0700	10.2290	1.159	1.16	1.16	1.16								3.48											
ROS-35 EASTBOUND RAMP																										
SR 138 RAMP D	4.5510			0.21	0.21	0.21			406						0.42			406			68			548		
SR 138 RAMP C	5.0400			0.21	0.21	0.21			719						0.42			719						652		
ROS-35 WESTBOUND RAMP																										
SR 138 RAMP A	4.5510			0.22	0.22	0.22									0.44											
SR 138 RAMP B	5.0400			0.21	0.21	0.21			447						0.42			447			68			520		
								476										476						563		
ROS-35 EASTBOUND RAMP																										
CR 87 RAMP H	7.5770			0.21	0.21	0.21			465						0.42			465			68			524		
CR 87 RAMP G	8.0170			0.24	0.24	0.24			670						0.48			670						448		
ROS-35 WESTBOUND RAMP																										
CR 87RAMP E	7.5770			0.22	0.22	0.22			460						0.44			460						480		
CR 87 RAMP F	8.0170			0.22	0.22	0.22			498						0.44			498			80			543		
SUB-TOTALS					13.18	13.18	11.44		4141						37.79			4141.00			204			4278		
TOTALS CARRIED TO GENERAL SUMMARY					26.35		11.44		4141						37.79			4141			204			4278		



