

P:\DDT\MP\0113_SCI-23-5.49\109917\Design\MOT\Sheets\109917_MS001.dgn Sheet 10/26/2020 11:35:52 AM dgohs

REF NO.	SHEET NO.	STATION TO STATION		ROUTE	SIDE	614	614	614	614	614	614	614	614	614	615	622	644						
						WORK ZONE IMPACT ATTENUATOR, 24" WIDE HAZARDS, (UNIDIRECTIONAL)	WORK ZONE EDGE LINE, CLASS 1, 4", 740.06, TYPE 1 (WHITE)	WORK ZONE EDGE LINE, CLASS 1, 6", 642 PAINT (WHITE)	WORK ZONE CENTER LINE, CLASS 1, 642 PAINT, DOUBLE SOLID	WORK ZONE STOP LINE, CLASS 1, 642 PAINT	BARRIER REFLECTOR, TYPE 1, 1 WAY	BARRIER REFLECTOR, TYPE 1, BI-DIRECTIONAL	OBJECT MARKER, ONE WAY	OBJECT MARKER, TWO WAY	PORTABLE CHANGEABLE MESSAGE SIGN	PAVEMENT FOR MAINTAINING TRAFFIC, CLASS A	PORTABLE BARRIER, UNANCHORED	REMOVAL OF PAVEMENT MARKING					
						EACH	MILE	MILE	MILE	FT	EACH	EACH	EACH	EACH	SNMT	SY	FT	FT					
PHASE 1																							
PCB-1	8	270+50.00	TO	273+36.00	U.S. 23	LT	1				6		6				270						
WZEL-1	8	270+00.00	TO	273+70.00	U.S. 23	LT		0.07															
SN-1	9	282+05.00			U.S. 23	LT									1								
WZEL-2	9	4+11.00	TO	5+79.00	FEURT HILL	LT			0.05														
WZSL-1	9	4+46.00	TO	4+82.00	FEURT HILL	RT				38													
WZEL-3	9	5+42.00	TO	5+79.00	FEURT HILL	RT			0.04														
WZCL-1	9	4+82.00	TO	5+79.00	FEURT HILL	℄				0.04													
PCB-2	9	4+89.00	TO	6+06.00	FEURT HILL	℄	2					3		3			120						
PHASE 2A																							
PCB-3	11	274+80.00	TO	277+77.00	U.S. 23	LT	1				6		6				280						
WZEL-4	11	274+80.00	TO	276+22.00	U.S. 23	LT		0.03															
WZEL-5	11	4+32.00	TO	8+12.00	FEURT HILL	℄		0.08													350		
WZEL-6	11	4+58.00	TO	8+12.00	FEURT HILL	RT		0.07															
	11	5+55.00	TO	8+26.00	FEURT HILL	RT										123.7							
PHASE 2B																							
WZEL-7	13-14	3+00.00	TO	6+80.00	FEURT HILL	℄		0.08													500		
WZEL-8	13-14	3+00.00	TO	6+80.00	FEURT HILL	LT		0.08															
	14	6+00.00	TO	6+95.00	U.S. 23	LT										32.6							
TOTALS CARRIED TO GENERAL SUMMARY							4	0.41	0.09	0.04	38	12	3	12	3	1	157	670	850				

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">CALCULATED</td> <td style="text-align: center;">DMG</td> </tr> <tr> <td style="text-align: center;">CHECKED</td> <td style="text-align: center;">MDW</td> </tr> </table>	CALCULATED	DMG	CHECKED	MDW	MAINTENANCE OF TRAFFIC SUBSUMMARY	SCI-23-5.49	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">7</td> </tr> <tr> <td style="text-align: center;">39</td> </tr> </table>	7	39
CALCULATED	DMG								
CHECKED	MDW								
7									
39									

P:\DDT\MP\0113_SCI-23-5.49\109917\Design\Roadway\Sheets\109917_GG002.dgn Sheet_10/26/2020 11:35:53 AM dgchs

SHEET NUM.												PART.	ITEM	ITEM	GRAND	UNIT	DESCRIPTION	SEE SHEET NO.		
3	4	6	7	20	21	22	23	29	32	34	35	OFFICE	01/SAF/OT	EXT	TOTAL					
							11						11	630	84900	11	EACH	TRAFFIC CONTROL (CONT.) REMOVAL OF GROUND MOUNTED SIGN AND DISPOSAL		
							7						7	630	86002	7	EACH	REMOVAL OF GROUND MOUNTED POST SUPPORT AND DISPOSAL		
						0.25							0.25	644	00100	0.25	MILE	EDGE LINE, 4"		
						0.11							0.11	644	00300	0.11	MILE	CENTER LINE		
						23							23	644	00500	23	FT	STOP LINE		
		850											850	644	30000	850	FT	REMOVAL OF PAVEMENT MARKING		
		80											80	614	11110	80	HR	MAINTENANCE OF TRAFFIC LAW ENFORCEMENT OFFICER WITH PATROL CAR FOR ASSISTANCE	6	
		4											4	614	12380	4	EACH	WORK ZONE IMPACT ATTENUATOR, 24" WIDE HAZARDS, (UNIDIRECTIONAL)	5	
		12											12	614	13310	12	EACH	BARRIER REFLECTOR, TYPE 1, 1 WAY		
		3											3	614	13310	3	EACH	BARRIER REFLECTOR, TYPE 1, BI-DIRECTIONAL		
		12											12	614	13350	12	EACH	OBJECT MARKER, ONE WAY		
		3											3	614	13360	3	EACH	OBJECT MARKER, TWO WAY		
		1											1	614	18600	1	SNMT	PORTABLE CHANGEABLE MESSAGE SIGN		
		0.04											0.04	614	21100	0.04	MILE	WORK ZONE CENTER LINE, CLASS I, 642 PAINT		
		0.09											0.09	614	22110	0.09	MILE	WORK ZONE EDGE LINE, CLASS I, 6", 642 PAINT		
		0.41											0.41	614	22200	0.41	MILE	WORK ZONE EDGE LINE, CLASS I, 4", 740.06, TYPE I		
		38											38	614	26200	38	FT	WORK ZONE STOP LINE, CLASS I, 642 PAINT		
		157											157	615	20000	157	SY	PAVEMENT FOR MAINTAINING TRAFFIC, CLASS A		
		11.5											11.5	616	10000	11.5	MGAL	WATER	6	
													LS	LS	614	11000	LS	INCIDENTALS MAINTAINING TRAFFIC		
													4	4	619	16000	4	MNTH	FIELD OFFICE, TYPE A	
													LS	LS	623	10000	LS	CONSTRUCTION LAYOUT STAKES AND SURVEYING		
													LS	LS	624	10000	LS	MOBILIZATION		

GENERAL SUMMARY

SCI-23-5.49

P:\DDT\MP\0113_SCI-23-5.49\109917\Design\Trcf\c\Sheets\109917_IS001.dgn Sheet 10/26/2020 11:35:54 AM dgohs

REF NO.	SHEET NO.	STATION TO STATION			ROUTE	SIDE	644	644	644														
		EDGE LINE, 4"	CENTER LINE	STOP LINE			MILE	MILE	FT														
EL-1	38-39	0+31.57	TO	6+00.00	FEURT HILL	LT	0.11																
EL-2	38-39	0+31.65	TO	6+00.00	FEURT HILL	RT	0.11																
EL-3	39		TO		U.S. 23	LT	0.03																
DY-1	38-39	0+44.59	TO	6+00.00	FEURT HILL	€		0.11															
SL-1	38	0+44.59	TO	0+44.59	FEURT HILL	LT			23.00														
SUBTOTALS							0.25	0.11	23.00														
TOTALS TO SHEET							0.25	0.11	23														

PAVEMENT MARKING SUBSUMMARY	SCI-23-5.49	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="font-size: small;">CALCULATED</td> <td style="font-size: small;">DMG</td> </tr> <tr> <td style="font-size: small;">CHECKED</td> <td style="font-size: small;">MDW</td> </tr> </table>	CALCULATED	DMG	CHECKED	MDW
CALCULATED	DMG					
CHECKED	MDW					