

| STATION RANGE | | | TYPICAL SECTION | SIDE | DISTANCE (D) | AVERAGE WIDTH (W) | SURFACE AREA (A) A=DxW/9 | CADD GENERATED AREA | 204 | 301 | 304 | 407 | 441 | 441 | 617 |
|-------------------|----|-----------|-----------------|------|--------------|-------------------|-----------------------------|---------------------|--------|-------------------------|-------------------------------------|----------------------------------|-----------------|-------------------------------------|--|
| | | | | | FT | FT | SY | SY | SY | BASE COURSE DEPTH (in.) | ASPHALT CONCRETE BASE, PG64-22 (CY) | AGGREGATE BASE, AS PER PLAN (CY) | TACK COAT (GAL) | DRIVEWAY SURFACE COURSE DEPTH (in.) | ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), AS PER PLAN (CY) |
| WARNER RD. | | | | | | | | | | | | | | | |
| 101+30.00 | to | 101+32.72 | PVMT | LT | 2.72 | 10.04 | 3.03 | | 3.03 | 4.00 | 0.34 | 0.51 | 0.18 | 0.11 | |
| 101+30.00 | to | 101+32.72 | PVMT STP 1 | LT | 2.72 | 0.33 | 0.10 | | 0.10 | 4.00 | 0.01 | 0.02 | | | -0.03 |
| 101+30.00 | to | 101+32.72 | PVMT STP 2 | LT | 2.72 | 0.50 | 0.15 | | 0.15 | | | 0.03 | | | -0.01 |
| 101+30.00 | to | 101+77.98 | AGG SHLDR | LT | 47.98 | 3.00 | 15.99 | | 15.99 | | | | | | 3.55 |
| 101+30.00 | to | 101+77.98 | SUB COMP | LT | 47.98 | 1.50 | 8.00 | | 8.00 | | | | | | |
| 101+30.00 | to | 101+68.76 | PVMT | RT | 38.76 | 9.43 | 40.61 | | 40.61 | 4.00 | 4.51 | 6.77 | 2.44 | 1.41 | |
| 101+30.00 | to | 101+68.76 | PVMT STP 1 | RT | 38.76 | 0.33 | 1.42 | | 1.42 | 4.00 | 0.16 | 0.24 | | | -0.39 |
| 101+30.00 | to | 101+68.76 | PVMT STP 2 | RT | 38.76 | 0.50 | 2.15 | | 2.15 | | | 0.36 | | | -0.18 |
| 101+30.00 | to | 101+41.72 | AGG SHLDR | RT | 11.72 | 3.00 | 3.91 | | 3.91 | | | | | | 0.87 |
| 101+41.72 | to | 101+56.44 | AGG SHLDR | RT | 14.72 | 4.00 | 6.54 | | 6.54 | | | | | | 1.45 |
| 101+56.44 | to | 101+68.76 | AGG SHLDR | RT | 12.32 | | | 2.60 | 2.60 | | | | | | 0.58 |
| 101+30.00 | to | 101+68.76 | SUB COMP | RT | 38.76 | 1.50 | 6.46 | | 6.46 | | | | | | |
| 101+32.72 | to | 102+29.60 | PVMT | LT | 96.88 | 10.00 | 107.64 | | 107.64 | 4.00 | 11.96 | 17.94 | 6.46 | 3.74 | |
| 101+32.72 | to | 102+29.60 | PVMT STP 1 | LT | 96.88 | 0.33 | 3.55 | | 3.55 | 4.00 | 0.39 | 0.59 | | | -0.99 |
| 101+32.72 | to | 102+29.60 | PVMT STP 2 | LT | 96.88 | 0.50 | 5.38 | | 5.38 | | | 0.90 | | | -0.45 |
| 101+77.98 | to | 102+29.60 | AGG SHLDR | LT | 51.62 | 4.00 | 22.94 | | 22.94 | | | | | | 5.10 |
| 101+77.98 | to | 102+29.60 | SUB COMP | LT | 51.62 | 1.50 | 8.60 | | 8.60 | | | | | | |
| 101+68.76 | to | 102+29.60 | PVMT | RT | 60.84 | 10.00 | 67.60 | | 67.60 | 4.00 | 7.51 | 11.27 | 4.06 | 2.35 | |
| 101+68.76 | to | 102+29.60 | PVMT STP 1 | RT | 60.84 | 0.33 | 2.23 | | 2.23 | 4.00 | 0.25 | 0.37 | | | -0.62 |
| 101+68.76 | to | 102+29.60 | PVMT STP 2 | RT | 60.84 | 0.50 | 3.38 | | 3.38 | | | 0.56 | | | -0.28 |
| 101+95.08 | to | 102+03.27 | AGG SHLDR | RT | 8.19 | | | 1.87 | 1.87 | | | | | | 0.42 |
| 102+03.27 | to | 102+29.60 | AGG SHLDR | RT | 26.33 | 4.00 | 11.70 | | 11.70 | | | | | | 2.60 |
| 101+95.08 | to | 102+29.60 | SUB COMP | RT | 34.52 | 1.50 | 5.75 | | 5.75 | | | | | | |
| 102+29.60 | to | 103+39.68 | PVMT | LT | 110.08 | 11.00 | 134.54 | | 134.54 | 4.00 | 14.95 | 22.42 | 8.07 | 4.67 | |
| 102+29.60 | to | 103+39.68 | PVMT STP 1 | LT | 110.08 | 0.33 | 4.04 | | 4.04 | 4.00 | 0.45 | 0.67 | | | |
| 102+29.60 | to | 103+39.68 | PVMT STP 2 | LT | 110.08 | 0.50 | 6.12 | | 6.12 | | | 1.02 | | | |
| 102+29.60 | to | 103+39.68 | AGG SHLDR | LT | 110.08 | 3.00 | 36.69 | | 36.69 | | | | | | 8.15 |
| 102+29.60 | to | 103+39.68 | SUB COMP | LT | 110.08 | 1.50 | 18.35 | | 18.35 | | | | | | |
| 102+29.60 | to | 103+39.68 | PVMT | RT | 110.08 | 11.00 | 134.54 | | 134.54 | 4.00 | 14.95 | 22.42 | 8.07 | 4.67 | |
| 102+29.60 | to | 103+39.68 | PVMT STP 1 | RT | 110.08 | 0.33 | 4.04 | | 4.04 | 4.00 | 0.45 | 0.67 | | | -1.12 |
| 102+29.60 | to | 103+39.68 | PVMT STP 2 | RT | 110.08 | 0.50 | 6.12 | | 6.12 | | | 1.02 | | | -0.51 |
| 102+29.60 | to | 103+39.68 | AGG SHLDR | RT | 110.08 | 3.00 | 36.69 | | 36.69 | | | | | | 8.15 |
| 102+29.60 | to | 103+39.68 | SUB COMP | RT | 110.08 | 1.50 | 18.35 | | 18.35 | | | | | | |
| 103+39.68 | to | 104+76.78 | PVMT | LT | 137.10 | 12.00 | 182.80 | | 182.80 | 4.00 | 20.31 | 30.47 | 10.97 | 6.35 | |
| 103+39.68 | to | 104+76.78 | PVMT STP 1 | LT | 137.10 | 0.33 | 5.03 | | 5.03 | 4.00 | 0.56 | 0.84 | | | -1.40 |
| 103+39.68 | to | 104+76.78 | PVMT STP 2 | LT | 137.10 | 0.50 | 7.62 | | 7.62 | | | 1.27 | | | -0.63 |
| 103+39.68 | to | 104+76.78 | AGG SHLDR | LT | 137.10 | 2.00 | 30.47 | | 30.47 | | | | | | 6.77 |
| 103+39.68 | to | 104+76.78 | SUB COMP | LT | 137.10 | 1.50 | 22.85 | | 22.85 | | | | | | |
| 103+39.68 | to | 104+85.33 | PVMT | RT | 145.65 | 12.00 | 194.20 | | 194.20 | 4.00 | 21.58 | 32.37 | 11.65 | 6.74 | |
| 103+39.68 | to | 104+85.33 | PVMT STP 1 | RT | 145.65 | 0.33 | 5.34 | | 5.34 | 4.00 | 0.59 | 0.89 | | | -1.48 |
| 103+39.68 | to | 104+85.33 | PVMT STP 2 | RT | 145.65 | 0.50 | 8.09 | | 8.09 | | | 1.35 | | | -0.67 |
| 103+39.68 | to | 104+85.33 | AGG SHLDR | RT | 145.65 | 2.00 | 32.37 | | 32.37 | | | | | | 7.19 |
| 103+39.68 | to | 104+85.33 | SUB COMP | RT | 145.65 | 1.50 | 24.27 | | 24.27 | | | | | | |
| 104+76.78 | to | 104+85.33 | PVMT | LT | 8.55 | 12.13 | 11.52 | | 11.52 | 4.00 | 1.28 | 1.92 | 0.69 | 0.40 | |
| 104+76.78 | to | 104+85.33 | PVMT STP 1 | LT | 8.55 | 0.33 | 0.31 | | 0.31 | 4.00 | 0.03 | 0.05 | | | -0.09 |
| 104+76.78 | to | 104+85.33 | PVMT STP 2 | LT | 8.55 | 0.50 | 0.47 | | 0.47 | | | 0.08 | | | -0.04 |
| 104+76.78 | to | 104+85.33 | AGG SHLDR | LT | 8.55 | 2.00 | 1.90 | | 1.90 | | | | | | 0.42 |
| 104+76.78 | to | 104+85.33 | SUB COMP | LT | 8.55 | 1.50 | 1.42 | | 1.42 | | | | | | |

| STATION RANGE | | | TYPICAL SECTION | SIDE | DISTANCE (D) | AVERAGE WIDTH (W) | SURFACE AREA (A) A=DxW/9 | CADD GENERATED AREA | 204 | 301 | 304 | 407 | 441 | 441 | 617 |
|---------------|----|-----------|-------------------|------|--------------|-------------------|-----------------------------|---------------------|-------|-------|------|------|------|-------|-------|
| | | | | | FT | FT | SY | SY | SY | (in.) | CY | CY | GAL | (in.) | CY |
| 104+85.33 | to | 105+05.08 | PVMT | LT | 19.75 | 12.54 | 27.52 | | 27.52 | 8.88 | 6.78 | 4.59 | 1.65 | 0.96 | |
| 104+85.33 | to | 105+05.08 | PVMT STP 1 | LT | 19.75 | 0.33 | 0.72 | | 0.72 | 8.88 | 0.18 | 0.12 | | | -0.30 |
| 104+85.33 | to | 105+05.08 | PVMT STP 2 | LT | 19.75 | 0.50 | 1.10 | | 1.10 | | | 0.18 | | | -0.09 |
| 104+85.33 | to | 105+05.08 | AGG SHLDR | LT | 19.75 | 2.00 | 4.39 | | 4.39 | | | | | | 0.98 |
| 104+85.33 | to | 105+05.08 | SUB COMP | LT | 19.75 | 1.50 | 3.29 | | 3.29 | | | | | | |
| 104+85.33 | to | 105+05.08 | PVMT | RT | 19.75 | | | 26.29 | 26.29 | 8.88 | 6.48 | 4.38 | 1.58 | 0.91 | |
| 104+85.33 | to | 105+05.08 | PVMT STP 1 | RT | 19.75 | 0.33 | 0.72 | | 0.72 | 8.88 | 0.18 | 0.12 | | | -0.30 |
| 104+85.33 | to | 105+05.08 | PVMT STP 2 | RT | 19.75 | 0.50 | 1.10 | | 1.10 | | | 0.18 | | | -0.09 |
| 104+85.33 | to | 105+05.08 | AGG SHLDR | RT | 19.75 | 2.00 | 4.39 | | 4.39 | | | | | | 0.98 |
| 104+85.33 | to | 105+05.08 | SUB COMP | RT | 19.75 | 1.50 | 3.29 | | 3.29 | | | | | | |
| 105+05.08 | to | 105+17.85 | PVMT | LT | 12.77 | | | 13.39 | 13.39 | 13.75 | 5.11 | 2.23 | 0.80 | 0.46 | |
| 105+05.08 | to | 105+10.78 | PVMT STP 1 | LT | 5.70 | 0.33 | 0.21 | | 0.21 | 13.75 | 0.08 | 0.03 | | | -0.11 |
| 105+05.08 | to | 105+10.78 | PVMT STP 2 | LT | 5.70 | 0.50 | 0.32 | | 0.32 | | | 0.05 | | | -0.03 |
| 105+05.08 | to | 105+10.78 | AGG SHLDR | LT | 5.70 | 2.00 | 1.27 | | 1.27 | | | | | | 0.28 |
| 105+05.08 | to | 105+10.78 | SUB COMP | LT | 5.70 | 1.50 | 0.95 | | 0.95 | | | | | | |
| 105+05.08 | to | 105+17.85 | PVMT | RT | 12.77 | | | 22.81 | 22.81 | 13.75 | 8.71 | 3.80 | 1.37 | 0.79 | |
| 105+05.08 | to | 105+25.34 | PVMT STP 1 | RT | 20.26 | 0.33 | 0.74 | | 0.74 | 13.75 | 0.28 | 0.12 | | | -0.41 |
| 105+05.08 | to | 105+25.34 | PVMT STP 2 | RT | 20.26 | 0.50 | 1.13 | | 1.13 | | | 0.19 | | | -0.09 |
| 105+05.08 | to | 105+25.34 | AGG SHLDR | RT | 20.26 | 2.00 | 4.50 | | 4.50 | | | | | | 1.00 |
| 105+05.08 | to | 105+25.34 | SUB COMP | RT | 20.26 | 1.50 | 3.38 | | 3.38 | | | | | | |
| 105+17.85 | to | 105+42.85 | APP SLAB AGG BASE | LT | 25.00 | 16.00 | 44.44 | | 44.44 | | | 7.41 | | | |
| 105+17.85 | to | 105+42.85 | SUB COMP | LT | 25.00 | 1.50 | 4.17 | | 4.17 | | | | | | |
| 105+17.85 | to | 105+42.85 | APP SLAB AGG BASE | RT | 25.00 | 16.00 | 44.44 | | 44.44 | | | 7.41 | | | |
| 105+17.85 | to | 105+42.85 | SUB COMP | RT | 25.00 | 1.50 | 4.17 | | 4.17 | | | | | | |
| - BRIDGE - | | | | | | | | | | | | | | | |
| 106+50.16 | to | 106+75.16 | APP SLAB AGG BASE | LT | 25.00 | 16.00 | 44.44 | | 44.44 | | | 7.41 | | | |
| 106+50.16 | to | 106+75.16 | SUB COMP | LT | 25.00 | 1.50 | 4.17 | | 4.17 | | | | | | |
| 106+50.16 | to | 106+75.16 | APP SLAB AGG BASE | RT | 25.00 | 16.00 | 44.44 | | 44.44 | | | 7.41 | | | |
| 106+50.16 | to | 106+75.16 | SUB COMP | RT | 25.00 | 1.50 | 4.17 | | 4.17 | | | | | | |
| 106+75.16 | to | 106+87.94 | PVMT | LT | 12.78 | | | 22.84 | 22.84 | 13.75 | 8.72 | 3.81 | 1.37 | 0.79 | |
| 106+67.68 | to | 106+87.94 | PVMT STP 1 | LT | 20.26 | 0.33 | 0.74 | | 0.74 | 13.75 | 0.28 | 0.12 | | | -0.41 |
| 106+67.68 | to | 106+87.94 | PVMT STP 2 | LT | 20.26 | 0.50 | 1.13 | | 1.13 | | | 0.19 | | | -0.09 |
| 106+67.68 | to | 106+87.94 | AGG SHLDR | LT | 20.26 | 2.00 | 4.50 | | 4.50 | | | | | | 1.00 |
| 106+67.68 | to | 106+87.94 | SUB COMP | LT | 20.26 | 1.50 | 3.38 | | 3.38 | | | | | | |
| 106+75.16 | to | 106+87.94 | PVMT | RT | 12.78 | | | 13.40 | 13.40 | 13.75 | 5.12 | 2.23 | 0.80 | 0.47 | |
| 106+82.23 | to | 106+87.94 | PVMT STP 1 | RT | 5.71 | 0.33 | 0.21 | | 0.21 | 13.75 | 0.08 | 0.03 | | | -0.11 |
| 106+82.23 | to | 106+87.94 | PVMT STP 2 | RT | 5.71 | 0.50 | 0.32 | | 0.32 | | | 0.05 | | | -0.03 |
| 106+82.23 | to | 106+87.94 | AGG SHLDR | RT | 5.71 | 2.00 | 1.27 | | 1.27 | | | | | | 0.28 |
| 106+82.23 | to | 106+87.94 | SUB COMP | RT | 5.71 | 1.50 | 0.95 | | 0.95 | | | | | | |
| 106+87.94 | to | 107+07.69 | PVMT | LT | 19.75 | | | 26.32 | 26.32 | 8.88 | 6.49 | 4.39 | 1.58 | 0.91 | |
| 106+87.94 | to | 107+07.69 | PVMT STP 1 | LT | 19.75 | 0.33 | 0.72 | | 0.72 | 8.88 | 0.18 | 0.12 | | | -0.30 |
| 106+87.94 | to | 107+07.69 | PVMT STP 2 | LT | 19.75 | 0.50 | 1.10 | | 1.10 | | | 0.18 | | | -0.09 |
| 106+87.94 | to | 107+07.69 | AGG SHLDR | LT | 19.75 | 2.00 | 4.39 | | 4.39 | | | | | | 0.98 |
| 106+87.94 | to | 107+07.69 | SUB COMP | LT | 19.75 | 1.50 | 3.29 | | 3.29 | | | | | | |
| 106+87.94 | to | 107+07.69 | PVMT | RT | 19.75 | 12.54 | 27.51 | | 27.51 | 8.88 | 6.78 | 4.58 | 1.65 | 0.96 | |
| 106+87.94 | to | 107+07.69 | PVMT STP 1 | RT | 19.75 | 0.33 | 0.72 | | 0.72 | 8.88 | 0.18 | 0.12 | | | -0.30 |

| STATION RANGE | | | TYPICAL SECTION | SIDE | DISTANCE (D) | AVERAGE WIDTH (W) | SURFACE AREA (A) A=DxW/9 | CADD GENERATED AREA | 204 | 301 | 304 | 407 | 441 | 441 | 617 |
|---------------|----|-----------|-----------------|------|--------------|-------------------|-----------------------------|---------------------|--------|-------|-------|-------|-------|------|-------|
| | | | | | FT | FT | SY | SY | SY | (in.) | CY | CY | CY | GAL | (in.) |
| 106+87.94 | to | 107+07.69 | PVMT STP 2 | RT | 19.75 | 0.50 | 1.10 | | 1.10 | | 0.18 | | | | -0.09 |
| 106+87.94 | to | 107+07.69 | AGG SHLDR | RT | 19.75 | 2.00 | 4.39 | | 4.39 | | | | | | 0.98 |
| 106+87.94 | to | 107+07.69 | SUB COMP | RT | 19.75 | 1.50 | 3.29 | | 3.29 | | | | | | |
| 107+07.69 | to | 109+09.30 | PVMT | LT | 201.61 | 12.00 | 268.81 | | 268.81 | 4.00 | 29.87 | 44.80 | 16.13 | 9.33 | |
| 107+07.69 | to | 109+09.30 | PVMT STP 1 | LT | 201.61 | 0.33 | 7.39 | | 7.39 | 4.00 | 0.82 | 1.23 | | | -2.05 |
| 107+07.69 | to | 109+09.30 | PVMT STP 2 | LT | 201.61 | 0.50 | 11.20 | | 11.20 | | | 1.87 | | | -0.93 |
| 107+07.69 | to | 109+09.30 | AGG SHLDR | LT | 201.61 | 2.00 | 44.80 | | 44.80 | | | | | | 9.96 |
| 107+07.69 | to | 109+09.30 | SUB COMP | LT | 201.61 | 1.50 | 33.60 | | 33.60 | | | | | | |
| 107+07.69 | to | 107+16.23 | PVMT | RT | 8.54 | 12.11 | 11.49 | | 11.49 | 4.00 | 1.28 | 1.92 | 0.69 | 0.40 | |
| 107+07.69 | to | 107+16.23 | PVMT STP 1 | RT | 8.54 | 0.33 | 0.31 | | 0.31 | 4.00 | 0.03 | 0.05 | | | -0.09 |
| 107+07.69 | to | 107+16.23 | PVMT STP 2 | RT | 8.54 | 0.50 | 0.47 | | 0.47 | | | 0.08 | | | -0.04 |
| 107+07.69 | to | 107+12.46 | AGG SHLDR | RT | 4.77 | 2.00 | 1.06 | | 1.06 | | | | | | 0.24 |
| 107+07.69 | to | 107+12.46 | SUB COMP | RT | 4.77 | 1.50 | 0.79 | | 0.79 | | | | | | |
| 107+16.23 | to | 109+09.30 | PVMT | RT | 193.07 | 12.00 | 257.43 | | 257.43 | 4.00 | 28.60 | 42.90 | 15.45 | 8.94 | |
| 107+16.23 | to | 109+09.30 | PVMT STP 1 | RT | 193.07 | 0.33 | 7.08 | | 7.08 | 4.00 | 0.79 | 1.18 | | | -1.97 |
| 107+16.23 | to | 109+09.30 | PVMT STP 2 | RT | 193.07 | 0.50 | 10.73 | | 10.73 | | | 1.79 | | | -0.89 |
| 107+74.76 | to | 109+09.30 | AGG SHLDR | RT | 134.54 | 2.00 | 29.90 | | 29.90 | | | | | | 6.64 |
| 107+74.76 | to | 109+09.30 | SUB COMP | RT | 134.54 | 1.50 | 22.42 | | 22.42 | | | | | | |
| 109+09.30 | to | 109+84.98 | PVMT | LT | 75.68 | 11.00 | 92.50 | | 92.50 | 4.00 | 10.28 | 15.42 | 5.55 | 3.21 | |
| 109+09.30 | to | 109+84.98 | PVMT STP 1 | LT | 75.68 | 0.33 | 2.77 | | 2.77 | 4.00 | 0.31 | 0.46 | | | -0.77 |
| 109+09.30 | to | 109+84.98 | PVMT STP 2 | LT | 75.68 | 0.50 | 4.20 | | 4.20 | | | 0.70 | | | -0.35 |
| 109+09.30 | to | 109+84.98 | AGG SHLDR | LT | 75.68 | 3.00 | 25.23 | | 25.23 | | | | | | 5.61 |
| 109+09.30 | to | 109+84.98 | SUB COMP | LT | 75.68 | 1.50 | 12.61 | | 12.61 | | | | | | |
| 109+09.30 | to | 109+84.98 | PVMT | RT | 75.68 | 11.00 | 92.50 | | 92.50 | 4.00 | 10.28 | 15.42 | 5.55 | 3.21 | |
| 109+09.30 | to | 109+84.98 | PVMT STP 1 | RT | 75.68 | 0.33 | 2.77 | | 2.77 | 4.00 | 0.31 | 0.46 | | | -0.77 |
| 109+09.30 | to | 109+84.98 | PVMT STP 2 | RT | 75.68 | 0.50 | 4.20 | | 4.20 | | | 0.70 | | | -0.35 |
| 109+09.30 | to | 109+84.98 | AGG SHLDR | RT | 75.68 | 3.00 | 25.23 | | 25.23 | | | | | | 5.61 |
| 109+09.30 | to | 109+84.98 | SUB COMP | RT | 75.68 | 1.50 | 12.61 | | 12.61 | | | | | | |
| 109+84.98 | to | 110+41.44 | PVMT | LT | 56.46 | 10.00 | 62.73 | | 62.73 | 4.00 | 6.97 | 10.46 | 3.76 | 2.18 | |
| 109+84.98 | to | 110+41.44 | PVMT STP 1 | LT | 56.46 | 0.33 | 2.07 | | 2.07 | 4.00 | 0.23 | 0.35 | | | -0.58 |
| 109+84.98 | to | 110+41.44 | PVMT STP 2 | LT | 56.46 | 0.50 | 3.14 | | 3.14 | | | 0.52 | | | -0.26 |
| 109+84.98 | to | 110+58.27 | AGG SHLDR | LT | 73.29 | 4.00 | 32.57 | | 32.57 | | | | | | 7.24 |
| 110+58.27 | to | 110+70.00 | AGG SHLDR | LT | 11.73 | 3.00 | 3.91 | | 3.91 | | | | | | 0.87 |
| 109+84.98 | to | 110+70.00 | SUB COMP | LT | 85.02 | 1.50 | 14.17 | | 14.17 | | | | | | |
| 109+84.98 | to | 110+60.14 | PVMT | RT | 75.16 | 10.00 | 83.51 | | 83.51 | 4.00 | 9.28 | 13.92 | 5.01 | 2.90 | |
| 109+84.98 | to | 110+60.14 | PVMT STP 1 | RT | 75.16 | 0.33 | 2.76 | | 2.76 | 4.00 | 0.31 | 0.46 | | | -0.77 |
| 109+84.98 | to | 110+60.14 | PVMT STP 2 | RT | 75.16 | 0.50 | 4.18 | | 4.18 | | | 0.70 | | | -0.35 |
| 109+84.98 | to | 110+27.21 | AGG SHLDR | RT | 42.23 | 4.00 | 18.77 | | 18.77 | | | | | | 4.17 |
| 110+27.21 | to | 110+70.00 | AGG SHLDR | RT | 42.79 | 3.00 | 14.26 | | 14.26 | | | | | | 3.17 |
| 109+84.98 | to | 110+70.00 | SUB COMP | RT | 85.02 | 1.50 | 14.17 | | 14.17 | | | | | | |
| 110+41.44 | to | 110+70.00 | PVMT | LT | 28.56 | 9.58 | 30.40 | | 30.40 | 4.00 | 3.38 | 5.07 | 1.82 | 1.06 | |
| 110+41.44 | to | 110+70.00 | PVMT STP 1 | LT | 28.56 | 0.33 | 1.05 | | 1.05 | 4.00 | 0.12 | 0.17 | | | -0.29 |
| 110+41.44 | to | 110+70.00 | PVMT STP 2 | LT | 28.56 | 0.50 | 1.59 | | 1.59 | | | 0.26 | | | -0.13 |
| 110+60.14 | to | 110+70.00 | PVMT | RT | 9.86 | 10.15 | 11.11 | | 11.11 | 4.00 | 1.23 | 1.85 | 0.67 | 0.39 | |
| 110+60.14 | to | 110+70.00 | PVMT STP 1 | RT | 9.86 | 0.33 | 0.36 | | 0.36 | 4.00 | 0.04 | 0.06 | | | -0.10 |
| 110+60.14 | to | 110+70.00 | PVMT STP 2 | RT | 9.86 | 0.50 | 0.55 | | 0.55 | | | 0.09 | | | -0.05 |

| STATION RANGE | TYPICAL SECTION | SIDE | DISTANCE (D) | AVERAGE WIDTH (W) | SURFACE AREA (A) A=DxW/9 | CADD GENERATED AREA | 204 | | 301 | | 304 | | 407 | | 441 | | 441 | | 617 | |
|--|-----------------|----------|--------------|-------------------|-----------------------------|---------------------|---------------------|-------------------|--------------------------------|-----------------------------|-----------|-------------------------------|---|------------------------------------|---|---------------------|------|------|-----|----|
| | | | | | | | SUBGRADE COMPACTION | BASE COURSE DEPTH | ASPHALT CONCRETE BASE, PG64-22 | AGGREGATE BASE, AS PER PLAN | TACK COAT | DRIVEWAY SURFACE COURSE DEPTH | ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (448), AS PER PLAN | DRIVEWAY INTERMEDIATE COURSE DEPTH | ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE 2, (448) | COMPACTED AGGREGATE | | | | |
| | | | | | | | FT | FT | SY | SY | SY | SY | GAL | (in.) | CY | (in.) | 0 | | CY | |
| DRIVEWAY 1 (DW-1) | | | | | | | | | | | | | | | | | | | | |
| 10+10.50 | to | 10+28.27 | PVMT | LT | 17.77 | | 19.99 | 19.99 | | | 3.33 | | | | 1.75 | 0.97 | 1.25 | 0.69 | | |
| 10+10.50 | to | 10+28.27 | PVMT STP 1 | LT | 21.40 | 0.50 | 1.19 | 1.19 | | | 0.20 | | | | | | | | | |
| 10+10.50 | to | 10+28.27 | SUB COMP | LT | 21.40 | 1.50 | 3.57 | 3.57 | | | | | | | | | | | | |
| 10+03.08 | to | 10+28.27 | PVMT | RT | 25.19 | | 20.39 | 20.39 | | | 3.40 | | | | 1.75 | 0.99 | 1.25 | 0.71 | | |
| 10+03.08 | to | 10+28.27 | PVMT STP 1 | RT | 31.44 | 0.50 | 1.75 | 1.75 | | | 0.29 | | | | | | | | | |
| 10+03.08 | to | 10+28.27 | SUB COMP | RT | 31.44 | 1.50 | 5.24 | 5.24 | | | | | | | | | | | | |
| DRIVEWAY 2 (DW-2) | | | | | | | | | | | | | | | | | | | | |
| 20+04.54 | to | 20+29.24 | PVMT | LT | 24.70 | | 20.47 | 20.47 | | | 3.41 | | | | 1.75 | 1.00 | 1.25 | 0.71 | | |
| 20+04.54 | to | 20+29.24 | PVMT STP 1 | LT | 28.88 | 0.50 | 1.60 | 1.60 | | | 0.27 | | | | | | | | | |
| 20+04.54 | to | 20+29.24 | SUB COMP | LT | 28.88 | 1.50 | 4.81 | 4.81 | | | | | | | | | | | | |
| 20+12.92 | to | 20+52.37 | PVMT | RT | 39.45 | | 63.99 | 63.99 | | | 10.67 | | | | 1.75 | 3.11 | 1.25 | 2.22 | | |
| 20+12.92 | to | 20+52.37 | PVMT STP 1 | RT | 47.33 | 0.50 | 2.63 | 2.63 | | | 0.44 | | | | | | | | | |
| 20+12.92 | to | 20+52.37 | SUB COMP | RT | 47.33 | 1.50 | 7.89 | 7.89 | | | | | | | | | | | | |
| 20+29.24 | to | 20+57.93 | PVMT | LT | 28.69 | 6.00 | 19.13 | 19.13 | | | 3.19 | | | | 1.75 | 0.93 | 1.25 | 0.66 | | |
| 20+29.24 | to | 20+57.93 | PVMT STP 1 | LT | 28.69 | 0.50 | 1.59 | 1.59 | | | 0.27 | | | | | | | | | |
| 20+29.24 | to | 20+57.93 | SUB COMP | LT | 28.69 | 1.50 | 4.78 | 4.78 | | | | | | | | | | | | |
| 20+52.37 | to | 20+57.93 | PVMT | RT | 5.56 | 6.00 | 3.71 | 3.71 | | | 0.62 | | | | 1.75 | 0.18 | 1.25 | 0.13 | | |
| 20+52.37 | to | 20+57.93 | PVMT STP 1 | RT | 5.56 | 0.50 | 0.31 | 0.31 | | | 0.05 | | | | | | | | | |
| 20+52.37 | to | 20+57.93 | SUB COMP | RT | 5.56 | 1.50 | 0.93 | 0.93 | | | | | | | | | | | | |
| TOTALS CARRIED TO GENERAL SUMMARY | | | | | | | | 3165 | | 260 | | 408 | | 118 | | 75 | | 5 | | 73 |