

I:\Project+Data\WAS\09312_WAS-60-8.60\Design\Roadway\Sheets\09312_GG001.dgn Sheet 6 / 4 / 2020 8:53:22 AM jwiseaman

SHEET NUM.										PART.		ITEM	ITEM EXT	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET NO.	CALCULATED JDW	CHECKED ARM
6	8	23	27	32	34	42	47			01/STR/OT									
ROADWAY																			
										LUMP		201	11000	LS		CLEARING AND GRUBBING	3		
		1	1	1	1					4		202	20010	4	EACH	HEADWALL REMOVED			
8,613					3					3		202	35100	3	FT	PIPE REMOVED, 24" AND UNDER			
										8,613		202	98300	8,613	SY	REMOVAL MISC.: CLEAN EXISTING ASPHALT	6		
	10,257									10,257		203	10000	10,257	CY	EXCAVATION			
	907									907		203	20000	907	CY	EMBANKMENT			
EROSION CONTROL																			
	9,163									9,163		659	10000	9,163	SY	SEEDING AND MULCHING			
	1.24									1.24		659	20000	1.24	TON	COMMERCIAL FERTILIZER			
	1.89									1.89		659	31000	1.89	ACRE	LIME			
	24.7									24.7		659	35000	24.7	MGAL	WATER			
										LUMP		832	15000	LS		STORM WATER POLLUTION PREVENTION PLAN			
										LUMP		832	15002	LS		STORM WATER POLLUTION PREVENTION INSPECTIONS			
										LUMP		832	15010	LS		STORM WATER POLLUTION PREVENTION INSPECTION SOFTWARE			
										10,000		832	30000	10,000	EACH	EROSION CONTROL			
DRAINAGE																			
		0.33	0.33							0.66		602	20000	0.66	CY	CONCRETE MASONRY			
	7									7		611	99710	7	EACH	PRECAST REINFORCED CONCRETE OUTLET			
		5	5	3	5					18		611	07200	18	FT	18" CONDUIT, TYPE A			
				1	1					2		611	98470	2	EACH	CATCH BASIN, NO. 2-2B			
PAVEMENT																			
	205									205		408	10000	205	GAL	PRIME COAT			
	44									44		617	10100	44	CY	COMPACTED AGGREGATE			
TRAFFIC CONTROL																			
	3									3		630	85100	3	EACH	REMOVAL OF GROUND MOUNTED SIGN AND REERECTION			
	3									3		630	86010	3	EACH	REMOVAL OF GROUND MOUNTED POST SUPPORT AND REERECTION			
	0.87									0.87		642	00104	0.87	MILE	EDGE LINE, 6", TYPE 1			
	0.44									0.44		642	00300	0.44	MILE	CENTER LINE, TYPE 1			
RETAINING WALLS																			
							10,722			10,722		507	00400	10,722	FT	STEEL PILES, MISC.: SOLDIER PILES W24X250	3-5,41-46		
	1,913									1,913		518	21200	1,913	CY	POROUS BACKFILL WITH GEOTEXTILE FABRIC			
	1,967									1,967		518	40000	1,967	FT	6" PERFORATED CORRUGATED PLASTIC PIPE			
	80									80		518	40012	80	FT	6" NON-PERFORATED CORRUGATED PLASTIC PIPE			
							72			72		524	94703	72	FT	DRILLED SHAFTS, 36" DIAMETER, ABOVE BEDROCK, AS PER PLAN	3-5,41-46		
							5,130			5,130		524	94705	5,130	FT	DRILLED SHAFTS, 36" DIAMETER, INTO BEDROCK, AS PER PLAN	3-5,41-46		
							28			28		524	95000	28	FT	DRILLED SHAFTS, MISC.: EXTENSION	3-5,41-46		
							1,564			1,564		524	95000	1,564	FT	DRILLED SHAFTS, MISC.:36" DIAMETER DRILLING THROUGH ROCK	3-5,41-46		
							2,692			2,692		SPECIAL	53000400	2,692	EACH	STRUCTURES CONCRETE LAGGING NO. 1	3-5,41-46		
										31,522		SPECIAL	53000600	31,522	SF	RETAINING WALL, MISC.: TIMBER LAGGING	3-5,41-46		
MAINTENANCE OF TRAFFIC																			
	4									4		614	12338	4	EACH	WORK ZONE IMPACT ATTENUATOR (BIDIRECTIONAL)			
	2									2		614	12740	2	EACH	WORK ZONE LIGHTING SYSTEM			
	2,480									2,480		622	41100	2,480	FT	PORTABLE BARRIER, UNACHORED			
INCIDENTALS																			
										LUMP		614	11001	LS		MAINTAINING TRAFFIC, AS PER PLAN	6		
										LUMP		623	10000	LS		CONSTRUCTION LAYOUT STAKES AND SURVEYING			
										LUMP		624	10000	LS		MOBILIZATION			

GENERAL SUMMARY

WAS-60-8.60

SHAFT No.	CENTERLINE DRILLED SHAFT (KING PILE) STA.	CENTERLINE S.R. 60 OFFSET	BOTTOM ELEVATION OF SHAFT	TOP ELEVATION OF SHAFT	TOP ELEVATION OF LAGGING	ESTIMATED TOP OF ROCK ELEVATION	ITEM 524: 36" DIA. DRILLED SHAFTS INTO BEDROCK		ITEM 524: 36" DIA. DRILLED SHAFTS ABOVE BEDROCK	ITEM 524: DRILLED SHAFTS, MISC.: 36" DIAMETER DRILLING THROUGH ROCK	ITEM 524: DRILLED SHAFTS, MISC.: EXTENSION	ITEM 507: STEEL PILES, MISC.: SOLDIER PILES W24X250
							FEET	FEET				
179	21+64.25	45.00	RT	604.95	619.95	638.28	626.29	15.00	0.00	6.34	-	33.33
180	21+70.00	45.00	RT	604.95	619.95	638.28	626.28	15.00	0.00	6.33	-	33.33
181	21+75.75	45.00	RT	604.95	619.95	638.28	626.26	15.00	0.00	6.31	-	33.33
182	21+81.50	45.00	RT	604.95	619.95	638.78	626.25	15.00	0.00	6.30	0.50	33.83
183	21+87.25	45.00	RT	605.45	620.45	638.78	626.23	15.00	0.00	5.78	-	33.33
184	21+93.00	45.00	RT	605.45	620.45	638.78	626.22	15.00	0.00	5.77	-	33.33
185	21+98.75	45.00	RT	605.45	620.45	639.28	626.20	15.00	0.00	5.75	0.50	33.83
186	22+04.50	45.00	RT	605.95	620.95	639.28	626.19	15.00	0.00	5.24	-	33.33
187	22+10.25	45.00	RT	605.95	620.95	639.28	626.17	15.00	0.00	5.22	-	33.33
188	22+16.00	45.00	RT	605.95	620.95	639.78	626.16	15.00	0.00	5.21	0.05	33.83
189	22+21.75	45.00	RT	606.45	621.45	639.78	626.14	15.00	0.00	4.69	-	33.33
190	22+27.50	45.00	RT	606.45	621.45	639.78	626.13	15.00	0.00	4.68	-	33.33
191	22+33.25	45.00	RT	606.45	621.45	639.78	626.11	15.00	0.00	4.66	-	33.33
192	22+39.00	45.00	RT	606.45	621.45	639.78	626.10	15.00	0.00	4.65	-	33.33
193	22+44.75	45.00	RT	606.45	621.45	640.28	626.08	15.00	0.00	4.63	0.50	33.83
194	22+50.50	45.00	RT	606.95	621.95	640.28	626.07	15.00	0.00	4.12	-	33.33
195	22+56.25	45.00	RT	606.95	621.95	640.28	626.05	15.00	0.00	4.10	-	33.33
196	22+62.00	45.00	RT	606.95	621.95	640.28	626.04	15.00	0.00	4.09	-	33.33
197	22+67.75	45.00	RT	606.95	621.95	640.28	626.02	15.00	0.00	4.07	-	33.33
198	22+73.50	45.00	RT	606.95	621.95	640.78	626.01	15.00	0.00	4.06	0.50	33.83
199	22+79.25	45.00	RT	607.45	622.45	640.78	625.99	15.00	0.00	3.54	-	33.33
200	22+85.00	45.00	RT	607.45	622.45	640.78	625.98	15.00	0.00	3.53	-	33.33
201	22+90.75	45.00	RT	607.45	622.45	640.78	625.96	15.00	0.00	3.51	-	33.33
202	22+96.50	45.00	RT	607.45	622.45	640.78	625.95	15.00	0.00	3.50	-	33.33
203	23+02.25	45.00	RT	607.45	622.45	641.28	625.93	15.00	0.00	3.48	0.50	33.83
204	23+08.00	45.00	RT	607.95	622.95	641.28	625.92	15.00	0.00	2.97	-	33.33
205	23+13.75	45.00	RT	607.95	622.95	641.28	625.90	15.00	0.00	2.95	-	33.33
206	23+19.50	45.00	RT	607.95	622.95	641.28	625.89	15.00	0.00	2.94	-	33.33
207	23+25.25	45.00	RT	607.95	622.95	641.78	625.87	15.00	0.00	2.92	0.50	33.83
208	23+31.00	45.00	RT	608.45	623.45	641.78	625.86	15.00	0.00	2.41	-	33.33
209	23+36.75	45.00	RT	608.45	623.45	641.78	625.84	15.00	0.00	2.39	-	33.33
210	23+42.50	45.00	RT	608.45	623.45	641.78	625.83	15.00	0.00	2.38	-	33.33
211	23+48.25	45.00	RT	608.45	623.45	641.78	625.81	15.00	0.00	2.36	-	33.33
212	23+54.00	45.00	RT	608.45	623.45	641.78	625.80	15.00	0.00	2.35	-	33.33
213	23+59.75	45.00	RT	608.45	623.45	641.78	625.78	15.00	0.00	2.33	-	33.33
214	23+65.50	45.00	RT	608.45	623.45	641.78	625.77	15.00	0.00	2.32	-	33.33
215	23+71.25	45.00	RT	608.45	623.45	641.78	625.75	15.00	0.00	2.30	-	33.33
216	23+77.00	45.00	RT	608.45	623.45	641.78	625.74	15.00	0.00	2.29	-	33.33
217	23+82.75	45.00	RT	608.45	623.45	641.78	625.72	15.00	0.00	2.27	-	33.33
218	23+88.50	45.00	RT	608.45	623.45	641.78	625.71	15.00	0.00	2.26	-	33.33
219	23+94.25	45.00	RT	608.45	623.45	641.78	625.70	15.00	0.00	2.25	-	33.33
220	24+00.00	45.00	RT	608.45	623.45	641.78	625.68	15.00	0.00	2.23	-	33.33
221	24+05.75	45.00	RT	608.45	623.45	641.78	625.77	15.00	0.00	2.32	-	33.33
222	24+11.50	45.00	RT	608.45	623.45	641.78	625.86	15.00	0.00	2.41	-	33.33
223	24+17.25	45.00	RT	608.45	623.45	641.78	625.96	15.00	0.00	2.51	-	33.33
224	24+23.00	45.00	RT	608.45	623.45	641.78	626.05	15.00	0.00	2.60	-	33.33
225	24+28.75	45.00	RT	608.45	623.45	641.78	626.14	15.00	0.00	2.69	-	33.33
226	24+34.50	45.00	RT	608.45	623.45	641.78	626.23	15.00	0.00	2.78	-	33.33
227	24+40.25	45.00	RT	608.45	623.45	641.78	626.33	15.00	0.00	2.88	-	33.33
228	24+46.00	45.00	RT	608.45	623.45	641.78	626.42	15.00	0.00	2.97	-	33.33
229	24+51.75	45.00	RT	608.45	623.45	641.78	626.51	15.00	0.00	3.06	-	33.33
230	24+57.50	45.00	RT	608.45	623.45	641.78	626.60	15.00	0.00	3.15	-	33.33
231	24+63.25	45.00	RT	608.45	623.45	641.78	626.70	15.00	0.00	3.25	-	33.33
232	24+69.00	45.00	RT	608.45	623.45	641.78	626.79	15.00	0.00	3.34	-	33.33
233	24+74.75	45.00	RT	608.45	623.45	641.78	626.88	15.00	0.00	3.43	-	33.33
234	24+80.50	45.00	RT	608.45	623.45	641.78	626.97	15.00	0.00	3.52	-	33.33
235	24+86.25	45.00	RT	608.45	623.45	641.78	627.07	15.00	0.00	3.62	-	33.33
236	24+92.00	45.00	RT	608.45	623.45	641.78	627.16	15.00	0.00	3.71	-	33.33
237	24+97.75	45.00	RT	608.45	623.45	641.78	627.25	15.00	0.00	3.80	-	33.33
238	25+03.50	45.00	RT	608.45	623.45	641.78	627.34	15.00	0.00	3.89	-	33.33
239	25+09.25	45.00	RT	608.45	623.45	641.78	627.44	15.00	0.00	3.99	-	33.33
240	25+15.00	45.00	RT	608.45	623.45	641.78	627.53	15.00	0.00	4.08	-	33.33
241	25+20.75	45.00	RT	608.45	623.45	641.78	627.62	15.00	0.00	4.17	-	33.33
242	25+26.50	45.00	RT	607.95	622.95	641.78	627.71	15.00	0.00	4.76	0.50	33.83
243	25+32.25	45.00	RT	607.45	622.45	641.28	627.80	15.00	0.00	5.35	0.50	33.83
244	25+38.00	45.00	RT	607.45	622.45	640.78	627.90	15.00	0.00	5.45	-	33.33
245	25+43.75	45.00	RT	607.45	622.45	640.78	627.99	15.00	0.00	5.54	-	33.33
246	25+49.50	45.00	RT	606.95	621.95	640.78	628.08	15.00	0.00	6.13	0.50	33.83
247	25+55.25	45.00	RT	606.95	621.95	640.28	628.17	15.00	0.00	6.22	-	33.33
248	25+61.00	45.00	RT	606.95	621.95	640.28	628.27	15.00	0.00	6.32	-	33.33
249	25+66.75	45.00	RT	606.95	621.95	640.28	628.36	15.00	0.00	6.41	-	33.33
250	25+72.50	45.00	RT	606.95	621.95	640.28	628.45	15.00	0.00	6.50	-	33.33
251	25+78.25	45.00	RT	606.45	621.45	640.28	628.54	15.00	0.00	7.09	0.50	33.83
252	25+84.00	45.00	RT	606.45	621.45	639.78	628.64	15.00	0.00	7.19	-	33.33
253	25+89.75	45.00	RT	606.45	621.45	639.78	628.73	15.00	0.00	7.28	-	33.33
254	25+95.50	45.00	RT	606.45	621.45	639.78	628.82	15.00	0.00	7.37	-	33.33
255	26+01.25	45.00	RT	605.95	620.95	639.78	628.91	15.00	0.00	7.96	0.50	33.83
256	26+07.00	45.00	RT	605.95	620.95	639.28	629.01	15.00	0.00	8.06	-	33.33
257	26+12.75	45.00	RT	605.95	620.95	639.28	629.10	15.00	0.00	8.15	-	33.33
258	26+18.50	45.00	RT	605.95	620.95	639.28	629.19	15.00	0.00	8.24	-	33.33
259	26+24.25	45.00	RT	605.95	620.95	639.28	629.28	15.00	0.00	8.33	-	33.33
260	26+30.00	45.00	RT	605.95	620.95	639.28	629.38	15.00	0.00	8.43	-	33.33
261	26+35.75	45.00	RT	605.95	620.95	639.28	629.47	15.00	0.00	8.52	-	33.33
262	26+41.50	45.00	RT	605.45	620.45	639.28	629.56	15.00	0.00	9.11	0.50	33.83
263	26+47.25	45.00	RT	605.45	620.45	638.78	629.65	15.00	0.00	9.20	-	33.33
264	26+53.00	45.00	RT	605.45	620.45	638.78	629.74	15.00	0.00	9.29	-	33.33
265	26+58.75	45.00	RT	605.45	620.45	638.78	629.84	15.00	0.00	9.39	-	33.33
266	26+64.50	45.00	RT	605.45	620.45	638.78	629.93	15.00	0.00	9.48	-	33.33
267	26+70.25	45.00	RT	605.45	620.45	638.78	630.02	15.00	0.00	9.57	-	33.33
TOTALS FOR SHAFT NUMBERS 179-267							1335.00	0.00	425.05	6.05	2972.87	

SHAFT No.	CENTERLINE DRILLED SHAFT (KING PILE) STA.	CENTERLINE S.R. 60 OFFSET	BOTTOM ELEVATION OF SHAFT	TOP ELEVATION OF SHAFT	TOP ELEVATION OF LAGGING	ESTIMATED TOP OF ROCK ELEVATION	ITEM 524: 36" DIA. DRILLED SHAFTS INTO BEDROCK		ITEM 524: 36" DIA. DRILLED SHAFTS ABOVE BEDROCK	ITEM 524: DRILLED SHAFTS, MISC.: 36" DIAMETER DRILLING THROUGH ROCK	ITEM 524: DRILLED SHAFTS, MISC.: EXTENSION	ITEM 507: STEEL PILES, MISC.: SOLDIER PILES W24X250
							FEET	FEET				
268	26+76.00	45.00	RT	605.45	620.45	638.78	630.11	15.00	0.00	9.66	-	33.33
269	26+81.75	45.00	RT	605.45	620.45	638.78	630.21	15.00	0.00	9.76	-	33.33
270	26+87.50	45.00	RT	604.95	619.95	638.78	630.30	15.00	0.00	10.35	0.50	33.83
271	26+93.25	45.00	RT	604.95	619.95	638.28	630.39	15.00	0.00	10.44	-	33.33
272	26+99.00	45.00	RT	604.95	619.95	638.28	630.48	15.00	0.00	10.53	-	33.33
273	27+04.75	45.00	RT	604.95	619.95	638.28	630.40	15.00	0.00	10.45	-	33.33
274	27+10.50	45.00	RT	604.95	619.95	638.28	630.28	15.00	0.00	10.33	-	33.33
275	27+16.25	45.00	RT	604.95	619.95	638.28	630.15	15.00	0.00	10.20	-	33.33
276	27+22.00	45.00	RT	604.95	619.95	638.28	630.03	15.00	0.00	10.08	-	33.33
277	27+27.75	45.00	RT	604.95	619.95	638.28	629.91	15.00	0.00	9.96	-	33.33
278	27+33.50	45.00	RT	604.95	619.95	638.28	629.78	15.00	0.00	9.83	-	33.33
279	27+39.25	45.00	RT	604.95	619.95	638.28	629.66	15.00	0.00	9.71	-	33.33
280	27+45.00	45.00	RT	604.95	619.95	638.28	629.54	15.00	0.00	9.59	-	33.33
281	27+50.75	45.00	RT	604.95	619.95	638.28	629.42	15.00	0.00	9.47	-	33.33
282	27+56.50	45.00	RT	604.45	619.45	638.28	629.29	15.00	0.00	9.84	0.50	33.83
283	27+62.25	45.00	RT	604.45	619.45	637.78	629.17	15.00	0.00	9.72	-	33.33
284	27+68.00	45.00	RT	604.45	619.45	637.78	629.05	15.00	0.00	9.60	-	33.33
285	27+73.75	45.00	RT	603.95	618.95	637.78	628.92	15.00	0.00	9.97	0.50	33.83
286	27+79.50	45.00	RT	603.95	618.95	637.28	628.80	15.00	0.00	9.85	-	33.33
287	27+85.25	45.00	RT	603.95	618.95	637.28	628.68	15.00	0.00	9.73	-	33.33
288	27+91.00	45.00	RT	603.45	618.45	637.28	628.56	15.00	0.00	10.11	0.50	33.83
289	27+96.75	45.00	RT	603.45	618.45	636.78	628.43	15.00	0.00	9.98	-	33.33
290	28+02.50	45.00	RT	603.45	618.45	636.78	628.31	15.00	0.00	9.86	-	33.33
291	28+08.25	45.00	RT	602.95	617.95	636.78	628.19	15.00	0.00	10.24	0.50	33.83
292	28+14.00	45.00	RT	602.95	617.95	636.28	628.06	15.00	0.00	10.11	-	33.33
293	28+19.75	45.00	RT	602.95	617.95	636.28	627.94	15.00	0.00	9.99	-	33.33
294	28+25.50	45.00	RT	602.95	617.95	636.28	627.82	15.00	0.00	9.87	-	33.33
295	28+31.25	45.00	RT	602.95	617.95	636.28	627.70	15.00	0.00	9.75	-	33.33
296	28+37.00	45.00	RT	602.95	617.95	636.28	627.57	15.00	0.00	9.62	-	33.33
297	28+42.75	45.00	RT	602.95	617.95	636.28	627.45	15.00	0.00	9.50	-	33.33
298	28+48.50	45.00	RT	602.95	617.95	636.28	627.33	15.00	0.00	9.38	-	33.33
299	28+54.25	45.00	RT	602.95	617.95	636.28	627.20	15.00	0.00	9.25	-	33.33
300	28+60.00	45.00	RT	602.95	617.95	636.28	627.08	15.00	0.00	9.13	-	33.33
301	28+65.75	45.00	RT	602.95	617.95	636.28	626.96	15.00	0.00	9.01	-	33.33
302	28+71.50	45.00	RT	602.95	617.95	636.28	626.84	15.00	0.00	8.89	-	33.33
303	28+77.25	45.00	RT	602.95	617.95	636.28	626.72	15.00	0.00	8.77	-	33.33
304	28+83.00	45.00	RT	602.95	617.95	636.28	626.60	15.00	0.00	8.65	-	33.33
305	28+88.75	45.00	RT	602.95	617.95	636.28	626.48	15.00	0.00	8.53	-	33.33
306	28+94.50	45.00	RT	602.95	617.95	636.28	626.36	15.00	0.00	8.41	-	33.33
307	29+00.25	45.00	RT	602.95	617.95	636.28	626.24	15.00	0.00	8.29	-	33.33
308	29+06.00	45.00	RT	602.95	617.95	636.28	626.12	15.00	0.00	8.17	-	33.33
309	29+11.75	45.00	RT	602.95	617.95	636.78	626.00	15.00	0.00	8.05	0.50	33.83
310	29+17.50	45.00	RT	603.45	618.45	636.78	625.88	15.00	0.00	7.93	-	33.33
311	29+23.25	45.00	RT	603.45	618.45	637.28	625.76	15.00	0.00	7.81	-	33.33
312	29+29.00	45.00	RT	603.45	618.45	637.28	625.64	15.00	0.00	7.69	-	33.33
313	29+34.75	45.00	RT	603.45	618.45	637.28	625.52	15.00	0.00	7.57	-	33.33
314	29+40.50	45.00	RT	603.45	618.45	637.28	625.40	15.00	0.00	7.45	-	33.33
315	29+46.25	45.00	RT	603.45	618.45	637.28	625.28	15.00	0.00	7.33	-	33.33
316	29+52.00	45.00	RT	603.95	618.95	637.28	625.16	15.00	0.00	7.21	-	33.33
317	29+57.75	45.00	RT	603.95	618.95	637.28	625.04	15.00	0.00	7.09	-	33.33
318	29+63.50	45.00	RT	603.95	618.95	637.28	624.92	15.00	0.00	6.97	-	33.33
319	29+69.25	45.00	RT	603.95	618.95	637.28	624.80	15.00	0.00	6.85	-	33.33
320	29+75.00	45.00	RT	603.95	618.95	637.28	624.68	15.00	0.00	6.73	-	33.33
321	29+80.75	45.00	RT	603.95	618.95	637.78	624.56	15.00	0.00	6.61	0.50	33.83
322	29+86.50	45.00	RT	604.45	619.45	637.78	624.44	15.00	0.00	6.49	-	33.33
323	29+92.25	45.00	RT	604.45	619.45	637.78	624.32	15.00	0.00	6.37	-	33.33
324	29+98.00	45.00	RT	604.45	619.45	637.78	624.20	15.00	0.00	6.25	-	33.33
325	30+03.75	45.00	RT	604.45	619.45	637.78	624.08	15.00	0.00	6.13	-	33.33
326	30+09.50	45.00	RT	604.45	619.45	637.78	623.96	15.00	0.00	6.01	-	33.33
327	30+15.25	45.00	RT	604.45	619.45	637.78	623.84	15.00	0.00	5.89	-	33.33
328	30+21.00	45.00	RT	604.45	619.45	637.78	623.72	15.00	0.00	5.77	-	33.33
329	30+26.75	45.00	RT	605.95	620.95	637.24	623.60	15.00	0.00	5.65	1.50	33.33
330	30+32.50	45.00	RT	605.95	620.95	637.24	623.48	15.00	0.00	5.53	-	31.29
331	30+38.25	45.00	RT	605.95	620.95	637.24	623.36	15.00	0.00	5.41	-	31.29
332	30+44.00	45.00	RT	605.95	620.95	637.24	623.24	15.00	0.00	5.29	-	31.29
333	30+49.75	45.00	RT	606.95	621.95	636.20	623.12	15.00	0.00	5.17	1.00	29.25
334	30+55.50	45.00	RT	606.95	621.95	636.20	623.00	15.00	0.00	5.05	-	29.25
335	30+61.25	45.00	RT	606.95	621.95	636.20	622.88	15.00	0.00	4.93	-	29.25
336	30+67.00	45.00	RT	607.95	622.95	635.15	622.76	15.00	0.00	4.81	1.00	27.20
337	30+72.75	45.00	RT	607.95	622.95	635.15	622.64	15.00	0.00	4.69	-	27.20
338	30+78.50	45.00	RT	608.95	623.95	634.11	622.52	15.00	0.00	4.57	-	25.16
339	30+84.25	45.00	RT	608.95	623.95	634.11	622.40	15.00	0.00	4.45	-	25.16
340	30+90.00	45.00	RT	608.95	623.95	634.11	622.28	15.00	0.00	4.33	2.04	25.16
341	30+95.75	45.00	RT	610.99	625.99	634.11	622.16	15.00	0.00	4.21	2.04	23.12
342	31+01.50	45.00	RT	613.03	628.03	634.11	622.04	15.00	0.00	4.09	-	21.08
TOTALS FOR SHAFT NUMBERS 268-342							1125.00	0.00	634.58	12.58	2424.12	

DRILLED SHAFT SUB-SUMMARY			
SHEET NUMBER	ITEM 524: 36" DIA. DRILLED SHAFTS INTO BEDROCK	ITEM 524: 36" DIA. DRILLED SHAFTS DIAMETER DRILLING THROUGH ROCK	ITEM 507: STEEL PILES, MISC.: SOLDIER PILES W24X250
	FEET	FEET	FEET
42	1335.00	277.93	2465.42
43	1335.00	226.18	2858.96
44	1335.00	425.05	2972.87
45	1125.00	634.58	2424.12
TOTALS CARRIED TO THE GENERAL SUMMARY		5130.00	10722.00