

NOTE: Used S.L.M. of 23.10 To BEGIN STA. THIS PROJ. SHOULD HAVE BEEN 23.30

8-17-81

ADD 1072' TO ALL MEAS.

MAINTENANCE PROGRAM 1982

PART OF _____

(TOP) TYPE 404 THICKNESS 1 1/4" PRIORITY _____

(BASE) TYPE _____ THICKNESS _____ PENETRATION _____

END WORK 1351+42

END LOG S.L.M. 25.81 (Wood count line Condr joint)

BEGIN LOG S.L.M. 23.10 (13-A Condr joint McClure Corp. = 2303 Rt. 2304 Lt.)

TOTAL LENGTH 2.71 Rd. 3-A Begin work 1219+68

COUNTY Henry SECTION 23.10⁺ WIDTH (24) BERM CURBED () ()

ROUTE US6 SECTION WIDTH () () () ()

SECTION WIDTH () () () ()

ORDINANCE SECTION WIDTH () () () ()

END LOG SECTION WIDTH () () () ()

BEGIN LOG SECTION WIDTH () () () ()

EXISTING BERM TYPE stab. EXISTING BERM WIDTH 2 1/2' MAILBOX APPROACHES No. None

(PAVED, STABILIZED, AGGREGATE) MANHOLES None

PROPOSED BERM TYPE _____ PROPOSED BERM WIDTH X INLETS CATCH BASINS None

INTERSECTIONS 3 - 5/6 Line Rd. ASPHALT DRIVEWAYS 1 CONCRETE DRIVEWAYS None

STRUCTURES

RAILROAD CROSSINGS

STRUCTURE NO.	WIDTH	LENGTH	APPR. SLABS
Ham 6-2566	44	53.7	2 @ 24x25
STA = 1344+30.30	To West END DAM		
Wood Co. Structure ?	1352+25 To West END of 5' x 6' Box culvert under ROAD AREA of Pav't.		

NAME R. R.	STATION	(*) ()	No. TRACKS
None		() ()	TRACKS
		() ()	TRACKS
		() ()	TRACKS
		() ()	TRACKS
		() ()	TRACKS

*Indicate length of crossing along E Pav't.

NOTES

CHECK FOR LIFE-LINES - NEED LOCATION (BEGIN & END ONLY) HOW MANY ON E. & RT. & LT. E.P.
 No life-lines

PERSONNEL	TITLE	PERSONNEL	TITLE
Hoffman			
Householder			
Loehrke			

COUNTY Henry - Wood DATE 8-25-81

S. R. U. S. G. WEATHER clear

SEC. _____ TEMP. +75°

DESCRIPTION Bad PAUT AREA JOB NO. _____

