

PERSONNEL	TITLE	PERSONNEL	TITLE	COUNTY	DATE
<u>Stone</u>				<u>Henry</u>	<u>9 Oct. 77</u>
<u>Michalak</u>				S. R.	WEATHER
<u>Dunn</u>				<u>#18</u>	<u>cloudy</u>
<u>Curtis</u>				SEC.	TEMP.
				<u>0.00</u>	<u>52°</u>

DESCRIPTION References to Control Points JOB NO. _____

	LEFT	CENTER LINE	RIGHT
<u>W 1/4 cor. Sec. 6 Pleasant Twp</u>			
<u>A</u>	<u>Fd. 1" I. Rod 6" deep</u>		
	<u>40.63' - N.N.W. to chiseled "f" on top S.E. wing wall</u>		
	<u>55.45' - N.W. to chiseled "f" on top S.W. wing wall</u>		
	<u>2707.50' - N. to N.W. cor. Sec. 6 Pleasant Twp</u>		
	<u>3.0' - E. to W. edge put.</u>		
<u>1/4 cor. Sec. 31/32 - Int. Co. Rd. 67 E Co. Rd. 18</u>			
	<u>Fd. RR Spt. 1" deep</u>		
<u>B</u>	<u>37.40' - S.E. to skinner in P. Pole</u>		
	<u>26.90' - NE to skinner in T. Pole</u>		
	<u>28.70' - N.W. to "f" on NE wing wall</u>		
	<u>21.20' S.W. to "f" on SE wing wall</u>		
<u>1/4 cor. Sec. 6/5 - on Co. Rd. 18 - 1/2 mi. S. of SR #18 (Fd. 1. Rod)</u>			
<u>C</u>	<u>23.56' - E. to skinner in wood fence post</u>		
	<u>109.97' - S.S.E. to skinner in P. Pole</u>		
	<u>4.9' - E. to W. edge put.</u>		
	<u>1321.73' - N. to PK Nail at 1/4 cor.</u>		
<u>1/4 cor. Sec. 5/4 - on Co. Rd. 17 - 1/2 mi. S. of SR #18 (Fd. 1. Pipe)</u>			
<u>D</u>	<u>108.96' - E. to S.W. Cor. Fd. to Barn</u>		
	<u>33.22' - N.W. to PK Nail in T. Pole</u>		
	<u>68.82' - S.S.E. to skinner in P. Pole</u>		
	<u>2609.14' - N. to 1. Pin # SR #18</u>		
	<u>5.3' - W. to E. edge put.</u>		
<u>1/4 cor. Sec. 4/3 - on Co. Rd. 16 - 1/2 mi. S. of SR #18 (RR. 2. Rod)</u>			
<u>E</u>	<u>32.47' - N.W. to skinner in P. Pole</u>		
	<u>46.36' - S.W. to skinner in T. Pole</u>		
	<u>20.36' - E. to near edge iron fence post</u>		
	<u>81.30' - N.W. to skinner in T. Pole</u>		
	<u>2.2' - W. to W. edge put.</u>		
	<u>13.0' - E. to E. edge put.</u>		

PERSONNEL Stone TITLE _____ PERSONNEL Michael TITLE _____ COUNTY Henry DATE 13 May 79
Dennis _____ _____ S. R. #18 WEATHER Cloudy
Curtis _____ _____ SEC. Marion Twp. TEMP. 55°
 DESCRIPTION Pnts. to Control Points JOB NO. 02999(2)

	LEFT	CENTER LINE	RIGHT
<u>F</u>	<u>1/4 Cor. 10/15</u>	<u>Marion Twp. (Ed. 3/4" I. Rod to surface)</u>	<u>on Co. Rd "E"</u>
	<u>2690.37'</u>	<u>E. to RR Spk. at Sec. Cor. 10/11</u>	<u>15/19</u>
	<u>73.93'</u>	<u>S.E. to shiner in T. Pole</u>	
	<u>50.00'</u>	<u>S.W. to shiner in T. Pole</u>	
	<u>32.14'</u>	<u>N.N.E. to shiner in P. Pole</u>	
	<u>25.73'</u>	<u>N. to Face steel Brace post</u>	
	<u>2.93'</u>	<u>S. to S. edge put.</u>	
	<u>14.95'</u>	<u>N. to N. edge put.</u>	
<u>G</u>	<u>1/4 Cor. 11/17</u>	<u>Marion Twp. (Ed. 3/4" I. Rod to surface)</u>	<u>Co. Rds. "E" & "B"</u>
	<u>2654.50'</u>	<u>W. to RR Spk. at Sec. Cor. 10/11</u>	<u>15/19</u>
	<u>31.54'</u>	<u>N.E. to shiner in P. Pole</u>	
	<u>23.94'</u>	<u>N.W. to shiner in T. Pole</u>	
	<u>49.35'</u>	<u>S.W. to shiner in T. Pole</u>	
	<u>33.35'</u>	<u>S.E. to shiner in T. Pole</u>	
	<u>1537.73'</u>	<u>N. to RR Spk. in # 5R #18</u>	
<u>H</u>	<u>E 1/16 Cor. 11/17</u>	<u>Marion Twp. (Ed. 3/4" I. Rod to surface)</u>	<u>2.24' N. of Line</u>
	<u>1329.95'</u>	<u>E. to RR Spk. Sec. Cor. 11/12</u>	<u>17/13</u>
	<u>20.97'</u>	<u>N. to shiner in weed fence post</u>	
	<u>59.59'</u>	<u>S.E. to shiner in T. Pole</u>	
	<u>87.98'</u>	<u>W.S.W. to shiner in T. Pole</u>	
	<u>4.9'</u>	<u>S. to S. edge put.</u>	
	<u>11.0'</u>	<u>N. to N. edge put.</u>	
<u>J</u>	<u>Sec. Cor. 11/12</u>	<u>Marion Twp. (Ed. RR Spk to surface)</u>	<u>Co. Rds. "E" & "B"</u>
	<u>836.20'</u>	<u>N. to RR Spk. in # 5R #18</u>	
	<u>2635.75'</u>	<u>E. to I. Rod at 1/4 Cor. 12/13</u>	
	<u>37.18'</u>	<u>S.S.E. to shiner in T. Pole</u>	
	<u>45.60'</u>	<u>N.W. to shiner in P. Pole</u>	
	<u>34.16'</u>	<u>S.W. to shiner in T. Pole</u>	
	<u>10.70'</u>	<u>S.W. to "T" on W. end Corn. Hdwall</u>	
	<u>2.0'</u>	<u>S. to S. edge put.</u>	
	<u>15.9'</u>	<u>N. to N. edge put.</u>	

PERSONNEL	TITLE	PERSONNEL	TITLE	COUNTY	DATE
<u>Sloc</u>				<u>Harcy</u>	<u>13 May 74</u>
<u>Michalek</u>				S. R.	WEATHER
<u>Dean</u>				<u>#18</u>	<u>cloudy</u>
<u>Curtis</u>				SEC.	TEMP.
				<u>Marion Twp.</u>	<u>57°</u>
DESCRIPTION	<u>R.S. to Central Points</u>			JOB NO.	<u>02999(a)</u>
	LEFT	CENTER LINE	RIGHT		

	LEFT	CENTER LINE	RIGHT	
<u>1/4 Cor. 12/13</u>		<u>Marion Twp. (Fd. 3/4" I. Rod to surface)</u>		
	<u>146.98'</u>	<u>N. to RR spt. # SR #18</u>		
<u>K</u>	<u>2635.75'</u>	<u>W. to RR spt. Sec. Cor. 11/12</u>		
	<u>21.53'</u>	<u>W. to shiner in T. Pole</u>		
	<u>68.44'</u>	<u>E. to shiner in T. Pole</u>		
	<u>26.27'</u>	<u>E.N.E. to shiner in RR Xing post</u>		
<u>E 1/4 Post Sec. 13</u>		<u>Marion Twp. (Fd. Stone 70 deep.)</u>		
	<u>2656.92'</u>	<u>N. to RR spt. NE. Cor. Sec. 13 Marion Twp.</u>		
<u>L</u>	<u>65.30'</u>	<u>W. to chiseled "T" on Con. Hd. wall</u>		
	<u>30.35'</u>	<u>N. to near edge 2" I. Pipe (4' high)</u>		
	<u>27.88'</u>	<u>S.S.W. to shiner in T. Pole</u>		
	<u>77.67'</u>	<u>W.N.W. to shiner in T. Pole</u>		
	<u>2.1'</u>	<u>S. to N. edge pt.</u>		
<u>E Sec. 11</u>		<u>(Marion Twp.) Fd. 3/4" I. Rod. to surface (On Co. Rd. 8B)</u>		
	<u>1106.98'</u>	<u>S. to RR spt. # SR #18</u>		
<u>M</u>	<u>4.83'</u>	<u>W. to W. edge pt.</u>		
	<u>5.44'</u>	<u>E. to E. edge pt.</u>		
<u>Sec. Cor. 16-15-21-22</u>		<u>Barlow Twp. (Co. Rd. D # SR #65)</u>		
		<u>Fd. RR spt. to surface</u>		
<u>N</u>	<u>23.70'</u>	<u>NW to SE Cor. Bridge rail</u>		
	<u>22.70'</u>	<u>SW to NE Cor. Bridge rail</u>		
	<u>53.00'</u>	<u>SE to shiner in T. Pole</u>		

PERSONNEL TITLE PERSONNEL TITLE

COUNTY Henry DATE 18 Oct. 77

Stone
Michalak
Dunn
Curtis

S. R. #18 WEATHER Cold
SEC. Pleasant Top. TEMP. 35°

DESCRIPTION Re-survey to Control Points JOB NO. _____
LEFT CENTER LINE RIGHT

DESCRIPTION	LEFT	CENTER LINE	RIGHT
<u>1/4 Cor. Sec. 35/36 - on Co. Rd. #14 - 1/2 mi. N. of SE#18</u>			
<u>Ed 3/4" I. Pipe 4" deep.</u>			
<u>28.30' - S.W. to shiner in P. Pole</u>			
<u>35.25' - N.E. to shiner in T. Pole</u>			
<u>84.63' - S.E. to shiner in T. Pole</u>			
<u>4.3' - W. to W. edge put.</u>			
<u>13.8' - E. to E. edge put.</u>			
<u>3635.28 - S. to R.R. Spl. & SE#18</u>			
<u>23.04 - W. to near edge 4" I. Pipe 4' high</u>			
<u>1/4 Cor. Sec. 31/32 on Co. Rd. #12 - 1/2 mi. N. of SE#18</u>			
<u>Ed RR Spl. to surface (Marion Twp.)</u>			
<u>69.62' - SE to shiner in T. Pole</u>			
<u>107.41' - NE to shiner in T. Pole</u>			
<u>29.10' - E.S.E. to shiner in wood fence post</u>			
<u>6.1' - W. to W. edge put.</u>			
<u>7.0' - E. to E. edge put.</u>			
<u>1/4 Cor. Sec. 5/4 on Co. Rd. #11 - 1/2 mi. S. of SE#18</u>			
<u>Ed Stone deep (Marion Twp.)</u>			
<u>35.10' - S.S.W. to 1/2" on Con. Ad. wall</u>			
<u>26.75' - E. to shiner in wood corner Post</u>			
<u>3.3' - E. to W. edge put.</u>			
<u>73.35' - S.E. to New Cor. Cam. S.W. (Not Lid-used Bush's 1/2 sec.)</u>			