

LOCATION MAP

LATITUDE: 41°30'18" LONGITUDE: 82°51'00"

UTILITY OWNERS	
TYPE	NAME & ADDRESS
ELECTRIC	OHIO EDISON 1717 ASHLAND ROAD MANSFIELD, OHIO 44905 419-521-6212 KAREN PATZNICK
WATER/ SANITARY	OTTAWA COUNTY SANITARY ENGINEERING DEPARTMENT 315 MADISON STREET, ROOM 105 PORT CLINTON, OHIO 43452 419-734-6725 CINDY CONNER
CABLE/ TELECOMM.	CENTURY LINK 203 WEST NINTH STREET LORAIN OHIO 44052 440-244-8544

NOTES: THE LOCATION OF THE UNDERGROUND UTILITIES SHOWN ON THE PLANS ARE OBTAINED FROM THE OWNER OF THE UTILITIES AS REQUIRED BY SECTION 153.64 O.R.C.

CONVENTIONAL SYMBOLS

County Line	-----	Ditch / Creek (Ex)	-----
Township Line	-----	Ditch / Creek (Pr)	-----
Section Line	-----	Tree Line (Ex)	~~~~~
Corporation Line	-----	Ownership Hook Symbol	∠, Example
Fence Line (Ex)	x-x-x-x (Pr)	Property Line Symbol	⊥, Example
Center Line	-----	Break Line Symbol	⋈, Example
Right of Way (Ex)	----- Ex R/W	Tree (Pr)	☼, Tree (Ex) ☼, Shrub (Ex) ☼
Right of Way (Pr)	----- R/W	Tree (Remove)	☼, Shrub (Remove)
Standard Hwyway Ease. (Ex)	----- Ex SH	Evergreen (Ex)	☼, Stump
Temporary Right of Way	----- TMP	Evergreen (Remove)	☼, Stump (Remove)
Channel Ease. (Pr)	----- CH	Wetland (Pr)	☼, Grass (Pr) ☼, Aerial Target
Utility Ease. (Ex)	----- Ex U	Pest (Ex)	○, Mailbox (Ex) ☼, Mailbox (Pr) ☼
Railroad	-----	Light (Ex)	☼, Telephone Marker (Ex) TEL
Guardrail (Ex)	----- (Pr)	Fire Hydrant (Ex)	☼, Water Meter (Ex) ☼
Construction Limits	-----	Water Valve (Ex)	☼, Utility Valve Unknown (Ex.) ☼
Edge of Pavement (Ex)	-----	Telephone Pole (Ex)	☼, Power Pole (Ex) ☼
Edge of Pavement (Pr)	-----	Light Pole (Ex)	☼
Edge of Shoulder (Ex)	-----		
Edge of Shoulder (Pr)	-----		

RIGHT OF WAY LEGEND SHEET

**OTT-2-26.37
T.R. 35 (LIGHTNER RD.)**

OTTAWA COUNTY, OHIO
PORTAGE TWP. FR. SEC. 1, T.6N., R.17E.
DANBURY TWP. SEC. 4, LOT 17

INDEX OF SHEETS:

LEGEND SHEET	1
CENTERLINE PLAT	2
PROPERTY MAP	3
SUMMARY OF ADDITIONAL R/W	4
R/W TOPO SHEETS	5,7,9,11
R/W BOUNDARY SHEETS	6,8,10,12

TYPES OF TITLE LEGEND:
WL = FEE SIMPLE WITH LIMITATION OF ACCESS
WD = WARRANTY DEED
T = TEMPORARY EASEMENT

STRUCTURE KEY

	RESIDENTIAL
	COMMERCIAL
	OUT-BUILDING

PROJECT DESCRIPTION

WIDENING AND REDECKING OF LIGHTNER ROAD BRIDGE NO. OTT-2-26.37. RAISING THE PROFILE AND EMBANKMENT WIDENING OF LIGHTNER ROAD FROM EAST KIRK ROAD TO EAST STATE ROAD.

PROJECT CONTROL

STATE PLANE GRID: OHIO NORTH ZONE NAD83(CORS96)
PROJECT ADJUSTMENT FACTOR: 0.9999462209

PLANS PREPARED BY:

FIRM NAME: CT CONSULTANTS INC.
R/W DESIGNER: PAMELA LEIVO
R/W REVIEWER: TIMOTHY HADDEN
FIELD REVIEWER: PAMELA LEIVO
PRELIMINARY FIELD REVIEW DATE: 1/19/13
TRACINGS FIELD REVIEW DATE: 8/1/2013
OWNERSHIP UPDATED BY: PAMELA LEIVO
DATE COMPLETED: 8/1/2013
PLAN COMPLETION DATE: 8/2/2013

I, Timothy P. Hadden, P. S. have conducted a survey of the existing conditions for the Ohio Department of Transportation on April 2012. The results of that survey are contained herein.

Horizontal coordinates for this improvement project have been established in accordance with procedures detailing the conversion of "Grid" coordinates to "Ground" coordinates contained in the State of Ohio Department of Transportation Survey Manual Section 303.52 (May 1995). GPS observations of established survey control points utilizing the Ohio State Plane Coordinate System (Zone 3401-North), expressed in U.S. Survey Feet, have been adjusted for use on the ground by dividing the observed NAD83(CORS96) coordinate values by a calculated average Combined Factor of 0.9999462209.

As a part of this project I have reestablished the locations of the existing property lines and the existing centerline of Right of Way for property takes contained herein. As a part of this project I have established the proposed property lines, calculated the Gross Take, present roadway occupied (PRO), Net Take and Net Residue as well as prepared the legal descriptions necessary to acquire the parcels as shown herein.

As a part of this work I have set right of way monuments at the property corners, property line intersection, points along the right of way and/or angle points on the right of way, Section Corners and other points as shown herein.

All of my work contained herein was conducted in accordance with Ohio Administrative Code 4733-37 commonly known as "Minimum Standards for Boundary Surveys in the State of Ohio" unless noted. The words I and my as used herein are to mean either myself or someone working under my direct supervision.

Timothy P. Hadden
Timothy P. Hadden, Professional Land Surveyor 6788

Sept. 13, 2013
Date:

SURVEYORS SEAL



H:\2012\12152\001\92095\row\streets\92095RL001.dgn 9/13/2013 1:51:57 PM LeivoP

FEDERAL PROJECT NO. E 130119
PID NO. 92095
CALCULATED PSL CHECKED TPH
RIGHT OF WAY LEGEND SHEET
OTT-2-26.37 T.R. 35 (LIGHTNER RD.)
1/12

**OTT-2-26.37
T.R. 35 (LIGHTNER RD.)**

VOL 63 PG 51


OTTAWA COUNTY, OHIO
PORTAGE TWP. FR. SEC. 1, T.6N., R.17E.
DANBURY TWP. SEC. 4, LOT 17

BASIS FOR BEARINGS:

THE BEARINGS SHOWN HEREON ARE RELATIVE TO GRID NORTH OF THE OHIO STATE PLANE COORDINATE SYSTEM, NORTH ZONE (3401), NAD83(CORS96) REFERENCE FRAME AS DETERMINED FROM GPS MEASUREMENTS OBSERVED APRIL 2, 2012 BY CT CONSULTANTS, INC AND ARE FOR THE PURPOSE OF INDICATING DIRECTIONAL VARIATION.

NOTE: THE EXISTING R/W WIDTH AND LOCATION WERE DETERMINED USING ODOT R/W PLANS OTT-2-23.43 FROM APRIL 1962 ON FILE IN THE ODOT DISTRICT 2 OFFICE.

MONUMENT TABLE						
C of EXIST. R/W LIGHTNER RD.		PROJECT COORDINATES SEE SURVEY CERTIFICATION		MONUMENTS TO BE SET DURING CONSTRUCTION		
STATION	OFFSET	NORTH (Y)	EAST (X)	MCN. ASSY.	I.P. SET	DESCRIPTION
44+50.00	60.00' LT	669,109.74	1,872,395.64		1	I.P. SET @ INT. EX. R/W & PROP. R/W
44+75.00	60.00' RT	669,138.70	1,872,514.74		1	I.P. SET @ INT. EX. R/W & PROP. R/W
46+00.00	77.00' RT	669,864.19	1,872,527.59		1	I.P. SET @ ANGLE PT. IN PROP. R/W
46+50.00	86.00' LT	669,908.77	1,872,363.03		1	I.P. SET @ ANGLE PT. IN PROP. R/W
48+50.00	100.00' LT	670,108.19	1,872,342.41		1	I.P. SET @ ANGLE PT. IN PROP. R/W
48+65.20	85.00' RT	670,129.52	1,872,526.80		1	I.P. SET @ INT. EX. L/A & PROP. R/W
48+75.24	100.00' LT	670,133.42	1,872,341.57		1	I.P. SET @ INT. EX. L/A & PROP. R/W
51+37.07	105.00' LT	670,394.94	1,872,327.90		1	I.P. SET @ INT. EX. L/A & PROP. R/W
53+00.00	85.00' LT	670,558.44	1,872,342.49		1	I.P. SET @ ANGLE PT. IN PROP. R/W
54+00.00	65.50' LT	670,659.03	1,872,358.67		1	I.P. SET @ INT. EX. R/W & PROP. R/W
55+07.50	37.50' RT	670,769.89	1,872,458.05		1	I.P. SET @ VACATED R/W
55+07.50	52.83' RT	670,770.40	1,872,473.37		1	I.P. SET @ INT. EX. R/W & VAC. R/W
55+28.50	37.50' RT	670,790.88	1,872,457.35		1	I.P. SET @ VACATED R/W
55+28.50	51.43' RT	670,791.34	1,872,471.28		1	I.P. SET @ INT. EX. R/W & VAC. R/W
40+34.38		669,296.33	1,872,469.38			MON. BOX FOUND
58+95.20		671,156.13	1,872,407.72			MON. BOX FOUND
1388+91.31		670,266.41	1,872,200.75			CONC. MON. FOUND @ S.R. 2
1392+91.35		670,257.99	1,872,600.70			CONC. MON. FOUND @ S.R. 2
TOTAL CARRIED TO GENERAL SUMMARY SHEET					14	



- MONUMENT LEGEND**
- ☐ EXISTING R/W MONUMENT BOX
 - ▣ PROPOSED R/W MONUMENT BOX
 - ⊙ EXISTING CONCRETE MONUMENT
 - PROPOSED CONCRETE MONUMENT
 - ⚡ RAILROAD SPIKE FOUND
 - ⚡ RAILROAD SPIKE SET
 - I.P.F. IRON PIN FOUND
 - ⊙ I.P.F. IRON PIN FOUND W/ ID CAP
 - I.P.S. IRON PIN SET W/ ID CAP
 - ⊙ I.P.P. IRON PIPE FOUND
 - ⊙ I.P.S. IRON PIPE SET
 - P.K.F. P.K. NAIL FOUND
 - P.K.S. P.K. NAIL SET

SETTING OF ALL MONUMENTS SHALL BE PERFORMED BY A SURVEYOR REGISTERED IN THE STATE OF OHIO. THE MONUMENT ASSEMBLIES AND REFERENCE MONUMENTS WILL BE INSTALLED BY THE CONTRACTOR AT THE TIME OF CONSTRUCTION. THE IRON PIN AND CAP (WHEN REQUIRED) ARE TO BE INSTALLED BY THE CONTRACTOR'S SURVEYOR.

CHANGES OR ALTERATIONS TO THE LOCATION OF ANY MONUMENTS SHOWN IN THIS TABLE, REQUIRE PRIOR APPROVAL FROM THE DISTRICT REAL ESTATE ADMINISTRATOR OF THE OHIO DEPARTMENT OF TRANSPORTATION. IN THE EVENT THAT CHANGES OR ALTERATIONS ARE APPROVED, A REVISED CENTERLINE PLAT WITH THE NEW LOCATIONS SHALL BE RECORDED IN THE APPLICABLE COUNTY RECORDS AND THE OHIO DEPARTMENT OF TRANSPORTATION. SPECIFICATIONS FOR MONUMENT ASSEMBLIES, REFERENCE MONUMENTS AND RIGHT OF WAY MONUMENTS ARE SHOWN ON STANDARD CONSTRUCTION DRAWING RM-1.1.

I, Timothy P. Hadden, P. S. have conducted a survey of the existing conditions for the Ohio Department of Transportation on April 2012. The results of that survey are contained herein.

Horizontal coordinates for this improvement project have been established in accordance with procedures detailing the conversion of "Grid" coordinates to "Ground" coordinates contained in the State of Ohio Department of Transportation Survey Manual Section 303.52 (May 1995). GPS observations of established survey control points utilizing the Ohio State Plane Coordinate System (Zone 3401-North), expressed in U.S. Survey Feet, have been adjusted for use on the ground by dividing the observed NAD83(CORS96) coordinate values by a calculated average Combined Factor of 0.9999462209.


As a part of this project I have reestablished the locations of the existing property lines and the existing centerline of Right of Way for property takes contained herein. As a part of this project I have established the proposed property lines, calculated the Gross Take, Present Roadway Occupied (PRO), Net Take and Net Residue as well as prepared the legal descriptions necessary to acquire the parcels as shown herein.

As a part of this work I have set right of way monuments at the property corners, property line intersection, points along the right of way and/or angle points on the right of way, Section Corners and other points as shown herein.

All of my work contained herein was conducted in accordance with Ohio Administrative Code 4733-37 commonly known as "Minimum Standards for Boundary Surveys in the State of Ohio" unless noted. The words I and my as used herein are to mean either myself or someone working under my direct supervision.

Timothy P. Hadden
Timothy P. Hadden, Professional Land Surveyor 6766

Date: Nov. 7, 2014



11/7/2014 11:49:51 AM leivop
H:\2012\12132\ODOT\92095\row\sheet\92095RC001.dgn

Inst. No. 201400245085
RECEIVED November 12, 2014
RECORDED November 12, 2014
BOOK 63 PAGE 51
Fees \$6130
Virginia M. Mark, Recorder
COUNTY RECORDER

N

HORIZONTAL SCALE IN FEET
0 50 100 200

PID NO. **92095**

R/W DESIGNER PSL
R/W REVIEWER TPH

CENTERLINE PLAT

**OTT-2-26.37
T.R. 35 (LIGHTNER RD.)**

2 / 12


89
99

**OTT-2-26.37
T.R. 35 (LIGHTNER RD.)**

OTTAWA COUNTY, OHIO
PORTAGE TWP. FR. SEC. 1, T.6N., R.17E.
DANBURY TWP. SEC. 4, LOT 17

OWNERS

- 1 MICHAEL & PAULA MARES
- 2 MICHAEL & SHANNON MARES
- 3 JOSEPH W. MARES
- 4 KEN D. & PAULA M. WARD
- 5 JAMES J. LUKAC



R/W DESIGNER PSL
R/W REVIEWER TPH
PID NO. **92095**


PROPERTY MAP

**OTT-2-26.37
T.R. 35 (LIGHTNER RD.)**

3 / 12
90
99

PARCEL 1WL OVERLAPS EXISTING
INGRESS/EGRESS EASEMENT BY 1615 SF

PARCEL 1T OVERLAPS EXISTING
INGRESS/EGRESS EASEMENT BY 1040 SF



STRUCTURE KEY

- RESIDENTIAL
- COMMERCIAL
- OUT-BUILDING

REV. BY	DATE	DESCRIPTION

DATE COMPLETED 8/02/2013

H:\2012\12132\ODOT\92095\row\sheets\92095RW001.dgn 10/23/2014 11:34:35 AM leivop

TOTAL NUMBER OF :

5 OWNERSHIPS 0 TOTAL TAKES
 7 PARCELS 0 OWNERSHIPS W/ STRUCTURES INVOLVED

NET RESIDUE = RECORD AREA - TOTAL PRO - NET TAKE

* DENOTES RIGHT OF WAY ENCROACHMENT

GRANTEE:

ALL RIGHT OF WAY ACQUIRED IN THE NAME OF THE STATE OF OHIO DEPARTMENT OF TRANSPORTATION UNLESS OTHERWISE SHOWN.

(c) = CALCULATED AREA

ALL AREAS IN ACRES

PARCEL NO.	OWNER	SHEET NO.	OWNERS RECORD	AUDITOR'S PARCEL	RECORD AREA	TOTAL P.R.O.	GROSS TAKE	P.R.O. IN TAKE	NET TAKE	STRUC-TURE	NET RESIDUE		TYPE FUND	REMARKS	AS ACQUIRED	
											LEFT	RIGHT			BOOK	PAGE
1WL	MICHAEL & PAULA MARES	5&6	VOL. 972 PG. 498	0200710209359000	1.9855	0.671	0	0	0		1.3145		STATE	PARCEL 1WL OVERLAPS EXISTING INGRESS/EGRESS EASEMENT BY 1,615 SF	OR 1524	742
				0200710209359003	1.6125	0.353	0.280	0.243	0.037		1.2225					
				TOTAL	3.598	1.024	0.280	0.243	0.037		2.537					
1T							0.0275		0.0275					GRADING PARCEL 1T OVERLAPS EXISTING INGRESS/EGRESS EASEMENT BY 1,040 SF	OR 1524	738
2WL 2ER	MICHAEL & SHANNON MARES	7&8	VOL. 972 PG. 488	0200710209359002	1.6148	0.4018	0.5339	0.4018	0.1321				STATE		OR 1524	733
				TOTAL	1.6148	0.4018	1.6148	0.4018	1.2130		0			EXCESS LAND - UNECONOMIC REMNANT		
2T							0.034		0.034					GRADING	OR 1524	729
3WD	JOSEPH W. MARES	5-8	VOL. 421 PG. 112	0142000730469000	14.5016	2.769	0.694	0.605	0.0895			11.6431	STATE		OR 1532	647
4WD	KEN D. & PAULA M. WARD	9&10	VOL. 388 PG. 456 VOL. 388 PG. 458	0200710209359001	3.95	1.546	0.530	0.441	0.089		2.315				OR 1524	747
5VAC	JAMES J. LUKAC	9&10	VOL. 794 PG. 702	0142000630467000	3.364	1.025							STATE	VACATION OF 0.007 ACRES (307 S.F.) OF PRO TO ELIMINATE ENCROACHMENT OF MILK HOUSE * BILLBOARD ENCROACHES	OR 1537	509

FEDERAL PROJECT NO. E130119
 PID NO. 92095
 STATE JOB NO. 427204
 R/W DESIGNER PSL
 R/W REVIEWER TPH
SUMMARY OF ADDITIONAL RIGHT OF WAY
 OTT-2-26.37
 T.R. 35 (LIGHTNER RD.)
 4/12
 91
 99

TYPES OF TITLE LEGEND:
 WL = FEE SIMPLE WITH LIMITATION OF ACCESS
 WD = WARRANTY DEED
 T = TEMPORARY EASEMENT

NOTE: ALL TEMPORARY PARCELS TO BE OF 12 MONTH DURATION.



NOTE: UNDER NO CIRCUMSTANCES ARE TEMPORARY EASEMENTS TO BE USED FOR STORAGE OF MATERIAL OR EQUIPMENT BY THE CONTRACTOR UNLESS NOTED OTHERWISE.

PSL	5/28/14	ADDED PRCL 2ER & REVISED AREAS FOR PRCL 2
PSL	10/6/14	ELIMINATED PRCL 5WD & ADDED PCL 5VAC
---	---	---
---	---	---
---	---	---
REV. BY	DATE	DESCRIPTION
FIELD REVIEW BY	DATE:	
OWNERSHIP VERIFIED BY	DATE:	
DATE COMPLETED	8/02/2013	

H:\2012\12132\ODOT\92095\row\sheet\92095RS001.dgn 10/23/2014 11:35:20 AM leivop

OTT-2-26.37
 T.R. 35 (LIGHTNER ROAD)
 OTTAWA COUNTY
 PORTAGE TWP. FR. SEC. 1, T.6N., R.17E.
 DANBURY TWP. SEC. 4, LOT 17

MICHAEL & PAULA MARES
 PPN 0200710209359003
 4170 E KIRK RD.
 RESIDENTIAL VACANT LAND



BEGIN ACQUISITION
 STA. 44+50.00

BEGIN WORK
 Sta 40+50.00

MICHAEL & PAULA MARES
 PPN 0200710209359000
 4170 E KIRK RD.
 SINGLE FAMILY RESIDENTIAL

JOSEPH W. MARES
 PPN 0142000730469000
 4243 KIRK ROAD
 AGRICULTURAL

- STRUCTURE KEY**
- RESIDENTIAL
 - COMMERCIAL
 - OUT-BUILDING

REV. BY	DATE	DESCRIPTION

DATE COMPLETED 8/02/2013

PID NO. 92095
 R/W DESIGNER PSL
 R/W REVIEWER TPH

RIGHT OF WAY PLAN
 STA. 40+34.38 TO STA. 46+21.46

OTT-2-26.37
 T.R. 35 (LIGHTNER RD.)

H:\2012\12132\0DOT\92095\row\sheet\92095RT001.dgn 10/23/2014 11:37:03 AM leivop

OTT-2-26.37
T.R. 35 (LIGHTNER ROAD)
OTTAWA COUNTY
PORTAGE TWP. FR. SEC. 1, T.6N., R.17E.
DANBURY TWP. SEC. 4, LOT 17

DOUGLAS P. MARTIN
SURVEY OF 2003
MARES PROPERTY
V.972 P.498
PARCEL B

PARCEL 1WL OVERLAPS EXISTING
INGRESS/EGRESS EASEMENT BY 1615 SF

PARCEL 1T OVERLAPS EXISTING
INGRESS/EGRESS EASEMENT BY 1040 SF

MICHAEL & PAULA MARES
PPN 0200710209359000
4170 E KIRK RD.
SINGLE FAMILY RESIDENTIAL
1

MICHAEL & PAULA MARES
PPN 0200710209359003
4170 E KIRK RD.
RESIDENTIAL VACANT LAND
1

JOSEPH W. MARES
PPN 0142000730469000
4243 KIRK ROAD
AGRICULTURAL
3



PID NO. 92095
R/W DESIGNER PSL
R/W REVIEWER TPH

RIGHT OF WAY PLAN
STA. 40+34.38 TO STA. 46+21.46

OTT-2-26.37
T.R. 35 (LIGHTNER RD.)
6 / 12
93
99

E. KIRK ROAD
(T.R. 280)

E. KIRK ROAD (T.R. 280)

- MONUMENT LEGEND**
- EXISTING R/W MONUMENT BOX
 - PROPOSED R/W MONUMENT BOX
 - EXISTING CONCRETE MONUMENT
 - PROPOSED CONCRETE MONUMENT
 - RAILROAD SPIKE FOUND
 - RAILROAD SPIKE SET
 - IRON PIN FOUND
 - IRON PIN FOUND W/ ID CAP
 - IRON PIN SET W/ ID CAP
 - IRON PIPE FOUND
 - IRON PIPE SET
 - P.K. NAIL FOUND
 - P.K. NAIL SET

Sta 40+95.00
Off 60.00 LT

MON. BOX FND.
E. KIRK RD.
Sta 40+34.38

FRACTIONAL SECTION LINE
N 1° 53' 55" W
R/W LIGHTNER ROAD
41 42 43 44 45
(AKA CONNECTICUT WESTERN RESERVE)

LIGHTNER ROAD (T.R. 35)

Sta 40+90.00
Off 60.00 RT

N 1° 53' 55" W

385.00'

Sta 44+50.00
℄

Sta 44+75.00
℄

Sta 44+75.00
Off 60.00 RT

Sta 45+00.00
Off 60.00 RT

Sta 46+00.00
Off 77.00 RT

Sta 44+50.00
Off 60.00 LT

Sta 43+69.78
Off 60.00 LT

Sta 45+00.00
Off 75.00 LT

Sta 45+00.00
Off 60.00 LT

Sta 46+21.46
Off 90.00 LT

Sta 46+21.46
Off 82.29 LT

Sta 46+21.46
Off 64.87 LT

Sta 46+21.46
℄

Sta 46+21.46
Off 82.29' LT

Ex R/W

Ex R/W

355.00'

Ex R/W

Ex R/W

Ex R/W

Ex R/W

Ex R/W

Ex R/W

Ex R/W

Ex R/W

MATCH LINE STA. 46+21.46

H:\2012\12\132\0DOT\92095\row\sheets\92095RB001.dgn 10/23/2014 11:38:35 AM leivop

REV. BY	DATE	DESCRIPTION

DATE COMPLETED 8/02/2013

STRUCTURE KEY

- RESIDENTIAL
- COMMERCIAL
- OUT-BUILDING




R/W DESIGNER	PSL	PID NO.	92095
R/W REVIEWER	TPH		

RIGHT OF WAY PLAN
STA. 46+21.49 TO STA. 51+35.20

OTT-2-26.37
T.R. 35 (LIGHTNER RD.)

H:\2012\12132\0DOT\92095\row\sheets\92095RT002.dgn 10/23/2014 11:39:13 AM lei\vp



MATCH LINE STA. 46+21.46

MATCH LINE STA. 51+35.20

LIGHTNER ROAD (T.R. 35)

TOWNSHIP LINE	147	CONST.	148	PORTAGE TOWNSHIP	149	N 1° 44' 50" W	150	151
(AKA CONNECTICUT WESTERN RESERVE)	47	R/W LIGHTNER ROAD	48	DANBURY TOWNSHIP	49	N 1° 53' 55" W	50	51

JOSEPH W. MARES
PPN 0142000730469000
4243 KIRK ROAD
AGRICULTURAL

MICHAEL & SHANNON MARES
PPN 0200710209359002
RESIDENTIAL VACANT LAND

REV. BY	DATE	DESCRIPTION
PSL	5/28/14	ADDED PARCEL 2ER
DATE COMPLETED		8/02/2013

STRUCTURE KEY


- RESIDENTIAL
- COMMERCIAL
- OUT-BUILDING

OTT-2-26.37
 T.R. 35 (LIGHTNER ROAD)
 OTTAWA COUNTY
 PORTAGE TWP. FR. SEC. 1, T.6N., R.17E.
 DANBURY TWP. SEC. 4, LOT 17

KEN D. & PAULA M. WARD
 PPN 0200710209359001
 4196 E STATE RD.
 RESIDENTIAL

4


END ACQUISITION
 STA. 54+00.00



JAMES J. LUKAC
 PPN 0142000630467000
 4210 E STATE ROAD
 AGRICULTURAL

5

* DENOTES R/W ENCROACHMENT



PID NO. 92095

R/W DESIGNER PSL
R/W REVIEWER TPH

RIGHT OF WAY PLAN
 STA. 51+35.20 TO STA. 56+50.00

OTT-2-26.37
 T.R. 35 (LIGHTNER RD.)

9/12

96
99


REV. BY	DATE	DESCRIPTION
	10/6/14	ELIMINATED PARCEL 5WD; ADDED PARCEL 5VAC
DATE COMPLETED		8/02/2013

H:\2012\12132\ODOT\92095\row\sheet\92095RT003.dgn 10/23/2014 11:42:03 AM leivop

STRUCTURE KEY

- RESIDENTIAL
- COMMERCIAL
- ▨ OUT-BUILDING

OTT-2-26.37
 T.R. 35 (LIGHTNER RD.)
 OTTAWA COUNTY
 PORTAGE TWP. FR. SEC. 1, T.6N., R.17E.
 DANBURY TWP. SEC. 4, LOT 17



PID NO. **92095**
 R/W DESIGNER PSL
 R/W REVIEWER TPH


RIGHT OF WAY PLAN
STA. 56+50.00 TO STA. 58+72.20

OTT-2-26.37
T.R. 35 (LIGHTNER RD.)

11 / 12
 98
 99


REV. BY	DATE	DESCRIPTION

DATE COMPLETED 8/02/2013



H:\2012\12132\ODOT\92095\row\sheets\92095RT004.dgn 10/23/2014 11:43:31 AM leivop

OTT-2-26.37
T.R. 35 (LIGHTNER RD.)
OTTAWA COUNTY
PORTAGE TWP. FR. SEC. 1, T.6N., R.17E.
DANBURY TWP. SEC. 4, LOT 17



MATCH LINE STA. 56+50.00

REV. BY	DATE	DESCRIPTION
PSL	10/6/14	REVISED LEAD IN DISTANCE FOR PCL 15VAC

HORIZONTAL SCALE IN FEET

R/W DESIGNER
PSL

R/W REVIEWER
TPH

PID NO.

92095

RIGHT OF WAY PLAN

STA. 56+50.00 TO STA. 58+72.20

OTT-2-26.37

T.R. 35 (LIGHTNER RD.)

REV. BY

DATE

DESCRIPTION

DATE COMPLETED

8/02/2013

H:\2012\12\32\ODOT\92095\row\sheets\92095RB004.dgn 10/23/2014 11:44:21 AM leivop