

PRIORITY NO. _____

PART _____ OF _____

SHEET 1 OF 1

COUNTY Sandusky

ROUTE SR 53

SECTION 12.86

BEGIN LOG (SLM) 12.86

TERMINII Co Rd 89 (BRIDGE SAN. 53-12.59
FWD BRIDGE ABUT = START)

END LOG (SLM) 17.87

TERMINII Ottawa C.L. 945+36 MEAS = 17.90

TOTAL LENGTH 5.01

MILES 12.86 = Logsdon Dr. ±

MUNICIPALITY _____ BEGIN LOG (SLM) _____ END LOG (SLM) _____

MUNICIPALITY _____ BEGIN LOG (SLM) _____ END LOG (SLM) _____

PROPOSED WORK:

PAVEMENT 1 1/2" 404 SHOULDER 1 1/2" 404, 617

OTHER _____

EXISTING DATA:

SLM <u>666+33</u>	TO <u>705+16</u>	; PAV'T	WIDTH <u>VAR</u> (type _____),	SHLD WIDTH <u>4'</u> (type <u>STAB</u>)
SLM _____	TO _____	; PAV'T	WIDTH _____ (type _____),	SHLD WIDTH _____ (type _____)
SLM _____	TO _____	; PAV'T	WIDTH _____ (type _____),	SHLD WIDTH _____ (type _____)
SLM _____	TO _____	; PAV'T	WIDTH _____ (type _____),	SHLD WIDTH _____ (type _____)
SLM _____	TO _____	; PAV'T	WIDTH _____ (type _____),	SHLD WIDTH _____ (type _____)
SLM _____	TO _____	; PAV'T	WIDTH _____ (type _____),	SHLD WIDTH _____ (type _____)
SLM _____	TO _____	; PAV'T	WIDTH _____ (type _____),	SHLD WIDTH _____ (type _____)
SLM _____	TO _____	; PAV'T	WIDTH _____ (type _____),	SHLD WIDTH _____ (type _____)
SLM _____	TO _____	; PAV'T	WIDTH _____ (type _____),	SHLD WIDTH _____ (type _____)
SLM _____	TO _____	; PAV'T	WIDTH _____ (type _____),	SHLD WIDTH _____ (type _____)

STRUCTURES:

STR. NO. <u>SAN. 53-17.45</u>	(<u>17.48</u>)	, WIDTH <u>44</u> ,	LENGTH <u>186</u> ,	PROP. WORK _____
STR. NO. _____		, WIDTH _____,	LENGTH _____,	PROP. WORK _____
STR. NO. _____		, WIDTH _____,	LENGTH _____,	PROP. WORK _____
STR. NO. _____		, WIDTH _____,	LENGTH _____,	PROP. WORK _____
STR. NO. _____		, WIDTH _____,	LENGTH _____,	PROP. WORK _____
STR. NO. _____		, WIDTH _____,	LENGTH _____,	PROP. WORK _____

RAILROAD CROSSING:

NAME _____	STATION _____	NO. TRACKS _____	LENGTH ALONG C L _____ ft	(no work)
NAME _____	STATION _____	NO. TRACKS _____	LENGTH ALONG C L _____ ft	
NAME _____	STATION _____	NO. TRACKS _____	LENGTH ALONG C L _____ ft	

MISCELLANEOUS:

NO. RAISED PAVEMENT MARKERS; EDGE OF PAVEMENT 139, CENTERLINE 98
NO. MAILBOX APPROACHES _____, MAILBOX SUPPORTS _____

REMARKS: _____

COUNTY SANDUSKY

ROUTE 53

SECTION 12.6199

L = Prop Pav't Depth (in.) x 10; W = Width @ Mouth; W-1 = Width @ Throat

INTERSECTIONS								DRIVES				
STATION	SIDE	L	W	W-1	ASPH	CONC	NAME / NO.	STATION	SIDE	W	ASPH	CONC
667+45	Lt.	15	141	53	✓		Co. Rd. #89	708+25	Rt.	89	✓	
667+52	Rt.	15	103	59	✓		" "	712+25	Rt.	75	✓	
678+29	Rt.	15	98	44	✓		LOGSDON DR	717+43	Lt.	176	✓	
679+21	Lt.	(24)	123	69	✓		Road Lt.	721+74	Lt.	46	✓	
715+30	Lt.	15	102	47	✓		Co. Rd. #99	723+51	Rt.	41	✓	
716+23	Rt.	15	95	49	✓		" " "	725+52	Rt.	46	✓	
732+27	Rt.	15	85	45	✓		Twpr Rd #103	726+21	Rt.	45	✓	
737+45	Lt.	15	97	51	✓		Co. Rd. #174	734+59	Rt.	45	✓	
779+81	Lt.	15	75	37	✓		Co. Rd. #119	735+35	Lt.	46	✓	
779+64	Lt.	15	52	24	✓		" " "	735+54	Rt.	48	✓	
782+13	Lt.	15	92	41	✓		Co. Rd. #182	736+68	Rt.	43	✓	
813+41	Rt.	15	60	23	✓		Co. Rd. #129	736+62	Lt.	49	✓	
814+15	Rt.	15	75	39	✓		" " "	737+75	Rt.	65	✓	
882+03	Lt.	15	73	39.5	✓		S.R. #523	738+98	Rt.	62	✓	
882+79	Lt.	15	65	26	✓		" " "	740+62	Rt.	43	✓	
885+63	Rt.	15	81	43	✓		Co. Rd. #145	743+25	Rt.	35	✓	
								743+82	Rt.	35	✓	
								744+76	Rt.	33	✓	
								744+99	Rt.	33	✓	
								745+66	Rt.	48	✓	
								748+41	Rt.	43	✓	
								756+20	Rt.	39	✓	
								756+62	Rt.	43	✓	
								757+10	Rt.	262	✓	
								757+30	Rt.	25	✓	MB. APPE
								759+10	Rt.	46	✓	
								765+85	Rt.	42	✓	
								779+22	Rt.	98	✓	
								782+05	Rt.	98	✓	
								790+03	Lt.	40	✓	
								798+29	Rt.	42	✓	
								813+97	Lt.	43	✓	
								821+68	Lt.	42	✓	
								858+10	Lt.	39	✓	
								862+55	Lt.	44	✓	
								875+84	Lt.	36	✓	
								884+48	Rt.	41	✓	
								889+53	Lt.	42	✓	
								891+28	Lt.	43	✓	
								920+97	Rt.	49	✓	
								929+42	Lt.	53	✓	

12.86-17.87 N. Goods

SECTION 12.6199

[illegible]

PERSONNEL

TITLE

PERSONNEL

TITLE

COUNTY SANDUSKYDATE 11/1/89CRONINR. APPLEBARBOURGEYMANS. R. #53WEATHER SUNNY12.86? - N. GoodSEC. 12.6199TEMP. 37°

DESCRIPTION

1990 RESURF - EXTRA PAV. WIDTHS

JOB NO.

LEFT

CENTER LINE

RIGHT

StaPav. WidthAhd. 698+5457'BK. 698+542 @ 24END MED680+132 @ 24AHD. 679+5256.0'BEGIN MEDBK. 679+5262.0'678+0072.0'AHD. 677+0077.5'676+0076.5'675+0070.0'674+0059.5'673+0049.0'672+0039.0'671+0032.5'670+0030.0'669+0028.0'668+0026.5'666+3324'

PERSONNEL	TITLE	PERSONNEL	TITLE
CRONIN			
RIPPLE			
BARBOUR			
GEYMAN			

COUNTY SANDUSKY

DATE 1/11/89

S. R. #53
12.86.7 - N. 6000

WEATHER SUNNY

SEC. 12.6199 -

TEMP. 37°

DESCRIPTION 1990 RESURF - EXTRA PAVT. WIDTHS

0700

57A

Priv. With

715 + 11	240'	END CURB LT.
----------	------	--------------

705+16	240'	BEGIN CURB LT. (2' CURB & GUT HAS BEEN RESURF.
--------	------	--

704400	31.0'
--------	-------

703400	36.0'
--------	-------

702+00	40.0'
--------	-------

701+00	45.0'
--------	-------

700 + 00	48.5'
----------	-------

699+00	52.5
--------	------