

Notes to: B. Rosebrook 6-11-92

1993

1992 TWO-LANE RESURFACING PROGRAM

CDOT (D-2)

PRIORITY NO. 40 2 PART 2 OF 2 SHEET 1 OF 3

COUNTY Sandusky ROUTE SR 412 SECTION 8.72

BEGIN LOG (SLM) 8.72 TERMINII Const. joint

END LOG (SLM) 12.42 TERMINII SR 101

TOTAL LENGTH 3.70 MILES

MUNICIPALITY _____ BEGIN LOG (SLM) _____ END LOG (SLM) _____

MUNICIPALITY _____ BEGIN LOG (SLM) _____ END LOG (SLM) _____

PROPOSED WORK:

PAVEMENT 1 1/2" 404 SHOULDER Add 2' paved each side - 6" 301

OTHER 1 1/2" 404, 6017

EXISTING DATA:

SLM 460+57.44 TO _____; PAV'T WIDTH 20' (type _____), SHLD WIDTH 2'-3' (type STONE)

SLM 474+68 TO _____; PAV'T WIDTH 20' (type _____), SHLD WIDTH 2'-3' (type STONE)

SLM 528+29 TO _____; PAV'T WIDTH 20' (type _____), SHLD WIDTH 2'-3' (type STONE)

SLM 584+15 TO _____; PAV'T WIDTH 20' (type _____), SHLD WIDTH 2'-3' (type STONE)

SLM 636+79 TO _____; PAV'T WIDTH 20' (type _____), SHLD WIDTH 2'-3' (type STONE)

SLM 656+15 TO _____; PAV'T WIDTH _____ (type _____), SHLD WIDTH _____ (type _____)

SLM _____ TO _____; PAV'T WIDTH _____ (type _____), SHLD WIDTH _____ (type _____)

SLM _____ TO _____; PAV'T WIDTH _____ (type _____), SHLD WIDTH _____ (type _____)

SLM _____ TO _____; PAV'T WIDTH _____ (type _____), SHLD WIDTH _____ (type _____)

SLM _____ TO _____; PAV'T WIDTH _____ (type _____), SHLD WIDTH _____ (type _____)

SLM _____ TO _____; PAV'T WIDTH _____ (type _____), SHLD WIDTH _____ (type _____)

SLM _____ TO _____; PAV'T WIDTH _____ (type _____), SHLD WIDTH _____ (type _____)

STRUCTURES:

STR. NO. SAN-412-0962, WIDTH 32', LENGTH 54', PROP. WORK STA 506+90 25' APPROACH

STR. NO. _____, WIDTH _____, LENGTH _____, PROP. WORK _____

STR. NO. _____, WIDTH _____, LENGTH _____, PROP. WORK _____

STR. NO. _____, WIDTH _____, LENGTH _____, PROP. WORK _____

STR. NO. _____, WIDTH _____, LENGTH _____, PROP. WORK _____

STR. NO. _____, WIDTH _____, LENGTH _____, PROP. WORK _____

RAILROAD CROSSING: (no work)

NAME _____ STATION _____ NO. TRACKS _____ LENGTH ALONG C L _____ ft

NAME _____ STATION _____ NO. TRACKS _____ LENGTH ALONG C L _____ ft

NAME _____ STATION _____ NO. TRACKS _____ LENGTH ALONG C L _____ ft

MISCELLANEOUS:

NO. RAISED PAVEMENT MARKERS; EDGE OF PAVEMENT 0, CENTERLINE 80

NO. MAILBOX APPROACHES 0, MAILBOX SUPPORTS _____

REMARKS: ① ESTABLISHED STARTING SLM @ CONST. JOINT BY MEAS. FROM STRUCTURE # SAN-412-8.42 (STA. 444+57.6) SLM. 8.72 (STA 460+57.44) ② MOUTH SR # 412 @ SR # 101 IS 122' WIDE

* BEGINNING STA. @ CONST. JOINT IS 460+57.44.

COUNTY Sandusky ROUTE SR 412 SECTION 8.72

L = Prop Pav't Depth(in.) x 10; W = Width @ Mouth; W-1 = Width @ Throat

[illegible]

UTILITIES (Catch Basin, Manhole, Inlet, Watervalue Box and Monument Box)

COUNTY Sandusky ROUTE SR 412 SECTION 8.72

R = Raise F = Feather

[illegible]

PERSONNEL TITLE PERSONNEL TITLE

CHENEY

TITLE

H

PERSONNEL

TITLE

COUNTY SANDUSKY

DATE 6-10-1992

CIPPLE

H. TAPE

S. R. #412

WEATHER SUNNY

BARBOUR

COYMAN

R. TAPE

SEC. 8.72

TEMP. 75°

DESCRIPTION INTERSECTION DETAIL @ S.R. #101

JOB NO. 026112-72

LEFT

CENTER LINE

RIGHT

