

ODOT (D-2)

Notes to:
B. Rosebrook
10/5/95

TWO-LANE RESURFACING PROGRAM
FY 1996

PERSONNEL BARNHISEL

CORDES

PRIORITY NO. 10 PART 2 OF 2 SHEET 1 OF 9
COUNTY SANDUSKY ROUTE SR 590 SECTION 6.56
BEGIN LOG (SLM) 6.56 TERMINI US 6
END LOG (SLM) 10.11 TERMINI US 20
TOTAL LENGTH 3.55 MILES
MUNICIPALITY BEGIN LOG (SLM) END LOG (SLM)
MUNICIPALITY BEGIN LOG (SLM) END LOG (SLM)

PROPOSED WORK: Add 2' wide paved shoulder each side & Resurface
PAVEMENT 1 1/2" 404 SHOULDER 6" 301 & 1 1/2" 404
OTHER Locate areas for pavement repairs (minor)

STATION ESTABLISHED FROM: USED PLAN STATIONING @ REFERENCE MARK
14. (MON. BOX)

STRUCTURES:

NUMBER	STATION	WIDTH	LENGTH	PROPOSED WORK
	<u>Ø</u>			

(NO WORK)

RAILROAD CROSSING: Ø

NAME Ø STATION NO. TRACKS LENGTH ALONG C L FT

ROUTE

SECTION

6.56-10.11

L = PROP PART DEPTH (IN) X 10; W = WIDTH @ MOUTH; W-I = WIDTH @ THROAT

[illegible]

TWO-LANE RESURFACING PROGRAM
DEFECTIVE PAVEMENT AREASCOUNTY SANDUSKY ROUTE 590 SECTION 6.56-10.11

STATION		LT BERM	LT LANE	RT LANE	RT BERM	SIZE (WIDTH)	EXISTING PAVEMENT CONDITIONS		
FROM	TO						RUTTED	CRACKED	BASE FAILURE
358+50	372+80		X			4'	X	X	X
374+40	378+30			X	X	4'	X	X	X
374+60	375+50	X	X			4'	X	X	X
385+90	389+50			X	X	4'	X	X	X
387+00	395+00	X	X			3'	X	X	X
404+30	405+50	X	X			4'	X	X	X
407+00	408+20	X	X			4'	X	X	X
409+50	411+00	X	X			4'	X	X	X
413+90	415+50				X	3'	X	X	X
415+30	416+20	X	X			4'	X	X	X
427+00	427+40	X	X			3'	X	X	X
444+00	447+40				X	4'	X	X	X
448+60	453+30	X	X			5'	X	X	X
448+60	454+70				X	3'	X	X	X
455+00	457+50	X	X			4'	X	X	X
458+40	458+60	X	X			3'	X	X	X
465+00	468+80	X	X			4'	X	X	X
473+50	476+50	X	X			5'	X	X	X
474+00	474+60				X	3'	X	X	X
477+00	479+00				X	2'	X	X	X

1994 TWO-LANE RESURFACING PROGRAM
DEFECTIVE PAVEMENT AREAS

COUNTY SANDUSKY ROUTE 590 SECTION 6.56-10.11

[illegible]

TWO-LANE RESURFACING PROGRAM PAVEMENT DATA

NOTE: LOCATE ALL
CHANGES IN PVMT WIDTH

COUNTY SANDUSKY

ROUTE 590 SECTION 6.56-10.11

[illegible]

* = STATION LOCATION

[illegible]

ROUTE

590

SECTION

6.56-10.11

[illegible]

DOCUMENT BOX)

TWO-LANE RESURFACING PROGRAM

TWO-LANE RESURFACING FUGGIA®

UTILITIES (CATCH BASIN, MANHOLE, INLET, WAREHOUSE, ETC.)

SECTION 6.56-10.11

590

1017

COUNTY SANDUSKY

R = RAISE
F = FEATHER

[illegible]

10-4-95

	TITLE	PERSONNEL	TITLE	PERSONNEL	COUNTY SANDUSKY DATE 10-7-12
BARNES L					S. R. 590 WEATHER cloudy
CORDES	M				SEC. 6.56-10.11 TEMP. 50°F
					JOB NO.

JOB NO. _____

RIGHT

DESCRIPTION	CENTER LINE
US RT 6 AND SR 590 INTERSECTION	

LEFT

CENTER LINE

Payt

۶۰۰

 $347 + 23$

73+

597

$$348+00$$
 29.1

24.5

24.3-

CONST. JOIN

* NOTE: PAVEMENT is

194SWH

OHIO DEPARTMENT OF TRANSPORTATION

SHEET NO. 9-9

PERSONNEL	TITLE	PERSONNEL	TITLE	COUNTY	DATE
BARNHISEL				SANDUSKY	10-4-95
CORDES	M			S. R.	590
				WEATHER	CLOUDY
				SEC.	6:56-10.11
				TEMP.	+50°F

DESCRIPTION US 20 AND SR 590 INTERSECTION JOB NO. _____

