

PERSONNEL	TITLE	PERSONNEL	TITLE	COUNTY	Wood	DATE	22 Aug, 72
<u>I. Stone</u>				S. R.	#105	WEATHER	Humid
<u>W. Donna</u>				SEC.	Bowling Green-East	TEMP.	80°
<u>R. Michalek</u>							
<u>D. Curtis</u>							

DESCRIPTION References to Section Corners JOB NO. \_\_\_\_\_

LEFT	CENTER LINE	RIGHT
E- 1/4 Post - Section # 22 - Ed. 3/4" I. Pipe (Corner Cloverdale & Housekeeper)		
23.67'	NE. to shiner in 18" Tree	
27.21'	W.N.W. to shiner in P. Pole	
14.23'	NE. to S.W. corner N.E. Wing Wall	
27.17'	S.E. to S.E. corner Bridge Rail	
N.E. Corner of S.E. 1/4 of S.E. 1/4 of Sec. 22 - CENTER TWP. Ed. 1" I. Pipe 2' West of Guard Rail) Cloverdale 1/2 mi. S. of Housekeeper		
33.10'	W.S.W. to shiner in T. Pole	
85.96'	N.W. to shiner in P. Pole	
33.82'	E. to shiner in old wood Fence Post	
S. 1/16 corner Sec. 22 - CENTER TWP. Ed. R.R. Spike (Int. Dirlam Rd. & old US 6)		
45.70'	S.W. to shiner in 36" Tree	
51.90'	S.E. to shiner in P. Pole	
49.80'	N.E. to shiner in P. Pole	
65.97'	N.W. to shiner in T. Pole	
Centerline Sec. 22 - CENTER TWP. Ed. 3/4" I. Pipe		
5.0'	S.W. to Partially Burned Stamp	
N - 1/4 Post Sec. 22 - CENTER TWP. Ed. 1/2" I. Pipe (On Pac. Rd. btwn. Center Rd. & SR #105)		
3.01'	E.N.E. to shiner in guard rail post	
4.66'	W.N.W. to shiner in guard rail post	
37.48'	N. to shiner in T. Pole	


PERSONNEL	TITLE	PERSONNEL	TITLE	COUNTY	DATE
Stone				Wood	25 Aug, 72
Deane				S. R. #105	WEATHER Warm
Midaslak				SEC. B. Green East	TEMP 80°
Curtis					

DESCRIPTION References to Section Corners JOB NO.

	LEFT	CENTER LINE	RIGHT
±	Section # 23 - CENTER TWP. (Housekeeper & Chamberlain)		
	Fd. 1" I. Pin		
35.13'	S.W.	to shiner in P. Pole	
36.96'	N.E.	to shiner in P. Pole	
71.10'	N.N.W.	to shiner in T. Pole	
	N. 1/4 Post Section #23 - CENTER TWP.		
	Fd. Stone (Chamberlain Rd. 1/2 mi. N. of Housekeeper Rd.)		
148.95'	S.S.W.	to shiner in P. Pole	
133.80'	S.E.	to shiner in 18" Tree	
3.50'	E.	to W. Edge Post	
	N.E. Corner Sec. 14 - CENTER TWP.)		
	Fd. Stone to Surface (Webster Rd. 1/2 mi. N. of 105)		
23.86'	S.W.	to Con. Monument	
39.37'	S.W.	to Near Face of Water Pump	
176.47'	N.N.W.	to Near Edge 28" Stamp	
±	Section 13 - WEBSTER TWP. (Silverwood & Alexander)		
	Fd. R. R. Spk. (on Bridge)		
18.97'	N.W.	to 2" I. Pipe on Ditch Bank	
27.98'	S.W.	to shiner in P. Pole	
64.34'	E.S.E.	to shiner in P. Pole	
62.00'	N.E.	to shiner in T. Pole	
	Section Corner 15-14-22-23 - CENTER TWP.		
	Fd. 1" I. Bolt to surface (Poc Rd. just N. of 105)		
81.63'	E.	to shiner in P. Pole	
43.42'	N.E.	to shiner in P. Pole	
27.55'	W.S.W.	to chiseled "+" on W. Wall	

PERSONNEL \_\_\_\_\_ TITLE \_\_\_\_\_ PERSONNEL \_\_\_\_\_ TITLE \_\_\_\_\_  
 COUNTY Wood DATE 25 Jan. 74  
 S. R. #105 WEATHER Mild  
 SEC. \_\_\_\_\_ TEMP. 40°

DESCRIPTION References to Control Points JOB NO. 02999(B)  
 LEFT CENTER LINE RIGHT

±	Sec. 2 - Freedom Twp. -	Fd Stone in E. Edge Drive
59.15'	N.N.E. to shiner in P. Pole	
64.87'	E.S.E. to Cor. Brick House (Plumbed)	
59.72'	S. to shiner in L. Pole	
19.8'	E.N.E. to 3" Sphing	
SW Cor. Sec. 2 - Freedom Twp. - Fd, 3/4" I. Pin 4" deep.		
±	College Ave. & Pemberville Rd.	
29.11'	N.W. to shiner in P. Pole	
24.67'	E.N.E. to near edge base Fire Hydrant.	
61.65'	S.W. to bottom Cor. Footer to Bldg.	
62.58'	S.E. to bottom of N.W. cor. frame Sohio Gas. Stg.	
W 1/4 Post Sec. 2 - Freedom Twp. 1/2 mi. S. of Sugar Ridge Rd. on Pemberville Rd. - Fd. Small spk. to surface		
22.70'	E. to shiner in T. Pole	
9.5'	W. to W. edge put.	
13.9'	E. to E. edge put.	
182.30'	N.N.E. to shiner in T. Pole	
S.E. Cor. Sec. 2 - Freedom Twp. on Bradner Rd. approx. 1/2 mi. S. of SR #105 - Fd. RR Spk. 2" deep		
110.44'	S.S.E. to shiner in T. Pole	
158.26'	N.N.E. to shiner in T. Pole	
10.25'	to W edge put.	
7.85'	to E edge put.	
1/4 Post Sec. 12 & 13 - on Silverwood 1/4 mi. N. of SR #105		
Fd Stone - Set 1 Rod over - to surface		
24.95'	W.S.W. to shiner in P. Pole	
17.55'	E. to shiner in T. Pole	
174.09'	N.N.E. to shiner in T. Pole	
2.5'	W. edge put.	
15.3'	E. edge put.	

PERSONNEL	TITLE	PERSONNEL	TITLE	COUNTY	DATE
Stone				Wood	21 Feb. 79
Michaluk				S. R. #105	WEATHER Cloudy
Danna				SEC.	TEMP. 45°
Curtis					JOB NO. 02999(2)

DESCRIPTION References to Control Points

		LEFT	CENTER LINE	RIGHT
Sec.	Cor.	$\frac{89}{1716}$	Ed. Stone 17" deep - set Stake then PK Nail - Int. Alexander & Fish Rds.	
55.77'			S.S.W. to shiner in P. Pole	
20.80'			N.W.W. to shiner in P. Pole	
97.13'			S.E. to NW. cor. Brick siding to Res.	
7.2'			to N. edge put.	
1/4 Post		$\frac{8}{17}$	Alexander Rd. 1/2 mi. W. of Fish Rd.	
			Ed. PK Nail.	
20.53'			N.N.E. to shiner in P. Pole	
129.88'			N.W. to shiner in P. Pole	
111.32'			E.S.E. to shiner in T. Pole	
77.19'			E.N.E. to "x" on N.W. wing wall	
7.2'			N. edge put.	
7.2'			S. edge put.	
Sec.	Cor.	$\frac{718}{18117}$	Ed. Stone to surface - 1 mi. West of Fish Rd.	
20.96'			S. to shiner in T. Pole	
42.22'			S.E. to shiner in 8" Tree	
46.67'			N.W. to shiner in P. Pole	
8.6'			N. edge put.	
6.4'			S. edge put.	
1/4 Post		9110	Lemagne Rd. 1/2 mi. South of Res. Rd.	
			Ed. 1" I. Pipe to surface	
35.95'			NE to shiner in 16" Tree	
24.93'			W. to shiner in P. Pole	
98.27'			N.N.W. to shiner in P. Pole	
48.65'			S.E. to shiner in P. Pole	
23.35'			E. to Rec. Cor. fence post (Metal)	

PERSONNEL	TITLE	PERSONNEL	TITLE	COUNTY	DATE
Stone				Wood	5 March 79
Micholok				S. R. 105	WEATHER Cool
Dunn				SEC. Freedom Twp.	TEMP. 40°
Curtis					

DESCRIPTION References to Control Points JOB NO. 02999(a)

LEFT	CENTER LINE	RIGHT
------	-------------	-------

ctr. Sec. 8 - Found Stone 1' deep - set spl. over stone		
Aufderstrasse Rd. 1 mi. S. of Moir Rd.		
16.73'	N.E. to shiner in P. Pole	
26.06'	N.W. to "x" on S. Head wall culvert	
35.15'	N.W. to "x" on N. Head wall culvert	
	- 8" E. of W. edge put.	
1/4 Post 7/8 - Fd. Stone on E. Ditch Bank - Banks Rd. 1 mi. S. of Moir Rd.		
41.02'	W. N.W. to shiner in T. Pole	(P)
64.88'	S. to shiner in P. Pole	(P)
23.29'	E.S.E. to shiner in 6" Tree	(P)
35.31'	S.E. to shiner in 9" Tree	(P)
21.0'	W. to E. edge put.	
1/4 Post 9/16 - Fd. 1" I. Pin' to surface - Alexander Rd. 1/2 mi. W. of Wayne Rd.		
14.17'	N.E. to S.W. cor cor Hdwall	
7.65'	S.E. to N.W. cor cor Hdwall	
17.58'	N. to shiner in wood fence post	
98.10'	W.N.W. to shiner in T. Pole	
9.1'	to N. edge put.	
3.0'	to S. edge put.	
Sec. Cor. 9/10 16/15 - Fd. 1" I. Pin' 1" Below surface Alexander and Wayne Rds.		
28.53'	W.S.W. to shiner in P. Pole	
43.84'	S.W. to shiner in T. Pole	
25.83'	S.E. to shiner in P. Pole	
25.30'	E.S.E. to shiner in P. Pole	

PERSONNEL	TITLE	PERSONNEL	TITLE	COUNTY	DATE
Stone				Wood	5 Nov. 79
Michaelak				S. R. 105	WEATHER Fair
Dunn				SEC. Freedom Twp.	TEMP. 75°
Curtis					

DESCRIPTION Reference to Control points JOB NO. 02999(6)

	LEFT	CENTER LINE	RIGHT
--	------	-------------	-------

	LEFT	CENTER LINE	RIGHT
1/4 Post $\frac{10}{15}$ - Fd. 1" I. Pin to surface at RR. 1/2 mi. E. of Weyman Rd. on Alexander			
44.75 - N.E. to shiner in P. Pole			
11.35 - W. to E. edge E. rail			
42.84 - S.E. to shiner in P. Pole			
.50 - N. to N. edge post			
1/4 Post 10/11 - Int. Pemberton Rd. & Forrest Ave.			
Fd. 1" I. Pin			
20.01 - N.W. to shiner in P. Pole			
27.55 - S.E. to shiner in T. Pole			
54.61 - N.E. to shiner in 18" tree			
1/4 Post $\frac{3}{10}$ - Fd. 1" I. Bolt 2" deep Weyman and Pees Rds.			
32.25 - N.E. to shiner in P. Pole			
26.32 - N.W. to shiner in T. Pole			
30.46 - S.E. to shiner in P. Pole			
25.88 - S.W. to shiner in P. Pole			
NE 1/4 Post Sec. 2 - Bradner Rd. and Sugar Ridge Rd.			
Fd. R.R. Spk. 3" deep			
172.70 - E. to R.R. Spk S.W. Cor. Sec. 36 Troy Twp.			
29.10 - S.E. to Corn. Mon.			
26.16 - N.N.E. to Corn. Mon.			
32.87 - S.W. to Corn. Mon.			
N. 1/4 Post Sec. 1 - Sugar Ridge Rd. 1/2 mi. E. of Bradner Rd.			
Fd. R.R. Spk. 9" deep			
95.90 - E. to R.R. Spk S. 1/4 Post Sec. 36 Troy Twp.			
21.22 - N. to Corn. Mon.			
34.58 - S.E. to Corn. Mon.			
34.79 - S.W. to Corn. Mon.			
21.55 - S. to Corn. Fence Post (Ecc)			

