

ADOT (D-2) Notes to: B. Reserach 2-23-94
1994 TWO-LANE RESURFACING PROGRAM
1995
32

DATE _____
PERSONNEL CHEVY
RIPPLE
GEYMAN

PRIORITY NO. 40 PART 2 OF 3 SHEET 1 OF 6
COUNTY SANDUSKY ROUTE SR 582 SECTION 00.00
BEGIN LOG (SLM) 00.00 TERMINI Wood Co Line
END LOG (SLM) 1.69 TERMINI SR 105
TOTAL LENGTH 1.69 MILES

MUNICIPALITY _____ BEGIN LOG (SLM) _____ END LOG (SLM) _____
MUNICIPALITY _____ BEGIN LOG (SLM) _____ END LOG (SLM) _____

PROPOSED WORK: Resurface

PAVEMENT Two ply recycling 1 1/4" 404 SHOULDER Same, 617

OTHER _____

STATION ESTABLISHED FROM: 0+00 @ E. R.V.T. U.S. #23.

STRUCTURES: NONE

NUMBER	STATION	WIDTH	LENGTH	PROPOSED WORK

RAILROAD CROSSING: NONE (NO WORK)

NAME _____ STATION _____ NO. TRACKS _____ LENGTH ALONG C L _____ FT
NAME _____ STATION _____ NO. TRACKS _____ LENGTH ALONG C L _____ FT

1994 TWO-LANE RESURFACING PROGRAM INTERSECTIONS

COUNTY SANDUSKY ROUTE #582 SECTION 0.00

L - PROP PART DEPTH (IN) X 10; W - WIDTH @ MOUTH; W-I - WIDTH @ THROAT

[illegible]

DATE 2-17-1994

1994 TWO-LANE RESURFACING PROGRAM
PAVEMENT DATA

SHEET 3 OF 6

NOTE: LOCATE ALL CHANGES IN PVMT WIDTH

COUNTY SALIDUSKY ROUTE #582 SECTION 0.00

[illegible]

* = STATION LOCATION

[illegible]

DATE 2-17-1994

**1994 TWO-LANE RESURFACING PROGRAM
DEFECTIVE PAVEMENT AREAS**

SHEET 4 OF 6

COUNTY SANDUSKY ROUTE # 582 SECTION 0.00

[illegible]

DATE 2-11-11

1994 TWO-LANE RESURFACING PROGRAM
CROSSWALKS AND STOP BARS

SHEET 5 OF 6

COUNTY SANDUSKY

ROUTE 2582

SECTION

0.00

[illegible]

OHIO DEPARTMENT OF TRANSPORTATION

SHEET NO. 6-6

194SWH
157821

PERSONNEL	TITLE	PERSONNEL	TITLE
CHENEY	ND		
RIPPLE	H. TAPE		
GEYMAN	R. TAPE		

COUNTY SANDUSKY DATE 2-17-1994
582 WEATHER FAIR
SEC. 0.00 TEMP. 40°

DESCRIPTION INTERSECTION DETAIL @ S.R. # 105 & U.S. # 23 JOB NO. 624034
(PAV'T CENTER LINE S.R. # 582)

LEFT

RIGHT

