



DITCH ANALYSIS

PID : 116570 **Date :** 06/25/2025 **Project :** ERIE-US 6-CORRIDOR **Location :** US 6 Right

Description : Ditch ofrom Sta 1745+30 to Sta 1748+97

Designer : HRT

Rainfall Area : A

Allowable Shears

	Seed:	0.40	Jute Mat:	0.45	Temporary Mat:	1.00
Permanent Mat	Type 1:	2.00	Type 2:	3.00	Type 3:	5.00
RCP	Type B:	6.00				

(*) Warning: Grade is steeper than allowable.

If value is parantheses, design parameters have been exceeded. - See user manual.

STATION BEGIN	STATION END	SIDE	LENGTH (ft.)	RADIUS WIDTH (ft.)	IN SLOPE (ft./ft.)	BACK SLOPE (ft./ft.)	GRADE (ft./ft.)	AREA (acres)	AREA SUM (acres)	RUNOFF COEFF.	CA (Sum)	PROTECT TYPE	RAIN INT. (in./hr.)	STORM FREQ. (yrs.)	MANN. COEFF.	TIME FLOW (min.)	VEL. FLOW (fps.)	SHEAR (lbs./ sq.ft.)	DESIGN FLOW (cfs.)	DEPTH FLOW (ft.)	WIDTH FLOW (ft.)
1745+30	1748+97	R	367.00	4.00	4.00	4.00	0.0147	0.63	0.63	0.77	0.49	Seed	3.29	5	0.030	18.32	1.79	0.17	1.59	0.19	5.50
												Seed	3.68	10	0.040	18.86	1.53	0.22	1.78	0.24	5.89