



DITCH ANALYSIS

PID : 116570 **Date :** 07/01/2025 **Project :** ERIE-US 6-CORRIDOR

Location : Rye Beach Right

Description : Ditch from Sta 142+24 to Sta 143+60

Designer : HRT

Rainfall Area : A

Allowable Shears

	Seed:	0.40	Jute Mat:	0.45	Temporary Mat:	1.00
Permanent Mat	Type 1:	2.00	Type 2:	3.00	Type 3:	5.00
RCP	Type B:	6.00				

(*) Warning: Grade is steeper than allowable.

If value is parantheses, design parameters have been exceeded. - See user manual.

STATION BEGIN	STATION END	SIDE	LENGTH (ft.)	RADIUS WIDTH (ft.)	IN SLOPE (ft./ft.)	BACK SLOPE (ft./ft.)	GRADE (ft./ft.)	AREA (acres)	AREA SUM (acres)	RUNOFF COEFF.	CA (Sum)	PROTECT TYPE	RAIN INT. (in./hr.)	STORM FREQ. (yrs.)	MANN. COEFF.	TIME FLOW (min.)	VEL. FLOW (fps.)	SHEAR (lbs./ sq.ft.)	DESIGN FLOW (cfs.)	DEPTH FLOW (ft.)	WIDTH FLOW (ft.)
143+60	142+24	R	136.00	4.00	4.00	4.00	0.0202	0.25	0.25	0.58	0.14	Seed	3.46	5	0.030	16.69	1.32	0.11	0.49	0.09	4.69
												Seed	3.89	10	0.040	16.94	1.13	0.14	0.55	0.11	4.88