Appendix A

Maps


Morgan Township
Bladensburg
Clay Township
Jackson Township
Berkshire Township
Milford Township
Trenton Township
Hartford Township
Bennington Township
Homer
Burlington Township
Washington Township
Pike Township
Eden Township
Fallsbury Township
Monroe Township
Liberty Township
McKean Township
St Louisville
Harlem Township
Johnstown
Newton Township
Perry Township
Mary Ann Township
Jersey Township
St Albans Township
Plain Township
New Albany
Newark Township
Hanover
Granville
Granville Township
Newark
Madison Township
Licking Township
Nashport
Muskingum Township
Frazeysburg
Jefferson Township
Dresden
Jefferson Township
Harrison Township
Hanover Township
Summit Station
Pataskala
Union Township
Franklin Township
Falls Township
North Zanesville
Washington Township
Truro Township
Reynoldsburg
Etna
Etna Township
Kirkersville
Hebron
Licking Township
Hopewell Township
Bowling Green Township
Hopewell
Zanesville
Buckeye Lake
Violet Township
Springfield Township
Thorn Township
Thornville
Hopewell Township
South Zanesville
Wayne Township
Dillon State Park
WILLIAMS
FULTON
LUCAS
OTTAWA
LAKE
ASHTABULA
GEAUGA
CUYAHOGA
TRUMBULL
DEFIANCE
HENRY
WOOD
SANDUSKY
ERIE
LORAIN
PORTAGE
SUMMIT
MAHONING
PAULDING
PUTNAM
HANCOCK
SENECA
HURON
MEDINA
VAN WERT
ALLEN
WYANDOT
CRAWFORD
RICHLAND
ASHLAND
WAYNE
STARK
COLUMBIANA
MERCER
AUGLAIZE
HARDIN
MARION
MORROW
HOLMES
CARROLL
SHELBY
LOGAN
UNION
DELAWARE
KNOX
COSHOCTON
TUSCARAWAS
JEFFERSON
HARRISON
DARKE
CHAMPAIGN
LICKING
MIAMI
CLARK
MADISON
FRANKLIN
MUSKINGUM
GUERNSEY
BELMONT
MONTGOMERY
PREBLE
GREENE
FAIRFIELD
PERRY
NOBLE
MONROE
FAYETTE
PICKAWAY
MORGAN
BUTLER
WARREN
CLINTON
HOCKING
WASHINGTON
ROSS
ATHENS
HAMILTON
CLERMONT
HIGHLAND
VINTON
MEIGS
PIKE
JACKSON
BROWN
ADAMS
SCIOTO
GALLIA
LAWRENCE
Figure 1. Location of Site on Highway Map of Licking County, Ohio. LIC-16/37-14.24/15.72 (PID 95445).
County Boundaries
Licking County
Project Area
0 1 2 4 6 8 10 Miles
0 5 10 20 Kilometers
EnviroScience™
Excellence In Any Environment
Date: 11/11/2024 Path: P:\10_Projects\H\Hull_Assoc\490_Compliance\24-0519_LIC-16837-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16837-14.24&15.72_ Noise Analysis_Working aprx
Basemap courtesy of Esri.
NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US



Figure 2.
Noise Sensitive Areas and
Noise Measurement Locations.
LIC-16/37-14.24/15.72 (PID 95445).

Noise Study Limit (500' From EOP)

0 500 1,000 2,000 3,000 Feet

0 250 500 1,000 Meters

EnviroScience™
Excellence In Any Environment

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US

Date: 11/11/2024 Path: P:\10_Projects\HHull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72_ Noise Analysis_Working aprx



Figure 2.01. Noise Sensitive Areas and Noise Measurement Locations.
LIC-16/37-14.24/15.72 (PID 95445).

Noise Measurment Point Noise Sensitive Area Noise Study Limit (500' From EOP)

0 500 1,000 2,000 Feet

0 150 300 600 Meters

2.01

EnviroScience™
Excellence In Any Environment

Date: 11/11/2024 Path: P:\10_Projects\HlHull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72_ Noise Analysis_Working.aprx

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US





Figure 2.02. Noise Sensitive Areas and Noise Measurement Locations.
LIC-16/37-14.24/15.72 (PID 95445).

Noise Measurment Point | Noise Sensitive Area | Noise Study Limit (500' From EOP)

0 500 1,000 2,000 Feet

0 150 300 600 Meters

2.02

EnviroScience™
Excellence In Any Environment

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US

Date: 11/11/2024 Path: P:\10_Projects\HHull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72 Noise Analysis_Working.aprx

Date: 9/16/2024 Path: P:\10_Projects\H\Hull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72_ Noise Analysis_Working.aprx





Figure 3.01. Noise Receiver Impacts.
LIC-16/37-14.24/15.72 (PID 95445).

- Impacted Receiver
- Unimpacted Receiver
- Noise Barrier
- Noise Sensitive Area
- Noise Study Limit (500' From EOP)

0 300 600 1,200 Feet

0 50 100 200 300 Meters

3.01

EnviroScience™ Excellence In Any Environment

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US

Date: 9/16/2024 Path: P:\10_Projects\H\Hull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_Noise Analysis_Working.aprx





Figure 3.02. Noise Receiver Impacts.
LIC-16/37-14.24/15.72 (PID 95445).

- Impacted Receiver
- Unimpacted Receiver
- Noise Barrier
- Noise Sensitive Area
- Noise Study Limit (500' From EOP)

0 300 600 1,200 Feet

0 50 100 200 300 Meters

3.02

EnviroScience™ Excellence In Any Environment

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US



Figure 3.03. Noise Receiver Impacts.
LIC-16/37-14.24/15.72 (PID 95445).

Impacted Receiver
Unimpacted Receiver
Noise Barrier
Noise Sensitive Area
Noise Study Limit (500' From EOP)

0 300 600 1,200 Feet

0 50 100 200 300 Meters

3.03

EnviroScience™
Excellence In Any Environment

Date: 9/16/2024 Path: P:\10_Projects\H\Hull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72 Noise Analysis_Working.aprx

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US





Figure 3.04. Noise Receiver Impacts.
LIC-16/37-14.24/15.72 (PID 95445).

- Impacted Receiver
- Unimpacted Receiver
- Noise Barrier
- Noise Sensitive Area
- Noise Study Limit (500' From EOP)

0 300 600 1,200 Feet

0 50 100 200 300 Meters

3.04

EnviroScience™ Excellence In Any Environment

Date: 9/16/2024 Path: P:\10_Projects\H\Hull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72_ Noise Analysis_Working.aprx

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US

Date: 9/16/2024 Path: P:\10_Projects\H\Hull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72_ Noise Analysis_Working.aprx





Figure 3.05. Noise Receiver Impacts.
LIC-16/37-14.24/15.72 (PID 95445).

- Impacted Receiver
- Unimpacted Receiver
- Noise Barrier
- Noise Sensitive Area
- Noise Study Limit (500' From EOP)

0 300 600 1,200 Feet

0 50 100 200 300 Meters

3.05

EnviroScience™ Excellence In Any Environment

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US





Figure 4.01. Noise Impacts and Benefits by Receiver. Noise Sensitive Areas 1 & 2 - Full Barrier Length.
LIC-16/37-14.24/15.72 (PID 95445).

Noise Barrier 1 Full Length (Not Recommended)

Noise Sensitive Area (1 & 2)

Noise Sensitive Area (Other)

Noise Study Limit (500' From EOP)

0 200 400 800 Feet

0 50 100 200 Meters

4.01

EnviroScience™ Excellence In Any Environment

Date: 9/25/2024 Path: P:\10_Projects\HHull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72_ Noise Analysis_Working.aprx

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US

Figure 4.02. Noise Impacts and Benefits by Receiver. Noise Sensitive Areas 1 & 2 - Medium Barrier Length.
LIC-16/37-14.24/15.72 (PID 95445).

Noise Barrier 1 Medium Length (Recommended)

Noise Sensitive Area (1 & 2)

Noise Sensitive Area (Other)

Noise Study Limit (500' From EOP)

0 200 400 800 Feet

0 50 100 200 Meters

4.02

EnviroScience™ Excellence In Any Environment

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US

Date: 9/25/2024 Path: P:\10_Projects\HHull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72_ Noise Analysis_Working.aprx

Receivers

- Impacted / Benefited (10', 12', 14')
- Impacted / Benefited (14')
- Impacted / Not Benefited
- Not Impacted / Not Benefited

Barrier 1 (Short) - 1000 ft

Figure 4.03. Noise Impacts and Benefits by Receiver. Noise Sensitive Areas 1 & 2 - Short Barrier Length.
LIC-16/37-14.24/15.72 (PID 95445).

- Noise Barrier 1 Short Length (Not Recommended)
- Noise Sensitive Area (1 & 2)
- Noise Sensitive Area (Other)
- Noise Study Limit (500' From EOP)

0 200 400 800 Feet

0 50 100 200 Meters

4.03

EnviroScience™ Excellence In Any Environment

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US

Date: 9/25/2024 Path: P:\10_Projects\HHull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72_ Noise Analysis_Working.aprx

Receivers

- Impacted / Benefited (14')
- Not Impacted / Not Benefited



Figure 5.01. Noise Impacts and Benefits by Receiver. Noise Sensitive Area 3 - Barrier 2 Full Length.
LIC-16/37-14.24/15.72 (PID 95445).

- Noise Barrier 2 Full Length (Not Recommended)
- Noise Sensitive Area (3)
- Noise Sensitive Area (Other)
- Noise Study Limit (500' From EOP)

0 250 500 1,000 Feet

0 75 150 300 Meters

5.01

EnviroScience™ Excellence In Any Environment

Date: 9/25/2024 Path: P:\10_Projects\HlHull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72_Noise Analysis_Working.aprx

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US

Receivers

- Impacted / Benefited (14')
- Not Impacted / Not Benefited



Figure 5.02. Noise Impacts and Benefits by Receiver. Noise Sensitive Area 3 - Barrier 2 Short Length.
LIC-16/37-14.24/15.72 (PID 95445).

- Noise Barrier 2 Short Length (Not Recommended)
- Noise Sensitive Area (3)
- Noise Sensitive Area (Other)
- Noise Study Limit (500' From EOP)

0 250 500 1,000 Feet

0 75 150 300 Meters

5.02

EnviroScience™ Excellence In Any Environment

Date: 9/25/2024 Path: P:\10_Projects\HlHull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72_Noise Analysis_Working.aprx

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US





Figure 6.01. Noise Impacts and Benefits by Receiver. Noise Sensitive Area 4 - Barriers 3 & 4 Full Length.
LIC-16/37-14.24/15.72 (PID 95445).

Noise Barrier 3 & 4 Full Length (Not Recommended)

Noise Sensitive Area (4)

Noise Sensitive Area (Other)

Noise Study Limit (500' From EOP)

0 300 600 1,200 Feet

0 100 200 400 Meters

6.01

EnviroScience™ Excellence In Any Environment

Date: 9/12/2024 Path: P:\10_Projects\HlHull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_Noise Analysis\GISIES_LIC-16&37-14.24&15.72_Noise Analysis_Working.aprx

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US

Receivers

- Impacted / Benefited (10', 12', 14')
- Impacted / Benefited (12', 14')
- Impacted / Not Benefited
- Not Impacted / Benefited (12')
- Not Impacted / Not Benefited

Old River Rd
Raccoon Creek
Lake Hudson
Barrier 3 - 2800ft
State Route 16
River Rd
Village Flower Basket-Garfens
Salon 43023
Edward Jones Investments
Kids Education and Recreation
4.01 4.3 4.03 4.02 4.31 4.04 4.05 4.07 4.06 4.08 4.1 4.09 4.11 4.12 4.13 4.14 4.15 4.16 4.17 4.18 4.19 4.2 4.21 4.22 4.23 4.24 4.25 4.26 4.27 4.28 4.29



Figure 6.02. Noise Impacts and Benefits by Receiver. Noise Sensitive Area 4 - Barrier 3 Only Full Length.
LIC-16/37-14.24/15.72 (PID 95445).

- Noise Barrier 3 Full Length (Not Recommended)
- Noise Sensitive Area (4)
- Noise Sensitive Area (Other)
- Noise Study Limit (500' From EOP)

0 300 600 1,200 Feet

0 100 200 400 Meters

6.02

EnviroScience™ Excellence In Any Environment

Date: 9/12/2024 Path: P:\10_Projects\HlHull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_Noise Analysis\GISIES_LIC-16&37-14.24&15.72_Noise Analysis_Working.aprx

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US



Figure 6.03. Noise Impacts and Benefits by Receiver. Noise Sensitive Area 4 - Barrier 4 Only Full Length.
LIC-16/37-14.24/15.72 (PID 95445).

Noise Barrier 4 Full Length (Not Recommended)

Noise Sensitive Area (4)

Noise Sensitive Area (Other)

Noise Study Limit (500' From EOP)

0 300 600 1,200 Feet

0 100 200 400 Meters

6.03

EnviroScience™ Excellence In Any Environment

Date: 9/12/2024 Path: P:\10_Projects\HiHull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72 Noise Analysis_Working.aprx

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US



Figure 7.01. Noise Impacts and Benefits by Receiver. Noise Sensitive Area 7 - Barriers 5 & 6 Full Length.
LIC-16/37-14.24/15.72 (PID 95445).

Noise Barrier 5 & 6 Full Length (Not Recommended)

Noise Sensitive Area (7)

Noise Sensitive Area (Other)

Noise Study Limit (500' From EOP)

0 250 500 1,000 Feet

0 75 150 300 Meters

7.01

EnviroScience™ Excellence In Any Environment

Date: 9/12/2024 Path: P:\10_Projects\H\Hull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72_ Noise Analysis_Working.aprx

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US



Figure 7.02. Noise Impacts and Benefits by Receiver. Noise Sensitive Area 7 - Barrier 7 Only Full Length.
LIC-16/37-14.24/15.72 (PID 95445).

Noise Barrier 7 Full Length (Not Recommended)

Noise Sensitive Area (7)

Noise Sensitive Area (Other)

Noise Study Limit (500' From EOP)

0 250 500 1,000 Feet

0 75 150 300 Meters

7.02

EnviroScience™ Excellence In Any Environment

Date: 9/12/2024 Path: P:\10_Projects\H\Hull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72_ Noise Analysis_Working.aprx

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US



Figure 7.03. Noise Impacts and Benefits by Receiver. Noise Sensitive Area 7 - Barrier 7 Only Short Length.
LIC-16/37-14.24/15.72 (PID 95445).

Noise Barrier 7 Short Length (Not Recommended)

Noise Sensitive Area (7)

Noise Sensitive Area (Other)

Noise Study Limit (500' From EOP)

0 250 500 1,000 Feet

0 75 150 300 Meters

7.03

EnviroScience™ Excellence In Any Environment

Date: 9/12/2024 Path: P:\10_Projects\H\Hull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72_ Noise Analysis_Working.aprx

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US

Figure 8.01. Noise Impacts and Benefits by Receiver. Noise Sensitive Area 8 - Barrier 8 Full Length.
LIC-16/37-14.24/15.72 (PID 95445).

Noise Barrier 8 Full Length (Not Recommended)

Noise Sensitive Area (8)

Noise Sensitive Area (Other)

Noise Study Limit (500' From EOP)

0 250 500 1,000 Feet

0 75 150 300 Meters

8.01

EnviroScience™ Excellence In Any Environment

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US

Date: 9/12/2024 Path: P:\10_Projects\HHull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72_ Noise Analysis_Working.aprx

Figure 8.02. Noise Impacts and Benefits by Receiver. Noise Sensitive Area 8 - Barrier 8 Short Length.
LIC-16/37-14.24/15.72 (PID 95445).

Noise Barrier 8 Short Length (Not Recommended)

Noise Sensitive Area (8)

Noise Sensitive Area (Other)

Noise Study Limit (500' From EOP)

0 250 500 1,000 Feet

0 75 150 300 Meters

8.02

EnviroScience™ Excellence In Any Environment

Date: 9/12/2024 Path: P:\10_Projects\H\Hull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72_ Noise Analysis_Working.aprx

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US



N

SCALE: 1"=200'

Figure 9. Barrier 1 Utility Conflicts
LIC-16/37-14.24-15.72 (PID 95445)

EnviroScience™
Excellence In Any Environment
Headquarters: 5070 Stow Road, Stow, OH 44224
800-940-4025 | EnviroScienceInc.com





Figure 10.01. Undeveloped Areas.
LIC-16/37-14.24/15.72 (PID 95445).

Undeveloped Area Noise Study Limit (500' From EOP)

0 500 1,000 2,000 Feet

0 150 300 600 Meters

10.01

EnviroScience™ Excellence In Any Environment

Date: 11/11/2024 Path: P:\10_Projects\HlHull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis\GIS\ES_LIC-16&37-14.24&15.72 Noise Analysis_Working.aprx

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US





Figure 10.02. Undeveloped Areas.
LIC-16/37-14.24/15.72 (PID 95445).

Undeveloped Area

Noise Study Limit (500' From EOP)

0 500 1,000 2,000 Feet

0 150 300 600 Meters

10.02

EnviroScience™
Excellence In Any Environment

Date: 11/11/2024 Path: P:\10_Projects\HHull_Assoc\490_Compliance\24-0519_LIC-16&37-14.24&15.72_ Noise Analysis_Working.aprx

Basemap courtesy of Esri.

NAD 1983 2011 StatePlane Ohio South FIPS 3402 Ft US

Appendix B

Field Data

Includes:

- PI Notification Letters for Field Work
- Calibration certification for sound level meter
- Calibration certification for calibrator
- Measurement data sheets
- SLM printouts and one-minute Leq tables
- Traffic data used in validation modeling

Department of Transportation
transportation.ohio.gov

Mike DeWine, *Governor*
Jon Husted, *Lt. Governor*
Jack Marchbanks, Ph.D., *Director*

July 22, 2024

Re: LIC SR 16/37 14.24/15.72 (PID No. 95445)

Dear Neighbor:

We are writing to advise you that the Ohio Department of Transportation (ODOT) has proposed a project to maintain and improve a section of State Route 16/37 in Granville. The Project Area extends from approximately 0.38 miles west of the Columbus Rd interchange to just east of the Thornwood Crossing interchange. The project consists of major reconstruction of pavement, replacement of composite pavement and construction of additional general use lanes in the median. Bridge and culvert maintenance work will be completed within the project area. The project is necessary to repair and reconstruct existing pavement, bridges, and culverts, and to add additional general use lanes within the current median. Construction is currently scheduled to begin after May 1, 2026. Please be aware that, at this stage in project development, it will not be possible to provide you with specific information regarding potential land acquisition. If right-of-way acquisition is necessary from your property, personnel from ODOT District 5 Real Estate Office will contact you directly at a later date to discuss the right-of-way needs, the acquisition process, and your rights under that process.

We are writing to inform you about this project and advise you that it may be necessary for personnel from Verdantas LLC and EnviroScience, Inc. to enter upon your property within the next 90 days to obtain specific field data needed in connection with the proposed project. Sections 5517.01 and 163.03 of the Ohio Revised Code authorize such entries but also require that reimbursement be made for any actual damage resulting from such work. It is not anticipated that any physical sampling or vegetation clearing will be required; however, if any valuable vegetation must be cleared to accomplish the work needed, you will be notified and informed as to the procedure to follow in preparing a claim for reimbursement. If at any time you feel that our representatives have not given proper attention to your property, please notify me.

Please note that personnel from Verdantas LLC and EnviroScience, In. will not be able to give any information or answers to questions. The staff will simply be collecting data to complete their environmental studies. After these environmental studies have been completed, a public meeting will be scheduled to provide more detailed information regarding the proposed project and to further solicit public input. We sincerely appreciate your cooperation and assistance.

We welcome your questions and comments. To ensure the proposed project is viable and successful, ODOT is seeking comments from the public about the social, environmental, and economic impacts of this proposed project. Issues you may wish to comment on include, but are not limited to, the effect of the project on local residents, air quality, the local economy, floodplains, and historic or cultural resources. To ensure your comments may be considered during project development, please submit them no later than August 22, 2024 to Brian Tatman at Brian.Tatman@dot.ohio.gov or 740-343-5191.

Respectfully,

Brian S. Tatman
District Environmental Coordinator

cc: Christopher Yount, Project Manager; Heather Gilbert, District Planning Engineer; Chas Cosgrave, District Public Information Officer; Jason Sturgeon, P.E., District Deputy Director: Jeff Hill, County Manager; Jason Wooldridge, District Real Estate Administrator

District 5
9600 Jacksontown Road
Jacksontown, OH 43030 U.S.A.

740 | 323 4400
transportation.ohio.gov

The State of Ohio is an Equal Opportunity Employer and Provider of ADA Services

Street Address	Mailing Address	City	State	Zip	Name 1	Name 2
14 WESTGATE DR NE, Newark, OH, 43055	14 WESTGATE DR NE	Newark	OH	43055	LICKING MEMORIAL HEALTH FOUNDATION	
179 NEW GRAN DR NE, Granville, OH 43023	179 NEW GRAN DR NE	Granville	OH	43023	BARBARA K RICCIARDO	
1264 WEAVER DR NW, Granville, OH 43023	1264 WEAVER DR NW	Granville	OH	43023	LICKING MEMORIAL HEALTH FOUNDATION	
23 MILL RACE RD, Granville, OH 43023	23 MILL RACE RD	Granville	OH	43023	BROOKE E DOLIN &	IAN C McCLEESE
2098 LANCASTER RD, Granville, OH 43023	2098 LANCASTER RD	Granville	OH	43023	STEVEN P &	KATHY L McINERNEY
1225 River Rd, Grandville, OH 43023	P.O. Box 315	Granville	OH	43023	GRANVILLE TWP BOARD OF TRUSTEES	
1820 NEWARK-GRANVILLE RD, Granville, OH	1420 Loudon Street	Granville	OH	43023-0315	SPRING HILLS BAPTIST CHURCH	
1067 CHERRY VALLEY RD SE, Newark, OH 4305	1067 CHERRY VALLEY RD SE	Newark	OH	43055	GENERAL GRANT OLIVER	
301 CLOUSE LN NE, Granville, OH 43023	301 CLOUSE LN NE	Granville	OH	43023	CODY LENFEST &	VICTORIA ROSE PADGETT
1161 RIVER RD, Granville, OH 43023	1161 RIVER RD, Granville	Granville	OH	43023	JOSEPHINE B GJESSING &	PETER BENSON
1135 River Rd, Granville, OH 43023	1135 River Rd	Granville	OH	43023	CHRISTOPHER G &	NANCY K BUNGE
1100 RIVER RD, Granville, OH 43023	1100 RIVER RD	Granville	OH	43023	JOSEPHINE B GJESSING &	PETER BENSON
1116 River Rd, Granville, OH 43023	1116 River Rd, Granville	Granville	OH	43023	TIETZ PROPERTIES LLC	
1062 RIVER RD SE, Granville, OH 43023	1062 RIVER RD SE	Granville	OH	43023	LANG HOLDINGS LLC	
1020 RIVER RD SE, Granville, OH 43023	1020 RIVER RD SE	Granville	OH	43023	GRANVILLE GATEWAY PROPERTIES LLC	
317 Shannon Ln, Granville, OH 43023	317 Shannon Ln	Granville	OH	43023	CAROL L YOCHUM	
Boylan Property Management, LLC, PO Box 158, Newark, OH 43058-0158	Boylan Property Management, LLC, PO Box 158	Newark	OH	43058-0158	CONDOS AT ERINWOOD OWNERS ASSOC.	
1500 Weaver Dr, Granville, OH 43023	1500 Weaver Dr, Granville, OH 43023	Granville	OH	43023	MIDDLETON COTTAGES LLC	
14 Hannah Dr, Granville, OH 43023	14 Hannah Dr	Granville	OH	43023	MIDDLETON COTTAGES LLC	
2299 Cherry Valley Rd SE, Newark, OH 4305	2299 Cherry Valley Rd SE	Newark	OH	4305	NEWARK HOTEL OWNERSHIP LLC	
1500 Weaver Dr, Granville, OH 43023	1500 Weaver Dr	Granville	OH	43023	RACCOON CREEK SENIOR HOUSING LLC	
1238 River Rd, Granville, OH 43023	1238 River Rd	Granville	OH	43023	DEBRA HELDMAN	
1264 River Rd, Granville, OH 43023	1264 River Rd	Granville	OH	43023	MARSHALL G &	NINA D SATTERFIELD
217 Wicklow Dr, Granville, OH 43023	217 Wicklow Dr	Granville	OH	43023	HANADA A AL MASRI &	AHMED SOLIMAN
216 Kildare St, Granville, OH 43023	216 Kildare St	Granville	OH	43023	MICHAEL C &	NANCY K LYNCH
1117 Cherry Valley Rd SE, Newark, OH 43055	1117 Cherry Valley Rd SE	Newark	OH	43055	BONNIE L BRITTON	

INSTRUMENT CALIBRATION REPORT

Pine Environmental Services LLC
5170 Hudson Drive, Suite E
Hudson, OH 44236
Toll-free: (877) 326-PINE (7463)

Pine Environmental Services, Inc.

Instrument ID 35949
Description QUEST SoundPro DL-1
Calibrated 8/8/2024 12:22:49PM

Manufacturer	Quest	**State Certified**	
Model Number	SoundPro SE/DL-1	**Status**	Pass
Serial Number/ Lot Number	BLP080004	**Temp °C**	22.8
Location	Ohio	**Humidity %**	50
Department			

Calibration Specifications

Group # 1
Group Name Calibrated to 114db w/ Quest Sound Source
Test Performed: Yes **As Found Result: Pass** **As Left Result: Pass**

Test Instruments Used During the Calibration **(As Of Cal Entry Date)**

Test Standard ID	Description	Manufacturer	Model Number	Serial Number / Lot Number	Next Cal Date / Last Cal Date/ Expiration Date Opened Date

Notes about this calibration

Calibration Result Calibration Successful
Who Calibrated Christopher Uzl

All instruments are calibrated by Pine Environmental Services LLC according to the manufacturer's specifications, but it is the customer's responsibility to calibrate and maintain this unit in accordance with the manufacturer's specifications and/or the customer's own specific needs.

Notify Pine Environmental Services LLC of any defect within 24 hours of receipt of equipment
Please call 800-301-9663 for Technical Assistance

TSI INCORPORATED – OCONOMOWOC
1060 Corporate Center Drive, Oconomowoc, WI 53066 USA
tel 651 490 2811 + toll free 800 245 0779 + web www.tsi.com

Certificate of Calibration

Certificate No:1173935A BLP080004

Submitted By: PINE ENVIRONMENTAL SERVICES INC
92 N MAIN ST BLDG 20
WINDSOR, NJ 08561

Serial Number: BLP080004
Customer ID: 35949
Model: SOUNDPRO DL-1-1/3 SLM

Date Received: 6/19/2024
Date Issued: 7/8/2024
Valid Until: 7/8/2025

Test Conditions:
Temperature: 18°C to 29°C
Humidity: 20% to 80%
Barometric Pressure: 890 mbar to 1050 mbar

Model Conditions:
As Found: NOT FULLY FUNCTIONAL / NO DATA AVAILABLE
As Left: IN TOLERANCE

SubAssemblies:

Description:	Serial Number:
TYPE 1 PREAMP	0322 0351
MICROPHONE B&K 4936 1/2 IN. ELECTRET	3288535

Calibration Procedure:53V899
Reference Standard(s):

I.D. Number	Device	Last Calibration	Date Calibration Due
EF000352	QUEST-CAL	10/26/2023	10/26/2024
ET0000556	B&K ENSEMBLE	6/22/2024	12/31/2024

Measurement Uncertainty:

ACOUSTIC +/- 0.19DB
Estimated at 95% Confidence Level (k=2)

Calibrated By: WILLIAM MALONEY Service Technician 7/8/2024

Reviewed By: Paul M. Wegmann Technical Deputy 7/8/2024

This report certifies that all calibration equipment used in the test is traceable to NIST, and applies only to the unit identified under equipment above. This report must not be reproduced except in its entirety without the written approval of TSI Incorporated.

This device is found to have passed when the resulting units of measurement are within the specified tolerance, less the expanded uncertainty (k=2, 1U), in accordance with ILAC G8:2009, Clause 5.2." The customer shall assess the results and uncertainty in order to determine acceptance.

An ISO 9001 Registered Company
ISO 17025 Accredited Calibration Laboratory
A2LA ACCREDITED Calibration Laboratory Cert # 1326.01

TSI INCORPORATED – OCONOMOWOC
1060 Corporate Center Drive, Oconomowoc, WI 53066 USA
tel 651 490 2811 + toll free 800 245 0779 + web www.tsi.com

Certificate of Calibration

Certificate No:1173935A BLP080004

(A) indicates out of tolerance condition

Test Type	Nominal	Tolerance-	Tolerance+	As Found	As Left	Unit
Linearity/30 to 120/114dB	114.0	113.5	114.5		114.1	dB
Linearity/20 to 110/104dB	104.0	103.5	104.5		104.1	dB
Linearity/10 to 100/94dB	94.0	93.5	94.5		94.1	dB
Linearity/0 to 90/84dB	84.0	83.5	84.5		84.2	dB
Linearity/-10 to 80/74dB	74.0	73.5	74.5		74.3	dB
A Weighting/125Hz	97.9	96.9	98.9		98.1	dB
A Weighting/250Hz	105.4	104.4	106.4		105.5	dB
A Weighting/500Hz	110.8	109.8	111.8		110.9	dB
A Weighting/1kHz	114.0	113.5	114.5		114.1	dB
A Weighting/2kHz	115.2	114.2	116.2		114.8	dB
C Weighting/31.62Hz	111.0	110.5	111.5		111.3	dB
C Weighting/7943Hz	111.0	110.5	111.5		111.0	dB
Z Weighting/10Hz	114.0	113.5	114.5		113.8	dB
Flat Response/19950Hz	114.0	113.7	114.3		113.7	dB
(1/1) 16Hz	114.0	113.8	114.2		113.9	dB
(1/1) 31.5Hz	114.0	113.8	114.2		114.0	dB
(1/1) 63Hz	114.0	113.8	114.2		114.0	dB
(1/1) 125Hz	114.0	113.8	114.2		114.0	dB
(1/1) 250Hz	114.0	113.8	114.2		114.0	dB
(1/1) 500Hz	114.0	113.8	114.2		114.0	dB
(1/1) 1000Hz	114.0	113.8	114.2		114.0	dB
(1/1) 2000Hz	114.0	113.8	114.2		114.0	dB
(1/1) 4000Hz	114.0	113.8	114.2		114.0	dB
(1/1) 8000Hz	114.0	113.8	114.2		113.9	dB
(1/1) 16000Hz	114.0	113.8	114.2		113.8	dB
(1/3) 12.5Hz	114.0	113.8	114.2		113.9	dB
(1/3) 16Hz	114.0	113.8	114.2		113.9	dB
(1/3) 20Hz	114.0	113.8	114.2		114.0	dB
(1/3) 25Hz	114.0	113.8	114.2		114.0	dB
(1/3) 31.5Hz	114.0	113.8	114.2		114.0	dB
(1/3) 40Hz	114.0	113.8	114.2		114.0	dB
(1/3) 50Hz	114.0	113.8	114.2		114.0	dB
(1/3) 63Hz	114.0	113.8	114.2		114.0	dB
(1/3) 80Hz	114.0	113.8	114.2		114.0	dB
(1/3) 100Hz	114.0	113.8	114.2		114.0	dB
(1/3) 125Hz	114.0	113.8	114.2		114.0	dB
(1/3) 160Hz	114.0	113.8	114.2		114.1	dB
(1/3) 200Hz	114.0	113.8	114.2		114.0	dB
(1/3) 250Hz	114.0	113.8	114.2		114.0	dB

An ISO 9001 Registered Company
ISO 17025 Accredited Calibration Laboratory
ACCREDITED Calibration Laboratory CERT# 1656.01

TSI INCORPORATED – OCONOMOWOC
1060 Corporate Center Drive, Oconomowoc, WI 53066 USA
tel 651 490 2811 + toll free 800 245 0779 + web www.tsi.com

Certificate of Calibration

Certificate No: 1173935A BLP080004

(A) indicates out of tolerance condition

Test Type	Nominal	Tolerance-	Tolerance+	As Found	As Left	Unit
(1/3) 315Hz	114.0	113.8	114.2		114.0	dB
(1/3) 400Hz	114.0	113.8	114.2		114.0	dB
(1/3) 500Hz	114.0	113.8	114.2		114.0	dB
(1/3) 630Hz	114.0	113.8	114.2		114.0	dB
(1/3) 800Hz	114.0	113.8	114.2		114.0	dB
(1/3) 1000Hz	114.0	113.8	114.2		114.0	dB
(1/3) 1250Hz	114.0	113.8	114.2		114.1	dB
(1/3) 1600Hz	114.0	113.8	114.2		114.0	dB
(1/3) 2000Hz	114.0	113.8	114.2		114.1	dB
(1/3) 2500Hz	114.0	113.8	114.2		114.1	dB
(1/3) 3150Hz	114.0	113.8	114.2		114.1	dB
(1/3) 4000Hz	114.0	113.8	114.2		114.0	dB
(1/3) 5000Hz	114.0	113.8	114.2		114.0	dB
(1/3) 6300Hz	114.0	113.8	114.2		114.0	dB
(1/3) 8000Hz	114.0	113.8	114.2		114.0	dB
(1/3) 10000Hz	114.0	113.8	114.2		114.0	dB
(1/3) 12500Hz	114.0	113.8	114.2		113.9	dB
(1/3) 16000Hz	114.0	113.8	114.2		113.8	dB
(1/3) 20000Hz	114.0	113.7	114.3		113.7	dB

* indicates non accredited

An ISO 9001 Registered Company
ISO 17025 Accredited Calibration Laboratory
ACCREDITED

INSTRUMENT CALIBRATION REPORT

Pine Environmental Services LLC

5170 Hudson Drive, Suite E
Hudson, OH 44236
Toll-free: (877) 326-PINE (7463)

Pine Environmental Services, Inc.

Instrument ID A03221
Description Metrosonics QC-10M Calibrator
Calibrated 8/8/2024 12:26:22PM

Manufacturer	Quest	**State Certified**	
Model Number	QC-10M	**Status**	Pass
Serial Number/ Lot Number	PED070004	**Temp °C**	22.9
Location	Ohio	**Humidity %**	50
Department			

Calibration Specifications

Group # 1
Group Name 1KHz sound test
Test Performed: Yes **As Found Result: Pass** **As Left Result: Pass**

Test Instruments Used During the Calibration **(As Of Cal Entry Date)**

Test Standard ID	Description	Manufacturer	Model Number	Serial Number / Lot Number	Next Cal Date / Last Cal Date/ Expiration Date Opened Date

Notes about this calibration

Calibration Result Calibration Successful
Who Calibrated Christopher Uzl

All instruments are calibrated by Pine Environmental Services LLC according to the manufacturer's specifications, but it is the customer's responsibility to calibrate and maintain this unit in accordance with the manufacturer's specifications and/or the customer's own specific needs.

Notify Pine Environmental Services LLC of any defect within 24 hours of receipt of equipment
Please call 800-301-9663 for Technical Assistance

INSTRUMENT CALIBRATION REPORT

Advanced Labs, Inc.

Pine Environmental Services, Inc

Instrument ID A03221
Description Metrosonics QC-10M Acoustic Calibrator
Calibrated 9/13/2023

Manufacturer	Metrosonics	**Classification**	
Model Number	QC-10M	**Status**	pass
Serial Number	PED070004	**Frequency**	Yearly EOM
Location	New Jersey	**Department**	
Temp	75	**Humidity**	35

Calibration Specifications

Group # 1
Group Name Acoustic Tests Performed
Test Performed: Yes **As Found Result: Pass** **As Left Result: Pass**

Test Instruments Used During the Calibration

				(As Of Cal Entry Date)	
Test Instrument ID	**Description**	**Manufacturer**	**Serial Number**	**Last Cal Date**	**Next Cal Date**
B&K 4226	Brüel & Kjær 4226	Brüel & Kjær	2590968	8/24/2023	8/24/2024
B&K 4228	Brüel & Kjær 4228	Brüel & Kjær	2667476	8/24/2023	8/24/2024
SOUNDPRO DL-1-1/3	3M SoundPro DL-1-1/3	Quest Technologies	BLL070002	9/6/2023	9/6/2024

Notes about this calibration

Calibration Result Calibration Successful
Who Calibrated David Galego

Advanced Labs, Inc. hereby certifies that this instrument is calibrated and functions to meet the manufacture's specifications using NIST traceable standards, or is derived from accepted values of physical constants.

DAILY TAILGATE SAFETY MEETING, JOB SAFETY ANALYSIS, AND PPE HAZARD ASSESSMENT

Date:	8/12/2024	**Project #:**	
Location:	Granville, OH		
Task Summary: Noise Data Collection		**Site Safety Officer Name / Signature:**	

BASIC REQUIRED PPE: hard hat, safety boots, safety glasses, appropriate work gloves, hi-viz shirt/vest

	Identify Potential Hazard Types:	**Identify Specific Hazard(s):**	**Hazard Mitigation Method(s):** Eliminate/ Substitute, Engineering & Administrative Controls and Work Methods, PPE
☑	Slip / Trip / Fall Hazards / Uneven ground		Ditch Crossings, Hills
☐	Working near or on water (drowning hazard)		
☑	Heat/Cold Exposure	80°F	Drink water, Sunblock
☐	Weather Hazards		
☐	Ice-covered streams, wetlands and ponds		
☐	Abrasion / Cut Hazards		
☑	Noise Exposure	Traffic	Earplugs
☐	Chemical Exposure/Respiratory Hazard		
☐	Flammable Gas or Liquid Hazard		
☐	Conflicting Work (SIMOPS)		
☐	Work Around Heavy Equipment/Traffic		
☑	Trespassing and Landowner Concerns		Letters, Hi Vis Vests
☐	Electrical Hazards (electric fences)		Touch w/ Back of Hand
☐	Vehicle Traffic/Heavy Equipment / Struck-by Hazards	Opening Doors	Check Mirrors
☐	Eye Hazards -Flying Particles/Dust/Splash		
☐	Back Safety/Manual Lifting / Overexertion Hazards		
☐	**Biological Hazards** (Livestock, Poisonous Plants, Respiratory Allergens, Stinging/biting Insects, Dangerous Wildlife)	Ticks, Poison Ivy	
☐	Personal Security Hazards		
☐	Other (Specify):		
☐	Additional information needed to do this job safely, including:		

Stretch/warmup (list out stretches/warmup performed that are appropriate to the task(s) listed above):

Worker Signatures: I have read and understand the hazards noted above and understand the actions needed to eliminate or reduce the hazards and have warmed up or stretched to minimize the chance of injury. I am fit for duty.

PRINT NAME / SIGNATURE	**PRINT NAME / SIGNATURE**
1. Kevin Wienhold	6.
2. Kieran Hynes	7.
3.	8.
4.	9.
5.	10.

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-12-2024	1500 Weaver Dr	MP- 3

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
73	54	W	11	MC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:	Weaver Dr	**Speed (mph):**	
	Traffic From Left: 6 (WB) **No. of Lanes:**	**Traffic From Right:** 7 (EB) **No. of Lanes:**	
Cars:	99.	99	
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			
Road 2:	~~Hannah~~ Dr	**Speed (mph):**	
	Traffic From Left: _____ **No. of Lanes:**	**Traffic From Right:** _____ **No. of Lanes:**	
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			
Road 3:	Poppy Ln	**Speed (mph):**	
	Traffic From Left: 2 **No. of Lanes:**	**Traffic From Right:** _____ **No. of Lanes:**	
Cars:	0		
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.		Leq	Lmax	Lmin		Start Time	(min)
114	114.1						12:24	15

Comments: 6' from EOP

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-12-2024	1264 Weaver Dr	MP- [illegible]

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
74	52	WbN	12	MC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow

Road 1:	Weaver Dr			Speed (mph):	
	Traffic From Left: 9 (WB)	No. of Lanes:	Traffic From Right: 14 (EB)		No. of Lanes:
Cars:	7		8		
Med. Trucks:	0				
Heavy Trucks:					
Buses:			1		
Motorcycles:					
Road 2:				Speed (mph):	
	Traffic From Left:	No. of Lanes:	Traffic From Right:		No. of Lanes:
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 3:				Speed (mph):	
	Traffic From Left:	No. of Lanes:	Traffic From Right:		No. of Lanes:
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.	Leq	Lmax	Lmin	Start Time	(min)
114	113.8				13:13	15

Comments: faint lawnmower noise

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-12-2024	2098 Lancaster Rd	MP- 7

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
75	49	(VAR)	12	PC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:				Speed (mph):	
	Traffic From Left: _____	No. of Lanes: ___	Traffic From Right: _____		No. of Lanes: ___
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 2:				Speed (mph):	
	Traffic From Left: _____	No. of Lanes: ___	Traffic From Right: _____		No. of Lanes: ___
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 3:				Speed (mph):	
	Traffic From Left: _____	No. of Lanes: ___	Traffic From Right: _____		No. of Lanes: ___
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.	Leq	Lmax	Lmin	Start Time	(min)
114	114.0				14:57	15

Comments: 76' from end of drive

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8- [illegible]2024	1161 River Rd	MP- 89

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
81	36	N	7	PC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:	River Rd			Speed (mph):	
	Traffic From Left: 5	No. of Lanes:		Traffic From Right: 4	No. of Lanes:
Cars:	09			08	
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 2:				Speed (mph):	
	Traffic From Left:	No. of Lanes:		Traffic From Right:	No. of Lanes:
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 3:				Speed (mph):	
	Traffic From Left:	No. of Lanes:		Traffic From Right:	No. of Lanes:
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.	Leq	Lmax	Lmin	Start Time	(min)
114	114.0				15:40	15

Comments:

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-12-2024	1764 River Rd	MP-11

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
80	38	VAR	5	PC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:	River Rd	Speed (mph):	
	Traffic From Left: 5 No. of Lanes:	Traffic From Right: 17	No. of Lanes:
Cars:	1	4	
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			
Road 2:	Mill Race Rd	Speed (mph):	
	Traffic From Left: 2 No. of Lanes:	Traffic From Right:	No. of Lanes:
Cars:	2		
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			
Road 3:		Speed (mph):	
	Traffic From Left: No. of Lanes:	Traffic From Right:	No. of Lanes:
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.	Leq	Lmax	Lmin	Start Time	(min)
114	114.0				16:44	15

Comments: 25' from EOP

15s (see video)

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-12-2024	23 Mill Race Rd	MP- 12

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
81	39	N	7	PC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:	River Rd	**Speed (mph):**	
	Traffic From Left: 41 (SB) **No. of Lanes:**	**Traffic From Right:** 15 (NB)	**No. of Lanes:**
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			
Road 2:	Mills Race Rd	**Speed (mph):**	
	Traffic From Left: 0 **No. of Lanes:**	**Traffic From Right:** 8 (SB)	**No. of Lanes:**
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			
Road 3:		**Speed (mph):**	
	Traffic From Left: **No. of Lanes:**	**Traffic From Right:**	**No. of Lanes:**
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.	Leq	Lmax	Lmin	Start Time	(min)
114	114.1				17:25	15

Comments: 46' from eop

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-12-2024	20 Lansing Cir	MP- 15

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
91	39	N	7	PC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow

Road 1:	New Gen Dr			**Speed (mph):**	
	Traffic From Left: 1	**No. of Lanes:**	**Traffic From Right:**	**No. of Lanes:**	
Cars:	0				
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:	Lansing Cir				
Road 2:				**Speed (mph):**	
	Traffic From Left:	**No. of Lanes:**	**Traffic From Right:**	**No. of Lanes:**	
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 3:				**Speed (mph):**	
	Traffic From Left:	**No. of Lanes:**	**Traffic From Right:**	**No. of Lanes:**	
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.	Leq	Lmax	Lmin	Start Time	(min)
114	114.1				15:11	15

Comments:

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-12-2024	217 Wicklow Dr	MP-19

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
80	53%	N	7	PC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow

Road 1:	Wicklow Dr			**Speed (mph):**	
	Traffic From Left: 0	**No. of Lanes:**		**Traffic From Right:** 0	**No. of Lanes:**
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 2:				**Speed (mph):**	
	Traffic From Left:	**No. of Lanes:**		**Traffic From Right:**	**No. of Lanes:**
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 3:				**Speed (mph):**	
	Traffic From Left:	**No. of Lanes:**		**Traffic From Right:**	**No. of Lanes:**
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.		Leq	Lmax	Lmin	Start Time	(min)
114	114.07	114.7				11:52	15

Comments: 8' from EOP

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-15-2024	Chasey Valley Hotel Courtyard	MP- 21

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
68	76	[illegible]	0	MC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:				Speed (mph):	
	Traffic From Left: _____	No. of Lanes: ___	Traffic From Right: _____		No. of Lanes: ___
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 2:				Speed (mph):	
	Traffic From Left: _____	No. of Lanes: ___	Traffic From Right: _____		No. of Lanes: ___
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 3:				Speed (mph):	
	Traffic From Left: _____	No. of Lanes: ___	Traffic From Right: _____		No. of Lanes: ___
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.	Leq	Lmax	Lmin	Start Time	(min)
114	114.4				7:20	15

Comments: Avoided setup point exact location b/c Gondola was over water; multiple water features create significant noise

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-13-2024	Cherry Valley Hotel (S)	MP-22

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
68	76%		0	MC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:	Thornwood Xing EB Offramp			Speed (mph):	55 to
	Traffic From Left: 79	No. of Lanes:		Traffic From Right:	No. of Lanes:
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 2:	Cherry Valley Hotel Parking			Speed (mph):	10
	Traffic From Left: 3	No. of Lanes:		Traffic From Right:	No. of Lanes:
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 3:				Speed (mph):	
	Traffic From Left:	No. of Lanes:		Traffic From Right:	No. of Lanes:
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.		Leq	Lmax	Lmin		Start Time	(min)
114	114.6						7:59	15

Comments:

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-13-2024	Cherry Valley Hotel (N)	MP- 19

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
77	64%		0	MC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:	Thornwood xing EB offramp			Speed (mph):	
	Traffic From Left: 57	No. of Lanes:	Traffic From Right:		No. of Lanes:
Cars:					
Med. Trucks:					
Heavy Trucks:	6				
Buses:					
Motorcycles:					
Road 2:				Speed (mph):	
	Traffic From Left:	No. of Lanes:	Traffic From Right:		No. of Lanes:
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 3:				Speed (mph):	
	Traffic From Left:	No. of Lanes:	Traffic From Right:		No. of Lanes:
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.		Leq	Lmax	Lmin		Start Time	(min)
114	114.5						8:56	15

Comments: 15' from EOP

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-13-2024	1067 Cherry Valley Rd SE	MP-20

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
74	57		0	PC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:	Speedway Dr			**Speed (mph):**	
	Traffic From Left: 5	**No. of Lanes:**		**Traffic From Right:** 4	**No. of Lanes:**
Cars:					
Med. Trucks:	0				
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 2:				**Speed (mph):**	
	Traffic From Left:	**No. of Lanes:**		**Traffic From Right:**	**No. of Lanes:**
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 3:				**Speed (mph):**	
	Traffic From Left:	**No. of Lanes:**		**Traffic From Right:**	**No. of Lanes:**
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.		Leq	Lmax	Lmin		Start Time	(min)
114	114.2						9:38	15

Comments: ~26' from EOP

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-13-2024	14 Westgate Dr NE	MP- 17

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
79	46	W	3	PC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:	Cherry Valley Rd	**Speed (mph):**	
	Traffic From Left: 10 SB **No. of Lanes:**	**Traffic From Right:** 10 NB **No. of Lanes:**	
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			
Road 2:	Westgate Dr	**Speed (mph):**	
	Traffic From Left: 8 EB **No. of Lanes:**	**Traffic From Right:** 9 WB **No. of Lanes:**	
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			
Road 3:		**Speed (mph):**	
	Traffic From Left: **No. of Lanes:**	**Traffic From Right:** **No. of Lanes:**	
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.		Leq	Lmax	Lmin		Start Time	(min)
114	114						10:21	15

Comments: 20' from EOP

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-13-2024	317 Shannon Ln	MP- 16

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
79	48	W	3	PC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow

Road 1:				**Speed (mph):**	
	Traffic From Left: _____	**No. of Lanes:** ___	**Traffic From Right:** _____	**No. of Lanes:** ___	
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 2:				**Speed (mph):**	
	Traffic From Left: _____	**No. of Lanes:** ___	**Traffic From Right:** _____	**No. of Lanes:** ___	
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 3:				**Speed (mph):**	
	Traffic From Left: _____	**No. of Lanes:** ___	**Traffic From Right:** _____	**No. of Lanes:** ___	
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.	Leq	Lmax	Lmin	Start Time	(min)
114	114				1:06	15

Comments: 34' from EOP

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-15-2024	133 Wicklow Dr	MP-13

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
80	43		0	MC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:		**Speed (mph):**	
	Traffic From Left: _____ **No. of Lanes:** ___	**Traffic From Right:** _____	**No. of Lanes:** ___
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			
Road 2:		**Speed (mph):**	
	Traffic From Left: _____ **No. of Lanes:** ___	**Traffic From Right:** _____	**No. of Lanes:** ___
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			
Road 3:		**Speed (mph):**	
	Traffic From Left: _____ **No. of Lanes:** ___	**Traffic From Right:** _____	**No. of Lanes:** ___
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.		Leq	Lmax	Lmin		Start Time	(min)
114	114.2						12:20	15

Comments: 69' from EOG

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-13-2024	End of Clouse Ln	MP- 14

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
80	43		0	MC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:	Clouse Ln			Speed (mph):	
	Traffic From Left: ____	No. of Lanes: __	Traffic From Right: ____		No. of Lanes: __
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 2:				Speed (mph):	
	Traffic From Left: ____	No. of Lanes: __	Traffic From Right: ____		No. of Lanes: __
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 3:				Speed (mph):	
	Traffic From Left: ____	No. of Lanes: __	Traffic From Right: ____		No. of Lanes: __
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.		Leq	Lmax	Lmin		Start Time	(min)
114	114.2						12:59	15

Comments:

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8-13-2024		MP-16

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
82	42	↑	0	MC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:		**Speed (mph):**	
	Traffic From Left: _____ **No. of Lanes:** ___	**Traffic From Right:** _____	**No. of Lanes:** ___
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			
Road 2:		**Speed (mph):**	
	Traffic From Left: _____ **No. of Lanes:** ___	**Traffic From Right:** _____	**No. of Lanes:** ___
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			
Road 3:		**Speed (mph):**	
	Traffic From Left: _____ **No. of Lanes:** ___	**Traffic From Right:** _____	**No. of Lanes:** ___
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.	Leq	Lmax	Lmin	Start Time	(min)
114	114				13:55	15

Comments: 50' from EOP

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8- -2024		MP- 6

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
84	41	VAR	7	MC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:	River Rd			**Speed (mph):**	
	Traffic From Left: 4 WB	**No. of Lanes:**	**Traffic From Right:** 6 EB		**No. of Lanes:**
Cars:	00 00		0		
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 2:				**Speed (mph):**	
	Traffic From Left:	**No. of Lanes:**	**Traffic From Right:**		**No. of Lanes:**
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 3:				**Speed (mph):**	
	Traffic From Left:	**No. of Lanes:**	**Traffic From Right:**		**No. of Lanes:**
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.	Leq	Lmax	Lmin	Start Time	(min)
114	113.9				1425	15

Comments:

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8- -2024		MP- 1

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
85	41	NE-ENE	7	Mc	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow

Road 1:		Speed (mph):	
	Traffic From Left: _____ No. of Lanes: ___	Traffic From Right: _____	No. of Lanes: ___
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			
Road 2:		Speed (mph):	
	Traffic From Left: _____ No. of Lanes: ___	Traffic From Right: _____	No. of Lanes: ___
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			
Road 3:		Speed (mph):	
	Traffic From Left: _____ No. of Lanes: ___	Traffic From Right: _____	No. of Lanes: ___
Cars:			
Med. Trucks:			
Heavy Trucks:			
Buses:			
Motorcycles:			

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.	Leq	Lmax	Lmin	Start Time	(min)
114	114.2				15:23	15

Comments: Schoolchildren inside fence, point taken nearby at similar distance from SR-16; couldn't get point inside fence later

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8- -2024		MP- 8

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
85	41	NE	7	Mc	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:	River Rd			**Speed (mph):**	
	Traffic From Left: ____	**No. of Lanes:** ___	**Traffic From Right:** ____	**No. of Lanes:** ___	
Cars:	X 0		X 0		
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 2:				**Speed (mph):**	
	Traffic From Left: ____	**No. of Lanes:** ___	**Traffic From Right:** ____	**No. of Lanes:** ___	
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 3:				**Speed (mph):**	
	Traffic From Left: ____	**No. of Lanes:** ___	**Traffic From Right:** ____	**No. of Lanes:** ___	
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.	Leq	Lmax	Lmin	Start Time	(min)
114	114.2				15:56	15

Comments: 56' From EOP 15:56

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8- -2024		MP- 4

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
82	44	NNE	9	MC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow

Road 1:	Hannah Dr		**Speed (mph):**	
	Traffic From Left: No	**No. of Lanes:**	**Traffic From Right:** 1	**No. of Lanes:**
Cars:	4		0	
Med. Trucks:				
Heavy Trucks:				
Buses:				
Motorcycles:				
Road 2:	Poppy Ln		**Speed (mph):**	
	Traffic From Left: 0	**No. of Lanes:**	**Traffic From Right:** 10	**No. of Lanes:**
Cars:				
Med. Trucks:				
Heavy Trucks:				
Buses:				
Motorcycles:				
Road 3:			**Speed (mph):**	
	Traffic From Left:	**No. of Lanes:**	**Traffic From Right:**	**No. of Lanes:**
Cars:				
Med. Trucks:				
Heavy Trucks:				
Buses:				
Motorcycles:				

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.	Leq	Lmax	Lmin	Start Time	(min)
114	114.4				16:29	15

Comments: 72' from EOP

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8- -2024		MP- 2

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
82	44	NNE	9	MC	Google Weather

Sketch of site including locations of SLM (X) and north direction arrow



Road 1:				**Speed (mph):**	
	Traffic From Left: 1	**No. of Lanes:**	**Traffic From Right:** 1	**No. of Lanes:**	
Cars:	0		0		
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 2:				**Speed (mph):**	
	Traffic From Left:	**No. of Lanes:**	**Traffic From Right:**	**No. of Lanes:**	
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					
Road 3:				**Speed (mph):**	
	Traffic From Left:	**No. of Lanes:**	**Traffic From Right:**	**No. of Lanes:**	
Cars:					
Med. Trucks:					
Heavy Trucks:					
Buses:					
Motorcycles:					

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.		Leq	Lmax	Lmin		Start Time	(min)
114	114						16:55	15

Comments: 113' from EOP

Field Data Sheet for Noise Measurements

Project	Personnel	Date	Location	Site ID
LIC16/37-14.24/15.72 (PID 95445)	Kieran Hynes	8- -2024	8 (Bonus)	MP-

Temp (F)	Rel Hum	Wind Dir	Avg/Gust (mph)	Sky	Source of Wind/Temp Data:
					Google Weather

Sketch of site including locations of SLM (X) and north direction arrow

(same as NMP 8)

Road 1:			**Speed (mph):**	
	Traffic From Left: _____ **No. of Lanes:** ___		**Traffic From Right:** _____ **No. of Lanes:** ___	
Cars:				
Med. Trucks:				
Heavy Trucks:				
Buses:				
Motorcycles:				
Road 2:			**Speed (mph):**	
	Traffic From Left: _____ **No. of Lanes:** ___		**Traffic From Right:** _____ **No. of Lanes:** ___	
Cars:				
Med. Trucks:				
Heavy Trucks:				
Buses:				
Motorcycles:				
Road 3:			**Speed (mph):**	
	Traffic From Left: _____ **No. of Lanes:** ___		**Traffic From Right:** _____ **No. of Lanes:** ___	
Cars:				
Med. Trucks:				
Heavy Trucks:				
Buses:				
Motorcycles:				

SLM Model:	Serial No.	Cal. Cert. Date	Weight	Response	Height (ft)	Calibrator Model	Serial No.	Cal. Cert. Date
SoundPro DL1	BLP080004	8/8/24	A	Slow	5	QC-10M	PED070004	8/8/24

Init. Cal.	Final Cal.	Leq	Lmax	Lmin	Start Time	(min)
114					5:17:25	15

Comments: 5:25-5:40pm bonus Hwy footage

Session Report

9/25/2024

Information Panel

Name	NMP1
Start Time	8/13/2024 3:22:52 PM
Stop Time	8/13/2024 3:37:52 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	69.4 dB	L10	1	72.1 dB
Lmin	1	57.9 dB	Lmax	1	82.3 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP1: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
57:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
58:	0.05	0.07	0.02	0.03	0.02	0.01	0.02	0.02	0.02	0.05	0.31
59:	0.08	0.08	0.07	0.04	0.05	0.04	0.04	0.04	0.03	0.03	0.49
60:	0.03	0.04	0.02	0.01	0.02	0.04	0.08	0.08	0.09	0.19	0.60
61:	0.16	0.20	0.16	0.22	0.19	0.18	0.19	0.20	0.25	0.22	1.97
62:	0.17	0.17	0.19	0.22	0.17	0.15	0.19	0.38	0.40	0.40	2.43
63:	0.40	0.40	0.41	0.17	0.38	0.49	0.40	0.34	0.40	0.36	3.74
64:	0.47	0.67	0.56	0.57	0.73	0.80	0.62	0.63	0.84	0.88	6.76
65:	0.75	0.83	0.90	0.63	0.93	1.00	1.01	1.26	1.28	1.23	9.82
66:	1.00	1.06	0.87	0.43	0.95	1.00	1.16	1.26	1.12	0.86	9.71
67:	0.98	0.92	0.81	0.98	1.13	0.92	0.76	0.68	0.78	0.64	8.59
68:	0.73	0.78	0.88	1.02	0.98	1.40	1.51	1.49	1.41	1.22	11.42
69:	1.36	1.44	1.44	0.70	1.05	1.11	1.15	1.17	1.06	1.35	11.84
70:	1.34	1.28	0.96	0.96	1.16	1.33	1.17	1.18	1.00	1.40	11.78
71:	1.10	1.01	0.98	0.84	0.98	0.88	0.74	0.79	0.69	0.70	8.72
72:	0.86	0.85	0.81	0.47	0.46	0.63	0.61	0.49	0.40	0.36	5.95

73:	0.44	0.48	0.47	0.35	0.30	0.18	0.16	0.19	0.27	0.32	3.16
74:	0.17	0.29	0.36	0.19	0.14	0.13	0.11	0.18	0.07	0.04	1.69
75:	0.02	0.02	0.03	0.02	0.01	0.02	0.03	0.03	0.03	0.05	0.27
76:	0.05	0.04	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.18
77:	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.15
78:	0.01	0.01	0.02	0.02	0.01	0.02	0.04	0.03	0.01	0.00	0.16
79:	0.00	0.01	0.01	0.00	0.01	0.00	0.01	0.01	0.00	0.01	0.04
80:	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.06
81:	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.08
82:	0.01	0.03	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.08

Exceedance Chart

NMP1: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		74.9	74.1	73.8	73.3	73.0	72.8	72.6	72.4	72.2
10%:	72.1	71.9	71.8	71.7	71.6	71.4	71.3	71.2	71.1	71.0
20%:	70.9	70.8	70.7	70.6	70.6	70.5	70.4	70.3	70.2	70.1
30%:	70.0	69.9	69.9	69.8	69.7	69.6	69.5	69.5	69.4	69.3
40%:	69.1	69.1	69.0	68.9	68.9	68.8	68.7	68.6	68.6	68.5

50%:	68.4	68.4	68.3	68.2	68.1	67.9	67.8	67.6	67.5	67.4
60%:	67.3	67.2	67.1	67.0	66.9	66.8	66.7	66.6	66.5	66.4
70%:	66.3	66.1	66.0	65.9	65.8	65.8	65.7	65.6	65.5	65.4
80%:	65.3	65.2	65.1	64.9	64.8	64.7	64.6	64.4	64.3	64.1
90%:	63.9	63.7	63.4	63.1	62.9	62.6	62.2	61.7	61.2	60.5
100%:	57.8									

Logged Data Chart

NMP1: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/13/2024 3:23:52 PM	67.4	62	73.4
3:24:52 PM	69.1	60.6	74.7
3:25:52 PM	67.8	57.9	74.7
3:26:52 PM	71.9	62.8	82.3
3:27:52 PM	70.6	64.3	74.3
3:28:52 PM	70.7	60.9	76.1
3:29:52 PM	69.1	61	73.1
3:30:52 PM	67.6	60.5	71.6
3:31:52 PM	70	64	74.5
3:32:52 PM	71	65.5	78.7
3:33:52 PM	67.5	60.9	72.3
3:34:52 PM	68.9	61.4	74.2
3:35:52 PM	70.2	64.2	74.8
3:36:52 PM	69.1	64	74.9
3:37:52 PM	67.8	61.1	71.1

Session Report

9/26/2024

Information Panel

Name	NMP2
Start Time	8/13/2024 4:55:06 PM
Stop Time	8/13/2024 5:10:06 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	68.2 dB	L10	1	70.7 dB
Lmin	1	59.5 dB	Lmax	1	78.5 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP2: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
59:	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.04	0.09	0.05	0.21
60:	0.02	0.03	0.11	0.05	0.19	0.15	0.42	0.17	0.18	0.13	1.45
61:	0.10	0.15	0.10	0.10	0.17	0.44	0.34	0.31	0.19	0.26	2.16
62:	0.27	0.23	0.18	0.24	0.25	0.31	0.28	0.38	0.43	0.38	2.95
63:	0.32	0.37	0.34	0.14	0.34	0.52	0.31	0.36	0.41	0.38	3.49
64:	0.48	0.50	0.55	0.48	0.74	0.82	0.66	0.81	0.77	0.97	6.80
65:	1.09	1.44	1.38	1.25	1.26	1.44	1.30	1.32	1.41	1.53	13.43
66:	1.74	1.68	1.85	0.70	1.64	1.96	2.03	1.58	1.60	1.59	16.36
67:	1.59	1.47	1.52	1.93	1.58	1.66	1.60	1.53	1.45	1.46	15.79
68:	1.21	1.27	1.28	1.34	1.31	0.95	1.13	1.12	1.02	0.98	11.61
69:	1.18	1.10	1.26	0.60	1.01	0.95	1.04	1.13	0.97	0.74	9.97
70:	0.70	0.98	0.77	0.76	0.67	0.55	0.51	0.63	0.66	0.60	6.83
71:	0.63	0.57	0.64	0.39	0.55	0.37	0.28	0.31	0.30	0.26	4.30
72:	0.25	0.20	0.20	0.16	0.19	0.27	0.20	0.18	0.23	0.21	2.09
73:	0.18	0.14	0.10	0.09	0.07	0.06	0.05	0.06	0.06	0.05	0.85
74:	0.05	0.05	0.07	0.09	0.08	0.07	0.10	0.08	0.12	0.12	0.82

75:	0.09	0.06	0.09	0.02	0.02	0.04	0.03	0.08	0.03	0.01	0.45
76:	0.02	0.04	0.01	0.02	0.02	0.02	0.02	0.02	0.03	0.01	0.19
77:	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.01	0.01	0.13
78:	0.01	0.01	0.02	0.02	0.02	0.03	0.00	0.00	0.00	0.00	0.11

Exceedance Chart

NMP2: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		74.8	73.3	72.6	72.1	71.7	71.4	71.2	71.0	70.8
10%:	70.7	70.5	70.3	70.2	70.1	70.0	69.8	69.7	69.6	69.5
20%:	69.4	69.3	69.2	69.1	69.0	68.9	68.8	68.7	68.6	68.5
30%:	68.4	68.3	68.3	68.2	68.1	68.0	68.0	67.9	67.8	67.7
40%:	67.7	67.6	67.5	67.5	67.4	67.4	67.3	67.2	67.2	67.1
50%:	67.1	67.0	66.9	66.9	66.8	66.7	66.7	66.6	66.5	66.5
60%:	66.4	66.4	66.3	66.3	66.2	66.1	66.1	66.0	65.9	65.9
70%:	65.8	65.8	65.7	65.6	65.5	65.5	65.4	65.3	65.2	65.2
80%:	65.1	65.0	64.9	64.8	64.7	64.6	64.5	64.3	64.2	64.0
90%:	63.8	63.5	63.3	62.9	62.7	62.4	61.9	61.5	61.1	60.5
100%:	59.4									

Logged Data Chart

NMP2: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/13/2024 4:56:06 PM	68.1	62.9	72.6
4:57:06 PM	69.2	63.5	75.3
4:58:06 PM	68.6	64.4	72.9
4:59:06 PM	68	64.3	75.8
5:00:06 PM	70.5	65.1	78.5
5:01:06 PM	67.4	61.5	71.3
5:02:06 PM	67.1	60.4	71
5:03:06 PM	66.8	61.7	71.5
5:04:06 PM	66.9	61.4	73.3
5:05:06 PM	68.5	64.8	73.1
5:06:06 PM	66.9	59.5	73
5:07:06 PM	68.9	60.7	72.9
5:08:06 PM	67.8	62.6	72
5:09:06 PM	67.6	60.1	73.5
5:10:06 PM	69.1	60.3	75.1

Session Report

9/26/2024

Information Panel

Name	NMP3
Start Time	8/12/2024 12:24:58 PM
Stop Time	8/12/2024 12:42:13 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	59.6 dB	L10	1	60.8 dB
Lmax	1	76.8 dB	Lmin	1	55.3 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP3: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
55:	0.00	0.00	0.00	56.66	3.16	1.23	0.98	0.83	0.70	0.81	64.39
56:	1.02	0.81	0.28	0.75	0.72	0.51	0.50	0.53	0.71	0.62	6.45
57:	0.62	0.62	0.57	0.68	0.71	0.51	0.57	0.45	0.49	0.60	5.82
58:	0.52	0.69	0.87	5.85	1.29	0.40	0.27	0.22	0.20	0.21	10.51
59:	0.19	0.21	0.10	0.19	0.17	0.20	0.18	0.25	0.25	0.16	1.91
60:	0.18	0.11	0.07	0.09	0.09	0.10	0.10	0.08	0.09	0.10	1.00
61:	0.09	0.10	0.12	0.15	0.18	0.10	0.09	0.08	0.09	0.10	1.11
62:	0.15	0.15	0.10	0.13	0.15	0.12	0.09	0.12	0.12	0.08	1.20
63:	0.09	0.09	0.08	0.10	0.09	0.09	0.08	0.10	0.10	0.08	0.91
64:	0.09	0.10	0.10	0.11	0.11	0.11	0.12	0.13	0.12	0.13	1.12
65:	0.09	0.11	0.09	0.12	0.12	0.11	0.11	0.11	0.14	0.12	1.12
66:	0.13	0.14	0.12	0.11	0.10	0.09	0.09	0.08	0.07	0.07	1.00
67:	0.08	0.09	0.08	0.09	0.09	0.08	0.09	0.07	0.08	0.09	0.85
68:	0.09	0.09	0.06	0.04	0.08	0.11	0.10	0.08	0.08	0.10	0.84
69:	0.09	0.08	0.07	0.06	0.05	0.04	0.04	0.04	0.03	0.03	0.54
70:	0.02	0.04	0.03	0.02	0.02	0.04	0.05	0.04	0.04	0.04	0.35

71:	0.05	0.05	0.05	0.02	0.05	0.07	0.05	0.05	0.05	0.03	0.46
72:	0.05	0.03	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01	0.19
73:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.07
74:	0.01	0.00	0.01	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.05
75:	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00	0.01	0.05
76:	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.00	0.00	0.07

Exceedance Chart

NMP3: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		70.6	68.6	67.4	66.2	65.4	64.5	63.5	62.5	61.7
10%:	60.8	59.8	59.3	58.8	58.4	58.3	58.2	58.2	58.2	58.2
20%:	58.2	58.2	58.1	57.9	57.7	57.5	57.3	57.2	57.0	56.9
30%:	56.7	56.6	56.4	56.2	56.0	55.9	55.8	55.7	55.5	55.4
40%:	55.4	55.3	55.3	55.3	55.2	55.2	55.2	55.2	55.2	55.2
50%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
60%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
70%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
80%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2

90%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
100%:	55.2									

Logged Data Chart

NMP3: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/12/2024 12:26:01 PM	57.3	55.3	61.6
12:27:01 PM	57.6	55.3	65.5
12:28:01 PM	55.6	55.3	57.4
12:29:01 PM	55.6	55.3	58.3
12:30:01 PM	55.9	55.3	58.4
12:31:01 PM	55.6	55.3	57.2
12:32:01 PM	55.8	55.3	59.8
12:33:01 PM	55.7	55.3	58.4
12:34:01 PM	57.2	55.3	63.9
12:35:01 PM	58.4	55.3	70.2
12:36:01 PM	57.9	55.3	62.8
12:37:01 PM	55.3	55.3	55.5
12:38:01 PM	58.7	55.3	68.3
12:39:01 PM	67.8	58.1	76.8
12:40:01 PM	59.3	55.3	71.6

Session Report

9/27/2024

Information Panel

Name	NMP4
Start Time	8/13/2024 4:29:42 PM
Stop Time	8/13/2024 4:46:16 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	67.2 dB	Lmin	1	58.3 dB
Lmax	1	75.6 dB	L10	1	69.9 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP4: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
58:	0.00	0.00	0.00	0.02	0.04	0.06	0.05	0.02	0.02	0.02	0.25
59:	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.09	0.26	0.35	0.82
60:	0.20	0.30	0.31	0.13	0.37	0.48	0.26	0.17	0.19	0.17	2.59
61:	0.14	0.16	0.28	0.31	0.34	0.35	0.35	0.37	0.43	0.37	3.10
62:	0.50	0.49	0.49	0.52	0.64	0.52	0.60	0.67	0.75	0.82	6.01
63:	1.14	0.85	0.89	0.31	0.76	0.69	0.77	0.98	1.05	0.93	8.36
64:	0.97	0.86	1.04	1.07	1.19	1.38	1.19	1.32	1.33	1.10	11.44
65:	1.20	1.19	1.20	1.31	1.34	1.58	1.40	1.29	1.55	1.33	13.37
66:	1.43	1.68	1.65	0.85	1.77	1.41	1.67	1.39	1.54	1.62	15.00
67:	1.43	1.24	1.24	1.11	1.01	0.89	0.97	1.27	1.13	1.20	11.48
68:	1.40	1.14	0.83	1.02	0.84	0.95	1.00	1.13	1.29	1.06	10.65
69:	0.91	0.80	0.72	0.37	0.58	0.90	0.85	0.57	0.49	0.42	6.62
70:	0.46	0.49	0.43	0.33	0.38	0.39	0.36	0.42	0.59	0.45	4.30
71:	0.33	0.29	0.25	0.41	0.23	0.23	0.24	0.18	0.26	0.22	2.65
72:	0.17	0.20	0.22	0.09	0.10	0.19	0.19	0.17	0.16	0.14	1.62
73:	0.14	0.17	0.12	0.12	0.18	0.10	0.06	0.03	0.08	0.09	1.10

74:	0.09	0.09	0.05	0.06	0.12	0.08	0.04	0.02	0.01	0.00	0.56
75:	0.01	0.01	0.01	0.01	0.01	0.05	0.01	0.00	0.00	0.00	0.09

Exceedance Chart

NMP4: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		73.4	72.7	72.1	71.6	71.2	70.9	70.7	70.4	70.1
10%:	69.9	69.7	69.5	69.4	69.3	69.1	69.0	68.8	68.7	68.7
20%:	68.6	68.5	68.4	68.3	68.2	68.1	68.0	67.9	67.8	67.7
30%:	67.6	67.6	67.5	67.4	67.3	67.2	67.1	67.0	66.9	66.9
40%:	66.8	66.7	66.7	66.6	66.5	66.5	66.4	66.3	66.3	66.2
50%:	66.1	66.0	66.0	65.9	65.9	65.8	65.7	65.6	65.6	65.5
60%:	65.4	65.4	65.3	65.2	65.1	65.1	65.0	64.9	64.8	64.7
70%:	64.6	64.6	64.5	64.4	64.3	64.2	64.2	64.1	63.9	63.8
80%:	63.7	63.6	63.5	63.4	63.3	63.1	63.0	62.9	62.8	62.6
90%:	62.5	62.3	62.1	61.9	61.7	61.4	61.1	60.5	60.3	59.8
100%:	58.2									

Logged Data Chart

NMP4: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/13/2024 4:30:42 PM	65.6	60.1	72.9
4:31:42 PM	66.6	59.7	70.9
4:32:42 PM	65.5	60.2	70.9
4:33:42 PM	68.4	60.7	73.6
4:34:42 PM	65.5	58.3	70.9
4:35:42 PM	67.4	58.4	73
4:36:42 PM	65.6	59.7	69
4:37:42 PM	67.7	62.1	72.6
4:38:42 PM	68.3	59.9	73.5
4:39:42 PM	67.6	62.2	74.7
4:40:42 PM	66.2	61.4	68.9
4:41:42 PM	67.2	60.2	75.6
4:42:42 PM	70.4	62.6	74.6
4:43:42 PM	67.6	62.3	70.9
4:44:42 PM	66.4	61.2	71.4

Session Report

9/27/2024

Information Panel

Name	NMP5
Start Time	8/12/2024 1:12:47 PM
Stop Time	8/12/2024 1:27:47 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	56.9 dB	L10	1	58.2 dB
Lmin	1	55.3 dB	Lmax	1	71.2 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP5: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
55:	0.00	0.00	0.00	72.07	3.50	1.48	0.79	1.00	0.93	0.78	80.55
56:	0.75	0.70	0.33	0.53	0.33	0.50	0.39	0.31	0.21	0.22	4.27
57:	0.18	0.20	0.21	0.36	0.30	0.19	0.20	0.24	0.16	0.19	2.22
58:	0.35	0.30	0.55	2.83	0.48	0.09	0.07	0.10	0.12	0.12	5.00
59:	0.20	0.18	0.08	0.16	0.16	0.19	0.13	0.15	0.14	0.21	1.60
60:	0.31	1.27	0.23	0.21	0.07	0.09	0.07	0.07	0.10	0.18	2.60
61:	0.14	0.23	0.22	0.35	0.09	0.08	0.06	0.07	0.13	0.07	1.44
62:	0.07	0.05	0.04	0.05	0.06	0.05	0.07	0.07	0.07	0.06	0.58
63:	0.05	0.07	0.06	0.04	0.06	0.06	0.03	0.04	0.05	0.05	0.50
64:	0.03	0.03	0.05	0.05	0.03	0.03	0.04	0.01	0.01	0.01	0.31
65:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.09
66:	0.01	0.01	0.01	0.02	0.01	0.02	0.02	0.02	0.01	0.01	0.14
67:	0.02	0.01	0.01	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.16
68:	0.01	0.01	0.01	0.01	0.01	0.02	0.03	0.04	0.03	0.02	0.19
69:	0.04	0.03	0.03	0.03	0.02	0.02	0.01	0.01	0.01	0.02	0.22
70:	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.01	0.02	0.11

71:	0.01	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04

Exceedance Chart

NMP5: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		64.5	62.5	61.2	60.7	60.0	60.0	59.4	58.8	58.2
10%:	58.2	58.2	58.1	57.8	57.3	57.0	56.5	56.3	56.1	55.9
20%:	55.8	55.7	55.6	55.4	55.4	55.3	55.3	55.3	55.2	55.2
30%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
40%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
50%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
60%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
70%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
80%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
90%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
100%:	55.2									

Logged Data Chart

NMP5: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/12/2024 1:13:47 PM	56.9	55.3	64.3
1:14:47 PM	56.6	55.3	59.5
1:15:47 PM	55.3	55.3	56
1:16:47 PM	55.3	55.3	55.6
1:17:47 PM	55.3	55.3	56.3
1:18:47 PM	55.9	55.3	59.7
1:19:47 PM	55.9	55.3	58.4
1:20:47 PM	56.3	55.3	58.4
1:21:47 PM	55.3	55.3	55.5
1:22:47 PM	56	55.3	58.4
1:23:47 PM	55.3	55.3	55.4
1:24:47 PM	61.2	55.3	70
1:25:47 PM	56.5	55.3	60.2
1:26:47 PM	56.9	55.3	62
1:27:47 PM	59.9	55.3	71.2

Session Report

9/27/2024

Information Panel

Name	NMP6
Start Time	8/13/2024 2:44:41 PM
Stop Time	8/13/2024 2:59:41 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	61.7 dB	L10	1	63.3 dB
Lmin	1	55.8 dB	Lmax	1	74.5 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP6: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
55:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.14	0.22
56:	0.10	0.03	0.05	0.03	0.05	0.03	0.03	0.11	0.18	0.30	0.91
57:	0.54	0.47	0.29	0.15	0.44	0.54	0.73	0.72	0.48	0.48	4.84
58:	0.78	0.97	1.13	1.05	0.94	1.06	1.16	1.50	1.45	1.66	11.70
59:	1.24	1.69	1.79	1.85	2.10	2.33	2.12	1.93	1.58	2.05	18.65
60:	2.14	2.28	2.22	0.74	1.79	2.20	2.44	2.25	2.03	1.92	19.99
61:	1.78	1.82	1.97	1.92	1.79	1.63	1.50	1.84	1.48	1.65	17.37
62:	1.74	1.58	1.79	1.68	1.31	1.45	1.02	0.95	0.91	0.95	13.37
63:	0.72	0.84	0.84	0.26	0.64	0.53	0.44	0.41	0.41	0.28	5.38
64:	0.34	0.39	0.55	0.50	0.38	0.27	0.39	0.40	0.26	0.11	3.57
65:	0.12	0.08	0.08	0.09	0.13	0.15	0.07	0.09	0.07	0.10	0.98
66:	0.07	0.06	0.06	0.02	0.08	0.08	0.11	0.10	0.10	0.05	0.74
67:	0.05	0.04	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.40
68:	0.04	0.04	0.04	0.06	0.07	0.06	0.05	0.06	0.04	0.05	0.50
69:	0.08	0.04	0.03	0.02	0.02	0.03	0.02	0.03	0.04	0.05	0.35
70:	0.03	0.03	0.03	0.05	0.03	0.03	0.03	0.03	0.09	0.03	0.38

71:	0.03	0.04	0.03	0.03	0.04	0.03	0.02	0.02	0.03	0.06	0.33
72:	0.04	0.02	0.03	0.01	0.00	0.01	0.00	0.01	0.01	0.01	0.14
73:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.06
74:	0.01	0.03	0.03	0.01	0.01	0.02	0.00	0.00	0.00	0.00	0.11

Exceedance Chart

NMP6: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		69.9	67.5	65.9	64.8	64.5	64.2	64.0	63.7	63.5
10%:	63.3	63.1	63.0	62.8	62.7	62.6	62.5	62.4	62.4	62.3
20%:	62.2	62.2	62.1	62.0	62.0	61.9	61.9	61.8	61.7	61.7
30%:	61.6	61.6	61.5	61.4	61.4	61.3	61.3	61.2	61.2	61.1
40%:	61.1	61.0	60.9	60.9	60.8	60.8	60.7	60.7	60.6	60.6
50%:	60.5	60.5	60.5	60.4	60.4	60.3	60.3	60.2	60.1	60.1
60%:	60.0	60.0	59.9	59.9	59.8	59.8	59.7	59.7	59.6	59.6
70%:	59.5	59.5	59.4	59.4	59.3	59.3	59.2	59.2	59.1	59.1
80%:	59.0	59.0	58.9	58.8	58.7	58.7	58.6	58.5	58.5	58.4
90%:	58.3	58.2	58.1	58.0	57.9	57.6	57.5	57.3	57.0	56.8
100%:	55.7									

Logged Data Chart

NMP6: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/13/2024 2:45:41 PM	64.2	60.4	71.5
2:46:41 PM	64.1	58.9	72.2
2:47:41 PM	60.7	57.9	63.7
2:48:41 PM	60.8	57.4	63.6
2:49:41 PM	60.7	58.4	62.9
2:50:41 PM	59.7	55.8	62.2
2:51:41 PM	60.8	58	64.8
2:52:41 PM	61.2	56.8	66.8
2:53:41 PM	60.2	57.9	64.8
2:54:41 PM	60.4	56.9	64
2:55:41 PM	64.6	58.2	74.5
2:56:41 PM	59.2	56.6	62
2:57:41 PM	63.6	59.5	69.1
2:58:41 PM	59.8	57.5	63.4
2:59:41 PM	60.8	58.4	63.8

Session Report

9/27/2024

Information Panel

Name	NMP7
Start Time	8/12/2024 2:57:43 PM
Stop Time	8/12/2024 3:12:43 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	59.5 dB	L10	1	61.3 dB
Lmax	1	66.6 dB	Lmin	1	55.3 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP7: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
55:	0.00	0.00	0.00	5.50	1.30	0.62	0.28	0.33	0.30	0.27	8.60
56:	0.28	0.28	0.11	0.32	0.33	0.37	0.36	0.43	0.32	0.28	3.08
57:	0.25	0.27	0.39	0.34	0.49	0.44	0.52	0.56	0.59	0.79	4.64
58:	1.01	1.53	2.28	17.11	4.95	1.97	1.63	1.43	1.40	1.28	34.58
59:	1.18	1.36	0.76	1.08	1.27	1.20	1.36	1.71	1.82	1.73	13.47
60:	2.45	7.41	1.51	1.42	1.16	1.01	1.22	1.34	1.21	1.12	19.84
61:	1.10	1.05	1.17	1.61	1.61	0.82	0.77	0.61	0.77	0.73	10.25
62:	0.68	0.51	0.38	0.46	0.34	0.21	0.16	0.15	0.16	0.19	3.24
63:	0.20	0.16	0.14	0.22	0.16	0.13	0.10	0.12	0.15	0.06	1.45
64:	0.05	0.03	0.05	0.08	0.04	0.05	0.03	0.02	0.02	0.03	0.41
65:	0.02	0.06	0.03	0.02	0.06	0.05	0.04	0.01	0.02	0.01	0.32
66:	0.02	0.02	0.01	0.02	0.03	0.02	0.03	0.00	0.00	0.00	0.13

Exceedance Chart

NMP7: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		63.7	63.0	62.4	62.1	61.9	61.8	61.7	61.5	61.4
10%:	61.3	61.2	61.2	61.1	61.0	60.9	60.8	60.7	60.7	60.6
20%:	60.5	60.4	60.3	60.2	60.2	60.1	60.0	60.0	60.0	60.0
30%:	60.0	60.0	60.0	60.0	59.9	59.9	59.8	59.8	59.7	59.7
40%:	59.6	59.5	59.5	59.4	59.3	59.2	59.1	59.0	58.9	58.9
50%:	58.8	58.7	58.6	58.6	58.5	58.4	58.4	58.3	58.3	58.3
60%:	58.3	58.3	58.2	58.2	58.2	58.2	58.2	58.2	58.2	58.2
70%:	58.2	58.2	58.2	58.2	58.2	58.2	58.2	58.2	58.2	58.1
80%:	58.1	58.1	58.0	57.9	57.8	57.7	57.5	57.3	57.0	56.6
90%:	56.4	56.0	55.6	55.4	55.3	55.2	55.2	55.2	55.2	55.2
100%:	55.2									

Logged Data Chart

NMP7: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/12/2024 2:58:43 PM	61.1	58.3	66.2
2:59:43 PM	60.4	55.3	65.6
3:00:43 PM	57.4	55.3	59.4
3:01:43 PM	60.6	58.1	63.3
3:02:43 PM	59.4	55.3	62
3:03:43 PM	59.7	55.6	63.5
3:04:43 PM	58.7	55.3	61.6
3:05:43 PM	59.3	55.3	62.1
3:06:43 PM	59.1	56.8	61.3
3:07:43 PM	59	55.3	62
3:08:43 PM	59.4	57.9	61.9
3:09:43 PM	59	55.3	62.2
3:10:43 PM	60.6	55.9	66.6
3:11:43 PM	58.1	55.3	62.4
3:12:43 PM	59.6	55.6	62.1

Session Report

9/27/2024

Information Panel

Name	NMP8
Start Time	8/13/2024 3:55:50 PM
Stop Time	8/13/2024 4:10:50 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	65.2 dB	L10	1	67.8 dB
Lmin	1	54.9 dB	Lmax	1	78.2 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP8: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
54:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01
55:	0.07	0.19	0.09	0.09	0.06	0.05	0.10	0.10	0.10	0.13	0.97
56:	0.09	0.10	0.16	0.13	0.09	0.18	0.09	0.10	0.24	0.21	1.39
57:	0.22	0.23	0.18	0.06	0.11	0.17	0.18	0.14	0.23	0.32	1.84
58:	0.41	0.41	0.30	0.38	0.23	0.22	0.28	0.45	0.46	0.40	3.56
59:	0.39	0.42	0.34	0.40	0.57	0.41	0.56	0.51	0.68	0.90	5.18
60:	0.88	0.96	0.82	0.22	0.68	0.71	0.84	0.61	0.67	0.73	7.13
61:	0.70	0.62	0.74	0.72	0.73	0.74	0.84	0.83	0.84	0.90	7.66
62:	1.17	1.23	1.34	1.24	1.32	1.34	1.31	1.10	1.14	1.14	12.33
63:	0.90	1.20	1.28	0.38	1.05	1.11	1.34	1.63	1.48	1.26	11.62
64:	1.15	1.21	1.52	1.08	1.17	1.09	1.37	1.44	1.10	1.12	12.23
65:	1.34	1.30	1.12	1.19	1.45	1.27	1.03	1.06	1.35	1.13	12.22
66:	1.02	1.03	1.10	0.41	0.91	0.94	0.88	0.93	0.74	0.64	8.60
67:	0.67	0.64	0.65	0.72	0.61	0.53	0.49	0.43	0.43	0.45	5.63
68:	0.42	0.46	0.38	0.42	0.42	0.27	0.28	0.30	0.23	0.26	3.44
69:	0.32	0.26	0.30	0.10	0.14	0.32	0.36	0.35	0.38	0.25	2.77

70:	0.18	0.15	0.10	0.11	0.10	0.10	0.09	0.08	0.08	0.07	1.05
71:	0.09	0.13	0.14	0.12	0.12	0.13	0.10	0.08	0.05	0.05	1.00
72:	0.05	0.06	0.07	0.07	0.09	0.07	0.04	0.07	0.07	0.03	0.63
73:	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.04	0.23
74:	0.03	0.04	0.03	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.17
75:	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.07
76:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.07
77:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.11
78:	0.01	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09

Exceedance Chart

NMP8: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		72.4	71.2	70.1	69.7	69.4	68.9	68.5	68.2	68.0
10%:	67.8	67.5	67.3	67.2	67.0	66.9	66.7	66.6	66.5	66.4
20%:	66.3	66.1	66.0	65.9	65.8	65.7	65.7	65.6	65.5	65.4
30%:	65.3	65.3	65.2	65.1	65.0	64.9	64.9	64.8	64.7	64.6
40%:	64.5	64.5	64.4	64.3	64.2	64.1	64.0	64.0	63.9	63.8
50%:	63.7	63.7	63.6	63.5	63.5	63.4	63.3	63.1	63.0	63.0

60%:	62.8	62.8	62.7	62.6	62.5	62.4	62.3	62.3	62.2	62.1
70%:	62.0	62.0	61.9	61.8	61.7	61.5	61.4	61.3	61.1	61.0
80%:	60.8	60.7	60.5	60.4	60.3	60.1	60.0	59.9	59.7	59.6
90%:	59.4	59.2	58.9	58.7	58.4	58.0	57.8	57.2	56.7	55.9
100%:	54.8									

Logged Data Chart

NMP8: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/13/2024 3:56:50 PM	66.5	59.7	73.3
3:57:50 PM	64.7	58.8	69.5
3:58:50 PM	64	58.3	68.5
3:59:50 PM	63.4	57.2	67.4
4:00:50 PM	63.9	56	71.5
4:01:50 PM	64.8	59.1	71.4
4:02:50 PM	68.3	58.7	78.2
4:03:50 PM	63	55	69.4
4:04:50 PM	64.9	56.7	72.5
4:05:50 PM	65.8	61.9	69.2
4:06:50 PM	66.9	59	70.1
4:07:50 PM	64.7	55.6	68.7
4:08:50 PM	65.4	55.4	72.5
4:09:50 PM	65.8	58.9	74.4
4:10:50 PM	62.5	54.9	70.6

Session Report

9/27/2024

Information Panel

Name	NMP9
Start Time	8/12/2024 3:42:13 PM
Stop Time	8/12/2024 4:12:53 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	57.1 dB	L10	1	58.2 dB
Lmin	1	55.3 dB	Lmax	1	73.4 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP9: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
55:	0.00	0.00	0.00	44.87	7.17	1.37	0.89	0.69	0.89	1.00	56.88
56:	1.07	0.87	0.27	0.58	0.51	0.57	0.50	0.49	0.42	0.74	6.03
57:	0.77	0.74	0.61	0.58	0.63	0.78	0.87	0.94	0.98	0.97	7.87
58:	0.80	0.80	1.77	20.83	1.27	0.27	0.13	0.11	0.10	0.10	26.18
59:	0.11	0.09	0.05	0.07	0.12	0.17	0.08	0.06	0.08	0.11	0.95
60:	0.12	0.53	0.10	0.04	0.02	0.02	0.02	0.03	0.02	0.03	0.94
61:	0.03	0.02	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.24
62:	0.02	0.03	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.20
63:	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.19
64:	0.02	0.04	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.13
65:	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.00	0.00	0.06
66:	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
67:	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.03
68:	0.00	0.01	0.02	0.01	0.00	0.01	0.00	0.01	0.00	0.00	0.06
69:	0.01	0.01	0.01	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.05
70:	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03

71:	0.00	0.01	0.00	0.00	0.01	0.00	0.01	0.01	0.01	0.01	0.06
72:	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.00	0.06
73:	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.02

Exceedance Chart

NMP9: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		61.5	59.9	58.9	58.3	58.3	58.2	58.2	58.2	58.2
10%:	58.2	58.2	58.2	58.2	58.2	58.2	58.2	58.2	58.2	58.2
20%:	58.2	58.2	58.2	58.2	58.2	58.2	58.1	58.1	58.0	57.9
30%:	57.8	57.7	57.6	57.4	57.3	57.1	57.0	56.9	56.7	56.5
40%:	56.3	56.1	56.0	55.9	55.8	55.7	55.5	55.4	55.3	55.3
50%:	55.3	55.3	55.3	55.3	55.3	55.3	55.2	55.2	55.2	55.2
60%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
70%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
80%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
90%:	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
100%:	55.2									

Logged Data Chart

NMP9: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/12/2024 3:58:53 PM	60.3	55.3	73.4
3:59:53 PM	55.6	55.3	58
4:00:53 PM	56.2	55.3	60.2
4:01:53 PM	55.5	55.3	57
4:02:53 PM	56.6	55.3	58.4
4:03:53 PM	57.3	55.3	58.4
4:04:53 PM	56.7	55.3	59.6
4:05:53 PM	57.5	55.3	59
4:06:53 PM	57	55.3	64.2
4:07:53 PM	56.5	55.3	58.4
4:08:53 PM	55.4	55.3	56.2
4:09:53 PM	56.6	55.3	60.3
4:10:53 PM	57.8	55.3	59.5
4:11:53 PM	56.9	55.3	58.4
4:12:53 PM	58.3	57.6	58.4

Session Report

9/27/2024

Information Panel

Name	NMP10
Start Time	8/13/2024 1:55:51 PM
Stop Time	8/13/2024 2:10:51 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	62.6 dB	L10	1	66 dB
Lmin	1	51.6 dB	Lmax	1	74.3 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP10: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
51:	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.05	0.04	0.04	0.21
52:	0.05	0.05	0.13	0.13	0.17	0.06	0.04	0.02	0.02	0.05	0.72
53:	0.03	0.05	0.04	0.03	0.05	0.17	0.15	0.13	0.07	0.09	0.79
54:	0.14	0.17	0.35	0.14	0.40	0.25	0.20	0.32	0.33	0.33	2.63
55:	0.38	0.45	0.51	0.48	0.40	0.42	0.55	0.66	0.85	0.71	5.40
56:	0.51	0.51	0.70	0.49	0.55	0.66	0.57	0.65	0.71	0.74	6.10
57:	1.06	0.83	0.91	0.31	0.78	0.77	0.69	0.65	0.84	0.69	7.52
58:	0.70	0.77	0.82	0.86	1.02	1.28	1.16	1.32	1.20	1.00	10.13
59:	1.05	1.23	1.25	1.24	1.33	1.26	1.16	1.11	1.20	1.34	12.17
60:	1.26	1.49	1.49	0.52	1.31	1.35	1.28	1.45	1.29	1.31	12.75
61:	1.57	1.48	1.20	1.15	1.31	1.15	1.24	1.19	0.84	0.90	12.02
62:	0.85	0.84	0.79	0.73	0.63	0.72	0.66	0.63	0.90	0.79	7.55
63:	0.81	0.75	0.55	0.23	0.51	0.45	0.40	0.50	0.33	0.35	4.87
64:	0.42	0.39	0.43	0.40	0.33	0.35	0.34	0.37	0.37	0.45	3.85
65:	0.33	0.30	0.30	0.46	0.27	0.27	0.24	0.21	0.21	0.20	2.79
66:	0.25	0.31	0.29	0.10	0.24	0.26	0.23	0.26	0.21	0.26	2.41

67:	0.31	0.26	0.26	0.31	0.28	0.27	0.32	0.40	0.24	0.16	2.81
68:	0.18	0.20	0.23	0.22	0.25	0.28	0.34	0.28	0.15	0.12	2.26
69:	0.13	0.16	0.17	0.08	0.13	0.17	0.12	0.12	0.12	0.12	1.31
70:	0.12	0.08	0.04	0.04	0.04	0.04	0.04	0.04	0.06	0.09	0.60
71:	0.06	0.05	0.05	0.03	0.03	0.05	0.05	0.05	0.06	0.10	0.52
72:	0.06	0.02	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.01	0.17
73:	0.01	0.02	0.02	0.03	0.01	0.05	0.04	0.04	0.01	0.01	0.24
74:	0.01	0.10	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.16

Exceedance Chart

NMP10: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		71.0	69.6	68.9	68.4	68.0	67.6	67.2	66.9	66.5
10%:	66.0	65.6	65.2	64.9	64.7	64.4	64.1	63.9	63.6	63.4
20%:	63.1	63.0	62.9	62.7	62.6	62.4	62.3	62.2	62.0	61.9
30%:	61.8	61.7	61.6	61.5	61.4	61.3	61.3	61.2	61.1	61.0
40%:	60.9	60.9	60.8	60.7	60.7	60.6	60.5	60.4	60.4	60.3
50%:	60.2	60.1	60.0	60.0	59.9	59.8	59.7	59.6	59.5	59.5
60%:	59.4	59.3	59.2	59.1	59.1	59.0	58.9	58.8	58.7	58.6

70%:	58.6	58.5	58.4	58.3	58.2	58.1	57.9	57.8	57.7	57.5
80%:	57.4	57.3	57.1	57.0	56.9	56.7	56.6	56.4	56.3	56.1
90%:	55.9	55.7	55.6	55.5	55.2	55.0	54.7	54.4	54.0	53.0
100%:	51.5									

Logged Data Chart

NMP10: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/13/2024 1:56:51 PM	59.2	53.6	63.2
1:57:51 PM	63.3	54.2	72
1:58:51 PM	62	56.2	70
1:59:51 PM	60.6	55.4	68.8
2:00:51 PM	61.9	51.6	70.1
2:01:51 PM	62.1	53.4	69.2
2:02:51 PM	67.2	58.4	74.3
2:03:51 PM	62.6	56.6	68.9
2:04:51 PM	62.1	55.5	67.6
2:05:51 PM	63.4	56.2	71
2:06:51 PM	61.6	55.1	67.5
2:07:51 PM	60.7	55.4	65.4
2:08:51 PM	61.4	55	68.6
2:09:51 PM	62.6	54.7	70.1
2:10:51 PM	62.7	56.8	70.2

Session Report

9/27/2024

Information Panel

Name	NMP11
Start Time	8/12/2024 4:44:32 PM
Stop Time	8/12/2024 4:59:38 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	64.4 dB	L10	1	67.1 dB
Lmin	1	58.4 dB	Lmax	1	74.6 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP11: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
58:	0.00	0.00	0.00	0.00	0.02	0.06	0.10	0.07	0.03	0.04	0.32
59:	0.04	0.09	0.09	0.12	0.18	0.26	0.23	0.26	0.53	0.59	2.40
60:	0.58	0.80	1.11	0.35	0.81	0.79	0.70	0.80	0.99	1.14	8.08
61:	1.18	1.36	1.36	1.47	1.63	1.41	1.90	2.06	1.73	1.74	15.85
62:	1.87	2.08	1.99	1.90	1.85	2.27	2.46	2.36	2.07	2.36	21.20
63:	2.39	2.55	2.25	0.61	1.83	1.65	1.65	1.42	1.26	1.22	16.82
64:	1.20	1.12	0.96	0.90	0.80	0.72	0.87	0.87	0.95	0.95	9.34
65:	0.89	0.81	0.99	1.10	1.01	0.96	0.97	0.88	0.82	0.75	9.18
66:	0.81	0.81	0.70	0.27	0.56	0.52	0.49	0.51	0.47	0.45	5.59
67:	0.53	0.45	0.46	0.39	0.36	0.27	0.33	0.33	0.45	0.39	3.96
68:	0.45	0.37	0.36	0.35	0.34	0.32	0.35	0.37	0.37	0.35	3.62
69:	0.37	0.29	0.32	0.13	0.20	0.13	0.10	0.09	0.12	0.10	1.86
70:	0.08	0.14	0.10	0.10	0.10	0.11	0.05	0.04	0.07	0.03	0.83
71:	0.03	0.04	0.04	0.03	0.04	0.03	0.05	0.03	0.05	0.04	0.39
72:	0.04	0.06	0.04	0.02	0.02	0.03	0.02	0.04	0.05	0.01	0.34
73:	0.02	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.12

74:	0.01	0.01	0.02	0.01	0.02	0.02	0.02	0.00	0.00	0.00	0.10

Exceedance Chart

NMP11: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		70.7	69.7	69.0	68.7	68.5	68.2	67.9	67.7	67.4
10%:	67.1	66.9	66.7	66.5	66.3	66.1	66.0	65.8	65.7	65.6
20%:	65.5	65.4	65.3	65.2	65.1	65.0	64.8	64.7	64.6	64.5
30%:	64.4	64.3	64.2	64.1	64.0	63.9	63.8	63.7	63.6	63.6
40%:	63.5	63.4	63.4	63.3	63.3	63.1	63.1	63.1	63.0	63.0
50%:	62.9	62.9	62.9	62.8	62.8	62.7	62.7	62.6	62.6	62.5
60%:	62.5	62.5	62.4	62.4	62.3	62.3	62.2	62.2	62.1	62.1
70%:	62.0	62.0	61.9	61.9	61.8	61.8	61.7	61.6	61.6	61.5
80%:	61.5	61.4	61.4	61.3	61.2	61.2	61.1	61.0	61.0	60.9
90%:	60.8	60.7	60.6	60.4	60.3	60.1	60.0	59.9	59.7	59.4
100%:	58.3									

Logged Data Chart

NMP11: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/12/2024 4:45:38 PM	65.9	62	70.6
4:46:38 PM	64.4	59.8	69.5
4:47:38 PM	63.2	59.5	69.1
4:48:38 PM	64	61.2	68.9
4:49:38 PM	64.8	58.5	70.5
4:50:38 PM	64.2	58.4	70.8
4:51:38 PM	65.8	60.9	72.8
4:52:38 PM	64.8	59.1	69.9
4:53:38 PM	63.2	60.9	68.8
4:54:38 PM	64.9	61.2	70.6
4:55:38 PM	64	60	69.2
4:56:38 PM	62.9	60.1	68.8
4:57:38 PM	64.6	60.1	74.6
4:58:38 PM	63	59.4	67.1
4:59:38 PM	65.7	59.3	73.6

Session Report

9/27/2024

Information Panel

Name	NMP12
Start Time	8/12/2024 5:25:25 PM
Stop Time	8/12/2024 5:40:25 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	55.6 dB	L10	1	56.6 dB
Lmin	1	50 dB	Lmax	1	71.9 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP12: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
50:	0.02	0.15	0.15	0.22	0.23	0.18	0.23	0.26	0.38	0.35	2.16
51:	0.30	0.46	0.38	0.10	0.41	0.71	0.43	0.45	1.09	1.04	5.38
52:	0.76	0.99	0.79	0.88	1.19	1.63	1.35	1.30	1.83	2.62	13.34
53:	1.95	2.12	2.12	2.84	2.47	2.07	1.58	1.94	2.28	2.57	21.94
54:	2.38	2.47	2.95	0.94	3.22	3.30	2.52	1.36	1.28	1.67	22.08
55:	2.45	2.43	2.80	2.29	1.66	1.78	1.53	1.31	1.39	1.20	18.83
56:	1.10	1.14	1.03	0.63	0.77	0.68	0.43	0.51	0.58	0.52	7.38
57:	0.57	0.48	0.59	0.16	0.36	0.33	0.23	0.16	0.18	0.26	3.32
58:	0.29	0.26	0.25	0.19	0.11	0.08	0.09	0.10	0.11	0.08	1.56
59:	0.13	0.20	0.18	0.22	0.12	0.09	0.18	0.15	0.15	0.13	1.55
60:	0.11	0.13	0.20	0.06	0.20	0.13	0.10	0.09	0.06	0.08	1.15
61:	0.05	0.10	0.04	0.02	0.03	0.03	0.03	0.03	0.04	0.03	0.40
62:	0.03	0.01	0.01	0.01	0.01	0.02	0.01	0.00	0.00	0.00	0.12
63:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
64:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
65:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03

66:	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.01	0.05
67:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.08
68:	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.01	0.02	0.02	0.15
69:	0.02	0.02	0.02	0.01	0.02	0.02	0.01	0.01	0.01	0.01	0.15
70:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.03	0.03	0.12
71:	0.02	0.02	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.15

Exceedance Chart

NMP12: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		61.6	60.2	59.5	58.9	58.1	57.7	57.3	57.0	56.8
10%:	56.6	56.4	56.3	56.2	56.1	56.0	55.9	55.8	55.7	55.6
20%:	55.6	55.5	55.4	55.4	55.3	55.3	55.2	55.2	55.1	55.1
30%:	55.1	55.0	55.0	54.9	54.9	54.9	54.8	54.7	54.7	54.6
40%:	54.5	54.5	54.4	54.4	54.4	54.4	54.3	54.3	54.3	54.2
50%:	54.1	54.1	54.1	54.0	54.0	53.9	53.9	53.9	53.8	53.8
60%:	53.7	53.7	53.7	53.6	53.5	53.5	53.4	53.4	53.3	53.3
70%:	53.3	53.2	53.2	53.1	53.1	53.1	53.0	53.0	52.9	52.9
80%:	52.8	52.8	52.7	52.7	52.6	52.5	52.5	52.4	52.3	52.3

90%:	52.1	52.0	51.9	51.8	51.7	51.6	51.4	51.1	50.8	50.5
100%:	49.9									

Logged Data Chart

NMP12: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/12/2024 5:26:25 PM	61.7	53.1	71.9
5:27:25 PM	55.7	52.6	62.6
5:28:25 PM	54.7	50	58.4
5:29:25 PM	52.9	50.3	53.8
5:30:25 PM	53.9	51.4	57.1
5:31:25 PM	54.9	52.8	60.7
5:32:25 PM	53.5	50.5	55.5
5:33:25 PM	53.4	50.4	57.4
5:34:25 PM	54.8	51.7	57.6
5:35:25 PM	56.2	52.8	59.9
5:36:25 PM	54.7	52.4	57.2
5:37:25 PM	55.3	51.9	56.9
5:38:25 PM	55.1	51.7	60.7
5:39:25 PM	54.3	52.7	56.1
5:40:25 PM	54.1	50.1	57.4

Session Report

9/27/2024

Information Panel

Name	NMP13
Start Time	8/13/2024 12:20:32 PM
Stop Time	8/13/2024 12:35:32 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	60.1 dB	L10	1	62.3 dB
Lmin	1	51.4 dB	Lmax	1	82.2 dB
Rtime	1	00:15:00			
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP13: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
51:	0.00	0.00	0.00	0.00	0.06	0.23	0.19	0.11	0.10	0.22	0.90
52:	0.17	0.16	0.26	0.25	0.20	0.18	0.13	0.10	0.15	0.20	1.81
53:	0.18	0.27	0.30	0.44	0.52	0.52	0.48	0.49	0.55	0.80	4.55
54:	0.88	0.73	0.85	0.26	1.01	0.85	1.04	1.26	0.89	1.11	8.87
55:	1.12	1.30	1.19	1.26	1.32	1.36	1.30	1.07	1.26	1.07	12.25
56:	1.09	1.10	0.86	0.95	1.21	1.44	1.40	1.23	1.36	1.61	12.24
57:	1.51	1.91	1.97	0.61	1.94	1.60	1.87	1.63	1.27	1.48	15.81
58:	1.40	1.51	1.43	1.17	1.46	1.34	1.06	1.03	1.16	1.11	12.66
59:	1.36	1.01	0.85	0.72	0.70	0.82	0.86	0.78	0.69	0.63	8.42
60:	0.70	0.62	0.68	0.16	0.55	0.57	0.52	0.61	0.42	0.43	5.27
61:	0.51	0.61	0.44	0.48	0.57	0.57	0.48	0.45	0.55	0.48	5.13
62:	0.52	0.48	0.43	0.43	0.40	0.31	0.32	0.44	0.36	0.39	4.08
63:	0.36	0.54	0.50	0.11	0.33	0.27	0.25	0.26	0.20	0.23	3.06
64:	0.32	0.25	0.19	0.16	0.17	0.15	0.18	0.17	0.13	0.09	1.82
65:	0.08	0.10	0.11	0.08	0.09	0.07	0.06	0.07	0.05	0.06	0.77
66:	0.08	0.11	0.11	0.03	0.07	0.07	0.09	0.06	0.05	0.09	0.75

67:	0.08	0.09	0.06	0.05	0.05	0.04	0.06	0.06	0.05	0.03	0.56
68:	0.05	0.03	0.04	0.05	0.05	0.05	0.05	0.03	0.04	0.08	0.46
69:	0.06	0.03	0.06	0.04	0.03	0.02	0.00	0.00	0.00	0.00	0.26
70:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
71:	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
72:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
73:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
74:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
75:	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.03
76:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
77:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
78:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
79:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
80:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
81:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
82:	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01

Exceedance Chart

NMP13: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		67.9	66.3	65.0	64.3	63.8	63.4	63.1	62.9	62.6
10%:	62.3	62.1	61.9	61.7	61.5	61.3	61.1	60.9	60.7	60.5
20%:	60.3	60.1	59.9	59.8	59.6	59.5	59.4	59.2	59.1	59.0
30%:	58.9	58.8	58.8	58.7	58.6	58.5	58.4	58.3	58.3	58.2
40%:	58.1	58.0	58.0	57.9	57.8	57.8	57.7	57.6	57.5	57.5
50%:	57.4	57.4	57.3	57.3	57.1	57.1	57.0	57.0	56.9	56.9
60%:	56.8	56.7	56.7	56.6	56.5	56.4	56.4	56.3	56.2	56.1
70%:	56.0	55.9	55.8	55.7	55.6	55.6	55.5	55.4	55.3	55.2
80%:	55.2	55.1	55.0	54.9	54.8	54.7	54.6	54.6	54.5	54.4
90%:	54.3	54.1	53.9	53.8	53.7	53.5	53.3	53.0	52.4	51.9
100%:	51.3									

Logged Data Chart

NMP13: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/13/2024 12:21:32 PM	58.9	53.7	63.4
12:22:32 PM	59.1	55.1	63.2
12:23:32 PM	57.4	53.2	60.9
12:24:32 PM	58.1	53.4	65.3
12:25:32 PM	59.3	51.9	69.4
12:26:32 PM	63.1	54	69.5
12:27:32 PM	57.3	53.9	60.1
12:28:32 PM	59.6	54.8	64.1
12:29:32 PM	56.6	51.4	62.2

Date/Time	Leq-1	Lmin-1	Lmax-1
12:30:32 PM	57	52.2	64.1
12:31:32 PM	59.2	52.8	64.8
12:32:32 PM	59.2	54.5	64.2
12:33:32 PM	65.7	54	82.2
12:34:32 PM	60.1	53.1	67.2
12:35:32 PM	60.1	53.4	67.7

Session Report

9/27/2024

Information Panel

Name	NMP14
Start Time	8/13/2024 12:59:45 PM
Stop Time	8/13/2024 1:14:45 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	60.3 dB	L10	1	63.5 dB
Lmin	1	51.7 dB	Lmax	1	76.1 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP14: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
51:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.35	0.50	0.90
52:	0.56	0.63	0.94	0.93	0.90	0.71	1.10	1.01	0.57	0.61	7.97
53:	0.45	0.58	0.82	0.91	0.80	1.13	1.12	0.93	0.84	0.78	8.37
54:	0.96	0.95	0.96	0.29	0.97	0.76	0.75	0.83	0.93	0.85	8.24
55:	0.74	0.97	0.81	0.80	0.83	0.72	0.79	0.76	0.86	1.05	8.33
56:	1.13	0.97	0.96	0.88	0.89	0.95	1.25	1.44	1.58	1.46	11.51
57:	1.38	1.74	1.64	0.43	1.40	1.23	1.15	1.37	1.16	1.09	12.58
58:	1.01	1.06	1.06	1.12	1.15	1.09	0.92	0.97	0.79	0.97	10.14
59:	0.85	0.96	1.00	0.83	0.84	0.71	0.62	0.70	0.57	0.53	7.61
60:	0.56	0.56	0.55	0.20	0.51	0.40	0.40	0.36	0.40	0.36	4.29
61:	0.40	0.48	0.57	0.40	0.37	0.35	0.39	0.26	0.30	0.37	3.88
62:	0.48	0.45	0.39	0.33	0.32	0.37	0.48	0.47	0.37	0.36	4.01
63:	0.32	0.37	0.45	0.11	0.34	0.36	0.24	0.23	0.23	0.21	2.86
64:	0.19	0.23	0.17	0.21	0.18	0.26	0.22	0.26	0.21	0.17	2.10
65:	0.19	0.18	0.20	0.19	0.18	0.21	0.22	0.14	0.18	0.20	1.88
66:	0.14	0.17	0.18	0.09	0.16	0.17	0.17	0.18	0.18	0.18	1.61

67:	0.16	0.17	0.13	0.13	0.11	0.15	0.09	0.13	0.14	0.19	1.39
68:	0.20	0.16	0.14	0.11	0.16	0.23	0.14	0.06	0.06	0.09	1.36
69:	0.04	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.04	0.27
70:	0.06	0.04	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.27
71:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.11
72:	0.01	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.11
73:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.08
74:	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.01	0.04
75:	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.05
76:	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04

Exceedance Chart

NMP14: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		68.8	68.0	67.4	66.7	66.1	65.5	65.0	64.5	64.0
10%:	63.5	63.2	62.9	62.6	62.4	62.1	61.9	61.6	61.3	61.1
20%:	60.9	60.6	60.3	60.1	59.9	59.7	59.6	59.4	59.3	59.2
30%:	59.1	59.0	58.8	58.7	58.6	58.5	58.4	58.3	58.2	58.1
40%:	58.1	58.0	57.9	57.8	57.7	57.6	57.5	57.4	57.4	57.3

50%:	57.1	57.1	57.0	57.0	56.9	56.8	56.8	56.7	56.6	56.6
60%:	56.5	56.4	56.3	56.2	56.1	56.0	55.9	55.8	55.7	55.5
70%:	55.4	55.3	55.2	55.0	54.9	54.8	54.7	54.6	54.4	54.3
80%:	54.1	54.0	53.9	53.8	53.7	53.6	53.5	53.4	53.3	53.2
90%:	53.1	52.9	52.7	52.6	52.5	52.4	52.3	52.1	52.0	51.9
100%:	51.6									

Logged Data Chart

NMP14: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/13/2024 1:00:45 PM	59.2	52.1	70.2
1:01:45 PM	63	53.4	71
1:02:45 PM	62.3	53.5	68.9
1:03:45 PM	61	53.1	68.7
1:04:45 PM	63.4	52.7	76.1
1:05:45 PM	56.4	51.7	60.5
1:06:45 PM	61.3	51.7	68.7
1:07:45 PM	55.5	51.7	60.1
1:08:45 PM	61.1	53.3	68
1:09:45 PM	55.1	52.3	59.2
1:10:45 PM	58.9	52.4	68.1
1:11:45 PM	60.9	53.1	73.6
1:12:45 PM	59.6	52.5	68
1:13:45 PM	59.6	52.9	68.8
1:14:45 PM	59.4	52.1	65.9

Session Report

9/27/2024

Information Panel

Name	NMP15
Start Time	8/12/2024 6:12:00 PM
Stop Time	8/12/2024 6:27:05 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	52.2 dB	L10	1	53.6 dB
Lmin	1	47.1 dB	Lmax	1	68.2 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP15: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
47:	0.00	0.06	0.10	0.11	0.07	0.09	0.18	0.28	0.19	0.26	1.32
48:	0.39	0.63	0.21	0.20	0.47	1.24	1.67	1.20	1.53	1.53	9.07
49:	1.24	1.20	1.24	1.74	2.02	1.58	1.44	1.22	1.30	1.24	14.22
50:	1.44	2.08	2.49	2.47	2.32	2.23	2.64	2.27	2.37	2.07	22.37
51:	2.04	2.41	1.90	0.82	1.95	2.46	2.39	2.55	1.87	1.77	20.16
52:	1.59	1.79	1.79	1.58	1.46	1.91	1.86	1.46	1.22	1.24	15.90
53:	1.07	1.11	1.01	0.77	0.72	0.77	0.90	0.84	0.79	0.76	8.74
54:	0.50	0.61	0.53	0.21	0.59	0.36	0.34	0.35	0.22	0.30	4.01
55:	0.15	0.22	0.20	0.17	0.20	0.09	0.13	0.12	0.07	0.07	1.42
56:	0.08	0.08	0.07	0.05	0.06	0.05	0.04	0.04	0.05	0.05	0.57
57:	0.05	0.05	0.05	0.01	0.05	0.03	0.04	0.04	0.04	0.05	0.41
58:	0.04	0.03	0.02	0.03	0.03	0.03	0.03	0.05	0.03	0.03	0.31
59:	0.03	0.02	0.03	0.02	0.03	0.03	0.04	0.05	0.08	0.07	0.39
60:	0.04	0.04	0.05	0.02	0.04	0.03	0.03	0.03	0.03	0.03	0.33
61:	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.02	0.21
62:	0.02	0.02	0.02	0.03	0.03	0.01	0.02	0.02	0.01	0.01	0.19

63:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.08
64:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.00	0.11
65:	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.03
66:	0.00	0.00	0.01	0.00	0.01	0.01	0.01	0.00	0.01	0.00	0.05
67:	0.01	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.02	0.01	0.07
68:	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02

Exceedance Chart

NMP15: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		60.1	57.4	55.6	55.0	54.6	54.3	54.1	53.9	53.7
10%:	53.6	53.5	53.4	53.2	53.1	53.0	52.9	52.8	52.8	52.7
20%:	52.6	52.5	52.5	52.4	52.4	52.3	52.3	52.2	52.1	52.1
30%:	52.0	52.0	51.9	51.8	51.8	51.7	51.7	51.6	51.6	51.6
40%:	51.5	51.5	51.4	51.4	51.3	51.3	51.2	51.1	51.1	51.0
50%:	51.0	50.9	50.9	50.9	50.8	50.8	50.7	50.7	50.6	50.6
60%:	50.5	50.5	50.5	50.4	50.4	50.3	50.3	50.2	50.2	50.2
70%:	50.1	50.1	50.0	50.0	49.9	49.9	49.8	49.7	49.6	49.6
80%:	49.5	49.4	49.4	49.3	49.3	49.2	49.1	49.1	49.0	48.9

90%:	48.8	48.8	48.7	48.6	48.5	48.5	48.4	48.3	48.0	47.7
100%:	47.0									

Logged Data Chart

NMP15: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/12/2024 6:13:05 PM	55.9	47.3	68.2
6:14:05 PM	52	47.1	62.8
6:15:05 PM	49.4	48	51.9
6:16:05 PM	52.4	48.4	60.9
6:17:05 PM	51.3	49.2	56.3
6:18:05 PM	52.9	51	55
6:19:05 PM	54.7	50.5	64.8
6:20:05 PM	51.4	48.5	54.7
6:21:05 PM	50.5	48.5	54
6:22:05 PM	51.7	47.8	53.2
6:23:05 PM	50.8	49.3	52.8
6:24:05 PM	52.3	49.2	55.4
6:25:05 PM	52.5	47.4	55.7
6:26:05 PM	51.1	48.7	54.2
6:27:05 PM	50.7	48.3	53.2

Session Report

9/27/2024

Information Panel

Name	NMP16
Start Time	8/13/2024 11:06:55 AM
Stop Time	8/13/2024 11:21:55 AM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	57.9 dB	L10	1	59.8 dB
Lmin	1	52.6 dB	Lmax	1	64.1 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP16: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
52:	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.09	0.11	0.16	0.37
53:	0.08	0.07	0.07	0.05	0.04	0.04	0.11	0.22	0.25	0.22	1.14
54:	0.41	0.89	1.06	0.32	0.63	0.86	0.83	0.76	0.66	0.88	7.31
55:	0.78	1.01	1.47	1.21	1.61	1.79	1.45	1.70	1.71	2.00	14.71
56:	1.60	1.40	1.43	1.79	1.69	1.77	1.89	2.06	1.65	1.32	16.59
57:	1.67	2.11	2.13	0.64	2.32	2.18	1.97	1.88	2.12	2.62	19.63
58:	2.11	1.82	1.82	1.64	2.14	2.23	2.49	1.72	1.61	1.66	19.22
59:	1.34	1.59	1.17	1.30	1.16	1.33	1.04	0.80	1.05	1.06	11.84
60:	0.86	0.81	0.50	0.13	0.43	0.43	0.30	0.22	0.26	0.30	4.24
61:	0.39	0.41	0.38	0.41	0.34	0.39	0.42	0.36	0.10	0.15	3.36
62:	0.19	0.07	0.03	0.03	0.03	0.04	0.05	0.07	0.06	0.06	0.63
63:	0.19	0.06	0.03	0.01	0.04	0.03	0.04	0.06	0.09	0.14	0.69
64:	0.15	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26

Exceedance Chart

NMP16: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		62.8	61.6	61.4	61.1	60.8	60.5	60.2	60.0	59.9
10%:	59.8	59.7	59.6	59.5	59.4	59.3	59.2	59.1	59.1	59.0
20%:	58.9	58.9	58.8	58.7	58.7	58.6	58.6	58.5	58.5	58.4
30%:	58.4	58.3	58.3	58.2	58.2	58.1	58.1	58.0	58.0	57.9
40%:	57.9	57.8	57.8	57.7	57.7	57.6	57.6	57.5	57.5	57.4
50%:	57.4	57.4	57.3	57.3	57.1	57.1	57.1	57.0	57.0	56.9
60%:	56.8	56.8	56.7	56.6	56.6	56.5	56.5	56.4	56.4	56.3
70%:	56.3	56.2	56.2	56.1	56.0	55.9	55.9	55.8	55.8	55.7
80%:	55.7	55.6	55.5	55.5	55.4	55.4	55.3	55.2	55.1	55.1
90%:	55.0	54.9	54.8	54.6	54.5	54.4	54.2	54.1	54.0	53.6
100%:	52.5									

Logged Data Chart

NMP16: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/13/2024 11:07:55 AM	57.5	54	59.7
11:08:55 AM	57	54.5	60.1
11:09:55 AM	58	53.8	62.1
11:10:55 AM	57.4	54	61.7
11:11:55 AM	57.2	55.1	59.6
11:12:55 AM	58.2	54.1	61.3
11:13:55 AM	58.7	54.8	61.7
11:14:55 AM	58.5	53.9	63.1
11:15:55 AM	58.7	54.6	60.9
11:16:55 AM	58.3	54.2	61.6
11:17:55 AM	57.2	54.9	59
11:18:55 AM	57	52.6	59.9
11:19:55 AM	58.9	56.2	61.7
11:20:55 AM	58.9	54.6	64.1
11:21:55 AM	56.6	53.6	59.5

Session Report

9/27/2024

Information Panel

Name	NMP17
Start Time	8/13/2024 10:21:27 AM
Stop Time	8/13/2024 10:36:27 AM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	71.4 dB	L10	1	73.8 dB
Lmin	1	57.7 dB	Lmax	1	81.3 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP17: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
57:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.03	0.02	0.08
58:	0.02	0.03	0.04	0.04	0.03	0.03	0.03	0.03	0.03	0.07	0.34
59:	0.09	0.02	0.02	0.02	0.02	0.03	0.02	0.04	0.12	0.05	0.44
60:	0.05	0.05	0.06	0.03	0.14	0.20	0.23	0.07	0.10	0.08	1.02
61:	0.12	0.09	0.09	0.09	0.08	0.06	0.09	0.06	0.05	0.05	0.77
62:	0.10	0.11	0.08	0.12	0.06	0.05	0.08	0.08	0.11	0.11	0.90
63:	0.10	0.23	0.24	0.05	0.13	0.25	0.22	0.18	0.15	0.13	1.67
64:	0.16	0.20	0.23	0.17	0.20	0.23	0.48	0.39	0.25	0.25	2.56
65:	0.23	0.25	0.39	0.54	0.54	0.38	0.42	0.37	0.36	0.40	3.89
66:	0.44	0.52	0.46	0.17	0.42	0.49	0.53	0.60	0.59	0.76	4.98
67:	0.85	0.94	0.89	0.77	0.67	0.69	0.79	0.71	0.86	0.98	8.14
68:	0.93	0.82	0.82	1.02	1.10	1.14	0.99	1.00	1.07	1.06	9.94
69:	1.22	1.48	1.52	0.78	0.89	1.09	1.17	1.21	1.22	1.02	11.60
70:	0.91	1.15	1.11	1.03	1.05	1.30	1.18	1.16	1.08	1.06	11.02
71:	0.97	1.06	1.18	1.03	0.89	0.99	1.02	1.13	1.47	1.56	11.30
72:	1.47	1.53	1.53	1.00	1.08	1.57	1.48	1.34	1.16	0.92	13.08

73:	0.99	1.19	1.03	0.88	0.86	0.91	0.77	0.63	0.49	0.57	8.31
74:	0.45	0.48	0.38	0.33	0.37	0.45	0.43	0.35	0.24	0.23	3.71
75:	0.24	0.26	0.31	0.20	0.18	0.25	0.27	0.29	0.34	0.28	2.61
76:	0.20	0.16	0.07	0.06	0.09	0.11	0.11	0.11	0.17	0.18	1.26
77:	0.22	0.10	0.09	0.10	0.10	0.13	0.17	0.12	0.08	0.08	1.19
78:	0.09	0.05	0.06	0.05	0.03	0.10	0.09	0.06	0.06	0.05	0.62
79:	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.10
80:	0.01	0.01	0.02	0.02	0.03	0.06	0.04	0.06	0.03	0.04	0.32
81:	0.06	0.06	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.15

Exceedance Chart

NMP17: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		78.1	77.1	76.4	75.7	75.4	75.0	74.6	74.3	74.1
10%:	73.8	73.7	73.5	73.4	73.3	73.2	73.1	73.0	72.9	72.8
20%:	72.7	72.6	72.5	72.5	72.4	72.3	72.2	72.1	72.1	72.0
30%:	71.9	71.9	71.8	71.7	71.7	71.6	71.5	71.4	71.3	71.2
40%:	71.1	71.0	70.9	70.8	70.7	70.6	70.5	70.5	70.4	70.3
50%:	70.2	70.1	70.0	69.9	69.8	69.7	69.6	69.6	69.5	69.4

60%:	69.3	69.2	69.1	69.0	69.0	68.9	68.8	68.7	68.6	68.5
70%:	68.4	68.3	68.2	68.1	68.0	67.9	67.8	67.7	67.5	67.4
80%:	67.2	67.1	67.0	66.9	66.8	66.6	66.4	66.1	65.9	65.7
90%:	65.4	65.2	64.9	64.6	64.3	63.7	63.1	62.2	61.0	60.1
100%:	57.6									

Logged Data Chart

NMP17: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/13/2024 10:22:27 AM	71	64.5	76
10:23:27 AM	69.7	62	74.6
10:24:27 AM	69.2	61	76.1
10:25:27 AM	74.3	64.1	81.3
10:26:27 AM	73.1	66.8	78.9
10:27:27 AM	71.8	63.1	77
10:28:27 AM	69.1	57.7	75.5
10:29:27 AM	69.5	58.1	76.1
10:30:27 AM	69.4	60	73.4
10:31:27 AM	69.5	60	74.6
10:32:27 AM	73.3	69.5	78.7
10:33:27 AM	71.1	63	75
10:34:27 AM	71.2	64.4	77.7
10:35:27 AM	72.8	66	78
10:36:27 AM	71.4	66.8	74.1

Session Report

9/27/2024

Information Panel

Name	NMP18
Start Time	8/12/2024 7:03:08 PM
Stop Time	8/12/2024 7:18:12 PM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	52.3 dB	L10	1	46.8 dB
Lmin	1	36.5 dB	Lmax	1	77.7 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP18: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
36:	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.11	0.03	0.02	0.18
37:	0.01	0.01	0.02	0.05	0.12	0.08	0.06	0.05	0.12	0.11	0.63
38:	0.11	0.15	0.30	2.93	0.94	0.32	0.30	0.25	0.19	0.19	5.69
39:	0.30	0.43	0.19	0.50	0.35	0.28	0.37	0.46	0.67	0.64	4.17
40:	1.17	7.14	1.49	1.17	1.08	1.08	1.01	0.85	0.72	0.96	16.67
41:	0.91	1.14	1.34	3.12	2.83	1.20	1.04	0.94	1.11	1.07	14.70
42:	1.31	1.51	1.04	3.61	1.75	1.41	1.24	1.19	1.11	1.56	15.73
43:	2.36	2.92	1.41	1.52	1.45	1.47	1.29	1.30	1.17	0.89	15.78
44:	0.97	1.02	0.94	1.11	1.05	0.63	0.60	0.65	0.67	0.66	8.30
45:	0.63	0.60	0.39	0.56	0.46	0.41	0.48	0.61	0.42	0.43	4.99
46:	0.38	0.42	0.29	0.39	0.42	0.29	0.25	0.26	0.30	0.29	3.28
47:	0.36	0.43	0.25	0.16	0.16	0.15	0.25	0.21	0.21	0.20	2.36
48:	0.18	0.19	0.13	0.07	0.10	0.11	0.10	0.08	0.09	0.09	1.15
49:	0.08	0.12	0.11	0.12	0.11	0.08	0.08	0.08	0.08	0.07	0.93
50:	0.09	0.08	0.09	0.10	0.10	0.16	0.19	0.14	0.09	0.13	1.18
51:	0.10	0.07	0.06	0.04	0.09	0.12	0.10	0.09	0.05	0.06	0.79

52:	0.07	0.07	0.07	0.06	0.07	0.05	0.04	0.04	0.06	0.04	0.56
53:	0.03	0.04	0.03	0.05	0.05	0.04	0.05	0.04	0.04	0.04	0.41
54:	0.05	0.07	0.07	0.02	0.07	0.04	0.03	0.03	0.04	0.04	0.45
55:	0.04	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.02	0.29
56:	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.20
57:	0.02	0.02	0.02	0.00	0.01	0.02	0.01	0.01	0.02	0.01	0.15
58:	0.02	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.14
59:	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.02	0.01	0.01	0.14
60:	0.02	0.02	0.02	0.01	0.01	0.02	0.01	0.02	0.01	0.02	0.15
61:	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.11
62:	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.09
63:	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.08
64:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.08
65:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.08
66:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.03
67:	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
68:	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
69:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
70:	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.03
71:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
72:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
73:	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.11
74:	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.00	0.01	0.07
75:	0.01	0.01	0.01	0.00	0.00	0.01	0.01	0.01	0.00	0.01	0.05
76:	0.01	0.01	0.00	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.06
77:	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.00	0.00	0.00	0.05

Exceedance Chart

NMP18: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		60.7	55.0	52.6	51.2	50.3	49.2	48.2	47.6	47.1
10%:	46.8	46.4	46.2	45.9	45.7	45.5	45.2	45.0	44.9	44.7
20%:	44.6	44.4	44.3	44.2	44.1	44.0	43.9	43.8	43.7	43.6
30%:	43.5	43.5	43.4	43.3	43.3	43.2	43.1	43.0	43.0	43.0
40%:	42.9	42.9	42.9	42.8	42.7	42.6	42.6	42.5	42.4	42.3
50%:	42.3	42.2	42.2	42.2	42.2	42.1	42.0	41.9	41.8	41.8
60%:	41.7	41.6	41.5	41.4	41.3	41.3	41.3	41.2	41.2	41.2
70%:	41.1	41.0	40.9	40.8	40.7	40.6	40.5	40.4	40.3	40.2
80%:	40.1	40.1	40.0	40.0	40.0	40.0	40.0	40.0	40.0	39.9
90%:	39.7	39.6	39.3	39.0	38.6	38.3	38.2	38.2	38.2	38.0
100%:	36.4									

Logged Data Chart

NMP18: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/12/2024 7:04:12 PM	61	38.1	77.7
7:05:12 PM	47.2	40.6	60.2
7:06:12 PM	42.9	38.3	52.2
7:07:12 PM	41.9	38.1	46
7:08:12 PM	39.3	36.5	41.4
7:09:12 PM	42.2	38.3	47
7:10:12 PM	46	40.5	51.7
7:11:12 PM	42.1	40	49.3
7:12:12 PM	42.5	40	47.1
7:13:12 PM	41.4	38.3	49.4
7:14:12 PM	49.1	40.1	65.4
7:15:12 PM	52.5	38.3	65.8
7:16:12 PM	44.3	42.1	47.9
7:17:12 PM	43.6	41.3	48.3
7:18:12 PM	42.9	41.3	45.1

Session Report

9/27/2024

Information Panel

Name	NMP19
Start Time	8/13/2024 8:56:50 AM
Stop Time	8/13/2024 9:11:50 AM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	36.9 dB	L10	1	38.3 dB
Lmin	1	35.3 dB	Lmax	1	47.2 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP19: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
35:	0.00	0.00	0.00	68.44	3.45	0.96	0.59	0.62	0.51	0.41	74.98
36:	0.47	0.54	0.23	0.47	0.41	0.53	0.40	0.38	0.36	0.41	4.21
37:	0.36	0.56	0.49	0.55	0.48	0.43	0.50	0.57	0.77	0.53	5.24
38:	0.56	0.65	0.87	2.67	0.95	0.40	0.35	0.35	0.31	0.29	7.40
39:	0.36	0.28	0.13	0.24	0.23	0.20	0.23	0.29	0.28	0.32	2.57
40:	0.45	0.42	0.11	0.07	0.08	0.07	0.07	0.07	0.09	0.09	1.53
41:	0.09	0.11	0.19	0.11	0.11	0.07	0.05	0.08	0.07	0.09	0.98
42:	0.17	0.14	0.08	0.18	0.09	0.05	0.06	0.06	0.07	0.06	0.96
43:	0.06	0.06	0.04	0.05	0.05	0.03	0.03	0.04	0.03	0.03	0.42
44:	0.04	0.04	0.05	0.07	0.07	0.10	0.05	0.06	0.07	0.09	0.64
45:	0.07	0.08	0.08	0.03	0.08	0.07	0.06	0.07	0.05	0.05	0.65
46:	0.05	0.04	0.06	0.02	0.03	0.03	0.03	0.05	0.02	0.02	0.34
47:	0.02	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07

Exceedance Chart

NMP19: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		44.9	43.0	41.9	40.9	40.0	39.7	39.3	38.9	38.6
10%:	38.3	38.2	38.2	38.2	38.1	38.0	37.8	37.6	37.4	37.2
20%:	37.0	36.8	36.5	36.3	36.1	35.9	35.6	35.5	35.4	35.3
30%:	35.3	35.3	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2
40%:	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2
50%:	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2
60%:	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2
70%:	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2
80%:	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2
90%:	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2
100%:	35.2									

Logged Data Chart

NMP19: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/13/2024 8:57:50 AM	36.1	35.3	44.3
8:58:50 AM	37.1	35.3	43.2
8:59:50 AM	35.9	35.3	40.9
9:00:50 AM	36.7	35.3	40.3
9:01:50 AM	36	35.3	39.9
9:02:50 AM	35.5	35.3	38.8
9:03:50 AM	35.5	35.3	38.4
9:04:50 AM	35.5	35.3	38.4
9:05:50 AM	35.9	35.3	40.2
9:06:50 AM	36.1	35.3	40.1
9:07:50 AM	35.9	35.3	42.3
9:08:50 AM	36.1	35.3	41.2
9:09:50 AM	37.1	35.3	45.2
9:10:50 AM	39.1	35.3	47.1
9:11:50 AM	40.8	35.3	47.2

Session Report

9/27/2024

Information Panel

Name	NMP20
Start Time	8/13/2024 9:38:33 AM
Stop Time	8/13/2024 9:53:37 AM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	56.1 dB	L10	1	57.9 dB
Lmin	1	51.3 dB	Lmax	1	65.4 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP20: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
51:	0.00	0.00	0.00	0.03	0.15	0.13	0.13	0.44	0.51	0.33	1.72
52:	0.34	0.21	0.34	0.39	0.42	0.37	0.36	0.70	1.19	1.08	5.40
53:	1.30	1.25	1.64	1.68	1.77	1.62	1.53	2.06	2.04	1.87	16.75
54:	2.17	2.89	2.93	1.02	2.52	2.40	3.00	2.98	2.78	2.86	25.54
55:	3.04	2.97	3.02	2.57	2.10	1.42	1.34	1.34	1.19	1.11	20.09
56:	1.25	1.55	1.74	1.26	1.17	1.20	1.21	1.37	1.13	0.77	12.65
57:	0.91	0.81	1.17	0.44	0.83	0.77	0.69	0.68	0.57	0.59	7.46
58:	0.45	0.46	0.48	0.21	0.19	0.17	0.19	0.24	0.21	0.41	3.01
59:	0.23	0.20	0.27	0.33	0.32	0.23	0.22	0.22	0.23	0.17	2.41
60:	0.20	0.30	0.22	0.09	0.21	0.23	0.19	0.22	0.23	0.14	2.03
61:	0.07	0.10	0.07	0.09	0.10	0.13	0.17	0.16	0.06	0.06	1.03
62:	0.07	0.08	0.11	0.10	0.04	0.03	0.03	0.03	0.04	0.04	0.58
63:	0.05	0.06	0.08	0.03	0.10	0.12	0.05	0.10	0.16	0.16	0.90
64:	0.07	0.06	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.38
65:	0.01	0.01	0.01	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.05

Exceedance Chart

NMP20: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		63.4	61.7	60.8	60.3	59.8	59.4	59.0	58.7	58.2
10%:	57.9	57.7	57.6	57.4	57.3	57.1	57.1	56.9	56.8	56.7
20%:	56.6	56.6	56.5	56.4	56.3	56.2	56.1	56.1	56.0	56.0
30%:	55.9	55.8	55.7	55.6	55.6	55.5	55.4	55.3	55.3	55.3
40%:	55.2	55.2	55.1	55.1	55.1	55.0	55.0	55.0	54.9	54.9
50%:	54.9	54.8	54.8	54.8	54.7	54.7	54.7	54.6	54.6	54.6
60%:	54.5	54.5	54.5	54.4	54.4	54.3	54.3	54.3	54.2	54.1
70%:	54.1	54.1	54.0	54.0	53.9	53.9	53.9	53.8	53.8	53.7
80%:	53.7	53.6	53.6	53.5	53.4	53.4	53.3	53.3	53.2	53.1
90%:	53.1	53.0	52.9	52.8	52.7	52.7	52.5	52.3	51.9	51.7
100%:	51.2									

Logged Data Chart

NMP20: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/13/2024 9:39:37 AM	56.6	52.7	60.7
9:40:37 AM	54.3	52.8	57
9:41:37 AM	55.2	52.2	58.4
9:42:37 AM	56	53.2	59.6
9:43:37 AM	54.4	52.7	58.1
9:44:37 AM	54.2	51.3	56.7
9:45:37 AM	58.2	52.4	65.4
9:46:37 AM	56.3	53.3	63.4
9:47:37 AM	56.9	54	61.7
9:48:37 AM	54.5	51.6	58.5
9:49:37 AM	54.5	53.1	56.8
9:50:37 AM	54.9	52.8	56.8
9:51:37 AM	55.6	53.5	59
9:52:37 AM	58.6	51.7	64.1
9:53:37 AM	57.7	53.7	61.8

Session Report

9/27/2024

Information Panel

Name	NMP21
Start Time	8/13/2024 7:20:12 AM
Stop Time	8/13/2024 7:35:12 AM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	37 dB	L10	1	38.2 dB
Lmin	1	35.3 dB	Lmax	1	50.2 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP21: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
35:	0.00	0.00	0.00	40.47	7.43	1.36	1.22	0.65	0.58	0.59	52.30
36:	0.43	0.46	0.25	0.92	0.48	0.60	0.56	0.62	0.47	0.57	5.38
37:	0.38	0.56	0.30	0.28	0.45	0.33	0.50	0.60	0.68	0.73	4.80
38:	0.42	0.82	1.46	31.61	1.13	0.14	0.11	0.09	0.09	0.10	35.96
39:	0.09	0.09	0.03	0.07	0.06	0.06	0.05	0.04	0.04	0.05	0.58
40:	0.04	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.25
41:	0.02	0.02	0.02	0.02	0.01	0.02	0.01	0.01	0.01	0.01	0.16
42:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.11
43:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.06
44:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.08
45:	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.10
46:	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.07
47:	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.06
48:	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.06
49:	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
50:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01

Exceedance Chart

NMP21: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		39.8	38.4	38.3	38.2	38.2	38.2	38.2	38.2	38.2
10%:	38.2	38.2	38.2	38.2	38.2	38.2	38.2	38.2	38.2	38.2
20%:	38.2	38.2	38.2	38.2	38.2	38.2	38.2	38.2	38.2	38.2
30%:	38.2	38.2	38.2	38.2	38.2	38.1	38.1	38.0	37.8	37.6
40%:	37.5	37.2	36.9	36.7	36.5	36.4	36.2	36.0	35.8	35.6
50%:	35.5	35.4	35.4	35.3	35.3	35.3	35.3	35.3	35.3	35.3
60%:	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2
70%:	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2
80%:	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2
90%:	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2
100%:	35.2									

Logged Data Chart

NMP21: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/13/2024 7:21:12 AM	38.1	35.3	50.3
7:22:12 AM	35.4	35.3	37
7:23:12 AM	35.3	35.3	35.9
7:24:12 AM	36.1	35.3	42.9
7:25:12 AM	35.3	35.3	35.7
7:26:12 AM	35.3	35.3	35.8
7:27:12 AM	36	35.3	39
7:28:12 AM	35.4	35.3	35.9
7:29:12 AM	36.8	35.3	38.4
7:30:12 AM	37.1	35.3	39.1
7:31:12 AM	38.3	37.7	39.6
7:32:12 AM	38.6	37.4	45.6
7:33:12 AM	38.3	38.3	38.7
7:34:12 AM	38.3	38.2	38.4
7:35:12 AM	38.3	38.3	40.8

Session Report

9/27/2024

Information Panel

Name	NMP22
Start Time	8/13/2024 7:56:55 AM
Stop Time	8/13/2024 8:11:55 AM
Device Name	BLP080004
Model Type	SoundPro DL
Device Firmware Rev	R.13J
Comments	

Summary Data Panel

Description	Meter	Value	Description	Meter	Value
Leq	1	48.5 dB	L10	1	44.2 dB
Lmin	1	35.3 dB	Lmax	1	73.1 dB
Exchange Rate	1	3 dB	Weighting	1	A
Response	1	SLOW	Bandwidth	1	1/1
Exchange Rate	2	5 dB	Weighting	2	C
Response	2	SLOW			

Statistics Chart

NMP22: Statistics Chart



Statistics Table

dB:	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	%
35:	0.00	0.00	0.00	5.72	1.78	0.77	0.46	0.38	0.41	0.52	10.05
36:	0.48	0.34	0.13	0.24	0.32	0.37	0.38	0.22	0.16	0.26	2.90
37:	0.25	0.33	0.29	0.43	0.41	0.44	0.59	0.61	0.46	0.77	4.60
38:	0.80	1.07	1.34	14.35	5.31	1.09	0.74	0.68	0.63	0.64	26.65
39:	0.84	0.85	0.45	0.74	0.85	0.90	1.06	1.26	1.38	1.21	9.55
40:	2.07	5.84	1.24	0.86	0.86	0.88	0.82	0.70	0.81	0.80	14.89
41:	0.92	0.91	1.10	1.74	1.37	0.76	0.91	0.70	0.65	0.60	9.67
42:	0.66	0.75	0.48	1.04	0.85	0.50	0.48	0.48	0.45	0.38	6.08
43:	0.50	0.62	0.39	0.33	0.31	0.33	0.38	0.44	0.54	0.38	4.22
44:	0.44	0.51	0.40	0.36	0.30	0.23	0.26	0.33	0.36	0.34	3.53
45:	0.35	0.35	0.21	0.29	0.28	0.20	0.20	0.23	0.15	0.14	2.40
46:	0.17	0.17	0.17	0.12	0.13	0.15	0.15	0.16	0.13	0.14	1.50
47:	0.14	0.15	0.14	0.09	0.10	0.04	0.05	0.05	0.05	0.04	0.84
48:	0.05	0.04	0.04	0.04	0.08	0.09	0.06	0.05	0.05	0.03	0.53
49:	0.04	0.03	0.03	0.05	0.03	0.05	0.03	0.03	0.04	0.05	0.38
50:	0.04	0.02	0.03	0.03	0.02	0.04	0.04	0.04	0.04	0.05	0.36

51:	0.09	0.07	0.07	0.02	0.05	0.03	0.02	0.02	0.01	0.01	0.39
52:	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.11
53:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.11
54:	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.13
55:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.09
56:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.09
57:	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.07
58:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.07
59:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.07
60:	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.01	0.01	0.08
61:	0.01	0.00	0.01	0.01	0.01	0.02	0.01	0.01	0.00	0.00	0.07
62:	0.00	0.01	0.00	0.01	0.01	0.00	0.00	0.00	0.01	0.00	0.04
63:	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.04
64:	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.03
65:	0.01	0.00	0.00	0.01	0.00	0.01	0.00	0.01	0.01	0.00	0.04
66:	0.00	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.04
67:	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.04
68:	0.00	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.00	0.01	0.05
69:	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.04
70:	0.01	0.00	0.01	0.00	0.00	0.01	0.01	0.01	0.01	0.00	0.05
71:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.07
72:	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.10
73:	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03

Exceedance Chart

NMP22: Exceedance Chart



Exceedance Table

.	0%	1%	2%	3%	4%	5%	6%	%7	%8	%9
0%:		56.1	50.5	48.2	46.8	46.1	45.5	45.1	44.8	44.5
10%:	44.2	43.9	43.7	43.5	43.2	43.0	42.8	42.5	42.3	42.2
20%:	42.1	42.0	41.8	41.6	41.5	41.4	41.3	41.2	41.2	41.1
30%:	41.0	40.9	40.8	40.6	40.5	40.4	40.3	40.2	40.1	40.0
40%:	40.0	40.0	40.0	40.0	40.0	39.9	39.9	39.8	39.7	39.6
50%:	39.6	39.5	39.4	39.2	39.1	38.9	38.8	38.7	38.5	38.4
60%:	38.3	38.3	38.3	38.3	38.3	38.2	38.2	38.2	38.2	38.2
70%:	38.2	38.2	38.2	38.2	38.2	38.2	38.2	38.2	38.2	38.2
80%:	38.1	38.0	37.9	37.8	37.6	37.4	37.2	36.9	36.5	36.2
90%:	35.8	35.6	35.4	35.3	35.3	35.2	35.2	35.2	35.2	35.2
100%:	35.2									

Logged Data Chart

NMP22: Logged Data Chart



Logged Data Table

Date/Time	Leq-1	Lmin-1	Lmax-1
8/13/2024 7:57:55 AM	46.2	37.5	61.6
7:58:55 AM	43.5	35.5	51.5
7:59:55 AM	40.9	36.3	46.3
8:00:55 AM	40.9	38.3	44.1
8:01:55 AM	38.2	35.3	41.8
8:02:55 AM	41.4	35.8	47.2
8:03:55 AM	37.7	35.3	40.3
8:04:55 AM	59.4	35.3	73.1
8:05:55 AM	40.9	38.2	46.9
8:06:55 AM	41.2	35.3	49.5
8:07:55 AM	43.8	38.3	51
8:08:55 AM	38.3	35.3	41.4
8:09:55 AM	40.6	35.3	48.8
8:10:55 AM	40.4	35.3	45.8
8:11:55 AM	41.4	37.3	45.8

Location	NM1
Date	8/13/2024

Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/13/2024 15:23	1	67.40	1-min Leq	67.4	62.00	73.40
8/13/2024 15:24	2	69.10	2-min cumulative Leq	68.3	60.60	74.70
8/13/2024 15:25	3	67.80	3-min cumulative Leq	68.2	57.90	74.70
8/13/2024 15:26	4	71.90	4-min cumulative Leq	69.4	62.80	82.30
8/13/2024 15:27	5	70.60	5-min cumulative Leq	69.7	64.30	74.30
8/13/2024 15:28	6	70.70	6-min cumulative Leq	69.9	60.90	76.10
8/13/2024 15:29	7	69.10	7-min cumulative Leq	69.8	61.00	73.10
8/13/2024 15:30	8	67.60	8-min cumulative Leq	69.6	60.50	71.60
8/13/2024 15:31	9	70.00	9-min cumulative Leq	69.6	64.00	74.50
8/13/2024 15:32	10	71.00	10-min cumulative Leq	69.8	65.50	78.70
8/13/2024 15:33	11	67.50	11-min cumulative Leq	69.6	60.90	72.30
8/13/2024 15:34	12	68.90	12-min cumulative Leq	69.6	61.40	74.20
8/13/2024 15:35	13	70.20	13-min cumulative Leq	69.6	64.20	74.80
8/13/2024 15:36	14	69.10	14-min cumulative Leq	69.6	64.00	74.90
8/13/2024 15:37	15	67.80	15-min cumulative Leq	69.5	61.10	71.10
				69.5	**57.9**	**82.3**

Location	NM2
Date	8/13/2024

Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/13/2024 16:56	1	68.1	1-min Leq	68.1	62.9	72.6
8/13/2024 16:57	2	69.2	2-min cumulative Leq	68.7	63.5	75.3
8/13/2024 16:58	3	68.6	3-min cumulative Leq	68.7	64.4	72.9
8/13/2024 16:59	4	68.0	4-min cumulative Leq	68.5	64.3	75.8
8/13/2024 17:00	5	70.5	5-min cumulative Leq	69.0	65.1	78.5
8/13/2024 17:01	6	67.4	6-min cumulative Leq	68.8	61.5	71.3
8/13/2024 17:02	7	67.1	7-min cumulative Leq	68.6	60.4	71.0
8/13/2024 17:03	8	66.8	8-min cumulative Leq	68.4	61.7	71.5
8/13/2024 17:04	9	66.9	9-min cumulative Leq	68.2	61.4	73.3
8/13/2024 17:05	10	68.5	10-min cumulative Leq	68.3	64.8	73.1
8/13/2024 17:06	11	66.9	11-min cumulative Leq	68.1	59.5	73.0
8/13/2024 17:07	12	68.9	12-min cumulative Leq	68.2	60.7	72.9
8/13/2024 17:08	13	67.8	13-min cumulative Leq	68.2	62.6	72.0
8/13/2024 17:09	14	67.6	14-min cumulative Leq	68.1	60.1	73.5
8/13/2024 17:10	15	69.1	15-min cumulative Leq	68.2	60.3	75.1
				68.2	**59.5**	**78.5**

Location	NM3					
Date	8/12/2024					
Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/12/2024 12:26	1	57.3	1-min Leq	57.3	55.3	61.6
8/12/2024 12:27	2	57.6	2-min cumulative Leq	57.5	55.3	65.5
8/12/2024 12:28	3	55.6	3-min cumulative Leq	56.9	55.3	57.4
8/12/2024 12:29	4	55.6	4-min cumulative Leq	56.6	55.3	58.3
8/12/2024 12:30	5	55.9	5-min cumulative Leq	56.5	55.3	58.4
8/12/2024 12:31	6	55.6	6-min cumulative Leq	56.4	55.3	57.2
8/12/2024 12:32	7	55.8	7-min cumulative Leq	56.3	55.3	59.8
8/12/2024 12:33	8	55.7	8-min cumulative Leq	56.2	55.3	58.4
8/12/2024 12:34	9	57.2	9-min cumulative Leq	56.3	55.3	63.9
8/12/2024 12:35	10	58.4	10-min cumulative Leq	56.6	55.3	70.2
8/12/2024 12:36	11	57.9	11-min cumulative Leq	56.7	55.3	62.8
8/12/2024 12:37	12	55.3	12-min cumulative Leq	56.6	55.3	55.5
8/12/2024 12:38	13	58.7	13-min cumulative Leq	56.8	55.3	68.3
8/12/2024 12:39	14	67.8	14-min cumulative Leq	59.4	58.1	76.8
8/12/2024 12:40	15	59.3	15-min cumulative Leq	59.4	55.3	71.6
				59.4	**55.3**	**76.8**

Location	NM4
Date	8/13/2024

Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/13/2024 16:30	1	65.6	1-min Leq	65.6	60.1	72.9
8/13/2024 16:31	2	66.6	2-min cumulative Leq	66.1	59.7	70.9
8/13/2024 16:32	3	65.5	3-min cumulative Leq	65.9	60.2	70.9
8/13/2024 16:33	4	68.4	4-min cumulative Leq	66.7	60.7	73.6
8/13/2024 16:34	5	65.5	5-min cumulative Leq	66.5	58.3	70.9
8/13/2024 16:35	6	67.4	6-min cumulative Leq	66.6	58.4	73.0
8/13/2024 16:36	7	65.6	7-min cumulative Leq	66.5	59.7	69.0
8/13/2024 16:37	8	67.7	8-min cumulative Leq	66.7	62.1	72.6
8/13/2024 16:38	9	68.3	9-min cumulative Leq	66.9	59.9	73.5
8/13/2024 16:39	10	67.6	10-min cumulative Leq	67.0	62.2	74.7
8/13/2024 16:40	11	66.2	11-min cumulative Leq	66.9	61.4	68.9
8/13/2024 16:41	12	67.2	12-min cumulative Leq	66.9	60.2	75.6
8/13/2024 16:42	13	70.4	13-min cumulative Leq	67.3	62.6	74.6
8/13/2024 16:43	14	67.6	14-min cumulative Leq	67.3	62.3	70.9
8/13/2024 16:44	15	66.4	15-min cumulative Leq	67.3	61.2	71.4
				67.3	**58.3**	**75.6**

Location	NM5					
Date	8/12/2024					
Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/12/2024 13:13	1	67.40	1-min Leq	67.4	55.30	64.30
8/12/2024 13:14	2	69.10	2-min cumulative Leq	68.3	55.30	59.50
8/12/2024 13:15	3	67.80	3-min cumulative Leq	68.2	55.30	56.00
8/12/2024 13:16	4	71.90	4-min cumulative Leq	69.4	55.30	55.60
8/12/2024 13:17	5	70.60	5-min cumulative Leq	69.7	55.30	56.30
8/12/2024 13:18	6	70.70	6-min cumulative Leq	69.9	55.30	59.70
8/12/2024 13:19	7	69.10	7-min cumulative Leq	69.8	55.30	58.40
8/12/2024 13:20	8	67.60	8-min cumulative Leq	69.6	55.30	58.40
8/12/2024 13:21	9	70.00	9-min cumulative Leq	69.6	55.30	55.50
8/12/2024 13:22	10	71.00	10-min cumulative Leq	69.8	55.30	58.40
8/12/2024 13:23	11	67.50	11-min cumulative Leq	69.6	55.30	55.40
8/12/2024 13:24	12	68.90	12-min cumulative Leq	69.6	55.30	70.00
8/12/2024 13:25	13	70.20	13-min cumulative Leq	69.6	55.30	60.20
8/12/2024 13:26	14	69.10	14-min cumulative Leq	69.6	55.30	62.00
8/12/2024 13:27	15	67.80	15-min cumulative Leq	69.5	55.30	71.20
				69.5	**55.3**	**71.2**

Location	NM6
Date	8/13/2024

Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/13/2024 14:45	1	64.2	1-min Leq	64.2	60.4	71.5
8/13/2024 14:46	2	64.1	2-min cumulative Leq	64.2	58.9	72.2
8/13/2024 14:47	3	60.7	3-min cumulative Leq	63.3	57.9	63.7
8/13/2024 14:48	4	60.8	4-min cumulative Leq	62.8	57.4	63.6
8/13/2024 14:49	5	60.7	5-min cumulative Leq	62.4	58.4	62.9
8/13/2024 14:50	6	59.7	6-min cumulative Leq	62.1	55.8	62.2
8/13/2024 14:51	7	60.8	7-min cumulative Leq	61.9	58.0	64.8
8/13/2024 14:52	8	61.2	8-min cumulative Leq	61.8	56.8	66.8
8/13/2024 14:53	9	60.2	9-min cumulative Leq	61.7	57.9	64.8
8/13/2024 14:54	10	60.4	10-min cumulative Leq	61.6	56.9	64.0
8/13/2024 14:55	11	64.6	11-min cumulative Leq	61.9	58.2	74.5
8/13/2024 14:56	12	59.2	12-min cumulative Leq	61.8	56.6	62.0
8/13/2024 14:57	13	63.6	13-min cumulative Leq	61.9	59.5	69.1
8/13/2024 14:58	14	59.8	14-min cumulative Leq	61.8	57.5	63.4
8/13/2024 14:59	15	60.8	15-min cumulative Leq	61.8	58.4	63.8
				61.8	**55.8**	**74.5**

Location	NM7					
Date	8/12/2024					
Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/12/2024 14:58	1	61.1	1-min Leq	61.1	58.3	66.2
8/12/2024 14:59	2	60.4	2-min cumulative Leq	60.8	55.3	65.6
8/12/2024 15:00	3	57.4	3-min cumulative Leq	59.9	55.3	59.4
8/12/2024 15:01	4	60.6	4-min cumulative Leq	60.1	58.1	63.3
8/12/2024 15:02	5	59.4	5-min cumulative Leq	60.0	55.3	62.0
8/12/2024 15:03	6	59.7	6-min cumulative Leq	59.9	55.6	63.5
8/12/2024 15:04	7	58.7	7-min cumulative Leq	59.8	55.3	61.6
8/12/2024 15:05	8	59.3	8-min cumulative Leq	59.7	55.3	62.1
8/12/2024 15:06	9	59.1	9-min cumulative Leq	59.6	56.8	61.3
8/12/2024 15:07	10	59.0	10-min cumulative Leq	59.6	55.3	62.0
8/12/2024 15:08	11	59.4	11-min cumulative Leq	59.6	57.9	61.9
8/12/2024 15:09	12	59.0	12-min cumulative Leq	59.5	55.3	62.2
8/12/2024 15:10	13	60.6	13-min cumulative Leq	59.6	55.9	66.6
8/12/2024 15:11	14	58.1	14-min cumulative Leq	59.5	55.3	62.4
8/12/2024 15:12	15	59.6	15-min cumulative Leq	59.5	55.6	62.1
				59.5	**55.3**	**66.6**

Location	NM8
Date	8/13/2024

Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/13/2024 15:56	1	66.5	1-min Leq	66.5	59.7	73.3
8/13/2024 15:57	2	64.7	2-min cumulative Leq	65.7	58.8	69.5
8/13/2024 15:58	3	64.0	3-min cumulative Leq	65.2	58.3	68.5
8/13/2024 15:59	4	63.4	4-min cumulative Leq	64.8	57.2	67.4
8/13/2024 16:00	5	63.9	5-min cumulative Leq	64.6	56.0	71.5
8/13/2024 16:01	6	64.8	6-min cumulative Leq	64.7	59.1	71.4
8/13/2024 16:02	7	68.3	7-min cumulative Leq	65.4	58.7	78.2
8/13/2024 16:03	8	63.0	8-min cumulative Leq	65.2	55.0	69.4
8/13/2024 16:04	9	64.9	9-min cumulative Leq	65.1	56.7	72.5
8/13/2024 16:05	10	65.8	10-min cumulative Leq	65.2	61.9	69.2
8/13/2024 16:06	11	66.9	11-min cumulative Leq	65.4	59.0	70.1
8/13/2024 16:07	12	64.7	12-min cumulative Leq	65.3	55.6	68.7
8/13/2024 16:08	13	65.4	13-min cumulative Leq	65.3	55.4	72.5
8/13/2024 16:09	14	65.8	14-min cumulative Leq	65.4	58.9	74.4
8/13/2024 16:10	15	62.5	15-min cumulative Leq	65.2	54.9	70.6
				65.2	**54.9**	**78.2**

Location	NM9
Date	8/12/2024

Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/12/2024 15:58	1	60.3	1-min Leq	60.3	55.3	73.4
8/12/2024 15:59	2	55.6	2-min cumulative Leq	58.6	55.3	58.0
8/12/2024 16:00	3	56.2	3-min cumulative Leq	57.9	55.3	60.2
8/12/2024 16:01	4	55.5	4-min cumulative Leq	57.4	55.3	57.0
8/12/2024 16:02	5	56.6	5-min cumulative Leq	57.3	55.3	58.4
8/12/2024 16:03	6	57.3	6-min cumulative Leq	57.3	55.3	58.4
8/12/2024 16:04	7	56.7	7-min cumulative Leq	57.2	55.3	59.6
8/12/2024 16:05	8	57.5	8-min cumulative Leq	57.2	55.3	59.0
8/12/2024 16:06	9	57.0	9-min cumulative Leq	57.2	55.3	64.2
8/12/2024 16:07	10	56.5	10-min cumulative Leq	57.1	55.3	58.4
8/12/2024 16:08	11	55.4	11-min cumulative Leq	57.0	55.3	56.2
8/12/2024 16:09	12	56.6	12-min cumulative Leq	57.0	55.3	60.3
8/12/2024 16:10	13	57.8	13-min cumulative Leq	57.0	55.3	59.5
8/12/2024 16:11	14	56.9	14-min cumulative Leq	57.0	55.3	58.4
8/12/2024 16:12	15	58.3	15-min cumulative Leq	57.1	57.6	58.4
				57.1	**55.3**	**73.4**

Location	NM10					
Date	8/13/2024					
Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/13/2024 13:56	1	59.2	1-min Leq	59.2	53.6	63.2
8/13/2024 13:57	2	63.3	2-min cumulative Leq	61.7	54.2	72.0
8/13/2024 13:58	3	62.0	3-min cumulative Leq	61.8	56.2	70.0
8/13/2024 13:59	4	60.6	4-min cumulative Leq	61.5	55.4	68.8
8/13/2024 14:00	5	61.9	5-min cumulative Leq	61.6	51.6	70.1
8/13/2024 14:01	6	62.1	6-min cumulative Leq	61.7	53.4	69.2
8/13/2024 14:02	7	67.2	7-min cumulative Leq	63.0	58.4	74.3
8/13/2024 14:03	8	62.6	8-min cumulative Leq	63.0	56.6	68.9
8/13/2024 14:04	9	62.1	9-min cumulative Leq	62.9	55.5	67.6
8/13/2024 14:05	10	63.4	10-min cumulative Leq	63.0	56.2	71.0
8/13/2024 14:06	11	61.6	11-min cumulative Leq	62.8	55.1	67.5
8/13/2024 14:07	12	60.7	12-min cumulative Leq	62.7	55.4	65.4
8/13/2024 14:08	13	61.4	13-min cumulative Leq	62.6	55.0	68.6
8/13/2024 14:09	14	62.6	14-min cumulative Leq	62.6	54.7	70.1
8/13/2024 14:10	15	62.7	15-min cumulative Leq	62.6	56.8	70.2
				62.6	**51.6**	**74.3**

Location	NM11
Date	8/12/2024

Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/12/2024 16:45	1	65.9	1-min Leq	65.9	62.0	70.6
8/12/2024 16:46	2	64.4	2-min cumulative Leq	65.2	59.8	69.5
8/12/2024 16:47	3	63.2	3-min cumulative Leq	64.6	59.5	69.1
8/12/2024 16:48	4	64.0	4-min cumulative Leq	64.5	61.2	68.9
8/12/2024 16:49	5	64.8	5-min cumulative Leq	64.6	58.5	70.5
8/12/2024 16:50	6	64.2	6-min cumulative Leq	64.5	58.4	70.8
8/12/2024 16:51	7	65.8	7-min cumulative Leq	64.7	60.9	72.8
8/12/2024 16:52	8	64.8	8-min cumulative Leq	64.7	59.1	69.9
8/12/2024 16:53	9	63.2	9-min cumulative Leq	64.6	60.9	68.8
8/12/2024 16:54	10	64.9	10-min cumulative Leq	64.6	61.2	70.6
8/12/2024 16:55	11	64.0	11-min cumulative Leq	64.6	60.0	69.2
8/12/2024 16:56	12	62.9	12-min cumulative Leq	64.4	60.1	68.8
8/12/2024 16:57	13	64.6	13-min cumulative Leq	64.5	60.1	74.6
8/12/2024 16:58	14	63.0	14-min cumulative Leq	64.4	59.4	67.1
8/12/2024 16:59	15	65.7	15-min cumulative Leq	64.5	59.3	73.6
				64.5	**58.4**	**74.6**

Location	NM12
Date	8/12/2024

Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/12/2024 17:26	1	61.7	1-min Leq	61.7	53.1	71.9
8/12/2024 17:27	2	55.7	2-min cumulative Leq	59.7	52.6	62.6
8/12/2024 17:28	3	54.7	3-min cumulative Leq	58.5	50.0	58.4
8/12/2024 17:29	4	52.9	4-min cumulative Leq	57.7	50.3	53.8
8/12/2024 17:30	5	53.9	5-min cumulative Leq	57.1	51.4	57.1
8/12/2024 17:31	6	54.9	6-min cumulative Leq	56.8	52.8	60.7
8/12/2024 17:32	7	53.5	7-min cumulative Leq	56.5	50.5	55.5
8/12/2024 17:33	8	53.4	8-min cumulative Leq	56.2	50.4	57.4
8/12/2024 17:34	9	54.8	9-min cumulative Leq	56.1	51.7	57.6
8/12/2024 17:35	10	56.2	10-min cumulative Leq	56.1	52.8	59.9
8/12/2024 17:36	11	54.7	11-min cumulative Leq	56.0	52.4	57.2
8/12/2024 17:37	12	55.3	12-min cumulative Leq	55.9	51.9	56.9
8/12/2024 17:38	13	55.1	13-min cumulative Leq	55.9	51.7	60.7
8/12/2024 17:39	14	54.3	14-min cumulative Leq	55.8	52.7	56.1
8/12/2024 17:40	15	54.1	15-min cumulative Leq	55.7	50.1	57.4
				55.7	**50.0**	**71.9**

Location	NM13					
Date	8/13/2024					
Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/13/2024 12:21	1	58.9	1-min Leq	58.9	53.7	63.4
8/13/2024 12:22	2	59.1	2-min cumulative Leq	59.0	55.1	63.2
8/13/2024 12:23	3	57.4	3-min cumulative Leq	58.5	53.2	60.9
8/13/2024 12:24	4	58.1	4-min cumulative Leq	58.4	53.4	65.3
8/13/2024 12:25	5	59.3	5-min cumulative Leq	58.6	51.9	69.4
8/13/2024 12:26	6	63.1	6-min cumulative Leq	59.8	54.0	69.5
8/13/2024 12:27	7	57.3	7-min cumulative Leq	59.5	53.9	60.1
8/13/2024 12:28	8	59.6	8-min cumulative Leq	59.5	54.8	64.1
8/13/2024 12:29	9	56.6	9-min cumulative Leq	59.3	51.4	62.2
8/13/2024 12:30	10	57.0	10-min cumulative Leq	59.1	52.2	64.1
8/13/2024 12:31	11	59.2	11-min cumulative Leq	59.1	52.8	64.8
8/13/2024 12:32	12	59.2	12-min cumulative Leq	59.1	54.5	64.2
8/13/2024 12:33	13	65.7	13-min cumulative Leq	60.2	54.0	82.2
8/13/2024 12:34	14	60.1	14-min cumulative Leq	60.1	53.1	67.2
8/13/2024 12:35	15	60.1	15-min cumulative Leq	60.1	53.4	67.7
				60.1	**51.4**	**82.2**

Location	NM14					
Date	8/13/2024					
Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/13/2024 13:00	1	59.2	1-min Leq	59.2	52.1	70.2
8/13/2024 13:01	2	63.0	2-min cumulative Leq	61.5	53.4	71.0
8/13/2024 13:02	3	62.3	3-min cumulative Leq	61.8	53.5	68.9
8/13/2024 13:03	4	61.0	4-min cumulative Leq	61.6	53.1	68.7
8/13/2024 13:04	5	63.4	5-min cumulative Leq	62.0	52.7	76.1
8/13/2024 13:05	6	56.4	6-min cumulative Leq	61.5	51.7	60.5
8/13/2024 13:06	7	61.3	7-min cumulative Leq	61.4	51.7	68.7
8/13/2024 13:07	8	55.5	8-min cumulative Leq	61.0	51.7	60.1
8/13/2024 13:08	9	61.1	9-min cumulative Leq	61.0	53.3	68.0
8/13/2024 13:09	10	55.1	10-min cumulative Leq	60.7	52.3	59.2
8/13/2024 13:10	11	58.9	11-min cumulative Leq	60.6	52.4	68.1
8/13/2024 13:11	12	60.9	12-min cumulative Leq	60.6	53.1	73.6
8/13/2024 13:12	13	59.6	13-min cumulative Leq	60.5	52.5	68.0
8/13/2024 13:13	14	59.6	14-min cumulative Leq	60.5	52.9	68.8
8/13/2024 13:14	15	59.4	15-min cumulative Leq	60.4	52.1	65.9
				60.4	**51.7**	**76.1**

Location	NM15					
Date	8/12/2024					
Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/12/2024 18:13	1	55.9	1-min Leq	55.9	47.3	68.2
8/12/2024 18:14	2	52.0	2-min cumulative Leq	54.4	47.1	62.8
8/12/2024 18:15	3	49.4	3-min cumulative Leq	53.3	48.0	51.9
8/12/2024 18:16	4	52.4	4-min cumulative Leq	53.1	48.4	60.9
8/12/2024 18:17	5	51.3	5-min cumulative Leq	52.8	49.2	56.3
8/12/2024 18:18	6	52.9	6-min cumulative Leq	52.8	51.0	55.0
8/12/2024 18:19	7	54.7	7-min cumulative Leq	53.1	50.5	64.8
8/12/2024 18:20	8	51.4	8-min cumulative Leq	52.9	48.5	54.7
8/12/2024 18:21	9	50.5	9-min cumulative Leq	52.7	48.5	54.0
8/12/2024 18:22	10	51.7	10-min cumulative Leq	52.6	47.8	53.2
8/12/2024 18:23	11	50.8	11-min cumulative Leq	52.5	49.3	52.8
8/12/2024 18:24	12	52.3	12-min cumulative Leq	52.5	49.2	55.4
8/12/2024 18:25	13	52.5	13-min cumulative Leq	52.5	47.4	55.7
8/12/2024 18:26	14	51.1	14-min cumulative Leq	52.4	48.7	54.2
8/12/2024 18:27	15	50.7	15-min cumulative Leq	52.3	48.3	53.2
				52.3	**47.1**	**68.2**

Location	NM16					
Date	8/13/2024					
Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/13/2024 11:07	1	57.5	1-min Leq	57.5	54.0	59.7
8/13/2024 11:08	2	57.0	2-min cumulative Leq	57.3	54.5	60.1
8/13/2024 11:09	3	58.0	3-min cumulative Leq	57.5	53.8	62.1
8/13/2024 11:10	4	57.4	4-min cumulative Leq	57.5	54.0	61.7
8/13/2024 11:11	5	57.2	5-min cumulative Leq	57.4	55.1	59.6
8/13/2024 11:12	6	58.2	6-min cumulative Leq	57.6	54.1	61.3
8/13/2024 11:13	7	58.7	7-min cumulative Leq	57.8	54.8	61.7
8/13/2024 11:14	8	58.5	8-min cumulative Leq	57.9	53.9	63.1
8/13/2024 11:15	9	58.7	9-min cumulative Leq	58.0	54.6	60.9
8/13/2024 11:16	10	58.3	10-min cumulative Leq	58.0	54.2	61.6
8/13/2024 11:17	11	57.2	11-min cumulative Leq	57.9	54.9	59.0
8/13/2024 11:18	12	57.0	12-min cumulative Leq	57.9	52.6	59.9
8/13/2024 11:19	13	58.9	13-min cumulative Leq	57.9	56.2	61.7
8/13/2024 11:20	14	58.9	14-min cumulative Leq	58.0	54.6	64.1
8/13/2024 11:21	15	56.6	15-min cumulative Leq	57.9	53.6	59.5
				57.9	**52.6**	**64.1**

Location	NM17					
Date	8/13/2024					
Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/13/2024 10:22	1	71.0	1-min Leq	71.0	64.5	76.0
8/13/2024 10:23	2	69.7	2-min cumulative Leq	70.4	62.0	74.6
8/13/2024 10:24	3	69.2	3-min cumulative Leq	70.0	61.0	76.1
8/13/2024 10:25	4	74.3	4-min cumulative Leq	71.5	64.1	81.3
8/13/2024 10:26	5	73.1	5-min cumulative Leq	71.9	66.8	78.9
8/13/2024 10:27	6	71.8	6-min cumulative Leq	71.9	63.1	77.0
8/13/2024 10:28	7	69.1	7-min cumulative Leq	71.6	57.7	75.5
8/13/2024 10:29	8	69.5	8-min cumulative Leq	71.4	58.1	76.1
8/13/2024 10:30	9	69.4	9-min cumulative Leq	71.2	60.0	73.4
8/13/2024 10:31	10	69.5	10-min cumulative Leq	71.1	60.0	74.6
8/13/2024 10:32	11	73.3	11-min cumulative Leq	71.3	69.5	78.7
8/13/2024 10:33	12	71.1	12-min cumulative Leq	71.3	63.0	75.0
8/13/2024 10:34	13	71.2	13-min cumulative Leq	71.3	64.4	77.7
8/13/2024 10:35	14	72.8	14-min cumulative Leq	71.4	66.0	78.0
8/13/2024 10:36	15	71.4	15-min cumulative Leq	71.4	66.8	74.1
				71.4	**57.7**	**81.3**

Location	NM18					
Date	8/12/2024					
Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/12/2024 19:04	1	61.00	1-min Leq	61.0	38.10	77.70
8/12/2024 19:05	2	47.20	2-min cumulative Leq	58.2	40.60	60.20
8/12/2024 19:06	3	42.90	3-min cumulative Leq	56.5	38.30	52.20
8/12/2024 19:07	4	41.90	4-min cumulative Leq	55.3	38.10	46.00
8/12/2024 19:08	5	39.30	5-min cumulative Leq	54.3	36.50	41.40
8/12/2024 19:09	6	42.20	6-min cumulative Leq	53.6	38.30	47.00
8/12/2024 19:10	7	46.00	7-min cumulative Leq	53.0	40.50	51.70
8/12/2024 19:11	8	42.10	8-min cumulative Leq	52.5	40.00	49.30
8/12/2024 19:12	9	42.50	9-min cumulative Leq	52.1	40.00	47.10
8/12/2024 19:13	10	41.40	10-min cumulative Leq	51.6	38.30	49.40
8/12/2024 19:14	11	49.10	11-min cumulative Leq	51.5	40.10	65.40
8/12/2024 19:15	12	52.50	12-min cumulative Leq	51.6	38.30	65.80
8/12/2024 19:16	13	44.30	13-min cumulative Leq	51.3	42.10	47.90
8/12/2024 19:17	14	43.60	14-min cumulative Leq	51.0	41.30	48.30
8/12/2024 19:18	15	42.90	15-min cumulative Leq	50.8	41.30	45.10
				50.8	**36.5**	**77.7**

Location	NM19					
Date	8/13/2024					
Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/13/2024 8:57	1	36.1	1-min Leq	36.1	35.30	44.30
8/13/2024 8:58	2	37.1	2-min cumulative Leq	36.6	35.30	43.20
8/13/2024 8:59	3	35.9	3-min cumulative Leq	36.4	35.30	40.90
8/13/2024 9:00	4	36.7	4-min cumulative Leq	36.5	35.30	40.30
8/13/2024 9:01	5	36.0	5-min cumulative Leq	36.4	35.30	39.90
8/13/2024 9:02	6	35.5	6-min cumulative Leq	36.2	35.30	38.80
8/13/2024 9:03	7	35.5	7-min cumulative Leq	36.2	35.30	38.40
8/13/2024 9:04	8	35.5	8-min cumulative Leq	36.1	35.30	38.40
8/13/2024 9:05	9	35.9	9-min cumulative Leq	36.1	35.30	40.20
8/13/2024 9:06	10	36.1	10-min cumulative Leq	36.1	35.30	40.10
8/13/2024 9:07	11	35.9	11-min cumulative Leq	36.0	35.30	42.30
8/13/2024 9:08	12	36.1	12-min cumulative Leq	36.0	35.30	41.20
8/13/2024 9:09	13	37.1	13-min cumulative Leq	36.1	35.30	45.20
8/13/2024 9:10	14	39.1	14-min cumulative Leq	36.4	35.30	47.10
8/13/2024 9:11	15	40.8	15-min cumulative Leq	36.9	35.30	47.20
				36.9	**35.3**	**47.2**

Location	NM20					
Date	8/13/2024					
Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/13/2024 9:39	1	56.6	1-min Leq	56.6	52.7	60.7
8/13/2024 9:40	2	54.3	2-min cumulative Leq	55.6	52.8	57.0
8/13/2024 9:41	3	55.2	3-min cumulative Leq	55.5	52.2	58.4
8/13/2024 9:42	4	56.0	4-min cumulative Leq	55.6	53.2	59.6
8/13/2024 9:43	5	54.4	5-min cumulative Leq	55.4	52.7	58.1
8/13/2024 9:44	6	54.2	6-min cumulative Leq	55.2	51.3	56.7
8/13/2024 9:45	7	58.2	7-min cumulative Leq	55.8	52.4	65.4
8/13/2024 9:46	8	56.3	8-min cumulative Leq	55.9	53.3	63.4
8/13/2024 9:47	9	56.9	9-min cumulative Leq	56.0	54.0	61.7
8/13/2024 9:48	10	54.5	10-min cumulative Leq	55.9	51.6	58.5
8/13/2024 9:49	11	54.5	11-min cumulative Leq	55.8	53.1	56.8
8/13/2024 9:50	12	54.9	12-min cumulative Leq	55.7	52.8	56.8
8/13/2024 9:51	13	55.6	13-min cumulative Leq	55.7	53.5	59.0
8/13/2024 9:52	14	58.6	14-min cumulative Leq	56.0	51.7	64.1
8/13/2024 9:53	15	57.7	15-min cumulative Leq	56.1	53.7	61.8
				56.1	**51.3**	**65.4**

Location	NM21					
Date	8/13/2024					
Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/13/2024 7:21	1	38.1	1-min Leq	38.1	35.3	50.3
8/13/2024 7:22	2	35.4	2-min cumulative Leq	37.0	35.3	37.0
8/13/2024 7:23	3	35.3	3-min cumulative Leq	36.5	35.3	35.9
8/13/2024 7:24	4	36.1	4-min cumulative Leq	36.4	35.3	42.9
8/13/2024 7:25	5	35.3	5-min cumulative Leq	36.2	35.3	35.7
8/13/2024 7:26	6	35.3	6-min cumulative Leq	36.1	35.3	35.8
8/13/2024 7:27	7	36.0	7-min cumulative Leq	36.0	35.3	39.0
8/13/2024 7:28	8	35.4	8-min cumulative Leq	36.0	35.3	35.9
8/13/2024 7:29	9	36.8	9-min cumulative Leq	36.1	35.3	38.4
8/13/2024 7:30	10	37.1	10-min cumulative Leq	36.2	35.3	39.1
8/13/2024 7:31	11	38.3	11-min cumulative Leq	36.4	37.7	39.6
8/13/2024 7:32	12	38.6	12-min cumulative Leq	36.7	37.4	45.6
8/13/2024 7:33	13	38.3	13-min cumulative Leq	36.8	38.3	38.7
8/13/2024 7:34	14	38.3	14-min cumulative Leq	36.9	38.2	38.4
8/13/2024 7:35	15	38.3	15-min cumulative Leq	37.0	38.3	40.8
				37.0	**35.3**	**50.3**

Location	NM22					
Date	8/13/2024					
Timestamp	Minute	1 minute Leq, dB	Requirement	Cumulative Leq, dB	Lmin	Lmax
8/13/2024 7:57	1	46.2	1-min Leq	46.2	37.5	61.6
8/13/2024 7:58	2	43.5	2-min cumulative Leq	45.1	35.5	51.5
8/13/2024 7:59	3	40.9	3-min cumulative Leq	44.1	36.3	46.3
8/13/2024 8:00	4	40.9	4-min cumulative Leq	43.5	38.3	44.1
8/13/2024 8:01	5	38.2	5-min cumulative Leq	42.8	35.3	41.8
8/13/2024 8:02	6	41.4	6-min cumulative Leq	42.6	35.8	47.2
8/13/2024 8:03	7	37.7	7-min cumulative Leq	42.2	35.3	40.3
8/13/2024 8:04	8	59.4	8-min cumulative Leq	50.9	35.3	73.1
8/13/2024 8:05	9	40.9	9-min cumulative Leq	50.4	38.2	46.9
8/13/2024 8:06	10	41.2	10-min cumulative Leq	50.0	35.3	49.5
8/13/2024 8:07	11	43.8	11-min cumulative Leq	49.7	38.3	51.0
8/13/2024 8:08	12	38.3	12-min cumulative Leq	49.4	35.3	41.4
8/13/2024 8:09	13	40.6	13-min cumulative Leq	49.1	35.3	48.8
8/13/2024 8:10	14	40.4	14-min cumulative Leq	48.8	35.3	45.8
8/13/2024 8:11	15	41.4	15-min cumulative Leq	48.6	37.3	45.8
				48.6	**35.3**	**73.1**

15 minute traffic counts		16/37										MINOR RDS				
Location	Start Time	EB - Car	EB - MT	EB - HT	EB - Bus	EB - Mcy	WB - Car	WB - MT	WB - HT	WB - Bus	WB - Mcy	Car	MT	HT	Bus	Mcy
MP3- 1500 Weaver Drive	8/12/24 12:24 PM	251	16	20	1		245	14	16	1	1	13				
NMP5- 1264 Weaver Drive	8/12/24 1:12 PM	237	11	11	1	1	232	10	13		2	45	4	3		1
NMP7- 2098 Lancaster Road	8/12/24 2:57 PM	382	6	5			217	12	18	2		66	4			
NMP9- 1161 River Road	8/12/24 3:42 PM	664	11	10	1	3	317	6	10	1		9				
NMP11- 1264 River Road	8/12/24 4:44 PM	758	9	8	3		378	10	3		3	58	1			
NMP12- 23 Mill Race Road	8/12/24 5:25 PM	714	11	6	1	8	262	3	5		2	56	1			
NMP15- 201 Lansing Circle	8/12/24 6:12 PM	446	1	5	2	3	270	4	3			2				
NMP18- 217 Wicklow Dr	8/12/24 7:03 PM	244	2	2		2	171		7	1	1	0				
NMP21- Inside Hotel Courtyard	8/13/24 7:20 AM	232	10	13		1	484	8	15	2	2	61	3	2		
NMP22- 2299 Cherry Valley Road SE	8/13/24 7:56 AM	234	7	11			367	8	10	2	4	74	1	2		1
NMP19- 2299 Cherry Valley Road SE	8/13/24 8:56 AM	174	6	14		1	277	10	17	2	2	52	4	1		
NMP20- 1067 Cherry Valley Road SE	8/13/24 9:38 AM	256	11	22			259	18	24		2	9	1			
NMP17- 14 Westgate Dr NE	8/13/24 10:21 AM	257	16	19	3	2	296	13	17			20				
NMP16- 317 Shannon Lane	8/13/24 11:06 AM	263	16	18	2		275	9	12	2						
NMP13- 133 Wicklow Dr	8/13/24 12:20 PM	298	13	12			318	14	9	1	1					
NMP14- 301 Clouse Lane	8/13/24 12:59 PM	307	15	18	2		277	14	16	1	1					
NMP10- 221 W River Road	8/13/24 1:55 PM	337	12	13			312	15	17		1					
NMP6- 1100 River Rd	8/13/24 2:44 PM	450	15	10		2	272	9	13		2	10				
NMP1.Actual- 1062 River Road	8/13/24 3:22 PM	582	16	11	1	6	331	9	9	2	1					
NMP8- 1020 River Road SE	8/13/24 3:55 PM	462	3	7		2	263	9	5			112	5	2		
NMP4- 14 Hannah Dr	8/13/24 4:29 PM	839	11	11		2	382	8	14		2	1				
NMP2- 6 Hannah Dr	8/13/24 4:55 PM	781	9	15		1	322	9	11		1	2				

Note: Highway traffic counted by direction rather than lane, so multiplied by two to get hourly traffic per lane rather than by four

15 minute traffic counts			MINOR RDS									
Location	Start Time	Car	MT	HT	Bus	Mcy	Car	MT	HT	Bus	Mcy	*Notes*
MP3- 1500 Weaver Drive	8/12/24 12:24 PM	2										*Minor Rds are respectively: Weaver Dr, Poppy Ln*
NMP5- 1264 Weaver Drive	8/12/24 1:12 PM	53	2	1			20	2		1		Minor Rds are respectively: EB Offramp, WB Onramp, Weaver Dr
NMP7- 2098 Lancaster Road	8/12/24 2:57 PM	57	2	2		2	197	2	6		2	Minor Rds are respectively: EB Offramp, WB Onramp, Total Center Sum of Lancaster Rd
NMP9- 1161 River Road	8/12/24 3:42 PM											Minor Rds are respectively: River Rd
NMP11- 1264 River Road	8/12/24 4:44 PM	2										Minor Rds are respectively: River Rd, Mill Race Rd
NMP12- 23 Mill Race Road	8/12/24 5:25 PM											Minor Rds are respectively: River Rd, Mill Race Rd
NMP15- 201 Lansing Circle	8/12/24 6:12 PM	0										Minor Rds are respectively: New Gran Dr, Lansing Cir
NMP18- 217 Wicklow Dr	8/12/24 7:03 PM											Minor Rds are respectively: Wicklow Dr/Kildare St
NMP21- Inside Hotel Courtyard	8/13/24 7:20 AM	60	2	2			46	2				Minor Rds are respectively: EB Offramp, WB Onramp, EB Onramp
NMP22- 2299 Cherry Valley Road SE	8/13/24 7:56 AM	46	2	1			61	3	2			Minor Rds are respectively: EB Offramp, WB Onramp, EB Onramp
NMP19- 2299 Cherry Valley Road SE	8/13/24 8:56 AM	35	2	2			43	2	3			Minor Rds are respectively: EB Offramp, WB Onramp, EB Onramp
NMP20- 1067 Cherry Valley Road SE	8/13/24 9:38 AM											Minor Rds are respectively: Speedway Dr
NMP17- 14 Westgate Dr NE	8/13/24 10:21 AM	17										Minor Rds are respectively: Cherry Valley Rd, Westgate Dr
NMP16- 317 Shannon Lane	8/13/24 11:06 AM											
NMP13- 133 Wicklow Dr	8/13/24 12:20 PM											
NMP14- 301 Clouse Lane	8/13/24 12:59 PM											
NMP10- 221 W River Road	8/13/24 1:55 PM											Minor Rds are respectively: River Rd
NMP6- 1100 River Rd	8/13/24 2:44 PM											Minor Rds are respectively: River Rd
NMP1.Actual- 1062 River Road	8/13/24 3:22 PM											
NMP8- 1020 River Road SE	8/13/24 3:55 PM	68	5	1			27					Minor Rds are respectively: EB Onramp, WB Offramp, River Rd
NMP4- 14 Hannah Dr	8/13/24 4:29 PM	0										Minor Rds are respectively: Hannah Dr, Poppy Ln
NMP2- 6 Hannah Dr	8/13/24 4:55 PM											Minor Rds are respectively: Hannah Dr

Hourly Traffic		16/37: Veh/hr/lane										MINOR RDS: Veh/hr/dir				
Location	Start Time	EB - Car	EB - MT	EB - HT	EB - Bus	EB - Mcy	WB - Car	WB - MT	WB - HT	WB - Bus	WB - Mcy	Car	MT	HT	Bus	Mcy
MP3- 1500 Weaver Drive	8/12/24 12:24 PM	502	32	40	2	0	490	28	32	2	2	52	0	0	0	0
NMP5- 1264 Weaver Drive	8/12/24 1:12 PM	474	22	22	2	2	464	20	26	0	4	180	16	12	0	4
NMP7- 2098 Lancaster Road	8/12/24 2:57 PM	382	6	5	0	0	217	12	18	2	0	264	16	0	0	0
NMP9- 1161 River Road	8/12/24 3:42 PM	1328	22	20	2	6	634	12	20	2	0	36	0	0	0	0
NMP11- 1264 River Road	8/12/24 4:44 PM	1516	18	16	6	0	756	20	6	0	6	232	4	0	0	0
NMP12- 23 Mill Race Road	8/12/24 5:25 PM	1428	22	12	2	16	524	6	10	0	4	224	4	0	0	0
NMP15- 201 Lansing Circle	8/12/24 6:12 PM	892	2	10	4	6	540	8	6	0	0	8	0	0	0	0
NMP18- 217 Wicklow Dr	8/12/24 7:03 PM	488	4	4	0	4	342	0	14	2	2	0	0	0	0	0
NMP21- Inside Hotel Courtyard	8/13/24 7:20 AM	464	20	26	0	2	968	16	30	4	4	244	12	8	0	0
NMP22- 2299 Cherry Valley Road SE	8/13/24 7:56 AM	468	14	22	0	0	734	16	20	4	8	296	4	8	0	4
NMP19- 2299 Cherry Valley Road SE	8/13/24 8:56 AM	348	12	28	0	2	554	20	34	4	4	208	16	4	0	0
NMP20- 1067 Cherry Valley Road SE	8/13/24 9:38 AM	512	22	44	0	0	518	36	48	0	4	36	4	0	0	0
NMP17- 14 Westgate Dr NE	8/13/24 10:21 AM	514	32	38	6	4	592	26	34	0	0	80	0	0	0	0
NMP16- 317 Shannon Lane	8/13/24 11:06 AM	526	32	36	4	0	550	18	24	4	0	0	0	0	0	0
NMP13- 133 Wicklow Dr	8/13/24 12:20 PM	596	26	24	0	0	636	28	18	2	2	0	0	0	0	0
NMP14- 301 Clouse Lane	8/13/24 12:59 PM	614	30	36	4	0	554	28	32	2	2	0	0	0	0	0
NMP10- 221 W River Road	8/13/24 1:55 PM	674	24	26	0	0	624	30	34	0	2	0	0	0	0	0
NMP6- 1100 River Rd	8/13/24 2:44 PM	900	30	20	0	4	544	18	26	0	4	40	0	0	0	0
NMP1.Actual- 1062 River Road	8/13/24 3:22 PM	1164	32	22	2	12	662	18	18	4	2	0	0	0	0	0
NMP8- 1020 River Road SE	8/13/24 3:55 PM	924	6	14	0	4	526	18	10	0	0	448	20	8	0	0
NMP4- 14 Hannah Dr	8/13/24 4:29 PM	1678	22	22	0	4	764	16	28	0	4	4	0	0	0	0
NMP2- 6 Hannah Dr	8/13/24 4:55 PM	1562	18	30	0	2	644	18	22	0	2	8	0	0	0	0

Note: Highway traffic counted by direction rather than lane, so multiplied by two to get hourly traffic per lane rather than by four. Multiplier for Minor Roads also depended on whether traffic was split by direction.

Hourly Traffic		MINOR RDS: Veh/hr/dir										
Location	Start Time	Car	MT	HT	Bus	Mcy	Car	MT	HT	Bus	Mcy	*Notes*
MP3- 1500 Weaver Drive	8/12/24 12:24 PM	8	0	0	0	0	0	0	0	0	0	*Minor Rds are respectively: Weaver Dr, Poppy Ln*
NMP5- 1264 Weaver Drive	8/12/24 1:12 PM	212	8	4	0	0	80	8	0	4	0	Minor Rds are respectively: EB Offramp, WB Onramp, Weaver Dr
NMP7- 2098 Lancaster Road	8/12/24 2:57 PM	228	8	8	0	8	788	8	24	0	8	Minor Rds are respectively: EB Offramp, WB Onramp, Total Center Sum of Lancaster Rd
NMP9- 1161 River Road	8/12/24 3:42 PM	0	0	0	0	0	0	0	0	0	0	Minor Rds are respectively: River Rd
NMP11- 1264 River Road	8/12/24 4:44 PM	8	0	0	0	0	0	0	0	0	0	Minor Rds are respectively: River Rd, Mill Race Rd
NMP12- 23 Mill Race Road	8/12/24 5:25 PM	0	0	0	0	0	0	0	0	0	0	Minor Rds are respectively: River Rd, Mill Race Rd
NMP15- 201 Lansing Circle	8/12/24 6:12 PM	0	0	0	0	0	0	0	0	0	0	Minor Rds are respectively: New Gran Dr, Lansing Cir
NMP18- 217 Wicklow Dr	8/12/24 7:03 PM	0	0	0	0	0	0	0	0	0	0	Minor Rds are respectively: Wicklow Dr
NMP21- Inside Hotel Courtyard	8/13/24 7:20 AM	240	8	8	0	0	184	8	0	0	0	Minor Rds are respectively: EB Offramp, WB Onramp, EB Onramp
NMP22- 2299 Cherry Valley Road SE	8/13/24 7:56 AM	184	8	4	0	0	244	12	8	0	0	Minor Rds are respectively: EB Offramp, WB Onramp, EB Onramp
NMP19- 2299 Cherry Valley Road SE	8/13/24 8:56 AM	140	8	8	0	0	172	8	12	0	0	Minor Rds are respectively: EB Offramp, WB Onramp, EB Onramp
NMP20- 1067 Cherry Valley Road SE	8/13/24 9:38 AM	0	0	0	0	0	0	0	0	0	0	Minor Rds are respectively: Speedway Dr
NMP17- 14 Westgate Dr NE	8/13/24 10:21 AM	68	0	0	0	0	0	0	0	0	0	Minor Rds are respectively: Cherry Valley Rd, Westgate Dr
NMP16- 317 Shannon Lane	8/13/24 11:06 AM	0	0	0	0	0	0	0	0	0	0	
NMP13- 133 Wicklow Dr	8/13/24 12:20 PM	0	0	0	0	0	0	0	0	0	0	
NMP14- 301 Clouse Lane	8/13/24 12:59 PM	0	0	0	0	0	0	0	0	0	0	
NMP10- 221 W River Road	8/13/24 1:55 PM	0	0	0	0	0	0	0	0	0	0	Minor Rds are respectively: River Rd
NMP6- 1100 River Rd	8/13/24 2:44 PM	0	0	0	0	0	0	0	0	0	0	Minor Rds are respectively: River Rd
NMP1.Actual- 1062 River Road	8/13/24 3:22 PM	0	0	0	0	0	0	0	0	0	0	
NMP8- 1020 River Road SE	8/13/24 3:55 PM	272	20	4	0	0	108	0	0	0	0	Minor Rds are respectively: EB Onramp, WB Offramp, River Rd
NMP4- 14 Hannah Dr	8/13/24 4:29 PM	0	0	0	0	0	0	0	0	0	0	Minor Rds are respectively: Hannah Dr, Poppy Ln
NMP2- 6 Hannah Dr	8/13/24 4:55 PM	0	0	0	0	0	0	0	0	0	0	Minor Rds are respectively: Hannah Dr

Appendix C: Traffic Data

C:\Lanham Engineering Dropbox\Project Files\ODOT\Certified Traffic 2022\Task 3 - LIC-161-0.00\cadd\LIC 161 CT Build 2028 2048.dgn Default 9/27/2024 3:01:09 PM Maggie



*DESIGN TRAFFIC IN HIGH GROWTH AREA, INCLUDES GROWTH EXCEEDING 3% PER YEAR ON INDICATED LINKS

1 of 9	PID 117878	LIC-161-0.00 2028/2048 AM PEAK BUILD BALANCED ODOT STATEWIDE PLANNING AND RESEARCH	ANALYST MJB DATE 09/27/24	NOT TO SCALE	N

C:\Lanham Engineering Dropbox\Project Files\ODOT\Certified Traffic 2022\Task 3 - LIC-161-0.00\cadd\LIC 161 CT Build 2028 2048.dgn Default 9/27/2024 3:01:09 PM Maggie



CONDITION	YEAR	ROADWAY GEOMETRY	TRAFFIC VOLUMES
NO BUILD	OPENING (2028)	EXISTING	BACKGROUND + INTEL EMPLOYEES
	DESIGN (2048)	EXISTING	BACKGROUND + INTEL EMPLOYEES
BUILD (PHASE 1)	OPENING (2028)	PROPOSED	BACKGROUND + INTEL EMPLOYEES + INTEL CONSTRUCTION EMPLOYEES
	DESIGN (2048)	PROPOSED	BACKGROUND + INTEL EMPLOYEES

ALL SCENARIOS INCLUDE THE CONSTRUCTION OF THE INTEL SITE AND THE PROPOSED LOCAL ROADWAY IMPROVEMENTS AROUND THE SITE

2 / 9	PID 117878	LIC-161-0.00 2028/2048 AM PEAK BUILD BALANCED ODOT STATEWIDE PLANNING AND RESEARCH	ANALYST MJB DATE 09/27/24	NOT TO SCALE	N

C:\Lanham Engineering Dropbox\Project Files\ODOT\Certified Traffic 2022\Task 3 - LIC-161-0.00\cadd\LIC 161 CT Build 2028 2048.dgn Default 9/27/2024 3:01:09 PM Maggie



3 / 9	PID 117878	LIC-161-0.00 2028/2048 AM PEAK BUILD BALANCED ODOT STATEWIDE PLANNING AND RESEARCH	ANALYST MJB DATE 09/27/24	NOT TO SCALE	N

C:\Lanham Engineering Dropbox\Project Files\ODOT\Certified Traffic 2022\Task 3 - LIC-161-0.00\cadd\LIC 161 CT Build 2028 2048.dgn Default 9/27/2024 3:01:09 PM Maggie



4 / 9	PID 117878	LIC-161-0.00 2028/2048 PM PEAK BUILD BALANCED ODOT STATEWIDE PLANNING AND RESEARCH	ANALYST MJB DATE 09/27/24	NOT TO SCALE	N

C:\Lanham Engineering Dropbox\Project Files\ODOT\Certified Traffic 2022\Task 3 - LIC-161-0.00\cadd\LIC 161 CT Build 2028 2048.dgn Default 9/27/2024 3:01:09 PM Maggie



5 / 9	PID 117878	LIC-161-0.00 2028/2048 PM PEAK BUILD BALANCED ODOT STATEWIDE PLANNING AND RESEARCH	ANALYST MJB DATE 09/27/24	NOT TO SCALE	N

C:\Lanham Engineering Dropbox\Project Files\ODOT\Certified Traffic 2022\Task 3 - LIC-161-0.00\cadd\LIC 161 CT Build 2028 2048.dgn Default 9/27/2024 3:01:10 PM Maggie



9 / 9	PID 117878	LIC-161-0.00 2028/2048 PM PEAK BUILD BALANCED ODOT STATEWIDE PLANNING AND RESEARCH	ANALYST MJB DATE 09/27/24	NOT TO SCALE	N

C:\Lanham Engineering Dropbox\Project Files\ODOT\Certified Traffic 2022\Task 3 - LIC-161-0.00\cadd\LIC 161 CT Build 2028 2048.dgn Default 9/27/2024 3:01:10 PM Maggie



7 of 9	PID 117878	LIC-161-0.00 2028/2048 ADT BUILD BALANCED ODOT STATEWIDE PLANNING AND RESEARCH	ANALYST MJB DATE 09/27/24	NOT TO SCALE	N

C:\Lanham Engineering Dropbox\Project Files\ODOT\Certified Traffic 2022\Task 3 - LIC-161-0.00\cadd\LIC 161 CT Build 2028 2048.dgn Default 9/27/2024 3:01:10 PM Maggie



8 / 9	PID 117878	LIC-161-0.00 2028/2048 ADT BUILD BALANCED ODOT STATEWIDE PLANNING AND RESEARCH	ANALYST MJB DATE 09/27/24	NOT TO SCALE	N



9 / 9	PID 117878	LIC-161-0.00 2028/2048 ADT PEAK BUILD BALANCED ODOT STATEWIDE PLANNING AND RESEARCH	ANALYST MJB DATE 09/27/24	NOT TO SCALE	N



Location 5345: SR37 E of C25 Morse Rd, S of Granville, EB



Location 5345: SR37 E of C25 Morse Rd, S of Granville, WB



Location 26345: Onramp - Columbus Rd SW to SR37 WB



Location 26445: Offramp - SR 16 WB to Columbus Rd



Location 40845: Columbus Rd EB, N of SR37 Interchange, EB



Location 40845: Columbus Rd WB, N of SR 37, WB



Location 26545: Offramp from SR37 EB to Columbus Rd



Location 28545: Columbus Rd SW, south of SR37 Interchange, EB



Location 28545: Columbus Rd SW, south of SR37 Interchange, WB



Location 26645: Onramp from Columbus Rd SW to SR16 EB



Location 2645: SR 16/37 E of Columbus Rd SW, EB



Location 2645: SR 16/37 E of Columbus Rd SW, WB



Location 45845: Weaver Dr between Columbus Rd SW and Lancaster Rd



Location 11045: Main St 661 north of interchange, NB



Location 11045 Main St 661 north of interchange, SB



Location 1884598: River Rd east of Lancaster Rd



OHIO DEPARTMENT OF TRANSPORTATION

Traffic Count (TCDS)

Home | Locate | Locate All | Email This | Auto-Locate:

List View | All DIRs

Record 1 of 1 Goto Record go

Location ID	26745	MPO ID	
Type	SPOT	HPMS ID	
On NHS	No	On HPMS	No
LRS ID	SLICSR00037**N	LRS Loc Pt.	16.4944
SF Group	URBAN_FREEWAY_EXPRESSWAY	Route Type	SR
AF Group	URBAN_FREEWAY_EXPRESSWAY	Route	00037
GF Group	URBAN_FREEWAY_EXPRESSWAY	Active	Yes
Class Dist Grp		Category	State Program
Seas Clss Grp	URBAN_FREEWAY_EXPRESSWAY		
WIM Group			
QC Group	Default		
Fnct'l Class	2 - Freeway & Expressway	Milepost	
Located On	RAMP FROM SR661 TO SR16 WB		
Loc On Alias			
	RAMP FROM SR661 TO SR16 WB, S OF GRANVILLE		

More Detail

STATION DATA

Directions: RAMP

AADT

	Year	AADT	DHV-30	K %	D %	PA	BC	Src
	2023	1,185[3]		19		1,064 (90%)	121 (10%)	Grown from 2022
	2022	1,156[3]		19		1,038 (90%)	118 (10%)	Grown from 2021
	2021	1,156	215	19		1,038 (90%)	118 (10%)	
	2020	2,726[3]		15		2,559 (94%)	167 (6%)	Grown from 2019
	2019	3,215[3]		15		3,018 (94%)	197 (6%)	Grown from 2018

|<< < > >>| 1-5 of 14

Location 26745: Onramp from SR661 to SR16 WB



OHIO DEPARTMENT OF TRANSPORTATION

Traffic Count (TCDS)

Home | Locate | Locate All | Email This | Auto-Locate:

List View | All DIRs

Record 1 of 1 Goto Record go

Location ID	26845	MPO ID	
Type	SPOT	HPMS ID	
On NHS	No	On HPMS	No
LRS ID	SLICSR00037**C	LRS Loc Pt.	16.4692178
SF Group	Urban Minor Arterial (4);Collector(5-6);Local(7)	Route Type	SR
AF Group	URBAN_MAJOR_COLLECTOR	Route	00037
GF Group	URBAN_MAJOR_COLLECTOR	Active	Yes
Class Dist Grp		Category	State Program
Seas Clss Grp	Urban Minor Arterial (4);Collector(5-6);Local(7)		
WIM Group			
QC Group	Default		
Fnct'l Class	5 - Major Collector	Milepost	
Located On	RAMP G		
Loc On Alias			
	SR37 EB RAMP S OF SR16, S OF GRANVILLE		

More Detail

STATION DATA

Directions: RAMP

AADT

	Year	AADT	DHV-30	K %	D %	PA	BC	Src
	2023	1,920[3]		16		1,687 (88%)	233 (12%)	Grown from 2022
	2022	1,892[3]		16		1,662 (88%)	230 (12%)	Grown from 2021
	2021	1,892	296	16		1,662 (88%)	230 (12%)	
	2020	2,937[3]		17		2,745 (93%)	192 (7%)	Grown from 2019
	2019	3,256[3]		17		3,043 (93%)	213 (7%)	Grown from 2018

|<< < > >>| 1-5 of 12

Travel Demand Model

Location 26845: Offramp from SR37 EB to SR 661



Location 26945: Offramp from SR16WB to SR661



Location 27045: Onramp from SR 661 to SR16EB



Location 23190410: SR16 east of SR37, EB



Location 23190410: SR16 east of SR37, WB



Location 45745: Lancaster Rd south of SR16



Location 11045: SR661 north of interchange, NB



OHIO DEPARTMENT OF TRANSPORTATION

Traffic Count (TCDS)

Home | Locate | Locate All | Email This | Auto-Locate:

List View | All DIRs

Record 1 of 1 Goto Record go

Location ID	11045	MPO ID	
Type	SPOT	HPMS ID	
On NHS		On HPMS	
LRS ID	SLICSR00661**C	LRS Loc Pt.	0.3052119
SF Group		Route Type	SR
AF Group		Route	00661
GF Group		Active	Yes
Class Dist Grp		Category	State Program
Seas Clss Grp			
WIM Group			
QC Group	Default		
Fnct'l Class	5 - Major Collector	Milepost	
Located On	MAIN ST		
Loc On Alias			
	SR661 MAIN ST S OF MUNSON ST, IN GRANVILLE		

More Detail

STATION DATA

Directions: 2-WAY | NB | SB

AADT

	Year	AADT	DHV-30	K %	D %	PA	BC	Src
	2023	2,884[3]		10		2,696 (93%)	188 (7%)	Grown from 2022
	2022	2,841[3]		10		2,656 (93%)	185 (7%)	Grown from 2021
	2021	2,841	275	10		2,656 (93%)	185 (7%)	
	2020	4,308[3]		10		4,084 (95%)	224 (5%)	Grown from 2019
	2019	4,776[3]		10		4,528 (95%)	248 (5%)	Grown from 2018

<< < > >>| 1-5 of 9

Location 11045: SR661 north of interchange, SB



OHIO DEPARTMENT OF TRANSPORTATION

Traffic Count (TCDS)

Home | Locate | Locate All | Email This | Auto-Locate:

List View | All DIRs

Record 1 of 1 Goto Record go

Location ID	440191	MPO ID	
Type	SPOT	HPMS ID	
On NHS		On HPMS	
LRS ID	TLICTR00131A*C	LRS Loc Pt.	0.141
SF Group	Urban Minor Arterial (4);Collector(5-6);Local(7)	Route Type	TR
AF Group	URBAN_LOCAL	Route	00131
GF Group	URBAN_LOCAL	Active	Yes
Class Dist Grp		Category	Modeling
Seas Clss Grp	Urban Minor Arterial (4);Collector(5-6);Local(7)		
WIM Group			
QC Group	Default		
Fnct'l Class	7 - Local	Milepost	
Located On	OLD RIVER RD		
Loc On Alias			

More Detail

STATION DATA

Directions: 2-WAY

AADT

	Year	AADT	DHV-30	K %	D %	PA	BC	Src
	2023	99[3]		18				Grown from 2022
	2022	98[3]		18				Grown from 2021
	2021	98	17	18				
	2020	285[3]						Grown from 2019
	2019	316[3]						Grown from 2018

<< < > >>| 1-5 of 9

Location 440191: Old River Rd



Location 14354598: River Rd east of Canyon Rd, EB



Location 14354598: River Rd east of Canyon Rd, WB



Location 13914598: Canyon Rd south of River Rd



Location 46045: SR16 between SR37 and Cherry Valley Rd, EB



Location 46045: SR16 between SR37 and Cherry Valley Rd, WB



Location 12334598, Cherry Valley Rd North of Reddington Rd, NB



Location 12334598, Cherry Valley Rd North of Reddington Rd, SB



Location 14724598: Newark-Granville Rd east of Fern Hill Dr, 2-way



Location 38945: Newark-Granville Rd east of Fern Hill Dr, EB



Location 38945: Newark-Granville Rd east of Fern Hill Dr, WB



Location 46245: Onramp from Thornwood Crossing to SR16 WB



Location 46345: Offramp from SR16EB to Thornwood Crossing



Location 46445: Onramp from Thornwood Crossing to SR16 EB



Location 46145: Offramp from SR16 WB to Thornwood Crossing



Location 28645: SR 16 west of Thornwood Crossing, EB



Location 28645: SR 16 west of Thornwood Crossing, WB

Appendix D: TNM 2.5 Input Tables

Includes:

- Roadways
- Traffic
- Receivers
- Barriers
- Building Rows
- Terrain Lines
- Ground Zones
- Tree Zones

EnviroScience, Inc.					**11 September 2024**						
Michael Liptak &Kieran Hynes					**TNM 2.5**						
INPUT: ROADWAYS							**Average pavement type shall be used unless**				
PROJECT/CONTRACT:	**LIC-16/37-14.24/15.72 (PID 95445)**						**a State highway agency substantiates the use**				
RUN:	**2048 All Barriers All NSAs**						**of a different type with the approval of FHWA**				
Roadway		**Points**									
Name	**Width**	**Name**	**No.**	**Coordinates (pavement)**			**Flow Control**			**Segment**	
				X	**Y**	**Z**	**Control Device**	**Speed Constraint**	**Percent Vehicles Affected**	**Pvmt Type**	**On Struct?**
	ft			ft	ft	ft		mph	%		
Columbus Rd SB.1	12.0	point5	5	1,961,353.1	751,830.2	924.60				Average	
		point6	6	1,961,190.5	751,673.7	917.30				Average	
		point7	7	1,961,056.2	751,547.6	915.70				Average	
		point8	8	1,960,923.6	751,413.7	916.30				Average	
		point9	9	1,960,802.2	751,283.1	918.80				Average	
		point10	10	1,960,702.9	751,169.1	923.20				Average	
		point11	11	1,960,641.5	751,093.2	926.60					
Columbus Rd SB.2	12.0	point13	13	1,960,641.5	751,093.3	926.60				Average	
		point1252	1252	1,960,473.8	750,885.9	935.20				Average	
		point14	14	1,960,422.5	750,822.9	937.00				Average	Y
		point15	15	1,960,269.2	750,631.5	941.80				Average	Y
		point16	16	1,960,181.5	750,524.2	939.40					
Columbus Rd SB.3	12.0	point18	18	1,960,181.5	750,524.2	939.40				Average	
		point1253	1253	1,960,073.9	750,393.8	939.50				Average	
		point19	19	1,959,983.4	750,281.3	940.10				Average	
		point20	20	1,959,637.4	749,863.6	952.50				Average	
		point21	21	1,959,552.1	749,766.8	955.50				Average	
		point22	22	1,959,341.0	749,534.9	960.80					
Columbus Rd NB.1	12.0	point23	23	1,959,349.9	749,526.9	961.00				Average	
		point24	24	1,959,561.0	749,758.7	955.50				Average	
		point25	25	1,959,647.9	749,856.9	952.70				Average	
		point26	26	1,959,992.8	750,273.8	940.00				Average	
		point27	27	1,960,083.2	750,386.2	939.40					
Columbus Rd NB.2	12.0	point29	29	1,960,083.2	750,386.3	939.40				Average	
		point1254	1254	1,960,190.9	750,516.6	939.20				Average	

		point30	30	1,960,278.5	750,623.9	939.40				Average	Y
		point31	31	1,960,431.9	750,815.3	936.80				Average	Y
		point32	32	1,960,534.4	750,941.4	933.00				Average	
		point33	33	1,960,650.9	751,085.7	926.40					
Columbus Rd NB.3	12.0	point35	35	1,960,650.9	751,085.7	926.40				Average	
		point1251	1251	1,960,761.6	751,218.2	920.70				Average	
		point36	36	1,960,811.2	751,275.0	918.50				Average	
		point37	37	1,960,932.2	751,405.4	916.10				Average	
		point38	38	1,961,064.6	751,539.0	915.40				Average	
		point39	39	1,961,198.8	751,664.9	917.00				Average	
		point40	40	1,961,361.4	751,821.6	924.70					
Spring Valley Nature	24.0	point53	53	1,960,022.9	749,855.6	932.40				Average	
		point52	52	1,960,038.0	749,820.7	932.10				Average	
		point51	51	1,960,033.4	749,800.9	932.40				Average	
		point50	50	1,960,003.9	749,792.8	932.60				Average	
		point49	49	1,959,985.5	749,812.2	933.60				Average	
		point48	48	1,959,990.5	749,834.5	932.90				Average	
		point47	47	1,960,012.2	749,882.2	933.30				Average	
		point46	46	1,960,051.0	749,976.1	938.00				Average	
		point45	45	1,960,092.0	750,079.8	936.40				Average	
		point44	44	1,960,105.6	750,147.6	935.70				Average	
		point43	43	1,960,101.6	750,174.3	935.40				Average	
		point42	42	1,960,051.6	750,223.2	937.80				Average	
		point41	41	1,960,001.1	750,258.8	939.60					
Hannah Dr	20.0	point56	56	1,960,710.4	750,814.7	916.70				Average	
		point57	57	1,960,686.2	750,819.9	917.10				Average	
		point58	58	1,960,658.0	750,825.7	917.20				Average	
		point59	59	1,960,662.8	750,838.8	917.10				Average	
		point60	60	1,960,694.1	750,835.0	917.00				Average	
		point61	61	1,960,722.8	750,833.6	916.90				Average	
		point62	62	1,960,745.5	750,841.9	917.20				Average	
		point63	63	1,960,770.6	750,846.8	917.10				Average	
		point64	64	1,960,794.4	750,847.8	917.20				Average	
		point65	65	1,960,841.1	750,839.9	917.20				Average	
		point66	66	1,960,872.2	750,823.2	916.90				Average	
		point67	67	1,960,911.9	750,802.1	916.60				Average	
		point68	68	1,960,951.2	750,780.8	917.00				Average	
		point69	69	1,960,970.2	750,766.4	917.30				Average	
		point70	70	1,960,994.6	750,738.2	917.60				Average	

		point71	71	1,961,028.5	750,713.2	917.10				Average	
		point72	72	1,961,062.6	750,692.9	916.40				Average	
		point73	73	1,961,091.4	750,674.0	916.10				Average	
		point74	74	1,961,112.8	750,675.4	916.30				Average	
		point75	75	1,961,127.9	750,690.2	915.60					
Hannah Dr2	20.0	point76	76	1,960,873.5	750,735.8	917.50				Average	
		point77	77	1,960,872.1	750,723.1	917.60				Average	
		point78	78	1,960,859.8	750,712.1	917.70				Average	
		point79	79	1,960,854.6	750,721.4	917.70				Average	
		point80	80	1,960,858.8	750,737.2	917.70				Average	
		point81	81	1,960,866.6	750,756.5	917.30				Average	
		point82	82	1,960,881.8	750,784.4	916.60				Average	
		point83	83	1,960,897.1	750,809.9	916.30					
Poppy Ln	12.0	point84	84	1,961,595.0	750,615.9	916.90				Average	
		point85	85	1,961,602.8	750,604.7	917.10				Average	
		point86	86	1,961,597.9	750,598.7	917.10				Average	
		point87	87	1,961,588.9	750,602.3	917.10				Average	
		point88	88	1,961,583.5	750,611.4	917.00				Average	
		point89	89	1,961,587.1	750,635.0	916.70				Average	
		point90	90	1,961,595.6	750,770.3	915.20				Average	
		point91	91	1,961,577.9	750,812.3	914.00				Average	
		point92	92	1,961,528.2	750,821.4	912.90				Average	
		point93	93	1,961,488.5	750,824.1	912.10				Average	
		point94	94	1,961,444.4	750,798.0	913.50				Average	
		point95	95	1,961,438.1	750,743.2	914.60				Average	
		point96	96	1,961,422.1	750,656.9	915.40				Average	
		point97	97	1,961,411.4	750,614.6	916.90				Average	
		point98	98	1,961,377.2	750,549.5	918.10				Average	
		point99	99	1,961,371.4	750,535.9	918.40					
Weaver Dr EB.1	12.0	point100	100	1,960,657.9	751,079.5	925.90				Average	
		point101	101	1,960,682.6	751,060.4	925.00				Average	
		point102	102	1,960,899.5	750,885.2	919.80				Average	
		point103	103	1,961,136.5	750,691.6	915.10				Average	
		point104	104	1,961,232.5	750,615.9	916.80					
Weaver Dr EB.2	12.0	point105	105	1,961,232.5	750,615.9	916.80				Average	
		point106	106	1,961,352.1	750,534.8	918.10				Average	
		point107	107	1,961,403.9	750,507.4	918.60					
Weaver Dr EB.3	12.0	point108	108	1,961,403.9	750,507.4	918.60				Average	
		point109	109	1,961,462.0	750,482.9	918.40				Average	

		point110	110	1,961,526.6	750,460.0	918.30				Average	
		point111	111	1,961,587.0	750,446.2	917.90				Average	
		point112	112	1,961,673.8	750,430.5	917.10				Average	
		point113	113	1,961,763.1	750,422.2	917.70				Average	
		point114	114	1,962,130.1	750,392.2	922.40				Average	
		point115	115	1,962,357.9	750,373.9	923.00				Average	
		point116	116	1,962,507.2	750,361.4	924.60				Average	
		point117	117	1,962,657.2	750,346.2	927.10					
Weaver Dr WB.1	12.0	point118	118	1,962,659.4	750,370.3	926.20				Average	
		point119	119	1,962,595.0	750,365.2	925.70				Average	
		point120	120	1,962,508.1	750,371.4	924.30				Average	
		point121	121	1,962,358.8	750,383.9	922.90				Average	
		point122	122	1,962,130.4	750,400.7	922.60				Average	
		point123	123	1,961,764.0	750,432.1	917.90				Average	
		point124	124	1,961,675.1	750,440.4	917.00				Average	
		point125	125	1,961,589.2	750,455.2	917.30				Average	
		point126	126	1,961,529.5	750,469.6	917.90				Average	
		point127	127	1,961,465.6	750,492.2	918.20				Average	
		point128	128	1,961,408.1	750,516.5	918.20				Average	
		point129	129	1,961,357.4	750,543.3	917.90				Average	
		point130	130	1,961,238.4	750,623.9	916.50					
Weaver Dr WB.2	12.0	point131	131	1,961,238.4	750,623.9	916.50				Average	
		point132	132	1,961,142.8	750,699.4	915.10				Average	
		point133	133	1,960,905.9	750,893.0	919.70					
Weaver Dr WB.3	12.0	point134	134	1,960,905.9	750,893.0	919.70				Average	
		point135	135	1,960,688.8	751,068.2	925.00				Average	
		point136	136	1,960,664.0	751,087.4	925.50					
Old River Rd	24.0	point137	137	1,962,936.4	751,087.2	914.90				Average	
		point138	138	1,962,905.5	751,069.1	914.80				Average	
		point139	139	1,962,865.9	751,028.1	914.40				Average	
		point140	140	1,962,813.9	750,967.8	914.10				Average	
		point141	141	1,962,787.6	750,943.4	914.40				Average	
		point142	142	1,962,756.8	750,928.2	914.70				Average	
		point143	143	1,962,739.8	750,927.7	915.10				Average	
		point144	144	1,962,720.8	750,936.4	915.70					
River Rd EB	12.0	point145	145	1,962,692.2	750,311.6	928.10				Average	
		point146	146	1,962,718.4	750,306.1	926.90				Average	
		point147	147	1,962,766.1	750,291.3	925.60				Average	
		point148	148	1,962,822.0	750,251.4	923.90				Average	

		point149	149	1,962,891.1	750,188.5	922.70				Average	
		point150	150	1,962,941.0	750,122.8	921.50				Average	
		point151	151	1,963,012.5	750,031.5	919.80				Average	
		point152	152	1,963,058.2	749,976.4	919.10				Average	
		point153	153	1,963,118.2	749,923.4	918.30				Average	
		point154	154	1,963,173.9	749,890.7	917.90				Average	
		point155	155	1,963,232.9	749,867.5	917.60				Average	
		point156	156	1,963,305.4	749,851.2	917.80				Average	
		point157	157	1,963,365.0	749,844.8	917.80				Average	
		point158	158	1,963,574.6	749,830.5	918.50				Average	
		point159	159	1,964,030.8	749,795.1	918.90				Average	
		point160	160	1,964,463.2	749,758.8	917.90				Average	
		point161	161	1,964,700.5	749,739.1	917.30				Average	
		point162	162	1,965,072.2	749,713.7	917.30				Average	
		point163	163	1,965,152.1	749,703.8	916.80				Average	
		point164	164	1,965,175.8	749,699.1	916.80				Average	
		point165	165	1,965,222.1	749,685.4	916.60				Average	
		point166	166	1,965,272.6	749,664.2	916.20				Average	
		point167	167	1,965,311.0	749,641.1	915.50				Average	
		point168	168	1,965,346.6	749,614.7	915.50				Average	
		point169	169	1,965,397.5	749,567.9	914.50				Average	
		point170	170	1,965,448.4	749,520.5	912.30				Average	
		point171	171	1,965,490.5	749,497.4	910.90				Average	
		point172	172	1,965,538.0	749,485.8	909.00				Average	
		point173	173	1,965,596.9	749,479.0	905.20				Average	
		point174	174	1,965,662.8	749,482.9	901.60				Average	
		point175	175	1,965,971.8	749,516.4	899.50				Average	
		point176	176	1,966,170.5	749,536.2	899.50				Average	
		point177	177	1,966,316.5	749,555.7	899.80				Average	
		point178	178	1,966,506.2	749,585.4	900.00				Average	
		point179	179	1,966,670.6	749,607.4	900.60				Average	
		point180	180	1,966,745.4	749,619.1	900.40				Average	
		point181	181	1,966,799.9	749,633.9	899.80				Average	
		point182	182	1,966,832.2	749,654.1	899.00				Average	
		point183	183	1,966,859.4	749,682.7	898.70				Average	
		point184	184	1,966,877.2	749,708.1	898.60				Average	
		point185	185	1,966,892.5	749,743.4	898.40				Average	
		point186	186	1,966,899.4	749,783.0	898.10				Average	
		point187	187	1,966,897.1	749,828.3	898.00				Average	

		point188	188	1,966,879.6	749,874.4	898.40				Average	
		point189	189	1,966,849.5	749,941.7	899.20				Average	
		point190	190	1,966,832.8	750,017.8	899.70				Average	
		point191	191	1,966,826.5	750,087.1	900.30				Average	
		point192	192	1,966,831.6	750,157.3	901.20				Average	
		point193	193	1,966,850.2	750,241.6	901.70				Average	
		point194	194	1,966,897.6	750,339.2	900.00				Average	
		point195	195	1,966,961.0	750,407.3	897.70				Average	
		point196	196	1,967,019.0	750,454.2	896.80				Average	
		point197	197	1,967,118.2	750,504.7	896.40					
River Rd WB	12.0	point198	198	1,967,112.2	750,512.1	896.50				Average	
		point199	199	1,967,015.8	750,462.0	896.80				Average	
		point200	200	1,966,955.5	750,413.0	897.80				Average	
		point201	201	1,966,891.0	750,343.8	900.00				Average	
		point202	202	1,966,842.6	750,244.2	901.80				Average	
		point203	203	1,966,821.8	750,158.7	901.30				Average	
		point204	204	1,966,816.5	750,087.1	900.40				Average	
		point205	205	1,966,822.8	750,016.2	899.80				Average	
		point206	206	1,966,840.0	749,938.6	899.30				Average	
		point207	207	1,966,870.4	749,870.6	898.50				Average	
		point208	208	1,966,888.4	749,826.6	898.10				Average	
		point209	209	1,966,889.2	749,783.6	898.20				Average	
		point210	210	1,966,882.9	749,746.3	898.10				Average	
		point211	211	1,966,868.5	749,713.0	898.50				Average	
		point212	212	1,966,851.6	749,689.1	898.80				Average	
		point213	213	1,966,825.9	749,661.9	899.00				Average	
		point214	214	1,966,795.8	749,643.1	899.60				Average	
		point215	215	1,966,743.2	749,628.9	900.60				Average	
		point216	216	1,966,669.2	749,617.2	900.70				Average	
		point217	217	1,966,504.8	749,595.2	900.10				Average	
		point218	218	1,966,315.0	749,565.6	899.90				Average	
		point219	219	1,966,169.4	749,546.1	899.60				Average	
		point220	220	1,965,970.8	749,526.3	899.70				Average	
		point221	221	1,965,661.9	749,492.9	901.60				Average	
		point222	222	1,965,597.1	749,489.1	904.70				Average	
		point223	223	1,965,539.8	749,495.6	909.30				Average	
		point224	224	1,965,494.1	749,506.8	911.00				Average	
		point225	225	1,965,454.2	749,528.6	912.60				Average	
		point226	226	1,965,404.4	749,575.2	914.80				Average	

		point227	227	1,965,353.0	749,622.4	915.60				Average	
		point228	228	1,965,316.6	749,649.4	915.90				Average	
		point229	229	1,965,274.0	749,672.9	916.50				Average	
		point230	230	1,965,225.5	749,694.9	916.80				Average	
		point231	231	1,965,178.1	749,708.9	916.70				Average	
		point232	232	1,965,153.8	749,713.7	916.90				Average	
		point233	233	1,965,073.2	749,723.6	917.40				Average	
		point234	234	1,964,701.2	749,749.1	917.40				Average	
		point235	235	1,964,464.1	749,768.7	917.30				Average	
		point236	236	1,964,031.6	749,805.0	918.80				Average	
		point237	237	1,963,575.4	749,840.4	918.10				Average	
		point238	238	1,963,365.9	749,854.8	917.60				Average	
		point239	239	1,963,301.8	749,861.6	917.20				Average	
		point240	240	1,963,225.4	749,880.8	917.20				Average	
		point241	241	1,963,170.0	749,903.9	917.90				Average	
		point242	242	1,963,122.4	749,931.7	918.00				Average	
		point243	243	1,963,065.9	749,984.6	918.90				Average	
		point244	244	1,963,020.8	750,037.4	919.80				Average	
		point245	245	1,962,952.4	750,132.3	921.60				Average	
		point246	246	1,962,900.1	750,205.1	923.70				Average	
		point247	247	1,962,841.5	750,268.6	925.20				Average	
		point248	248	1,962,787.0	750,299.6	925.50				Average	
		point249	249	1,962,743.6	750,322.0	926.30				Average	
		point250	250	1,962,717.0	750,332.4	926.90				Average	
		point251	251	1,962,690.9	750,338.1	927.50					
River Rd2 EB.1	12.0	point252	252	1,965,622.9	749,242.4	911.00				Average	
		point253	253	1,965,632.5	749,227.2	911.10				Average	
		point254	254	1,965,672.4	749,169.1	912.10				Average	
		point255	255	1,965,702.8	749,132.5	912.70				Average	
		point256	256	1,965,753.9	749,100.4	913.90				Average	
		point257	257	1,965,808.9	749,087.6	914.10				Average	
		point258	258	1,965,891.8	749,090.3	913.60				Average	
		point259	259	1,966,352.5	749,142.6	915.30				Average	
		point260	260	1,966,451.8	749,137.1	915.80					
River Rd2 EB.2	12.0	point261	261	1,966,451.8	749,137.1	915.80				Average	
		point262	262	1,966,548.9	749,114.9	916.90				Average	
		point263	263	1,966,768.1	749,024.2	917.90				Average	
		point264	264	1,966,825.6	748,999.7	914.30				Average	
		point265	265	1,966,873.6	748,969.9	910.30				Average	

		point266	266	1,966,946.0	748,906.9	906.00				Average	
		point267	267	1,967,027.4	748,806.6	904.70				Average	
		point268	268	1,967,040.9	748,767.2	904.70				Average	
		point269	269	1,967,056.9	748,695.9	906.10				Average	
		point270	270	1,967,066.6	748,608.5	910.70				Average	
		point271	271	1,967,078.6	748,448.9	920.40					
River Rd2 WB.1	12.0	point272	272	1,967,086.9	748,449.5	920.50				Average	
		point273	273	1,967,074.9	748,609.3	910.70				Average	
		point274	274	1,967,066.1	748,705.3	906.00				Average	
		point275	275	1,967,052.5	748,768.8	905.30				Average	
		point276	276	1,967,027.8	748,824.6	905.40				Average	
		point277	277	1,966,952.0	748,912.7	905.90				Average	
		point278	278	1,966,878.6	748,976.6	910.10				Average	
		point279	279	1,966,829.4	749,007.1	914.20				Average	
		point280	280	1,966,771.4	749,031.9	917.70				Average	
		point281	281	1,966,542.0	749,126.8	916.70				Average	
		point282	282	1,966,453.0	749,146.7	916.20				Average	
		point283	283	1,966,352.5	749,152.1	915.80					
River Rd2 WB.2	12.0	point284	284	1,966,352.5	749,152.1	915.80				Average	
		point285	285	1,965,890.8	749,100.1	913.80				Average	
		point286	286	1,965,809.8	749,095.9	913.90				Average	
		point287	287	1,965,757.1	749,108.2	913.50				Average	
		point288	288	1,965,707.2	749,142.2	912.40				Average	
		point289	289	1,965,677.8	749,181.7	911.60				Average	
		point290	290	1,965,662.6	749,215.0	911.20				Average	
		point291	291	1,965,654.1	749,249.2	910.70					
Mill Race Rd.1	24.0	point292	292	1,966,413.9	749,130.8	915.50				Average	
		point293	293	1,966,408.0	749,085.8	915.40				Average	
		point294	294	1,966,403.2	749,033.3	915.50				Average	
		point295	295	1,966,396.8	748,973.9	915.90				Average	
		point296	296	1,966,397.8	748,935.2	916.30				Average	
		point297	297	1,966,403.8	748,893.3	916.60				Average	
		point298	298	1,966,413.4	748,860.2	917.10				Average	
		point299	299	1,966,446.1	748,797.6	918.10				Average	
		point300	300	1,966,495.0	748,718.4	918.00					
Mill Race Rd.2	24.0	point301	301	1,966,495.0	748,718.4	918.00				Average	
		point302	302	1,966,548.9	748,623.1	917.80				Average	
		point303	303	1,966,580.5	748,516.2	918.90				Average	
		point304	304	1,966,582.9	748,477.1	919.70				Average	

		point305	305	1,966,569.2	748,367.9	922.90					
Springhill Rd	24.0	point306	306	1,966,008.0	748,290.9	942.80				Average	
		point307	307	1,966,023.1	748,317.4	942.50				Average	
		point308	308	1,966,035.8	748,357.8	942.00				Average	
		point309	309	1,966,072.1	748,499.6	939.40				Average	
		point310	310	1,966,087.4	748,535.1	937.10				Average	
		point311	311	1,966,113.1	748,584.8	933.10				Average	
		point312	312	1,966,149.0	748,629.5	928.90				Average	
		point313	313	1,966,211.2	748,682.4	923.90				Average	
		point314	314	1,966,350.1	748,764.1	919.20				Average	
		point315	315	1,966,432.1	748,807.2	918.10					
Clouse Ln	24.0	point316	316	1,969,635.5	750,094.4	899.20				Average	
		point317	317	1,969,659.9	750,377.1	907.90				Average	
		point318	318	1,969,674.5	750,642.3	909.50				Average	
		point319	319	1,969,687.8	750,841.8	908.70				Average	
		point320	320	1,969,697.0	750,993.0	909.50					
Lancaster Rd SB.1	12.0	point321	321	1,962,708.1	751,118.8	916.70				Average	
		point322	322	1,962,700.1	750,934.9	916.40				Average	
		point323	323	1,962,686.4	750,802.4	916.80				Average	
		point324	324	1,962,677.1	750,680.2	918.50				Average	
		point325	325	1,962,672.6	750,518.9	922.50				Average	
		point1259	1259	1,962,664.8	750,429.4	925.20				Average	
		point1260	1260	1,962,660.8	750,384.6	926.50					
Lancaster Rd SB.2	12.0	point328	328	1,962,660.8	750,384.6	926.50	Signal	0.00	40	Average	
		point1261	1261	1,962,656.8	750,339.9	927.80				Average	
		point1258	1258	1,962,637.8	750,138.3	936.30					
Lancaster Rd SB.3	24.0	point330	330	1,962,637.8	750,138.3	936.30	Signal	0.00	40	Average	
		point1266	1266	1,962,613.9	749,955.6	946.20				Average	Y
		point331	331	1,962,596.9	749,794.7	953.00				Average	Y
		point332	332	1,962,591.1	749,688.3	956.00					
Lancaster Rd SB.4	12.0	point334	334	1,962,591.1	749,688.3	956.00	Signal	0.00	40	Average	
		point1255	1255	1,962,568.0	749,481.5	964.70				Average	
		point335	335	1,962,536.5	749,201.4	983.60				Average	
		point336	336	1,962,514.8	749,031.3	997.60				Average	
		point337	337	1,962,473.8	748,797.8	1,017.20				Average	
		point338	338	1,962,385.9	748,351.9	1,036.40					
Lancaster Rd NB.1	12.0	point339	339	1,962,398.0	748,348.3	1,036.50				Average	
		point340	340	1,962,485.6	748,795.7	1,017.10				Average	
		point341	341	1,962,528.6	749,029.4	999.10				Average	

		point342	342	1,962,557.5	749,184.4	985.10				Average	
		point343	343	1,962,570.4	749,235.4	980.90				Average	
		point344	344	1,962,608.4	749,482.2	965.40				Average	
		point345	345	1,962,622.0	749,612.5	958.70					
Lancaster Rd NB.2	24.0	point347	347	1,962,622.0	749,612.5	958.70	Signal	0.00	40	Average	
		point1256	1256	1,962,613.1	749,683.8	955.60				Average	
		point348	348	1,962,622.1	749,784.1	951.30				Average	Y
		point349	349	1,962,637.6	749,947.2	944.70				Average	Y
		point350	350	1,962,648.6	750,041.4	940.70					
Lancaster Rd NB.3	12.0	point352	352	1,962,648.6	750,041.4	940.70	Signal	0.00	40	Average	
		point1267	1267	1,962,667.9	750,135.9	936.10				Average	
		point1262	1262	1,962,672.5	750,236.4	932.20				Average	
		point1263	1263	1,962,674.8	750,286.6	930.20					
Lancaster Rd NB.4	12.0	point355	355	1,962,674.8	750,286.6	930.20	Signal	0.00	40	Average	
		point1265	1265	1,962,677.0	750,336.8	928.20				Average	
		point1264	1264	1,962,693.8	750,519.4	922.40				Average	
		point356	356	1,962,702.2	750,681.2	918.60				Average	
		point357	357	1,962,706.5	750,801.6	917.60				Average	
		point358	358	1,962,714.0	750,935.2	916.10				Average	
		point359	359	1,962,723.2	751,117.9	916.90					
Glenshire Ct	24.0	point360	360	1,970,367.6	750,463.3	909.00				Average	
		point361	361	1,970,284.6	750,553.7	908.40				Average	
		point362	362	1,970,273.8	750,593.8	908.50				Average	
		point363	363	1,970,286.1	750,629.6	909.90				Average	
		point364	364	1,970,319.0	750,653.0	910.50				Average	
		point365	365	1,970,373.9	750,652.2	910.30					
Glenshire Dr	24.0	point366	366	1,970,449.5	750,372.7	911.20				Average	
		point367	367	1,970,426.0	750,398.2	911.10				Average	
		point368	368	1,970,394.4	750,429.8	910.10				Average	
		point369	369	1,970,376.2	750,462.9	909.40				Average	
		point370	370	1,970,378.2	750,569.4	910.30				Average	
		point371	371	1,970,382.4	750,651.8	910.40				Average	
		point372	372	1,970,393.1	750,858.5	911.30				Average	
		point373	373	1,970,402.9	751,008.4	911.20					
Glenshire Ct2	24.0	point374	374	1,970,260.1	750,853.9	912.00				Average	
		point375	375	1,970,243.5	750,847.6	912.10				Average	
		point376	376	1,970,218.1	750,867.6	912.40				Average	
		point377	377	1,970,225.6	750,891.6	912.40				Average	
		point378	378	1,970,252.6	750,890.8	912.20				Average	

		point379	379	1,970,278.8	750,866.9	912.00				Average	
		point380	380	1,970,379.5	750,862.8	911.40					
Lansing Cir	24.0	point381	381	1,971,017.2	750,307.4	890.70				Average	
		point382	382	1,971,049.1	750,309.9	890.60				Average	
		point383	383	1,971,066.1	750,289.5	890.30				Average	
		point384	384	1,971,048.0	750,268.2	890.20				Average	
		point385	385	1,971,012.4	750,276.8	890.20				Average	
		point386	386	1,970,995.5	750,294.6	890.40				Average	
		point387	387	1,970,856.8	750,302.1	891.20				Average	
		point388	388	1,970,774.4	750,309.1	892.60					
New Gran Dr	24.0	point389	389	1,970,774.4	750,309.1	892.60				Average	
		point390	390	1,970,786.0	750,518.8	902.50				Average	
		point391	391	1,970,797.5	750,730.6	907.40				Average	
		point392	392	1,970,810.1	750,973.9	908.30					
Cambrey Cir	24.0	point393	393	1,971,046.2	750,757.4	910.00				Average	
		point394	394	1,971,070.4	750,764.1	910.20				Average	
		point395	395	1,971,090.0	750,752.9	910.30				Average	
		point396	396	1,971,091.2	750,737.3	910.20				Average	
		point397	397	1,971,077.5	750,719.9	910.00				Average	
		point398	398	1,971,057.0	750,718.6	909.90				Average	
		point399	399	1,971,041.4	750,727.1	909.80				Average	
		point400	400	1,971,028.5	750,745.3	909.80				Average	
		point401	401	1,970,799.0	750,758.6	907.70					
Upland View Ct	24.0	point402	402	1,970,477.0	749,093.1	905.40				Average	
		point403	403	1,970,500.9	749,099.5	905.70				Average	
		point404	404	1,970,529.1	749,096.6	905.90				Average	
		point405	405	1,970,545.0	749,069.0	906.30				Average	
		point406	406	1,970,508.6	749,051.3	905.70				Average	
		point407	407	1,970,480.1	749,063.8	905.60				Average	
		point408	408	1,970,442.9	749,092.6	905.40				Average	
		point409	409	1,970,360.8	749,112.5	904.90				Average	
		point410	410	1,970,208.1	749,145.9	904.60				Average	
		point411	411	1,970,116.1	749,168.2	907.80				Average	
		point412	412	1,970,038.1	749,170.0	911.70				Average	
		point413	413	1,969,976.8	749,151.4	914.90				Average	
		point414	414	1,969,909.4	749,116.3	919.00				Average	
		point415	415	1,969,856.5	749,057.0	922.90				Average	
		point416	416	1,969,830.6	748,997.2	926.10				Average	
		point417	417	1,969,820.4	748,899.3	930.40				Average	

		point418	418	1,969,830.4	748,844.2	931.70					
Wicklow Dr SB.1	12.0	point419	419	1,971,996.5	750,637.8	907.10				Average	
		point420	420	1,971,983.6	750,365.8	903.30					
Wicklow Dr SB.2	12.0	point421	421	1,971,983.6	750,365.8	903.30				Average	
		point422	422	1,971,981.1	750,247.1	903.80				Average	
		point423	423	1,971,982.1	750,205.0	904.30				Average	
		point424	424	1,971,995.5	750,171.5	904.60				Average	
		point425	425	1,972,025.5	750,134.8	905.10				Average	
		point426	426	1,972,104.4	750,076.4	906.00				Average	
		point427	427	1,972,202.5	750,011.8	905.00				Average	
		point428	428	1,972,244.5	749,994.9	905.00				Average	
		point429	429	1,972,266.6	750,000.9	904.90					
Wicklow Dr NB.1	12.0	point430	430	1,972,267.0	750,015.9	905.30				Average	
		point431	431	1,972,241.6	750,010.3	904.90				Average	
		point432	432	1,972,203.8	750,032.0	905.10				Average	
		point433	433	1,972,105.4	750,096.9	905.70				Average	
		point434	434	1,972,035.6	750,143.9	905.20				Average	
		point435	435	1,972,010.5	750,169.8	904.60				Average	
		point436	436	1,971,992.9	750,210.2	904.10				Average	
		point437	437	1,971,997.9	750,364.4	903.20				Average	
		point438	438	1,972,003.4	750,464.0	904.50					
Wicklow Dr NB.2	12.0	point439	439	1,972,003.4	750,464.0	904.50				Average	
		point440	440	1,972,010.1	750,653.5	906.70					
Donegal Dr WB.1	12.0	point451	451	1,972,988.9	750,174.1	903.20				Average	
		point452	452	1,972,925.5	750,161.6	902.50				Average	
		point453	453	1,972,830.1	750,176.5	903.10				Average	
		point454	454	1,972,741.8	750,196.4	903.60				Average	
		point455	455	1,972,432.4	750,291.0	905.10				Average	
		point456	456	1,972,395.0	750,304.1	904.90					
Donegal Dr WB.2	12.0	point459	459	1,972,395.0	750,304.1	904.90	Stop	0.00	100	Average	
		point1269	1269	1,972,375.8	750,310.8	904.80				Average	
		point1268	1268	1,972,345.6	750,321.3	904.70				Average	
		point460	460	1,972,033.5	750,431.3	903.70				Average	
		point461	461	1,972,011.0	750,442.7	903.90					
Donegal Dr EB.1	12.0	point462	462	1,972,010.0	750,410.2	903.80				Average	
		point463	463	1,972,035.0	750,417.0	903.60				Average	
		point464	464	1,972,154.2	750,371.9	903.10				Average	
		point465	465	1,972,369.8	750,291.1	905.10					
Donegal Dr EB.2	12.0	point467	467	1,972,369.8	750,291.1	905.10	Stop	0.00	100	Average	

		point1270	1270	1,972,389.0	750,284.8	905.20				Average	
		point468	468	1,972,707.1	750,187.8	903.50				Average	
		point469	469	1,972,781.0	750,154.4	903.50				Average	
		point470	470	1,972,962.4	750,136.8	903.10				Average	
		point471	471	1,972,993.9	750,140.6	902.50					
Kildare St SB.1	12.0	point472	472	1,972,424.0	750,468.9	902.00				Average	
		point473	473	1,972,375.8	750,310.8	904.80				Average	
		point474	474	1,972,369.8	750,291.1	905.10					
Kildare St SB.2	12.0	point475	475	1,972,369.8	750,291.1	905.10				Average	
		point476	476	1,972,318.9	750,142.8	905.90				Average	
		point477	477	1,972,294.6	750,053.1	905.50				Average	
		point478	478	1,972,278.1	750,022.4	905.00				Average	
		point479	479	1,972,267.0	750,015.9	905.30					
Kildare St NB.1	12.0	point480	480	1,972,266.6	750,000.9	904.90				Average	
		point481	481	1,972,285.0	750,010.4	904.90				Average	
		point482	482	1,972,294.0	750,024.5	905.20				Average	
		point483	483	1,972,389.0	750,284.8	905.20				Average	
		point484	484	1,972,395.0	750,304.1	904.90					
Kildare St NB.2	12.0	point485	485	1,972,395.0	750,304.1	904.90				Average	
		point486	486	1,972,443.4	750,460.1	902.30					
S Galway Dr SB.1	12.0	point487	487	1,972,992.9	750,209.9	903.40				Average	
		point488	488	1,972,998.1	750,168.9	903.10				Average	
		point489	489	1,973,012.4	750,093.3	902.60					
S Galway Dr SB.2	12.0	point490	490	1,973,012.4	750,093.3	902.60				Average	
		point491	491	1,973,023.2	750,037.6	902.80				Average	
		point492	492	1,973,053.0	749,955.3	903.90				Average	
		point493	493	1,973,084.2	749,882.9	904.50				Average	
		point494	494	1,973,115.9	749,826.0	904.10				Average	
		point495	495	1,973,177.9	749,740.1	903.20				Average	
		point496	496	1,973,242.0	749,672.0	902.60				Average	
		point497	497	1,973,334.2	749,592.2	902.30				Average	
		point498	498	1,973,437.9	749,526.1	902.50				Average	
		point499	499	1,973,511.1	749,493.8	903.20				Average	
		point500	500	1,973,585.2	749,465.2	903.00				Average	
		point501	501	1,973,653.9	749,448.7	902.60				Average	
		point502	502	1,973,732.6	749,436.7	902.30				Average	
		point503	503	1,973,789.5	749,424.2	901.80					
S Galway Dr NB	12.0	point504	504	1,973,791.5	749,457.9	902.50				Average	
		point505	505	1,973,750.4	749,457.9	902.40				Average	

		point506	506	1,973,648.1	749,474.1	903.00				Average	
		point507	507	1,973,551.5	749,503.4	903.00				Average	
		point508	508	1,973,410.2	749,569.0	902.60				Average	
		point509	509	1,973,369.5	749,596.9	902.10				Average	
		point510	510	1,973,243.2	749,703.6	903.30				Average	
		point511	511	1,973,208.6	749,744.9	903.20				Average	
		point512	512	1,973,119.4	749,876.6	904.40				Average	
		point513	513	1,973,073.4	749,967.6	904.20				Average	
		point514	514	1,973,047.0	750,026.6	903.30				Average	
		point515	515	1,973,032.4	750,097.2	902.40				Average	
		point516	516	1,973,024.2	750,151.9	902.80				Average	
		point517	517	1,973,018.2	750,213.0	903.20					
S Galway Dr2	24.0	point518	518	1,974,656.4	749,369.2	896.90				Average	
		point519	519	1,974,449.1	749,381.4	900.30				Average	
		point520	520	1,974,271.2	749,393.7	901.90				Average	
		point521	521	1,974,234.9	749,402.5	902.00				Average	
		point522	522	1,974,212.4	749,414.1	902.10				Average	
		point523	523	1,974,144.8	749,484.6	902.70				Average	
		point524	524	1,974,120.0	749,496.1	902.40				Average	
		point525	525	1,974,049.5	749,503.4	902.30				Average	
		point526	526	1,973,991.4	749,506.4	901.80				Average	
		point527	527	1,973,957.9	749,495.6	902.20				Average	
		point528	528	1,973,916.5	749,464.6	902.30				Average	
		point529	529	1,973,889.6	749,448.2	902.00				Average	
		point530	530	1,973,846.8	749,442.9	902.70				Average	
		point531	531	1,973,815.4	749,446.1	902.50					
Cherry Valley Rd SB.1	12.0	point532	532	1,973,815.0	749,830.7	903.50				Average	
		point533	533	1,973,788.1	749,386.7	900.90					
Cherry Valley Rd SB.2	12.0	point534	534	1,973,788.1	749,386.7	900.90				Average	
		point535	535	1,973,770.2	749,102.1	891.80				Average	
		point536	536	1,973,768.0	749,009.4	891.10				Average	
		point537	537	1,973,772.6	748,994.1	890.90					
Westgate Dr	24.0	point538	538	1,974,879.0	748,755.0	885.70				Average	
		point539	539	1,974,895.8	748,744.2	885.60				Average	
		point540	540	1,974,914.5	748,717.3	885.80				Average	
		point541	541	1,974,907.9	748,694.3	886.00				Average	
		point542	542	1,974,889.5	748,683.9	886.10				Average	
		point543	543	1,974,861.6	748,693.1	885.90				Average	
		point544	544	1,974,852.6	748,710.9	885.80				Average	

		point545	545	1,974,869.2	748,759.6	885.60				Average	
		point546	546	1,974,834.6	748,814.5	885.30				Average	
		point547	547	1,974,790.4	748,881.2	886.10				Average	
		point548	548	1,974,734.0	748,935.2	886.70				Average	
		point549	549	1,974,631.9	748,952.5	887.60				Average	
		point550	550	1,974,415.9	748,963.8	888.10				Average	
		point551	551	1,974,123.5	748,982.3	889.90				Average	
		point552	552	1,973,793.0	749,002.1	890.80				Average	
		point553	553	1,973,781.0	749,013.9	891.10					
Cherry Valley Rd NB.1	12.0	point554	554	1,973,781.0	749,013.9	891.10				Average	
		point555	555	1,973,781.1	749,076.2	891.60				Average	
		point556	556	1,973,788.6	749,188.5	893.40				Average	
		point557	557	1,973,808.9	749,525.0	903.20					
Cherry Valley Rd NB.2	12.0	point558	558	1,973,808.9	749,525.0	903.20				Average	
		point559	559	1,973,826.0	749,828.6	903.60					
Speedway Dr	24.0	point560	560	1,973,245.2	748,516.8	889.30				Average	
		point561	561	1,973,279.2	748,494.6	892.60				Average	
		point562	562	1,973,322.4	748,460.9	888.20				Average	
		point563	563	1,973,354.6	748,423.2	891.00				Average	
		point564	564	1,973,390.1	748,371.1	887.50				Average	
		point565	565	1,973,436.9	748,321.9	887.20				Average	
		point566	566	1,973,492.6	748,280.2	889.00				Average	
		point567	567	1,973,558.6	748,249.9	887.60				Average	
		point568	568	1,973,637.6	748,233.1	887.70				Average	
		point569	569	1,973,693.9	748,226.9	889.30					
Cherry Valley Rd2 SB.1	12.0	point570	570	1,973,712.6	748,539.5	888.20				Average	
		point571	571	1,973,703.4	748,400.1	888.60				Average	
		point572	572	1,973,698.4	748,195.7	889.60					
Cherry Valley Rd2 SB.2	12.0	point573	573	1,973,698.4	748,195.7	889.60				Average	
		point574	574	1,973,700.1	748,117.3	890.50				Average	
		point575	575	1,973,730.5	748,052.6	890.40				Average	
		point576	576	1,973,798.5	747,961.9	888.80				Average	
		point577	577	1,973,892.8	747,843.1	888.20				Average	
		point578	578	1,973,982.0	747,728.2	888.00				Average	
		point579	579	1,974,119.1	747,556.7	887.10				Average	
		point580	580	1,974,252.0	747,385.7	886.90				Average	
		point581	581	1,974,379.6	747,223.6	887.30				Average	
		point582	582	1,974,467.4	747,112.2	887.30				Average	
		point583	583	1,974,506.5	747,064.0	887.70				Average	

		point584	584	1,974,831.9	746,651.6	886.90					
Cherry Valley Rd2 NB.1	12.0	point585	585	1,974,847.1	746,658.9	885.80				Average	
		point586	586	1,974,741.5	746,792.2	886.10				Average	
		point587	587	1,974,632.1	746,932.2	886.50				Average	
		point588	588	1,974,546.8	747,041.5	887.10				Average	
		point589	589	1,974,453.6	747,154.1	887.00				Average	
		point590	590	1,974,354.2	747,278.0	886.70				Average	
		point591	591	1,974,177.9	747,499.9	886.30				Average	
		point592	592	1,974,027.8	747,695.1	887.90				Average	
		point593	593	1,973,908.1	747,843.5	888.10				Average	
		point594	594	1,973,819.4	747,960.4	888.20				Average	
		point595	595	1,973,775.1	748,021.9	888.70				Average	
		point596	596	1,973,728.0	748,109.2	889.80				Average	
		point597	597	1,973,728.8	748,303.3	888.60					
Cherry Valley Rd2 NB.2	12.0	point598	598	1,973,728.8	748,303.3	888.60				Average	
		point599	599	1,973,744.5	748,449.5	888.90				Average	
		point600	600	1,973,753.1	748,541.8	888.30					
Thornwood Xing SB.1	24.0	point601	601	1,975,895.2	749,424.1	898.40				Average	
		point602	602	1,975,846.1	749,249.6	897.60				Average	
		point603	603	1,975,806.1	749,094.8	897.00				Average	
		point604	604	1,975,793.8	749,027.6	896.80				Average	
		point605	605	1,975,785.4	748,961.6	896.50				Average	
		point606	606	1,975,778.5	748,730.3	895.60				Average	
		point607	607	1,975,762.4	748,452.6	896.10					
Thornwood Xing SB.2	36.0	point609	609	1,975,762.4	748,452.6	896.10	Signal	0.00	40	Average	
		point1271	1271	1,975,749.4	748,289.1	899.70				Average	
		point610	610	1,975,739.9	748,061.2	905.90				Average	Y
		point611	611	1,975,731.6	747,891.4	908.10				Average	Y
		point612	612	1,975,711.2	747,539.5	902.50					
Thornwood Xing SB.3	24.0	point614	614	1,975,711.2	747,539.5	902.50	Signal	0.00	40	Average	
		point1276	1276	1,975,708.9	747,408.4	897.20				Average	
		point615	615	1,975,699.4	747,224.3	891.80				Average	
		point616	616	1,975,692.4	747,141.3	889.40				Average	
		point617	617	1,975,680.5	747,088.7	887.70				Average	
		point618	618	1,975,650.8	747,005.6	885.70				Average	
		point619	619	1,975,620.2	746,940.2	884.70				Average	
		point620	620	1,975,589.0	746,896.4	883.90				Average	
		point621	621	1,975,527.9	746,827.1	884.10				Average	
		point622	622	1,975,392.9	746,680.1	884.40				Average	

		point623	623	1,975,242.0	746,501.9	884.80					
Thornwood Xing NB.1	24.0	point624	624	1,975,267.9	746,488.1	884.90				Average	
		point625	625	1,975,514.2	746,770.8	884.50				Average	
		point626	626	1,975,595.1	746,854.6	884.80				Average	
		point627	627	1,975,648.8	746,925.4	885.50				Average	
		point628	628	1,975,671.2	746,981.2	886.40				Average	
		point629	629	1,975,694.9	747,037.1	887.50				Average	
		point630	630	1,975,714.2	747,106.4	889.30				Average	
		point631	631	1,975,724.2	747,187.3	891.30				Average	
		point632	632	1,975,732.4	747,312.2	894.50				Average	
		point1273	1273	1,975,740.5	747,414.1	897.40					
Thornwood Xing NB.2	36.0	point635	635	1,975,740.5	747,414.1	897.40	Signal	0.00	40	Average	
		point1275	1275	1,975,748.8	747,515.9	900.30				Average	
		point1274	1274	1,975,756.2	747,685.4	905.20				Average	
		point636	636	1,975,767.1	747,887.9	907.70				Average	Y
		point637	637	1,975,776.6	748,057.1	906.00				Average	Y
		point638	638	1,975,786.0	748,351.1	897.80					
Thornwood Xing NB.3	24.0	point640	640	1,975,786.0	748,351.1	897.80	Signal	0.00	40	Average	
		point1272	1272	1,975,798.8	748,568.9	895.10				Average	
		point641	641	1,975,807.1	748,810.9	896.00				Average	
		point642	642	1,975,811.5	748,966.2	896.60				Average	
		point643	643	1,975,822.8	749,048.7	896.90				Average	
		point644	644	1,975,834.1	749,106.4	897.20				Average	
		point645	645	1,975,875.1	749,256.6	897.70				Average	
		point646	646	1,975,920.4	749,421.0	898.30					
SR16-37 Columbus Ave Onramp EB.1	12.0	point933	933	1,960,014.2	750,299.3	939.70	Onramp	10.00	100	Average	
		point934	934	1,960,086.2	750,356.8	938.70				Average	
		point935	935	1,960,210.0	750,419.8	936.40				Average	
		point1277	1277	1,960,285.4	750,445.8	934.90					
SR16-37 Columbus Ave Onramp EB.2	12.0	point1281	1281	1,960,285.4	750,446.8	934.95	Onramp	20.00	100	Average	
		point1280	1280	1,960,321.4	750,457.9	934.10				Average	
		point1279	1279	1,960,393.4	750,480.1	932.40				Average	
		point939	939	1,960,505.9	750,489.7	929.00				Average	
		point940	940	1,960,600.4	750,489.9	926.10				Average	
		point941	941	1,960,714.4	750,480.2	924.30				Average	
		point942	942	1,960,832.5	750,460.4	923.60				Average	
		point943	943	1,960,944.4	750,432.0	924.60				Average	
		point944	944	1,961,076.1	750,385.8	925.60				Average	
		point945	945	1,961,276.2	750,312.6	927.60				Average	

		point946	946	1,961,443.5	750,248.8	929.10					
SR16-37 Columbus Ave Onramp EB2	12.0	point947	947	1,960,177.9	750,488.4	939.20	Onramp	10.00	100	Average	
		point948	948	1,960,191.8	750,471.9	938.40				Average	
		point949	949	1,960,212.5	750,454.2	937.20				Average	
		point950	950	1,960,231.8	750,445.3	936.50				Average	
		point951	951	1,960,284.4	750,446.8	934.90					
SR16-37 Columbus Ave Offramp WB	12.0	point961	961	1,960,625.8	750,663.0	921.30				Average	
		point962	962	1,960,554.9	750,699.4	920.60				Average	
		point963	963	1,960,433.5	750,745.5	919.40				Average	
		point964	964	1,960,326.9	750,786.3	918.50				Average	
		point965	965	1,960,201.5	750,842.6	917.30				Average	
		point966	966	1,960,089.1	750,901.7	916.70				Average	
		point967	967	1,960,028.6	750,941.9	916.50				Average	
		point968	968	1,959,980.9	750,993.2	916.00				Average	
		point969	969	1,959,952.1	751,037.3	916.30				Average	
		point970	970	1,959,927.1	751,117.7	916.90				Average	
		point971	971	1,959,930.9	751,200.6	917.40				Average	
		point972	972	1,959,950.2	751,253.5	917.80				Average	
		point973	973	1,959,994.0	751,306.6	918.10				Average	
		point974	974	1,960,037.1	751,345.9	919.10				Average	
		point975	975	1,960,087.9	751,368.6	919.10				Average	
		point976	976	1,960,130.4	751,380.1	920.30				Average	
		point977	977	1,960,180.0	751,383.4	920.50				Average	
		point978	978	1,960,220.1	751,373.4	920.80				Average	
		point979	979	1,960,265.6	751,363.5	921.50				Average	
		point980	980	1,960,332.0	751,328.9	922.30				Average	
		point981	981	1,960,447.1	751,240.5	924.00				Average	
		point982	982	1,960,632.9	751,089.3	927.80					
SR16-37 Columbus Ave Onramp WB	12.0	point983	983	1,960,646.0	751,113.6	926.40	Onramp	10.00	100	Average	
		point984	984	1,960,434.6	751,279.3	924.10				Average	
		point985	985	1,960,342.1	751,352.1	923.80				Average	
		point986	986	1,960,238.5	751,397.1	922.60				Average	
		point987	987	1,960,175.5	751,406.8	922.20				Average	
		point988	988	1,960,102.8	751,401.1	921.90				Average	
		point989	989	1,960,025.8	751,368.4	920.70				Average	
		point990	990	1,959,945.5	751,312.2	920.40				Average	
		point991	991	1,959,862.9	751,236.8	920.30				Average	
		point992	992	1,959,790.6	751,181.6	919.40				Average	
		point993	993	1,959,744.6	751,153.1	919.00				Average	

		point994	994	1,959,681.4	751,128.1	919.10				Average	
		point995	995	1,959,607.0	751,115.4	918.70				Average	
		point996	996	1,959,524.2	751,118.4	918.40				Average	
		point997	997	1,959,404.2	751,142.7	918.50				Average	
		point998	998	1,959,244.5	751,195.0	918.90				Average	
		point999	999	1,959,046.1	751,268.5	919.60				Average	
		point1000	1000	1,958,935.9	751,307.9	920.10				Average	
		point1001	1001	1,958,749.9	751,367.6	920.70					
SR16-37 Lancaster Rd Offramp EB	12.0	point1002	1002	1,961,443.5	750,248.8	929.10				Average	
		point1003	1003	1,961,618.9	750,183.9	930.50				Average	
		point1004	1004	1,961,705.6	750,150.8	931.30				Average	
		point1005	1005	1,961,889.1	750,055.1	932.40				Average	
		point1006	1006	1,962,001.2	749,981.9	932.90				Average	
		point1007	1007	1,962,080.6	749,924.4	935.10				Average	
		point1008	1008	1,962,128.1	749,891.8	936.60				Average	
		point1009	1009	1,962,225.1	749,809.8	941.50				Average	
		point1010	1010	1,962,291.1	749,747.1	946.10				Average	
		point1011	1011	1,962,361.2	749,693.6	950.60				Average	
		point1012	1012	1,962,431.0	749,659.7	954.90				Average	
		point1013	1013	1,962,507.0	749,639.4	957.20				Average	
		point1014	1014	1,962,557.9	749,633.9	957.80				Average	
		point1015	1015	1,962,576.1	749,632.1	957.40					
SR16-37 Lancaster Rd Onramp EB	12.0	point1016	1016	1,962,622.4	749,621.1	958.30	Onramp	10.00	100	Average	
		point1017	1017	1,962,837.8	749,572.1	952.80				Average	
		point1018	1018	1,962,958.4	749,546.8	946.60				Average	
		point1019	1019	1,963,257.9	749,480.9	932.20				Average	
		point1020	1020	1,963,479.4	749,432.2	922.50				Average	
		point1021	1021	1,963,787.8	749,362.9	917.50				Average	
		point1022	1022	1,964,060.6	749,300.9	916.10				Average	
		point1023	1023	1,964,199.5	749,273.1	915.70				Average	
		point1024	1024	1,964,311.4	749,250.7	915.30				Average	
		point1025	1025	1,964,407.2	749,239.8	915.10					
SR16-37 Lancaster Rd Onramp WB	12.0	point1026	1026	1,962,632.5	750,108.3	938.00	Onramp	10.00	100	Average	
		point1027	1027	1,962,561.0	750,098.4	936.40				Average	
		point1028	1028	1,962,445.4	750,086.8	931.30				Average	
		point1029	1029	1,962,346.5	750,083.2	929.20				Average	
		point1030	1030	1,962,234.1	750,097.8	929.50				Average	
		point1031	1031	1,962,148.4	750,117.0	930.50				Average	
		point1032	1032	1,962,044.6	750,147.4	931.30				Average	

		point1033	1033	1,961,878.4	750,208.0	931.70				Average	
		point1034	1034	1,961,706.5	750,269.0	931.00				Average	
		point1035	1035	1,961,586.9	750,310.9	929.90				Average	
		point1036	1036	1,961,479.9	750,342.5	929.20					
SR16-37 Lancaster Rd Offramp WB	12.0	point1037	1037	1,963,730.5	749,506.5	916.40				Average	
		point1038	1038	1,963,657.9	749,535.7	917.30				Average	
		point1039	1039	1,963,435.5	749,625.1	919.80				Average	
		point1040	1040	1,963,339.2	749,669.7	920.60				Average	
		point1041	1041	1,963,259.1	749,717.6	920.80				Average	
		point1042	1042	1,963,177.6	749,775.6	921.60				Average	
		point1043	1043	1,963,041.0	749,891.8	925.30				Average	
		point1044	1044	1,962,990.6	749,944.9	927.70				Average	
		point1045	1045	1,962,946.9	749,984.2	930.00				Average	
		point1046	1046	1,962,887.0	750,032.4	933.30				Average	
		point1047	1047	1,962,812.9	750,070.1	935.90				Average	
		point1048	1048	1,962,752.4	750,084.8	937.10				Average	
		point1049	1049	1,962,668.4	750,093.9	937.90					
SR16-37 Thornwood Xing Offramp WB	12.0	point1050	1050	1,976,753.4	748,069.4	892.80				Average	
		point1051	1051	1,976,688.4	748,072.0	891.40				Average	
		point1052	1052	1,976,587.2	748,087.8	890.10				Average	
		point1053	1053	1,976,464.5	748,128.9	889.00				Average	
		point1054	1054	1,976,335.5	748,196.6	889.30				Average	
		point1055	1055	1,976,196.4	748,276.2	890.90				Average	
		point1056	1056	1,976,077.2	748,332.7	892.90				Average	
		point1057	1057	1,975,860.5	748,386.6	895.70				Average	
		point1058	1058	1,975,809.2	748,401.8	896.50					
SR16-37 Thornwood Xing Onramp WB	12.0	point1059	1059	1,975,744.0	748,405.4	896.70	Onramp	10.00	100	Average	
		point1060	1060	1,975,691.5	748,398.1	896.20				Average	
		point1061	1061	1,975,610.2	748,393.2	895.20				Average	
		point1062	1062	1,975,539.4	748,388.8	894.00				Average	
		point1063	1063	1,975,483.8	748,378.7	893.80				Average	
		point1064	1064	1,975,327.9	748,331.9	892.60				Average	
		point1065	1065	1,975,243.6	748,308.7	891.80				Average	
		point1066	1066	1,975,139.1	748,290.5	889.60				Average	
		point1067	1067	1,975,038.6	748,283.2	888.20				Average	
		point1068	1068	1,974,941.1	748,287.0	887.00				Average	
		point1069	1069	1,974,821.0	748,304.7	885.00				Average	
		point1070	1070	1,974,725.8	748,331.8	884.40				Average	
		point1071	1071	1,974,507.0	748,421.9	886.70				Average	

		point1072	1072	1,974,257.5	748,527.9	887.80				Average	
		point1073	1073	1,974,070.8	748,609.8	888.50				Average	
		point1074	1074	1,973,880.0	748,696.8	889.10				Average	
		point1075	1075	1,973,681.1	748,775.7	890.90					
SR16-37 Thornwood Xing Offramp EB	12.0	point1076	1076	1,974,068.2	748,499.9	888.50				Average	
		point1077	1077	1,974,128.5	748,464.5	888.10				Average	
		point1078	1078	1,974,355.4	748,360.1	887.40				Average	
		point1079	1079	1,974,511.5	748,283.6	887.10				Average	
		point1080	1080	1,974,650.0	748,213.1	887.60				Average	
		point1081	1081	1,974,822.2	748,118.8	888.50				Average	
		point1082	1082	1,974,899.0	748,072.7	889.00				Average	
		point1083	1083	1,974,968.0	748,021.3	889.50				Average	
		point1084	1084	1,975,041.4	747,947.0	889.90				Average	
		point1085	1085	1,975,192.8	747,735.8	891.30				Average	
		point1086	1086	1,975,302.9	747,582.2	892.40				Average	
		point1087	1087	1,975,353.5	747,547.3	893.20				Average	
		point1088	1088	1,975,447.1	747,508.2	894.40				Average	
		point1089	1089	1,975,589.5	747,473.8	896.70				Average	
		point1090	1090	1,975,667.4	747,455.5	897.90				Average	
		point1091	1091	1,975,695.9	747,447.6	898.30					
SR16-37 Thornwood Xing Onramp EB	12.0	point1092	1092	1,975,701.5	747,509.5	900.00	Onramp	10.00	100	Average	
		point1093	1093	1,975,631.9	747,498.8	898.10				Average	
		point1094	1094	1,975,547.8	747,512.9	896.40				Average	
		point1095	1095	1,975,482.6	747,528.4	894.60				Average	
		point1096	1096	1,975,419.6	747,547.4	893.10				Average	
		point1097	1097	1,975,353.2	747,579.6	892.00				Average	
		point1098	1098	1,975,304.6	747,628.6	890.50				Average	
		point1099	1099	1,975,273.6	747,702.7	888.60				Average	
		point1100	1100	1,975,268.1	747,758.7	887.90				Average	
		point1101	1101	1,975,289.9	747,837.4	886.60				Average	
		point1102	1102	1,975,324.1	747,885.9	885.70				Average	
		point1103	1103	1,975,390.1	747,928.6	885.10				Average	
		point1104	1104	1,975,456.8	747,943.5	884.90				Average	
		point1105	1105	1,975,537.6	747,941.6	884.70				Average	
		point1106	1106	1,975,628.1	747,928.4	884.60				Average	
		point1107	1107	1,975,841.9	747,901.8	885.20				Average	
		point1108	1108	1,975,933.8	747,897.0	885.60				Average	
		point1109	1109	1,976,125.9	747,888.3	887.00				Average	
		point1110	1110	1,976,364.6	747,886.8	889.90				Average	

		point1111	1111	1,976,559.0	747,903.8	892.40				Average	
		point1112	1112	1,976,672.9	747,925.0	893.80					
Cherry Valley Hotel Parking	20.0	point1149	1149	1,974,599.8	747,121.2	883.80				Average	
		point1150	1150	1,974,593.9	747,286.6	882.70				Average	
		point1151	1151	1,974,596.8	747,502.4	882.30				Average	
		point1152	1152	1,974,602.0	747,682.8	882.30				Average	
		point1153	1153	1,974,600.5	747,816.4	881.50				Average	
		point1154	1154	1,974,607.9	747,970.0	881.90				Average	
		point1155	1155	1,974,616.1	748,013.8	882.40				Average	
		point1156	1156	1,974,629.4	748,042.0	882.70				Average	
		point1157	1157	1,974,661.4	748,069.4	882.20				Average	
		point1158	1158	1,974,690.2	748,071.7	879.80				Average	
		point1159	1159	1,974,744.5	748,042.8	883.10				Average	
		point1160	1160	1,974,867.6	747,953.7	878.60				Average	
		point1161	1161	1,974,932.2	747,894.4	878.80				Average	
		point1162	1162	1,975,043.8	747,750.1	880.10				Average	
		point1163	1163	1,975,148.0	747,614.9	879.60				Average	
		point1164	1164	1,975,082.2	747,561.4	880.40				Average	
		point1165	1165	1,975,127.8	747,499.7	880.90				Average	
		point1166	1166	1,975,199.1	747,550.6	880.10				Average	
		point1167	1167	1,975,332.4	747,371.2	878.50				Average	
		point1168	1168	1,975,336.8	747,279.9	879.50				Average	
		point1169	1169	1,975,319.8	747,225.6	879.60				Average	
		point1170	1170	1,975,285.6	747,186.3	879.40				Average	
		point1171	1171	1,975,233.6	747,148.4	878.60				Average	
		point1172	1172	1,975,175.0	747,126.9	879.40				Average	
		point1173	1173	1,975,072.6	747,116.6	880.40				Average	
		point1174	1174	1,974,985.8	747,136.6	880.90				Average	
		point1175	1175	1,974,939.8	747,151.4	881.30				Average	
		point1176	1176	1,974,780.9	746,983.0	880.70				Average	
		point1177	1177	1,974,753.5	746,997.9	882.40				Average	
		point1178	1178	1,974,746.0	747,032.0	882.50				Average	
		point1179	1179	1,974,800.2	747,097.2	880.10				Average	
		point1180	1180	1,974,850.8	747,148.4	880.70				Average	
		point1181	1181	1,974,890.0	747,187.8	882.10				Average	
		point1182	1182	1,974,832.5	747,250.7	882.40				Average	
		point1183	1183	1,974,856.2	747,268.4	882.20				Average	
		point1184	1184	1,974,866.8	747,281.2	882.30				Average	
		point1185	1185	1,974,873.1	747,307.9	882.40				Average	

		point1186	1186	1,974,862.6	747,321.9	882.80				Average	
		point1187	1187	1,974,837.6	747,325.9	882.40				Average	
		point1188	1188	1,974,811.5	747,311.7	882.30				Average	
		point1189	1189	1,974,776.9	747,239.6	881.60				Average	
		point1190	1190	1,974,719.0	747,130.4	881.90				Average	
		point1191	1191	1,974,684.4	747,066.9	886.80				Average	
		point1192	1192	1,974,659.8	747,020.4	888.40				Average	
		point1193	1193	1,974,629.0	746,970.1	887.60					
Cherry Valley Hotel Parking2	50.0	point1194	1194	1,974,624.8	747,235.7	883.40				Average	
		point1195	1195	1,974,764.5	747,353.1	881.30				Average	
		point1196	1196	1,974,732.4	747,380.1	880.80				Average	
		point1197	1197	1,974,671.9	747,400.6	881.20				Average	
		point1198	1198	1,974,609.9	747,417.4	881.60					
Thornwood Bike Path	12.0	point1199	1199	1,975,808.2	748,087.6	886.50				Average	
		point1200	1200	1,975,818.0	748,145.6	886.30				Average	
		point1201	1201	1,975,828.4	748,181.5	887.20				Average	
		point1202	1202	1,975,832.6	748,239.6	887.40				Average	
		point1203	1203	1,975,834.4	748,344.9	885.80				Average	
		point1204	1204	1,975,838.0	748,368.6	885.30					
Thornwood Bike Path2	12.0	point1205	1205	1,975,850.6	748,418.3	884.80				Average	
		point1206	1206	1,975,855.0	748,469.1	884.10				Average	
		point1207	1207	1,975,848.6	748,561.9	885.60				Average	
		point1208	1208	1,975,843.8	748,689.3	887.90				Average	
		point1209	1209	1,975,848.1	748,805.9	888.50				Average	
		point1210	1210	1,975,851.4	748,921.1	898.40				Average	
		point1211	1211	1,975,873.9	749,066.9	897.20				Average	
		point1212	1212	1,975,912.5	749,234.4	899.00				Average	
		point1213	1213	1,975,960.0	749,400.4	898.50					
Westgate Dr Shortcut	24.0	point1214	1214	1,975,335.0	749,345.8	899.90				Average	
		point1215	1215	1,975,259.8	749,160.7	898.30				Average	
		point1216	1216	1,975,206.1	749,009.6	894.90				Average	
		point1217	1217	1,975,144.1	748,885.1	892.10				Average	
		point1218	1218	1,975,123.8	748,848.3	891.10				Average	
		point1219	1219	1,975,103.4	748,824.8	890.30				Average	
		point1220	1220	1,975,051.5	748,782.8	888.60				Average	
		point1221	1221	1,975,006.8	748,753.1	887.60				Average	
		point1222	1222	1,974,962.9	748,730.0	886.60				Average	
		point1223	1223	1,974,924.8	748,717.5	885.90					
River Rd NB Onramp	12.0	point1224	1224	1,965,471.9	749,498.4	911.20				Average	

		point1225	1225	1,965,518.2	749,438.1	908.60				Average	
		point1226	1226	1,965,558.5	749,386.8	908.20				Average	
		point1227	1227	1,965,569.0	749,343.8	909.60					
Raccoon Creek Bike Path	12.0	point1228	1228	1,973,005.8	747,882.9	890.30				Average	
		point1229	1229	1,972,924.0	747,971.2	890.80				Average	
		point1230	1230	1,972,789.8	748,095.5	891.00				Average	
		point1231	1231	1,972,326.5	748,413.1	892.30				Average	
		point1232	1232	1,971,763.2	748,768.4	895.00				Average	
		point1233	1233	1,971,424.6	748,976.1	896.20				Average	
		point1234	1234	1,970,976.0	749,156.4	891.00				Average	
		point1235	1235	1,970,670.0	749,233.2	899.30				Average	
		point1236	1236	1,970,349.4	749,334.6	897.50				Average	
		point1237	1237	1,970,179.6	749,428.5	893.10				Average	
		point1238	1238	1,970,053.1	749,515.1	886.00				Average	
		point1239	1239	1,969,948.8	749,591.2	886.00				Average	
		point1240	1240	1,969,845.2	749,668.3	901.10				Average	
		point1241	1241	1,969,769.6	749,731.2	901.30				Average	
		point1242	1242	1,969,703.6	749,790.6	900.60				Average	
		point1243	1243	1,969,628.0	749,851.5	901.80					
SR16-37 EB2.0	12.0	point1282	1282	1,957,568.9	751,812.6	920.60				Average	
		point1283	1283	1,957,731.9	751,732.8	921.10				Average	
		point1284	1284	1,957,922.8	751,640.5	921.60				Average	
		point1285	1285	1,958,109.5	751,554.4	922.20				Average	
		point1286	1286	1,958,364.0	751,443.4	921.50				Average	
		point1287	1287	1,958,592.1	751,346.5	920.90					
SR16-37 EB1.0	12.0	point1288	1288	1,957,564.5	751,802.2	920.80				Average	
		point1289	1289	1,957,735.4	751,718.4	923.70				Average	
		point1290	1290	1,957,917.8	751,631.4	921.80				Average	
		point1291	1291	1,958,145.2	751,526.9	922.40				Average	
		point1292	1292	1,958,509.4	751,369.9	921.40				Average	
		point1293	1293	1,958,587.9	751,335.3	920.70					
SR16-37 EB3.1	12.0	point1294	1294	1,958,547.2	751,366.6	921.20				Average	
		point1295	1295	1,958,596.5	751,357.7	920.70				Average	
		point1296	1296	1,958,783.1	751,285.6	920.20				Average	
		point1297	1297	1,959,251.2	751,109.6	919.20				Average	
		point1298	1298	1,959,719.4	750,934.1	918.80				Average	
		point1299	1299	1,960,187.5	750,758.2	918.10				Average	
		point1300	1300	1,960,655.2	750,582.8	922.00				Average	
		point1301	1301	1,961,123.8	750,407.1	926.80				Average	

		point1302	1302	1,961,590.6	750,231.8	931.10					
SR16-37 EB2.1	12.0	point1303	1303	1,958,592.1	751,346.5	920.90				Average	
		point1304	1304	1,958,778.9	751,274.4	920.40				Average	
		point1305	1305	1,959,247.0	751,098.4	919.40				Average	
		point1306	1306	1,959,715.2	750,922.8	919.00				Average	
		point1307	1307	1,960,183.2	750,747.1	918.30				Average	
		point1308	1308	1,960,651.0	750,571.6	922.20				Average	
		point1309	1309	1,961,119.6	750,395.8	927.00				Average	
		point1310	1310	1,961,586.4	750,220.6	931.30					
SR16-37 EB1.1	12.0	point1318	1318	1,958,587.9	751,335.3	920.70				Average	
		point1319	1319	1,958,774.6	751,263.2	920.20				Average	
		point1320	1320	1,959,242.8	751,087.1	919.20				Average	
		point1321	1321	1,959,711.0	750,911.6	918.80				Average	
		point1322	1322	1,960,179.0	750,735.8	918.10				Average	
		point1323	1323	1,960,646.8	750,560.3	922.00				Average	
		point1324	1324	1,961,115.4	750,384.6	926.80				Average	
		point1325	1325	1,961,582.2	750,209.3	931.10					
SR16-37 EB3.2	12.0	point1326	1326	1,961,590.6	750,231.8	931.10				Average	
		point1327	1327	1,962,060.1	750,055.8	931.20				Average	
		point1328	1328	1,962,528.1	749,880.1	927.30				Average	
		point1329	1329	1,962,996.2	749,704.2	923.40				Average	
		point1330	1330	1,963,464.5	749,528.3	919.40				Average	
		point1331	1331	1,963,938.9	749,366.4	915.30				Average	
		point1332	1332	1,964,430.1	749,262.5	913.60					
SR16-37 EB2.2	12.0	point1333	1333	1,961,586.4	750,220.6	931.30				Average	
		point1334	1334	1,962,055.9	750,044.6	931.40				Average	
		point1335	1335	1,962,524.0	749,868.9	927.50				Average	
		point1336	1336	1,962,992.0	749,693.1	923.60				Average	
		point1337	1337	1,963,460.5	749,517.1	919.90				Average	
		point1338	1338	1,963,935.8	749,354.8	915.80				Average	
		point1339	1339	1,964,428.4	749,250.6	914.10					
SR16-37 EB1.2	12.0	point1340	1340	1,961,582.2	750,209.3	931.10				Average	
		point1341	1341	1,962,051.6	750,033.4	931.20				Average	
		point1342	1342	1,962,519.8	749,857.6	927.30				Average	
		point1343	1343	1,962,987.8	749,681.8	923.40				Average	
		point1344	1344	1,963,456.5	749,505.8	920.40				Average	
		point1345	1345	1,963,932.5	749,343.2	916.30				Average	
		point1346	1346	1,964,426.6	749,238.7	914.60					
SR16-37 EB3.3	12.0	point1347	1347	1,964,430.1	749,262.5	913.60				Average	

		point1348	1348	1,964,930.6	749,222.8	912.00				Average	
		point1349	1349	1,965,431.9	749,246.4	910.60				Average	
		point1350	1350	1,965,927.5	749,319.4	909.10				Average	
		point1351	1351	1,966,421.6	749,396.2	907.70				Average	
		point1352	1352	1,966,915.8	749,472.9	906.20				Average	
		point1353	1353	1,967,409.9	749,549.6	905.70				Average	
		point1354	1354	1,967,656.6	749,590.2	906.90				Average	
		point1355	1355	1,968,002.0	749,646.2	911.50				Average	
		point1356	1356	1,968,397.2	749,707.8	918.40				Average	
		point1357	1357	1,968,891.2	749,784.8	926.40				Average	
		point1358	1358	1,969,385.0	749,861.8	932.00				Average	Y
		point1359	1359	1,969,879.4	749,924.9	930.20				Average	Y
		point1360	1360	1,970,376.8	749,927.6	919.60				Average	
		point1361	1361	1,970,870.2	749,867.8	907.30				Average	
		point1362	1362	1,971,352.1	749,745.0	899.10				Average	
		point1363	1363	1,971,815.2	749,562.1	896.80				Average	
		point1364	1364	1,972,269.4	749,353.9	894.70				Average	
		point1365	1365	1,972,723.9	749,145.5	893.40				Average	
		point1366	1366	1,973,178.4	748,937.1	891.60				Average	
		point1367	1367	1,973,632.9	748,728.9	889.90				Average	
		point1368	1368	1,974,086.9	748,519.5	888.20				Average	
		point1369	1369	1,974,541.9	748,310.9	886.60				Average	
		point1370	1370	1,975,006.8	748,123.3	885.20				Average	
		point1371	1371	1,975,492.0	747,995.8	883.50				Average	
		point1372	1372	1,975,636.9	747,970.3	883.30				Average	
		point1373	1373	1,975,684.5	747,953.8	883.70					
SR16-37 EB2.3	12.0	point1374	1374	1,964,428.4	749,250.6	914.10				Average	
		point1375	1375	1,964,930.5	749,210.8	912.50				Average	
		point1376	1376	1,965,433.0	749,234.4	911.10				Average	
		point1377	1377	1,965,929.4	749,307.6	909.60				Average	
		point1378	1378	1,966,423.5	749,384.3	907.90				Average	
		point1379	1379	1,966,917.6	749,461.1	906.40				Average	
		point1380	1380	1,967,411.8	749,537.8	905.90				Average	
		point1381	1381	1,967,658.6	749,578.4	907.10				Average	
		point1382	1382	1,968,004.0	749,634.4	911.70				Average	
		point1383	1383	1,968,399.1	749,695.9	918.60				Average	
		point1384	1384	1,968,893.1	749,772.9	926.60				Average	
		point1385	1385	1,969,386.8	749,849.9	931.50				Average	Y
		point1386	1386	1,969,880.2	749,912.9	929.70				Average	Y

		point1387	1387	1,970,376.0	749,915.6	919.10				Average	
		point1388	1388	1,970,868.1	749,856.0	906.80				Average	
		point1389	1389	1,971,348.4	749,733.6	898.60				Average	
		point1390	1390	1,971,810.6	749,551.0	896.30				Average	
		point1391	1391	1,972,264.4	749,343.0	894.90				Average	
		point1392	1392	1,972,718.9	749,134.6	893.60				Average	
		point1393	1393	1,973,173.4	748,926.2	891.80				Average	
		point1394	1394	1,973,627.9	748,717.9	890.10				Average	
		point1395	1395	1,974,081.9	748,508.6	888.40				Average	
		point1396	1396	1,974,537.1	748,299.9	887.10				Average	
		point1397	1397	1,975,003.0	748,111.9	885.70				Average	
		point1398	1398	1,975,489.4	747,984.1	884.00				Average	
		point1399	1399	1,975,634.8	747,958.5	883.80				Average	
		point1400	1400	1,975,844.0	747,934.3	884.00					
SR16-37 EB1.3	12.0	point1401	1401	1,964,426.6	749,238.7	914.60				Average	
		point1402	1402	1,964,930.2	749,198.7	913.00				Average	
		point1403	1403	1,965,434.2	749,222.4	911.60				Average	
		point1404	1404	1,965,931.1	749,295.8	910.10				Average	
		point1405	1405	1,966,425.4	749,372.5	907.70				Average	
		point1406	1406	1,966,919.4	749,449.2	906.20				Average	
		point1407	1407	1,967,413.8	749,525.9	905.70				Average	
		point1408	1408	1,967,660.5	749,566.6	906.90				Average	
		point1409	1409	1,968,005.9	749,622.5	911.50				Average	
		point1410	1410	1,968,400.9	749,684.1	918.40				Average	
		point1411	1411	1,968,895.0	749,761.1	926.40				Average	
		point1412	1412	1,969,388.4	749,838.0	931.00				Average	Y
		point1413	1413	1,969,881.0	749,900.9	929.20				Average	Y
		point1414	1414	1,970,375.4	749,903.6	918.60				Average	
		point1415	1415	1,970,865.9	749,844.2	906.30				Average	
		point1416	1416	1,971,344.8	749,722.1	898.10				Average	
		point1417	1417	1,971,805.9	749,540.0	895.80				Average	
		point1418	1418	1,972,259.4	749,332.1	894.70				Average	
		point1419	1419	1,972,713.9	749,123.7	893.40				Average	
		point1420	1420	1,973,168.4	748,915.3	891.60				Average	
		point1421	1421	1,973,622.9	748,707.1	889.90				Average	
		point1422	1422	1,974,076.9	748,497.7	888.20				Average	
		point1423	1423	1,974,532.4	748,288.8	887.60				Average	
		point1424	1424	1,974,999.2	748,100.5	886.20				Average	
		point1425	1425	1,975,486.9	747,972.4	884.50				Average	

		point1426	1426	1,975,632.6	747,946.7	884.30				Average	
		point1427	1427	1,975,845.9	747,922.2	884.50					
SR16-37 EB1.4	12.0	point1428	1428	1,975,845.9	747,922.2	884.50				Average	
		point1429	1429	1,975,922.1	747,915.2	884.90				Average	
		point1430	1430	1,976,169.0	747,902.6	886.60				Average	
		point1431	1431	1,976,402.0	747,904.7	889.90				Average	
		point1432	1432	1,976,561.1	747,913.8	892.10				Average	
		point1433	1433	1,976,751.1	747,933.4	894.80					
SR16-37 EB2.4	12.0	point1434	1434	1,975,844.0	747,934.3	884.00				Average	
		point1435	1435	1,976,094.8	747,917.1	885.70				Average	
		point1436	1436	1,976,255.0	747,913.9	887.20				Average	
		point1437	1437	1,976,395.4	747,916.2	889.30				Average	
		point1438	1438	1,976,545.8	747,924.9	891.40				Average	
		point1439	1439	1,976,750.6	747,945.8	894.40					
SR16-37 WB2.0	12.0	point1440	1440	1,976,753.9	748,009.9	893.80				Average	
		point1441	1441	1,976,490.0	747,983.6	889.90				Average	
		point1442	1442	1,976,288.5	747,976.4	887.10				Average	
		point1443	1443	1,976,147.2	747,976.8	885.40				Average	
		point1444	1444	1,975,996.9	747,984.9	884.10				Average	
		point1445	1445	1,975,848.5	747,995.6	883.60				Average	
		point1446	1446	1,975,645.5	748,019.6	882.80					
SR16-37 WB1.0	12.0	point1447	1447	1,976,752.6	748,021.8	893.00				Average	
		point1448	1448	1,976,489.1	747,995.6	889.40				Average	
		point1449	1449	1,976,288.2	747,988.4	887.10				Average	
		point1450	1450	1,976,147.5	747,988.8	885.00				Average	
		point1451	1451	1,975,997.6	747,996.9	883.70				Average	
		point1452	1452	1,975,849.8	748,007.5	883.10				Average	
		point1453	1453	1,975,647.6	748,031.4	882.30					
SR16-37 WB3.1	12.0	point1454	1454	1,975,695.0	748,012.7	883.20				Average	
		point1455	1455	1,975,643.4	748,007.8	883.30				Average	
		point1456	1456	1,975,500.1	748,033.0	883.90				Average	
		point1457	1457	1,975,018.8	748,159.4	885.60				Average	
		point1458	1458	1,974,556.9	748,345.8	886.70				Average	
		point1459	1459	1,974,102.8	748,554.0	888.00				Average	
		point1460	1460	1,973,648.8	748,763.4	889.70				Average	
		point1461	1461	1,973,194.1	748,971.7	891.40				Average	
		point1462	1462	1,972,739.6	749,180.1	893.50				Average	
		point1463	1463	1,972,285.1	749,388.4	894.80				Average	
		point1464	1464	1,971,830.2	749,597.0	896.60				Average	

		point1465	1465	1,971,363.9	749,781.2	898.60				Average	
		point1466	1466	1,970,877.4	749,905.2	906.80				Average	
		point1467	1467	1,970,378.9	749,965.6	919.00				Average	
		point1468	1468	1,969,876.9	749,962.9	929.50				Average	Y
		point1469	1469	1,969,379.8	749,899.4	931.70				Average	Y
		point1470	1470	1,968,885.4	749,822.4	926.40				Average	
		point1471	1471	1,968,391.4	749,745.4	918.30				Average	
		point1472	1472	1,967,996.1	749,683.8	911.70				Average	
		point1473	1473	1,967,650.5	749,627.8	907.10				Average	
		point1474	1474	1,967,403.9	749,587.1	905.60				Average	
		point1475	1475	1,966,909.9	749,510.5	906.30				Average	
		point1476	1476	1,966,415.9	749,433.8	907.80				Average	
		point1477	1477	1,965,921.9	749,357.0	909.30				Average	
		point1478	1478	1,965,428.2	749,284.2	911.10				Average	
		point1479	1479	1,964,931.2	749,260.8	912.60				Average	
		point1480	1480	1,964,435.5	749,300.2	914.00				Average	
		point1481	1481	1,963,949.0	749,403.1	915.90				Average	
		point1482	1482	1,963,477.4	749,564.1	919.50				Average	
		point1483	1483	1,963,009.6	749,739.9	923.30				Average	
		point1484	1484	1,962,541.5	749,915.7	926.80				Average	
		point1485	1485	1,962,073.4	750,091.4	931.10				Average	
		point1486	1486	1,961,604.0	750,267.4	930.10				Average	
		point1487	1487	1,961,137.1	750,442.6	926.80					
SR16-37 WB2.1	12.0	point1488	1488	1,975,645.5	748,019.6	882.80				Average	
		point1489	1489	1,975,502.8	748,044.7	883.40				Average	
		point1490	1490	1,975,022.6	748,170.9	885.10				Average	
		point1491	1491	1,974,561.6	748,356.8	886.20				Average	
		point1492	1492	1,974,107.9	748,564.9	888.20				Average	
		point1493	1493	1,973,653.8	748,774.2	889.90				Average	
		point1494	1494	1,973,199.1	748,982.6	891.60				Average	
		point1495	1495	1,972,744.6	749,190.9	893.70				Average	
		point1496	1496	1,972,290.1	749,399.3	895.00				Average	
		point1497	1497	1,971,834.9	749,608.1	897.10				Average	
		point1498	1498	1,971,367.5	749,792.7	899.10				Average	
		point1499	1499	1,970,879.5	749,917.1	907.30				Average	
		point1500	1500	1,970,379.6	749,977.6	919.50				Average	
		point1501	1501	1,969,876.1	749,974.9	930.00				Average	Y
		point1502	1502	1,969,378.0	749,911.2	932.20				Average	Y
		point1503	1503	1,968,883.6	749,834.2	926.60				Average	

		point1504	1504	1,968,389.5	749,757.2	918.50				Average	
		point1505	1505	1,967,994.2	749,695.6	911.90				Average	
		point1506	1506	1,967,648.6	749,639.6	907.30				Average	
		point1507	1507	1,967,402.0	749,599.0	905.80				Average	
		point1508	1508	1,966,908.1	749,522.4	906.50				Average	
		point1509	1509	1,966,414.0	749,445.6	908.00				Average	
		point1510	1510	1,965,920.0	749,368.9	908.80				Average	
		point1511	1511	1,965,427.0	749,296.2	910.60				Average	
		point1512	1512	1,964,931.5	749,272.8	912.10				Average	
		point1513	1513	1,964,437.2	749,312.1	913.50				Average	
		point1514	1514	1,963,952.2	749,414.8	915.40				Average	
		point1515	1515	1,963,481.4	749,575.4	919.00				Average	
		point1516	1516	1,963,013.9	749,751.1	923.50				Average	
		point1517	1517	1,962,545.8	749,926.9	927.00				Average	
		point1518	1518	1,962,077.6	750,102.6	931.30				Average	
		point1519	1519	1,961,608.2	750,278.6	930.30				Average	
		point1520	1520	1,961,141.4	750,453.9	927.00					
SR16-37 WB1.1	12.0	point1521	1521	1,975,647.6	748,031.4	882.30				Average	
		point1522	1522	1,975,505.2	748,056.4	882.90				Average	
		point1523	1523	1,975,026.4	748,182.2	884.60				Average	
		point1524	1524	1,974,566.4	748,367.9	885.70				Average	
		point1525	1525	1,974,112.9	748,575.8	888.00				Average	
		point1526	1526	1,973,658.8	748,785.2	889.70				Average	
		point1527	1527	1,973,204.1	748,993.5	891.40				Average	
		point1528	1528	1,972,749.6	749,201.9	893.50				Average	
		point1529	1529	1,972,295.1	749,410.2	894.80				Average	
		point1530	1530	1,971,839.6	749,619.1	897.60				Average	
		point1531	1531	1,971,371.2	749,804.1	899.60				Average	
		point1532	1532	1,970,881.8	749,928.9	907.80				Average	
		point1533	1533	1,970,380.2	749,989.6	920.00				Average	
		point1534	1534	1,969,875.2	749,986.9	930.50				Average	Y
		point1535	1535	1,969,376.4	749,923.1	932.70				Average	Y
		point1536	1536	1,968,881.8	749,846.1	926.40				Average	
		point1537	1537	1,968,387.6	749,769.1	918.30				Average	
		point1538	1538	1,967,992.4	749,707.4	911.70				Average	
		point1539	1539	1,967,646.6	749,651.4	907.10				Average	
		point1540	1540	1,967,400.1	749,610.8	905.60				Average	
		point1541	1541	1,966,906.2	749,534.2	906.30				Average	
		point1542	1542	1,966,412.1	749,457.4	907.80				Average	

		point1543	1543	1,965,918.2	749,380.8	908.30				Average	
		point1544	1544	1,965,425.9	749,308.1	910.10				Average	
		point1545	1545	1,964,931.6	749,284.9	911.60				Average	
		point1546	1546	1,964,439.0	749,323.9	913.00				Average	
		point1547	1547	1,963,955.4	749,426.3	914.90				Average	
		point1548	1548	1,963,485.5	749,586.7	918.50				Average	
		point1549	1549	1,963,018.0	749,762.3	923.30				Average	
		point1550	1550	1,962,550.0	749,938.1	926.80				Average	
		point1551	1551	1,962,081.9	750,113.9	931.10				Average	
		point1552	1552	1,961,612.5	750,289.8	930.10				Average	
		point1553	1553	1,961,145.5	750,465.1	926.80					
SR16-37 WB3.2	12.0	point1554	1554	1,961,137.1	750,442.6	926.80				Average	
		point1555	1555	1,960,668.5	750,618.4	921.70				Average	
		point1556	1556	1,960,200.9	750,793.9	917.60				Average	
		point1557	1557	1,959,732.8	750,969.6	918.20				Average	
		point1558	1558	1,959,264.6	751,145.2	918.90				Average	
		point1559	1559	1,958,796.6	751,321.1	920.10				Average	
		point1560	1560	1,958,610.1	751,393.1	920.60				Average	
		point1561	1561	1,958,569.4	751,422.1	920.80					
SR16-37 WB2.2	12.0	point1562	1562	1,961,141.4	750,453.9	927.00				Average	
		point1563	1563	1,960,672.8	750,629.6	921.90				Average	
		point1564	1564	1,960,205.0	750,805.1	917.80				Average	
		point1565	1565	1,959,737.0	750,980.9	918.40				Average	
		point1566	1566	1,959,268.9	751,156.4	919.10				Average	
		point1567	1567	1,958,801.0	751,332.4	920.30				Average	
		point1568	1568	1,958,614.5	751,404.3	920.80					
SR16-37 WB1.2	12.0	point1569	1569	1,961,145.5	750,465.1	926.80				Average	
		point1570	1570	1,960,677.0	750,640.8	921.70				Average	
		point1571	1571	1,960,209.2	750,816.3	917.60				Average	
		point1572	1572	1,959,741.1	750,992.1	918.20				Average	
		point1573	1573	1,959,273.0	751,167.6	918.90				Average	
		point1574	1574	1,958,805.2	751,343.6	920.10				Average	
		point1575	1575	1,958,618.8	751,415.5	920.60					
SR16-37 WB1.3	12.0	point1576	1576	1,958,618.8	751,415.5	920.60				Average	
		point1577	1577	1,958,247.9	751,574.6	921.60				Average	
		point1578	1578	1,957,787.6	751,787.4	920.70				Average	
		point1579	1579	1,957,597.0	751,878.0	920.30					
SR16-37 WB2.3	12.0	point1580	1580	1,958,614.5	751,404.3	920.80				Average	
		point1581	1581	1,958,241.9	751,560.2	921.80				Average	

		point1582	1582	1,958,112.4	751,619.3	922.00				Average	
		point1583	1583	1,957,591.6	751,867.2	920.40					
SR16-37 Columbus Ave Offramp EB	12.0	point1584	1584	1,958,931.2	751,200.9	920.20				Average	
		point1585	1585	1,959,011.5	751,165.9	919.80				Average	
		point1586	1586	1,959,188.1	751,096.5	919.50				Average	
		point1587	1587	1,959,349.1	751,022.6	919.00				Average	
		point1588	1588	1,959,463.6	750,958.0	918.30				Average	
		point1589	1589	1,959,612.4	750,869.1	919.60				Average	
		point1590	1590	1,959,726.4	750,792.6	922.80				Average	
		point1591	1591	1,959,923.8	750,656.8	932.40				Average	
		point1592	1592	1,960,144.9	750,503.2	939.20					
Raccoon Creek Bike Path-2	12.0	point1245	1245	1,969,491.8	749,966.9	903.70				Average	
		point1246	1246	1,969,319.0	750,045.9	896.90				Average	
		point1247	1247	1,969,264.9	750,098.2	904.90				Average	
		point1248	1248	1,969,117.4	750,224.9	908.30				Average	
		point1249	1249	1,968,828.5	750,459.0	911.30				Average	
		point1250	1250	1,968,464.9	750,779.2	911.50					

EnviroScience, Inc.				**11 September 2024**								
Michael Liptak &Kieran Hynes				**TNM 2.5**								
INPUT: TRAFFIC FOR LAeq1h Volumes												
PROJECT/CONTRACT:	**LIC-16/37-14.24/15.72 (PID 95445)**											
RUN:	**2048 All Barriers All NSAs**											
Roadway	**Points**											
Name	**Name**	**No.**	**Segment**									
			Autos		**MTrucks**		**HTrucks**		**Buses**		**Motorcycles**	
			V	**S**	**V**	**S**	**V**	**S**	**V**	**S**	**V**	**S**
			veh/hr	mph	veh/hr	mph	veh/hr	mph	veh/hr	mph	veh/hr	mph
Columbus Rd SB.1	point5	5	784	35	10	35	30	35	0	0	0	0
	point6	6	784	35	10	35	30	35	0	0	0	0
	point7	7	784	35	10	35	30	35	0	0	0	0
	point8	8	784	35	10	35	30	35	0	0	0	0
	point9	9	784	35	10	35	30	35	0	0	0	0
	point10	10	784	35	10	35	30	35	0	0	0	0
	point11	11										
Columbus Rd SB.2	point13	13	939	35	14	35	42	35	0	0	0	0
	point1252	1252	939	35	14	35	42	35	0	0	0	0
	point14	14	939	35	14	35	42	35	0	0	0	0
	point15	15	939	35	14	35	42	35	0	0	0	0
	point16	16										
Columbus Rd SB.3	point18	18	1094	45	17	45	54	45	0	0	0	0
	point1253	1253	1094	45	17	45	54	45	0	0	0	0
	point19	19	1094	45	17	45	54	45	0	0	0	0
	point20	20	1094	45	17	45	54	45	0	0	0	0
	point21	21	1094	45	17	45	54	45	0	0	0	0
	point22	22										
Columbus Rd NB.1	point23	23	855	45	12	45	36	45	0	0	0	0
	point24	24	855	45	12	45	36	45	0	0	0	0
	point25	25	855	45	12	45	36	45	0	0	0	0
	point26	26	855	45	12	45	36	45	0	0	0	0
	point27	27										

Columbus Rd NB.2	point29	29	679	35	9	35	28	35	0	0	0	0
	point1254	1254	679	35	9	35	28	35	0	0	0	0
	point30	30	679	35	9	35	28	35	0	0	0	0
	point31	31	679	35	9	35	28	35	0	0	0	0
	point32	32	679	35	9	35	28	35	0	0	0	0
	point33	33										
Columbus Rd NB.3	point35	35	503	35	6	35	20	35	0	0	0	0
	point1251	1251	503	35	6	35	20	35	0	0	0	0
	point36	36	503	35	6	35	20	35	0	0	0	0
	point37	37	503	35	6	35	20	35	0	0	0	0
	point38	38	503	35	6	35	20	35	0	0	0	0
	point39	39	503	35	6	35	20	35	0	0	0	0
	point40	40										
Spring Valley Nature	point53	53	60	35	4	35	0	0	0	0	0	0
	point52	52	60	35	4	35	0	0	0	0	0	0
	point51	51	60	35	4	35	0	0	0	0	0	0
	point50	50	60	35	4	35	0	0	0	0	0	0
	point49	49	60	35	4	35	0	0	0	0	0	0
	point48	48	60	35	4	35	0	0	0	0	0	0
	point47	47	60	35	4	35	0	0	0	0	0	0
	point46	46	60	35	4	35	0	0	0	0	0	0
	point45	45	60	35	4	35	0	0	0	0	0	0
	point44	44	60	35	4	35	0	0	0	0	0	0
	point43	43	60	35	4	35	0	0	0	0	0	0
	point42	42	60	35	4	35	0	0	0	0	0	0
	point41	41										
Hannah Dr	point56	56	60	35	4	35	0	0	0	0	0	0
	point57	57	60	35	4	35	0	0	0	0	0	0
	point58	58	60	35	4	35	0	0	0	0	0	0
	point59	59	60	35	4	35	0	0	0	0	0	0
	point60	60	60	35	4	35	0	0	0	0	0	0
	point61	61	60	35	4	35	0	0	0	0	0	0
	point62	62	60	35	4	35	0	0	0	0	0	0
	point63	63	60	35	4	35	0	0	0	0	0	0
	point64	64	60	35	4	35	0	0	0	0	0	0
	point65	65	60	35	4	35	0	0	0	0	0	0

	point66	66	60	35	4	35	0	0	0	0	0	0
	point67	67	60	35	4	35	0	0	0	0	0	0
	point68	68	60	35	4	35	0	0	0	0	0	0
	point69	69	60	35	4	35	0	0	0	0	0	0
	point70	70	60	35	4	35	0	0	0	0	0	0
	point71	71	60	35	4	35	0	0	0	0	0	0
	point72	72	60	35	4	35	0	0	0	0	0	0
	point73	73	60	35	4	35	0	0	0	0	0	0
	point74	74	60	35	4	35	0	0	0	0	0	0
	point75	75										
Hannah Dr2	point76	76	60	35	4	35	0	0	0	0	0	0
	point77	77	60	35	4	35	0	0	0	0	0	0
	point78	78	60	35	4	35	0	0	0	0	0	0
	point79	79	60	35	4	35	0	0	0	0	0	0
	point80	80	60	35	4	35	0	0	0	0	0	0
	point81	81	60	35	4	35	0	0	0	0	0	0
	point82	82	60	35	4	35	0	0	0	0	0	0
	point83	83										
Poppy Ln	point84	84	60	35	4	35	0	0	0	0	0	0
	point85	85	60	35	4	35	0	0	0	0	0	0
	point86	86	60	35	4	35	0	0	0	0	0	0
	point87	87	60	35	4	35	0	0	0	0	0	0
	point88	88	60	35	4	35	0	0	0	0	0	0
	point89	89	60	35	4	35	0	0	0	0	0	0
	point90	90	60	35	4	35	0	0	0	0	0	0
	point91	91	60	35	4	35	0	0	0	0	0	0
	point92	92	60	35	4	35	0	0	0	0	0	0
	point93	93	60	35	4	35	0	0	0	0	0	0
	point94	94	60	35	4	35	0	0	0	0	0	0
	point95	95	60	35	4	35	0	0	0	0	0	0
	point96	96	60	35	4	35	0	0	0	0	0	0
	point97	97	60	35	4	35	0	0	0	0	0	0
	point98	98	60	35	4	35	0	0	0	0	0	0
	point99	99										
Weaver Dr EB.1	point100	100	62	35	1	35	2	35	0	0	0	0
	point101	101	62	35	1	35	2	35	0	0	0	0

	point102	102	62	35	1	35	2	35	0	0	0	0
	point103	103	62	35	1	35	2	35	0	0	0	0
	point104	104										
Weaver Dr EB.2	point105	105	62	35	1	35	2	35	0	0	0	0
	point106	106	62	35	1	35	2	35	0	0	0	0
	point107	107										
Weaver Dr EB.3	point108	108	62	35	1	35	2	35	0	0	0	0
	point109	109	62	35	1	35	2	35	0	0	0	0
	point110	110	62	35	1	35	2	35	0	0	0	0
	point111	111	62	35	1	35	2	35	0	0	0	0
	point112	112	62	35	1	35	2	35	0	0	0	0
	point113	113	62	35	1	35	2	35	0	0	0	0
	point114	114	62	35	1	35	2	35	0	0	0	0
	point115	115	62	35	1	35	2	35	0	0	0	0
	point116	116	62	35	1	35	2	35	0	0	0	0
	point117	117										
Weaver Dr WB.1	point118	118	105	35	2	35	4	35	0	0	0	0
	point119	119	105	35	2	35	4	35	0	0	0	0
	point120	120	105	35	2	35	4	35	0	0	0	0
	point121	121	105	35	2	35	4	35	0	0	0	0
	point122	122	105	35	2	35	4	35	0	0	0	0
	point123	123	105	35	2	35	4	35	0	0	0	0
	point124	124	105	35	2	35	4	35	0	0	0	0
	point125	125	105	35	2	35	4	35	0	0	0	0
	point126	126	105	35	2	35	4	35	0	0	0	0
	point127	127	105	35	2	35	4	35	0	0	0	0
	point128	128	105	35	2	35	4	35	0	0	0	0
	point129	129	105	35	2	35	4	35	0	0	0	0
	point130	130										
Weaver Dr WB.2	point131	131	105	35	2	35	4	35	0	0	0	0
	point132	132	105	35	2	35	4	35	0	0	0	0
	point133	133										
Weaver Dr WB.3	point134	134	105	35	2	35	4	35	0	0	0	0
	point135	135	105	35	2	35	4	35	0	0	0	0
	point136	136										
Old River Rd	point137	137	23	35	0	0	1	35	0	0	0	0

	point138	138	23	35	0	0	1	35	0	0	0	0
	point139	139	23	35	0	0	1	35	0	0	0	0
	point140	140	23	35	0	0	1	35	0	0	0	0
	point141	141	23	35	0	0	1	35	0	0	0	0
	point142	142	23	35	0	0	1	35	0	0	0	0
	point143	143	23	35	0	0	1	35	0	0	0	0
	point144	144										
River Rd EB	point145	145	186	35	3	35	7	35	0	0	0	0
	point146	146	186	35	3	35	7	35	0	0	0	0
	point147	147	186	35	3	35	7	35	0	0	0	0
	point148	148	186	35	3	35	7	35	0	0	0	0
	point149	149	186	35	3	35	7	35	0	0	0	0
	point150	150	186	35	3	35	7	35	0	0	0	0
	point151	151	186	35	3	35	7	35	0	0	0	0
	point152	152	186	35	3	35	7	35	0	0	0	0
	point153	153	186	35	3	35	7	35	0	0	0	0
	point154	154	186	35	3	35	7	35	0	0	0	0
	point155	155	186	35	3	35	7	35	0	0	0	0
	point156	156	186	35	3	35	7	35	0	0	0	0
	point157	157	186	35	3	35	7	35	0	0	0	0
	point158	158	186	35	3	35	7	35	0	0	0	0
	point159	159	186	35	3	35	7	35	0	0	0	0
	point160	160	186	35	3	35	7	35	0	0	0	0
	point161	161	186	35	3	35	7	35	0	0	0	0
	point162	162	186	35	3	35	7	35	0	0	0	0
	point163	163	186	35	3	35	7	35	0	0	0	0
	point164	164	186	35	3	35	7	35	0	0	0	0
	point165	165	186	35	3	35	7	35	0	0	0	0
	point166	166	186	35	3	35	7	35	0	0	0	0
	point167	167	186	35	3	35	7	35	0	0	0	0
	point168	168	186	35	3	35	7	35	0	0	0	0
	point169	169	186	35	3	35	7	35	0	0	0	0
	point170	170	186	35	3	35	7	35	0	0	0	0
	point171	171	186	35	3	35	7	35	0	0	0	0
	point172	172	186	35	3	35	7	35	0	0	0	0
	point173	173	186	35	3	35	7	35	0	0	0	0

	point174	174	186	35	3	35	7	35	0	0	0	0
	point175	175	186	35	3	35	7	35	0	0	0	0
	point176	176	186	35	3	35	7	35	0	0	0	0
	point177	177	186	35	3	35	7	35	0	0	0	0
	point178	178	186	35	3	35	7	35	0	0	0	0
	point179	179	186	35	3	35	7	35	0	0	0	0
	point180	180	186	35	3	35	7	35	0	0	0	0
	point181	181	186	35	3	35	7	35	0	0	0	0
	point182	182	186	35	3	35	7	35	0	0	0	0
	point183	183	186	35	3	35	7	35	0	0	0	0
	point184	184	186	35	3	35	7	35	0	0	0	0
	point185	185	186	35	3	35	7	35	0	0	0	0
	point186	186	186	35	3	35	7	35	0	0	0	0
	point187	187	186	35	3	35	7	35	0	0	0	0
	point188	188	186	35	3	35	7	35	0	0	0	0
	point189	189	186	35	3	35	7	35	0	0	0	0
	point190	190	186	35	3	35	7	35	0	0	0	0
	point191	191	186	35	3	35	7	35	0	0	0	0
	point192	192	186	35	3	35	7	35	0	0	0	0
	point193	193	186	35	3	35	7	35	0	0	0	0
	point194	194	186	35	3	35	7	35	0	0	0	0
	point195	195	186	35	3	35	7	35	0	0	0	0
	point196	196	186	35	3	35	7	35	0	0	0	0
	point197	197										
River Rd WB	point198	198	186	35	3	35	7	35	0	0	0	0
	point199	199	186	35	3	35	7	35	0	0	0	0
	point200	200	186	35	3	35	7	35	0	0	0	0
	point201	201	186	35	3	35	7	35	0	0	0	0
	point202	202	186	35	3	35	7	35	0	0	0	0
	point203	203	186	35	3	35	7	35	0	0	0	0
	point204	204	186	35	3	35	7	35	0	0	0	0
	point205	205	186	35	3	35	7	35	0	0	0	0
	point206	206	186	35	3	35	7	35	0	0	0	0
	point207	207	186	35	3	35	7	35	0	0	0	0
	point208	208	186	35	3	35	7	35	0	0	0	0
	point209	209	186	35	3	35	7	35	0	0	0	0

	point210	210	186	35	3	35	7	35	0	0	0	0
	point211	211	186	35	3	35	7	35	0	0	0	0
	point212	212	186	35	3	35	7	35	0	0	0	0
	point213	213	186	35	3	35	7	35	0	0	0	0
	point214	214	186	35	3	35	7	35	0	0	0	0
	point215	215	186	35	3	35	7	35	0	0	0	0
	point216	216	186	35	3	35	7	35	0	0	0	0
	point217	217	186	35	3	35	7	35	0	0	0	0
	point218	218	186	35	3	35	7	35	0	0	0	0
	point219	219	186	35	3	35	7	35	0	0	0	0
	point220	220	186	35	3	35	7	35	0	0	0	0
	point221	221	186	35	3	35	7	35	0	0	0	0
	point222	222	186	35	3	35	7	35	0	0	0	0
	point223	223	186	35	3	35	7	35	0	0	0	0
	point224	224	186	35	3	35	7	35	0	0	0	0
	point225	225	186	35	3	35	7	35	0	0	0	0
	point226	226	186	35	3	35	7	35	0	0	0	0
	point227	227	186	35	3	35	7	35	0	0	0	0
	point228	228	186	35	3	35	7	35	0	0	0	0
	point229	229	186	35	3	35	7	35	0	0	0	0
	point230	230	186	35	3	35	7	35	0	0	0	0
	point231	231	186	35	3	35	7	35	0	0	0	0
	point232	232	186	35	3	35	7	35	0	0	0	0
	point233	233	186	35	3	35	7	35	0	0	0	0
	point234	234	186	35	3	35	7	35	0	0	0	0
	point235	235	186	35	3	35	7	35	0	0	0	0
	point236	236	186	35	3	35	7	35	0	0	0	0
	point237	237	186	35	3	35	7	35	0	0	0	0
	point238	238	186	35	3	35	7	35	0	0	0	0
	point239	239	186	35	3	35	7	35	0	0	0	0
	point240	240	186	35	3	35	7	35	0	0	0	0
	point241	241	186	35	3	35	7	35	0	0	0	0
	point242	242	186	35	3	35	7	35	0	0	0	0
	point243	243	186	35	3	35	7	35	0	0	0	0
	point244	244	186	35	3	35	7	35	0	0	0	0
	point245	245	186	35	3	35	7	35	0	0	0	0

	point246	246	186	35	3	35	7	35	0	0	0	0
	point247	247	186	35	3	35	7	35	0	0	0	0
	point248	248	186	35	3	35	7	35	0	0	0	0
	point249	249	186	35	3	35	7	35	0	0	0	0
	point250	250	186	35	3	35	7	35	0	0	0	0
	point251	251										
River Rd2 EB.1	point252	252	198	35	3	35	7	35	0	0	0	0
	point253	253	198	35	3	35	7	35	0	0	0	0
	point254	254	198	35	3	35	7	35	0	0	0	0
	point255	255	198	35	3	35	7	35	0	0	0	0
	point256	256	198	35	3	35	7	35	0	0	0	0
	point257	257	198	35	3	35	7	35	0	0	0	0
	point258	258	198	35	3	35	7	35	0	0	0	0
	point259	259	198	35	3	35	7	35	0	0	0	0
	point260	260										
River Rd2 EB.2	point261	261	198	35	3	35	7	35	0	0	0	0
	point262	262	198	35	3	35	7	35	0	0	0	0
	point263	263	198	35	3	35	7	35	0	0	0	0
	point264	264	198	35	3	35	7	35	0	0	0	0
	point265	265	198	35	3	35	7	35	0	0	0	0
	point266	266	198	35	3	35	7	35	0	0	0	0
	point267	267	198	35	3	35	7	35	0	0	0	0
	point268	268	198	35	3	35	7	35	0	0	0	0
	point269	269	198	35	3	35	7	35	0	0	0	0
	point270	270	198	35	3	35	7	35	0	0	0	0
	point271	271										
River Rd2 WB.1	point272	272	63	35	1	35	2	35	0	0	0	0
	point273	273	63	35	1	35	2	35	0	0	0	0
	point274	274	63	35	1	35	2	35	0	0	0	0
	point275	275	63	35	1	35	2	35	0	0	0	0
	point276	276	63	35	1	35	2	35	0	0	0	0
	point277	277	63	35	1	35	2	35	0	0	0	0
	point278	278	63	35	1	35	2	35	0	0	0	0
	point279	279	63	35	1	35	2	35	0	0	0	0
	point280	280	63	35	1	35	2	35	0	0	0	0
	point281	281	63	35	1	35	2	35	0	0	0	0

	point282	282	63	35	1	35	2	35	0	0	0	0
	point283	283										
River Rd2 WB.2	point284	284	63	35	1	35	2	35	0	0	0	0
	point285	285	63	35	1	35	2	35	0	0	0	0
	point286	286	63	35	1	35	2	35	0	0	0	0
	point287	287	63	35	1	35	2	35	0	0	0	0
	point288	288	63	35	1	35	2	35	0	0	0	0
	point289	289	63	35	1	35	2	35	0	0	0	0
	point290	290	63	35	1	35	2	35	0	0	0	0
	point291	291										
Mill Race Rd.1	point292	292	60	35	4	35	0	0	0	0	0	0
	point293	293	60	35	4	35	0	0	0	0	0	0
	point294	294	60	35	4	35	0	0	0	0	0	0
	point295	295	60	35	4	35	0	0	0	0	0	0
	point296	296	60	35	4	35	0	0	0	0	0	0
	point297	297	60	35	4	35	0	0	0	0	0	0
	point298	298	60	35	4	35	0	0	0	0	0	0
	point299	299	60	35	4	35	0	0	0	0	0	0
	point300	300										
Mill Race Rd.2	point301	301	60	35	4	35	0	0	0	0	0	0
	point302	302	60	35	4	35	0	0	0	0	0	0
	point303	303	60	35	4	35	0	0	0	0	0	0
	point304	304	60	35	4	35	0	0	0	0	0	0
	point305	305										
Springhill Rd	point306	306	60	35	4	35	0	0	0	0	0	0
	point307	307	60	35	4	35	0	0	0	0	0	0
	point308	308	60	35	4	35	0	0	0	0	0	0
	point309	309	60	35	4	35	0	0	0	0	0	0
	point310	310	60	35	4	35	0	0	0	0	0	0
	point311	311	60	35	4	35	0	0	0	0	0	0
	point312	312	60	35	4	35	0	0	0	0	0	0
	point313	313	60	35	4	35	0	0	0	0	0	0
	point314	314	60	35	4	35	0	0	0	0	0	0
	point315	315										
Clouse Ln	point316	316	60	35	4	35	0	0	0	0	0	0
	point317	317	60	35	4	35	0	0	0	0	0	0

	point318	318	60	35	4	35	0	0	0	0	0	0
	point319	319	60	35	4	35	0	0	0	0	0	0
	point320	320										
Lancaster Rd SB.1	point321	321	367	35	6	35	20	35	0	0	0	0
	point322	322	367	35	6	35	20	35	0	0	0	0
	point323	323	367	35	6	35	20	35	0	0	0	0
	point324	324	367	35	6	35	20	35	0	0	0	0
	point325	325	367	35	6	35	20	35	0	0	0	0
	point1259	1259	367	35	6	35	20	35	0	0	0	0
	point1260	1260										
Lancaster Rd SB.2	point328	328	367	35	6	35	20	35	0	0	0	0
	point1261	1261	367	35	6	35	20	35	0	0	0	0
	point1258	1258										
Lancaster Rd SB.3	point330	330	598	35	9	35	27	35	0	0	0	0
	point1266	1266	598	35	9	35	27	35	0	0	0	0
	point331	331	598	35	9	35	27	35	0	0	0	0
	point332	332										
Lancaster Rd SB.4	point334	334	828	45	11	45	33	45	0	0	0	0
	point1255	1255	828	45	11	45	33	45	0	0	0	0
	point335	335	828	45	11	45	33	45	0	0	0	0
	point336	336	828	45	11	45	33	45	0	0	0	0
	point337	337	828	45	11	45	33	45	0	0	0	0
	point338	338										
Lancaster Rd NB.1	point339	339	765	45	10	45	30	45	0	0	0	0
	point340	340	765	45	10	45	30	45	0	0	0	0
	point341	341	765	45	10	45	30	45	0	0	0	0
	point342	342	765	45	10	45	30	45	0	0	0	0
	point343	343	765	45	10	45	30	45	0	0	0	0
	point344	344	765	45	10	45	30	45	0	0	0	0
	point345	345										
Lancaster Rd NB.2	point347	347	689	35	11	35	32	35	0	0	0	0
	point1256	1256	689	35	11	35	32	35	0	0	0	0
	point348	348	689	35	11	35	32	35	0	0	0	0
	point349	349	689	35	11	35	32	35	0	0	0	0
	point350	350										
Lancaster Rd NB.3	point352	352	612	35	11	35	34	35	0	0	0	0

	point1267	1267	612	35	11	35	34	35	0	0	0	0
	point1262	1262	612	35	11	35	34	35	0	0	0	0
	point1263	1263										
Lancaster Rd NB.4	point355	355	612	35	11	35	34	35	0	0	0	0
	point1265	1265	612	35	11	35	34	35	0	0	0	0
	point1264	1264	612	35	11	35	34	35	0	0	0	0
	point356	356	612	35	11	35	34	35	0	0	0	0
	point357	357	612	35	11	35	34	35	0	0	0	0
	point358	358	612	35	11	35	34	35	0	0	0	0
	point359	359										
Glenshire Ct	point360	360	60	35	4	35	0	0	0	0	0	0
	point361	361	60	35	4	35	0	0	0	0	0	0
	point362	362	60	35	4	35	0	0	0	0	0	0
	point363	363	60	35	4	35	0	0	0	0	0	0
	point364	364	60	35	4	35	0	0	0	0	0	0
	point365	365										
Glenshire Dr	point366	366	60	35	4	35	0	0	0	0	0	0
	point367	367	60	35	4	35	0	0	0	0	0	0
	point368	368	60	35	4	35	0	0	0	0	0	0
	point369	369	60	35	4	35	0	0	0	0	0	0
	point370	370	60	35	4	35	0	0	0	0	0	0
	point371	371	60	35	4	35	0	0	0	0	0	0
	point372	372	60	35	4	35	0	0	0	0	0	0
	point373	373										
Glenshire Ct2	point374	374	60	35	4	35	0	0	0	0	0	0
	point375	375	60	35	4	35	0	0	0	0	0	0
	point376	376	60	35	4	35	0	0	0	0	0	0
	point377	377	60	35	4	35	0	0	0	0	0	0
	point378	378	60	35	4	35	0	0	0	0	0	0
	point379	379	60	35	4	35	0	0	0	0	0	0
	point380	380										
Lansing Cir	point381	381	60	35	4	35	0	0	0	0	0	0
	point382	382	60	35	4	35	0	0	0	0	0	0
	point383	383	60	35	4	35	0	0	0	0	0	0
	point384	384	60	35	4	35	0	0	0	0	0	0
	point385	385	60	35	4	35	0	0	0	0	0	0

	point386	386	60	35	4	35	0	0	0	0	0	0
	point387	387	60	35	4	35	0	0	0	0	0	0
	point388	388										
New Gran Dr	point389	389	60	35	4	35	0	0	0	0	0	0
	point390	390	60	35	4	35	0	0	0	0	0	0
	point391	391	60	35	4	35	0	0	0	0	0	0
	point392	392										
Cambrey Cir	point393	393	60	35	4	35	0	0	0	0	0	0
	point394	394	60	35	4	35	0	0	0	0	0	0
	point395	395	60	35	4	35	0	0	0	0	0	0
	point396	396	60	35	4	35	0	0	0	0	0	0
	point397	397	60	35	4	35	0	0	0	0	0	0
	point398	398	60	35	4	35	0	0	0	0	0	0
	point399	399	60	35	4	35	0	0	0	0	0	0
	point400	400	60	35	4	35	0	0	0	0	0	0
	point401	401										
Upland View Ct	point402	402	60	35	4	35	0	0	0	0	0	0
	point403	403	60	35	4	35	0	0	0	0	0	0
	point404	404	60	35	4	35	0	0	0	0	0	0
	point405	405	60	35	4	35	0	0	0	0	0	0
	point406	406	60	35	4	35	0	0	0	0	0	0
	point407	407	60	35	4	35	0	0	0	0	0	0
	point408	408	60	35	4	35	0	0	0	0	0	0
	point409	409	60	35	4	35	0	0	0	0	0	0
	point410	410	60	35	4	35	0	0	0	0	0	0
	point411	411	60	35	4	35	0	0	0	0	0	0
	point412	412	60	35	4	35	0	0	0	0	0	0
	point413	413	60	35	4	35	0	0	0	0	0	0
	point414	414	60	35	4	35	0	0	0	0	0	0
	point415	415	60	35	4	35	0	0	0	0	0	0
	point416	416	60	35	4	35	0	0	0	0	0	0
	point417	417	60	35	4	35	0	0	0	0	0	0
	point418	418										
Wicklow Dr SB.1	point419	419	30	35	2	35	0	0	0	0	0	0
	point420	420										
Wicklow Dr SB.2	point421	421	30	35	2	35	0	0	0	0	0	0

	point422	422	30	35	2	35	0	0	0	0	0	0
	point423	423	30	35	2	35	0	0	0	0	0	0
	point424	424	30	35	2	35	0	0	0	0	0	0
	point425	425	30	35	2	35	0	0	0	0	0	0
	point426	426	30	35	2	35	0	0	0	0	0	0
	point427	427	30	35	2	35	0	0	0	0	0	0
	point428	428	30	35	2	35	0	0	0	0	0	0
	point429	429										
Wicklow Dr NB.1	point430	430	30	35	2	35	0	0	0	0	0	0
	point431	431	30	35	2	35	0	0	0	0	0	0
	point432	432	30	35	2	35	0	0	0	0	0	0
	point433	433	30	35	2	35	0	0	0	0	0	0
	point434	434	30	35	2	35	0	0	0	0	0	0
	point435	435	30	35	2	35	0	0	0	0	0	0
	point436	436	30	35	2	35	0	0	0	0	0	0
	point437	437	30	35	2	35	0	0	0	0	0	0
	point438	438										
Wicklow Dr NB.2	point439	439	30	35	2	35	0	0	0	0	0	0
	point440	440										
Donegal Dr WB.1	point451	451	30	35	2	35	0	0	0	0	0	0
	point452	452	30	35	2	35	0	0	0	0	0	0
	point453	453	30	35	2	35	0	0	0	0	0	0
	point454	454	30	35	2	35	0	0	0	0	0	0
	point455	455	30	35	2	35	0	0	0	0	0	0
	point456	456										
Donegal Dr WB.2	point459	459	30	35	2	35	0	0	0	0	0	0
	point1269	1269	30	35	2	35	0	0	0	0	0	0
	point1268	1268	30	35	2	35	0	0	0	0	0	0
	point460	460	30	35	2	35	0	0	0	0	0	0
	point461	461										
Donegal Dr EB.1	point462	462	30	35	2	35	0	0	0	0	0	0
	point463	463	30	35	2	35	0	0	0	0	0	0
	point464	464	30	35	2	35	0	0	0	0	0	0
	point465	465										
Donegal Dr EB.2	point467	467	30	35	2	35	0	0	0	0	0	0
	point1270	1270	30	35	2	35	0	0	0	0	0	0

	point468	468	30	35	2	35	0	0	0	0	0	0
	point469	469	30	35	2	35	0	0	0	0	0	0
	point470	470	30	35	2	35	0	0	0	0	0	0
	point471	471										
Kildare St SB.1	point472	472	30	35	2	35	0	0	0	0	0	0
	point473	473	30	35	2	35	0	0	0	0	0	0
	point474	474										
Kildare St SB.2	point475	475	30	35	2	35	0	0	0	0	0	0
	point476	476	30	35	2	35	0	0	0	0	0	0
	point477	477	30	35	2	35	0	0	0	0	0	0
	point478	478	30	35	2	35	0	0	0	0	0	0
	point479	479										
Kildare St NB.1	point480	480	30	35	2	35	0	0	0	0	0	0
	point481	481	30	35	2	35	0	0	0	0	0	0
	point482	482	30	35	2	35	0	0	0	0	0	0
	point483	483	30	35	2	35	0	0	0	0	0	0
	point484	484										
Kildare St NB.2	point485	485	30	35	2	35	0	0	0	0	0	0
	point486	486										
S Galway Dr SB.1	point487	487	30	35	2	35	0	0	0	0	0	0
	point488	488	30	35	2	35	0	0	0	0	0	0
	point489	489										
S Galway Dr SB.2	point490	490	30	35	2	35	0	0	0	0	0	0
	point491	491	30	35	2	35	0	0	0	0	0	0
	point492	492	30	35	2	35	0	0	0	0	0	0
	point493	493	30	35	2	35	0	0	0	0	0	0
	point494	494	30	35	2	35	0	0	0	0	0	0
	point495	495	30	35	2	35	0	0	0	0	0	0
	point496	496	30	35	2	35	0	0	0	0	0	0
	point497	497	30	35	2	35	0	0	0	0	0	0
	point498	498	30	35	2	35	0	0	0	0	0	0
	point499	499	30	35	2	35	0	0	0	0	0	0
	point500	500	30	35	2	35	0	0	0	0	0	0
	point501	501	30	35	2	35	0	0	0	0	0	0
	point502	502	30	35	2	35	0	0	0	0	0	0
	point503	503										

S Galway Dr NB	point504	504	30	35	2	35	0	0	0	0	0	0
	point505	505	30	35	2	35	0	0	0	0	0	0
	point506	506	30	35	2	35	0	0	0	0	0	0
	point507	507	30	35	2	35	0	0	0	0	0	0
	point508	508	30	35	2	35	0	0	0	0	0	0
	point509	509	30	35	2	35	0	0	0	0	0	0
	point510	510	30	35	2	35	0	0	0	0	0	0
	point511	511	30	35	2	35	0	0	0	0	0	0
	point512	512	30	35	2	35	0	0	0	0	0	0
	point513	513	30	35	2	35	0	0	0	0	0	0
	point514	514	30	35	2	35	0	0	0	0	0	0
	point515	515	30	35	2	35	0	0	0	0	0	0
	point516	516	30	35	2	35	0	0	0	0	0	0
	point517	517										
S Galway Dr2	point518	518	60	35	4	35	0	0	0	0	0	0
	point519	519	60	35	4	35	0	0	0	0	0	0
	point520	520	60	35	4	35	0	0	0	0	0	0
	point521	521	60	35	4	35	0	0	0	0	0	0
	point522	522	60	35	4	35	0	0	0	0	0	0
	point523	523	60	35	4	35	0	0	0	0	0	0
	point524	524	60	35	4	35	0	0	0	0	0	0
	point525	525	60	35	4	35	0	0	0	0	0	0
	point526	526	60	35	4	35	0	0	0	0	0	0
	point527	527	60	35	4	35	0	0	0	0	0	0
	point528	528	60	35	4	35	0	0	0	0	0	0
	point529	529	60	35	4	35	0	0	0	0	0	0
	point530	530	60	35	4	35	0	0	0	0	0	0
	point531	531										
Cherry Valley Rd SB.1	point532	532	30	35	2	35	0	0	0	0	0	0
	point533	533										
Cherry Valley Rd SB.2	point534	534	30	35	2	35	0	0	0	0	0	0
	point535	535	30	35	2	35	0	0	0	0	0	0
	point536	536	30	35	2	35	0	0	0	0	0	0
	point537	537										
Westgate Dr	point538	538	60	35	4	35	0	0	0	0	0	0
	point539	539	60	35	4	35	0	0	0	0	0	0

	point540	540	60	35	4	35	0	0	0	0	0	0
	point541	541	60	35	4	35	0	0	0	0	0	0
	point542	542	60	35	4	35	0	0	0	0	0	0
	point543	543	60	35	4	35	0	0	0	0	0	0
	point544	544	60	35	4	35	0	0	0	0	0	0
	point545	545	60	35	4	35	0	0	0	0	0	0
	point546	546	60	35	4	35	0	0	0	0	0	0
	point547	547	60	35	4	35	0	0	0	0	0	0
	point548	548	60	35	4	35	0	0	0	0	0	0
	point549	549	60	35	4	35	0	0	0	0	0	0
	point550	550	60	35	4	35	0	0	0	0	0	0
	point551	551	60	35	4	35	0	0	0	0	0	0
	point552	552	60	35	4	35	0	0	0	0	0	0
	point553	553										
Cherry Valley Rd NB.1	point554	554	30	35	2	35	0	0	0	0	0	0
	point555	555	30	35	2	35	0	0	0	0	0	0
	point556	556	30	35	2	35	0	0	0	0	0	0
	point557	557										
Cherry Valley Rd NB.2	point558	558	30	35	2	35	0	0	0	0	0	0
	point559	559										
Speedway Dr	point560	560	60	35	4	35	0	0	0	0	0	0
	point561	561	60	35	4	35	0	0	0	0	0	0
	point562	562	60	35	4	35	0	0	0	0	0	0
	point563	563	60	35	4	35	0	0	0	0	0	0
	point564	564	60	35	4	35	0	0	0	0	0	0
	point565	565	60	35	4	35	0	0	0	0	0	0
	point566	566	60	35	4	35	0	0	0	0	0	0
	point567	567	60	35	4	35	0	0	0	0	0	0
	point568	568	60	35	4	35	0	0	0	0	0	0
	point569	569										
Cherry Valley Rd2 SB.1	point570	570	30	35	2	35	0	0	0	0	0	0
	point571	571	30	35	2	35	0	0	0	0	0	0
	point572	572										
Cherry Valley Rd2 SB.2	point573	573	30	35	2	35	0	0	0	0	0	0
	point574	574	30	35	2	35	0	0	0	0	0	0
	point575	575	30	35	2	35	0	0	0	0	0	0

	point576	576	30	35	2	35	0	0	0	0	0	0
	point577	577	30	35	2	35	0	0	0	0	0	0
	point578	578	30	35	2	35	0	0	0	0	0	0
	point579	579	30	35	2	35	0	0	0	0	0	0
	point580	580	30	35	2	35	0	0	0	0	0	0
	point581	581	30	35	2	35	0	0	0	0	0	0
	point582	582	30	35	2	35	0	0	0	0	0	0
	point583	583	30	35	2	35	0	0	0	0	0	0
	point584	584										
Cherry Valley Rd2 NB.1	point585	585	30	35	2	35	0	0	0	0	0	0
	point586	586	30	35	2	35	0	0	0	0	0	0
	point587	587	30	35	2	35	0	0	0	0	0	0
	point588	588	30	35	2	35	0	0	0	0	0	0
	point589	589	30	35	2	35	0	0	0	0	0	0
	point590	590	30	35	2	35	0	0	0	0	0	0
	point591	591	30	35	2	35	0	0	0	0	0	0
	point592	592	30	35	2	35	0	0	0	0	0	0
	point593	593	30	35	2	35	0	0	0	0	0	0
	point594	594	30	35	2	35	0	0	0	0	0	0
	point595	595	30	35	2	35	0	0	0	0	0	0
	point596	596	30	35	2	35	0	0	0	0	0	0
	point597	597										
Cherry Valley Rd2 NB.2	point598	598	30	35	2	35	0	0	0	0	0	0
	point599	599	30	35	2	35	0	0	0	0	0	0
	point600	600										
Thornwood Xing SB.1	point601	601	582	35	7	35	24	35	0	0	0	0
	point602	602	582	35	7	35	24	35	0	0	0	0
	point603	603	582	35	7	35	24	35	0	0	0	0
	point604	604	582	35	7	35	24	35	0	0	0	0
	point605	605	582	35	7	35	24	35	0	0	0	0
	point606	606	582	35	7	35	24	35	0	0	0	0
	point607	607										
Thornwood Xing SB.2	point609	609	592	35	6	35	25	35	0	0	0	0
	point1271	1271	592	35	6	35	25	35	0	0	0	0
	point610	610	592	35	6	35	25	35	0	0	0	0
	point611	611	592	35	6	35	25	35	0	0	0	0

	point612	612										
Thornwood Xing SB.3	point614	614	780	35	8	35	33	35	0	0	0	0
	point1276	1276	780	35	8	35	33	35	0	0	0	0
	point615	615	780	35	8	35	33	35	0	0	0	0
	point616	616	780	35	8	35	33	35	0	0	0	0
	point617	617	780	35	8	35	33	35	0	0	0	0
	point618	618	780	35	8	35	33	35	0	0	0	0
	point619	619	780	35	8	35	33	35	0	0	0	0
	point620	620	780	35	8	35	33	35	0	0	0	0
	point621	621	780	35	8	35	33	35	0	0	0	0
	point622	622	780	35	8	35	33	35	0	0	0	0
	point623	623										
Thornwood Xing NB.1	point624	624	705	35	7	35	30	35	0	0	0	0
	point625	625	705	35	7	35	30	35	0	0	0	0
	point626	626	705	35	7	35	30	35	0	0	0	0
	point627	627	705	35	7	35	30	35	0	0	0	0
	point628	628	705	35	7	35	30	35	0	0	0	0
	point629	629	705	35	7	35	30	35	0	0	0	0
	point630	630	705	35	7	35	30	35	0	0	0	0
	point631	631	705	35	7	35	30	35	0	0	0	0
	point632	632	705	35	7	35	30	35	0	0	0	0
	point1273	1273										
Thornwood Xing NB.2	point635	635	575	35	6	35	24	35	0	0	0	0
	point1275	1275	575	35	6	35	24	35	0	0	0	0
	point1274	1274	575	35	6	35	24	35	0	0	0	0
	point636	636	575	35	6	35	24	35	0	0	0	0
	point637	637	575	35	6	35	24	35	0	0	0	0
	point638	638										
Thornwood Xing NB.3	point640	640	568	35	7	35	23	35	0	0	0	0
	point1272	1272	568	35	7	35	23	35	0	0	0	0
	point641	641	568	35	7	35	23	35	0	0	0	0
	point642	642	568	35	7	35	23	35	0	0	0	0
	point643	643	568	35	7	35	23	35	0	0	0	0
	point644	644	568	35	7	35	23	35	0	0	0	0
	point645	645	568	35	7	35	23	35	0	0	0	0
	point646	646										

SR16-37 Columbus Ave Onramp EB.1	point933	933	394	20	3	20	21	20	0	0	0	0
	point934	934	394	20	3	20	21	20	0	0	0	0
	point935	935	394	20	3	20	21	20	0	0	0	0
	point1277	1277										
SR16-37 Columbus Ave Onramp EB.2	point1281	1281	787	55	5	55	42	55	0	0	0	0
	point1280	1280	787	55	5	55	42	55	0	0	0	0
	point1279	1279	787	55	5	55	42	55	0	0	0	0
	point939	939	787	55	5	55	42	55	0	0	0	0
	point940	940	787	55	5	55	42	55	0	0	0	0
	point941	941	787	55	5	55	42	55	0	0	0	0
	point942	942	787	55	5	55	42	55	0	0	0	0
	point943	943	787	55	5	55	42	55	0	0	0	0
	point944	944	787	55	5	55	42	55	0	0	0	0
	point945	945	787	55	5	55	42	55	0	0	0	0
	point946	946										
SR16-37 Columbus Ave Onramp EB2	point947	947	394	20	3	20	21	20	0	0	0	0
	point948	948	394	20	3	20	21	20	0	0	0	0
	point949	949	394	20	3	20	21	20	0	0	0	0
	point950	950	394	20	3	20	21	20	0	0	0	0
	point951	951										
SR16-37 Columbus Ave Offramp WB	point961	961	530	55	7	55	22	55	0	0	0	0
	point962	962	530	55	7	55	22	55	0	0	0	0
	point963	963	530	50	7	50	22	50	0	0	0	0
	point964	964	530	50	7	50	22	50	0	0	0	0
	point965	965	530	45	7	45	22	45	0	0	0	0
	point966	966	530	45	7	45	22	45	0	0	0	0
	point967	967	530	40	7	40	22	40	0	0	0	0
	point968	968	530	40	7	40	22	40	0	0	0	0
	point969	969	530	35	7	35	22	35	0	0	0	0
	point970	970	530	35	7	35	22	35	0	0	0	0
	point971	971	530	35	7	35	22	35	0	0	0	0
	point972	972	530	35	7	35	22	35	0	0	0	0
	point973	973	530	35	7	35	22	35	0	0	0	0
	point974	974	530	35	7	35	22	35	0	0	0	0
	point975	975	530	35	7	35	22	35	0	0	0	0
	point976	976	530	35	7	35	22	35	0	0	0	0

	point977	977	530	35	7	35	22	35	0	0	0	0
	point978	978	530	35	7	35	22	35	0	0	0	0
	point979	979	530	35	7	35	22	35	0	0	0	0
	point980	980	530	35	7	35	22	35	0	0	0	0
	point981	981	530	35	7	35	22	35	0	0	0	0
	point982	982										
SR16-37 Columbus Ave Onramp WB	point983	983	192	55	1	55	7	55	0	0	0	0
	point984	984	192	55	1	55	7	55	0	0	0	0
	point985	985	192	55	1	55	7	55	0	0	0	0
	point986	986	192	55	1	55	7	55	0	0	0	0
	point987	987	192	55	1	55	7	55	0	0	0	0
	point988	988	192	55	1	55	7	55	0	0	0	0
	point989	989	192	55	1	55	7	55	0	0	0	0
	point990	990	192	55	1	55	7	55	0	0	0	0
	point991	991	192	55	1	55	7	55	0	0	0	0
	point992	992	192	55	1	55	7	55	0	0	0	0
	point993	993	192	55	1	55	7	55	0	0	0	0
	point994	994	192	55	1	55	7	55	0	0	0	0
	point995	995	192	55	1	55	7	55	0	0	0	0
	point996	996	192	55	1	55	7	55	0	0	0	0
	point997	997	192	55	1	55	7	55	0	0	0	0
	point998	998	192	55	1	55	7	55	0	0	0	0
	point999	999	192	55	1	55	7	55	0	0	0	0
	point1000	1000	192	55	1	55	7	55	0	0	0	0
	point1001	1001										
SR16-37 Lancaster Rd Offramp EB	point1002	1002	367	55	12	55	39	55	0	0	0	0
	point1003	1003	367	55	12	55	39	55	0	0	0	0
	point1004	1004	367	50	12	50	39	50	0	0	0	0
	point1005	1005	367	50	12	50	39	50	0	0	0	0
	point1006	1006	367	45	12	45	39	45	0	0	0	0
	point1007	1007	367	45	12	45	39	45	0	0	0	0
	point1008	1008	367	40	12	40	39	40	0	0	0	0
	point1009	1009	367	40	12	40	39	40	0	0	0	0
	point1010	1010	367	35	12	35	39	35	0	0	0	0
	point1011	1011	367	35	12	35	39	35	0	0	0	0
	point1012	1012	367	35	12	35	39	35	0	0	0	0

	point1013	1013	367	35	12	35	39	35	0	0	0	0
	point1014	1014	367	35	12	35	39	35	0	0	0	0
	point1015	1015										
SR16-37 Lancaster Rd Onramp EB	point1016	1016	493	55	17	55	26	55	0	0	0	0
	point1017	1017	493	55	17	55	26	55	0	0	0	0
	point1018	1018	493	55	17	55	26	55	0	0	0	0
	point1019	1019	493	55	17	55	26	55	0	0	0	0
	point1020	1020	493	55	17	55	26	55	0	0	0	0
	point1021	1021	493	55	17	55	26	55	0	0	0	0
	point1022	1022	493	55	17	55	26	55	0	0	0	0
	point1023	1023	493	55	17	55	26	55	0	0	0	0
	point1024	1024	493	55	17	55	26	55	0	0	0	0
	point1025	1025										
SR16-37 Lancaster Rd Onramp WB	point1026	1026	276	55	3	55	28	55	0	0	0	0
	point1027	1027	276	55	3	55	28	55	0	0	0	0
	point1028	1028	276	55	3	55	28	55	0	0	0	0
	point1029	1029	276	55	3	55	28	55	0	0	0	0
	point1030	1030	276	55	3	55	28	55	0	0	0	0
	point1031	1031	276	55	3	55	28	55	0	0	0	0
	point1032	1032	276	55	3	55	28	55	0	0	0	0
	point1033	1033	276	55	3	55	28	55	0	0	0	0
	point1034	1034	276	55	3	55	28	55	0	0	0	0
	point1035	1035	276	55	3	55	28	55	0	0	0	0
	point1036	1036										
SR16-37 Lancaster Rd Offramp WB	point1037	1037	483	55	6	55	45	55	0	0	0	0
	point1038	1038	483	55	6	55	45	55	0	0	0	0
	point1039	1039	483	50	6	50	45	50	0	0	0	0
	point1040	1040	483	50	6	50	45	50	0	0	0	0
	point1041	1041	483	45	6	45	45	45	0	0	0	0
	point1042	1042	483	45	6	45	45	45	0	0	0	0
	point1043	1043	483	40	6	40	45	40	0	0	0	0
	point1044	1044	483	40	6	40	45	40	0	0	0	0
	point1045	1045	483	35	6	35	45	35	0	0	0	0
	point1046	1046	483	35	6	35	45	35	0	0	0	0
	point1047	1047	483	35	6	35	45	35	0	0	0	0
	point1048	1048	483	35	6	35	45	35	0	0	0	0

	point1049	1049										
SR16-37 Thornwood Xing Offramp WB	point1050	1050	369	55	3	55	20	55	0	0	0	0
	point1051	1051	369	50	3	50	20	50	0	0	0	0
	point1052	1052	369	50	3	50	20	50	0	0	0	0
	point1053	1053	369	45	3	45	20	45	0	0	0	0
	point1054	1054	369	40	3	40	20	40	0	0	0	0
	point1055	1055	369	35	3	35	20	35	0	0	0	0
	point1056	1056	369	35	3	35	20	35	0	0	0	0
	point1057	1057	369	35	3	35	20	35	0	0	0	0
	point1058	1058										
SR16-37 Thornwood Xing Onramp WB	point1059	1059	420	55	3	55	25	55	0	0	0	0
	point1060	1060	420	55	3	55	25	55	0	0	0	0
	point1061	1061	420	55	3	55	25	55	0	0	0	0
	point1062	1062	420	55	3	55	25	55	0	0	0	0
	point1063	1063	420	55	3	55	25	55	0	0	0	0
	point1064	1064	420	55	3	55	25	55	0	0	0	0
	point1065	1065	420	55	3	55	25	55	0	0	0	0
	point1066	1066	420	55	3	55	25	55	0	0	0	0
	point1067	1067	420	55	3	55	25	55	0	0	0	0
	point1068	1068	420	55	3	55	25	55	0	0	0	0
	point1069	1069	420	55	3	55	25	55	0	0	0	0
	point1070	1070	420	55	3	55	25	55	0	0	0	0
	point1071	1071	420	55	3	55	25	55	0	0	0	0
	point1072	1072	420	55	3	55	25	55	0	0	0	0
	point1073	1073	420	55	3	55	25	55	0	0	0	0
	point1074	1074	420	55	3	55	25	55	0	0	0	0
	point1075	1075										
SR16-37 Thornwood Xing Offramp EB	point1076	1076	364	55	3	55	26	55	0	0	0	0
	point1077	1077	364	55	3	55	26	55	0	0	0	0
	point1078	1078	364	50	3	50	26	50	0	0	0	0
	point1079	1079	364	50	3	50	26	50	0	0	0	0
	point1080	1080	364	45	3	45	26	45	0	0	0	0
	point1081	1081	364	45	3	45	26	45	0	0	0	0
	point1082	1082	364	40	3	40	26	40	0	0	0	0
	point1083	1083	364	40	3	40	26	40	0	0	0	0
	point1084	1084	364	35	3	35	26	35	0	0	0	0

	point1085	1085	364	35	3	35	26	35	0	0	0	0
	point1086	1086	364	35	3	35	26	35	0	0	0	0
	point1087	1087	364	35	3	35	26	35	0	0	0	0
	point1088	1088	364	35	3	35	26	35	0	0	0	0
	point1089	1089	364	35	3	35	26	35	0	0	0	0
	point1090	1090	364	35	3	35	26	35	0	0	0	0
	point1091	1091										
SR16-37 Thornwood Xing Onramp EB	point1092	1092	697	55	4	55	29	55	0	0	0	0
	point1093	1093	697	55	4	55	29	55	0	0	0	0
	point1094	1094	697	55	4	55	29	55	0	0	0	0
	point1095	1095	697	55	4	55	29	55	0	0	0	0
	point1096	1096	697	55	4	55	29	55	0	0	0	0
	point1097	1097	697	55	4	55	29	55	0	0	0	0
	point1098	1098	697	55	4	55	29	55	0	0	0	0
	point1099	1099	697	55	4	55	29	55	0	0	0	0
	point1100	1100	697	55	4	55	29	55	0	0	0	0
	point1101	1101	697	55	4	55	29	55	0	0	0	0
	point1102	1102	697	55	4	55	29	55	0	0	0	0
	point1103	1103	697	55	4	55	29	55	0	0	0	0
	point1104	1104	697	55	4	55	29	55	0	0	0	0
	point1105	1105	697	55	4	55	29	55	0	0	0	0
	point1106	1106	697	55	4	55	29	55	0	0	0	0
	point1107	1107	697	55	4	55	29	55	0	0	0	0
	point1108	1108	697	55	4	55	29	55	0	0	0	0
	point1109	1109	697	55	4	55	29	55	0	0	0	0
	point1110	1110	697	55	4	55	29	55	0	0	0	0
	point1111	1111	697	55	4	55	29	55	0	0	0	0
	point1112	1112										
Cherry Valley Hotel Parking	point1149	1149	0	0	0	0	0	0	0	0	0	0
	point1150	1150	0	0	0	0	0	0	0	0	0	0
	point1151	1151	0	0	0	0	0	0	0	0	0	0
	point1152	1152	0	0	0	0	0	0	0	0	0	0
	point1153	1153	0	0	0	0	0	0	0	0	0	0
	point1154	1154	0	0	0	0	0	0	0	0	0	0
	point1155	1155	0	0	0	0	0	0	0	0	0	0
	point1156	1156	0	0	0	0	0	0	0	0	0	0

	point1157	1157	0	0	0	0	0	0	0	0	0	0
	point1158	1158	0	0	0	0	0	0	0	0	0	0
	point1159	1159	0	0	0	0	0	0	0	0	0	0
	point1160	1160	0	0	0	0	0	0	0	0	0	0
	point1161	1161	0	0	0	0	0	0	0	0	0	0
	point1162	1162	0	0	0	0	0	0	0	0	0	0
	point1163	1163	0	0	0	0	0	0	0	0	0	0
	point1164	1164	0	0	0	0	0	0	0	0	0	0
	point1165	1165	0	0	0	0	0	0	0	0	0	0
	point1166	1166	0	0	0	0	0	0	0	0	0	0
	point1167	1167	0	0	0	0	0	0	0	0	0	0
	point1168	1168	0	0	0	0	0	0	0	0	0	0
	point1169	1169	0	0	0	0	0	0	0	0	0	0
	point1170	1170	0	0	0	0	0	0	0	0	0	0
	point1171	1171	0	0	0	0	0	0	0	0	0	0
	point1172	1172	0	0	0	0	0	0	0	0	0	0
	point1173	1173	0	0	0	0	0	0	0	0	0	0
	point1174	1174	0	0	0	0	0	0	0	0	0	0
	point1175	1175	0	0	0	0	0	0	0	0	0	0
	point1176	1176	0	0	0	0	0	0	0	0	0	0
	point1177	1177	0	0	0	0	0	0	0	0	0	0
	point1178	1178	0	0	0	0	0	0	0	0	0	0
	point1179	1179	0	0	0	0	0	0	0	0	0	0
	point1180	1180	0	0	0	0	0	0	0	0	0	0
	point1181	1181	0	0	0	0	0	0	0	0	0	0
	point1182	1182	0	0	0	0	0	0	0	0	0	0
	point1183	1183	0	0	0	0	0	0	0	0	0	0
	point1184	1184	0	0	0	0	0	0	0	0	0	0
	point1185	1185	0	0	0	0	0	0	0	0	0	0
	point1186	1186	0	0	0	0	0	0	0	0	0	0
	point1187	1187	0	0	0	0	0	0	0	0	0	0
	point1188	1188	0	0	0	0	0	0	0	0	0	0
	point1189	1189	0	0	0	0	0	0	0	0	0	0
	point1190	1190	0	0	0	0	0	0	0	0	0	0
	point1191	1191	0	0	0	0	0	0	0	0	0	0
	point1192	1192	0	0	0	0	0	0	0	0	0	0

	point1193	1193										
Cherry Valley Hotel Parking2	point1194	1194	0	0	0	0	0	0	0	0	0	0
	point1195	1195	0	0	0	0	0	0	0	0	0	0
	point1196	1196	0	0	0	0	0	0	0	0	0	0
	point1197	1197	0	0	0	0	0	0	0	0	0	0
	point1198	1198										
Thornwood Bike Path	point1199	1199	0	0	0	0	0	0	0	0	0	0
	point1200	1200	0	0	0	0	0	0	0	0	0	0
	point1201	1201	0	0	0	0	0	0	0	0	0	0
	point1202	1202	0	0	0	0	0	0	0	0	0	0
	point1203	1203	0	0	0	0	0	0	0	0	0	0
	point1204	1204										
Thornwood Bike Path2	point1205	1205	0	0	0	0	0	0	0	0	0	0
	point1206	1206	0	0	0	0	0	0	0	0	0	0
	point1207	1207	0	0	0	0	0	0	0	0	0	0
	point1208	1208	0	0	0	0	0	0	0	0	0	0
	point1209	1209	0	0	0	0	0	0	0	0	0	0
	point1210	1210	0	0	0	0	0	0	0	0	0	0
	point1211	1211	0	0	0	0	0	0	0	0	0	0
	point1212	1212	0	0	0	0	0	0	0	0	0	0
	point1213	1213										
Westgate Dr Shortcut	point1214	1214	60	35	4	35	0	0	0	0	0	0
	point1215	1215	60	35	4	35	0	0	0	0	0	0
	point1216	1216	60	35	4	35	0	0	0	0	0	0
	point1217	1217	60	35	4	35	0	0	0	0	0	0
	point1218	1218	60	35	4	35	0	0	0	0	0	0
	point1219	1219	60	35	4	35	0	0	0	0	0	0
	point1220	1220	60	35	4	35	0	0	0	0	0	0
	point1221	1221	60	35	4	35	0	0	0	0	0	0
	point1222	1222	60	35	4	35	0	0	0	0	0	0
	point1223	1223										
River Rd NB Onramp	point1224	1224	30	35	2	35	0	0	0	0	0	0
	point1225	1225	30	35	2	35	0	0	0	0	0	0
	point1226	1226	30	35	2	35	0	0	0	0	0	0
	point1227	1227										
Raccoon Creek Bike Path	point1228	1228	0	0	0	0	0	0	0	0	0	0

	point1229	1229	0	0	0	0	0	0	0	0	0	0
	point1230	1230	0	0	0	0	0	0	0	0	0	0
	point1231	1231	0	0	0	0	0	0	0	0	0	0
	point1232	1232	0	0	0	0	0	0	0	0	0	0
	point1233	1233	0	0	0	0	0	0	0	0	0	0
	point1234	1234	0	0	0	0	0	0	0	0	0	0
	point1235	1235	0	0	0	0	0	0	0	0	0	0
	point1236	1236	0	0	0	0	0	0	0	0	0	0
	point1237	1237	0	0	0	0	0	0	0	0	0	0
	point1238	1238	0	0	0	0	0	0	0	0	0	0
	point1239	1239	0	0	0	0	0	0	0	0	0	0
	point1240	1240	0	0	0	0	0	0	0	0	0	0
	point1241	1241	0	0	0	0	0	0	0	0	0	0
	point1242	1242	0	0	0	0	0	0	0	0	0	0
	point1243	1243										
SR16-37 EB2.0	point1282	1282	1288	55	59	55	69	55	0	0	0	0
	point1283	1283	1288	55	59	55	69	55	0	0	0	0
	point1284	1284	1288	55	59	55	69	55	0	0	0	0
	point1285	1285	1288	55	59	55	69	55	0	0	0	0
	point1286	1286	1288	55	59	55	69	55	0	0	0	0
	point1287	1287										
SR16-37 EB1.0	point1288	1288	1288	55	59	55	69	55	0	0	0	0
	point1289	1289	1288	55	59	55	69	55	0	0	0	0
	point1290	1290	1288	55	59	55	69	55	0	0	0	0
	point1291	1291	1288	55	59	55	69	55	0	0	0	0
	point1292	1292	1288	55	59	55	69	55	0	0	0	0
	point1293	1293										
SR16-37 EB3.1	point1294	1294	859	55	39	55	46	55	0	0	0	0
	point1295	1295	859	55	39	55	46	55	0	0	0	0
	point1296	1296	859	55	39	55	46	55	0	0	0	0
	point1297	1297	859	55	39	55	46	55	0	0	0	0
	point1298	1298	859	55	39	55	46	55	0	0	0	0
	point1299	1299	859	55	39	55	46	55	0	0	0	0
	point1300	1300	859	55	39	55	46	55	0	0	0	0
	point1301	1301	859	55	39	55	46	55	0	0	0	0
	point1302	1302										

SR16-37 EB2.1	point1303	1303	859	55	39	55	46	55	0	0	0	0
	point1304	1304	859	55	39	55	46	55	0	0	0	0
	point1305	1305	859	55	39	55	46	55	0	0	0	0
	point1306	1306	859	55	39	55	46	55	0	0	0	0
	point1307	1307	859	55	39	55	46	55	0	0	0	0
	point1308	1308	859	55	39	55	46	55	0	0	0	0
	point1309	1309	859	55	39	55	46	55	0	0	0	0
	point1310	1310										
SR16-37 EB1.1	point1318	1318	859	55	39	55	46	55	0	0	0	0
	point1319	1319	859	55	39	55	46	55	0	0	0	0
	point1320	1320	859	55	39	55	46	55	0	0	0	0
	point1321	1321	859	55	39	55	46	55	0	0	0	0
	point1322	1322	859	55	39	55	46	55	0	0	0	0
	point1323	1323	859	55	39	55	46	55	0	0	0	0
	point1324	1324	859	55	39	55	46	55	0	0	0	0
	point1325	1325										
SR16-37 EB3.2	point1326	1326	1185	55	54	55	64	55	0	0	0	0
	point1327	1327	1185	55	54	55	64	55	0	0	0	0
	point1328	1328	1185	55	54	55	64	55	0	0	0	0
	point1329	1329	1185	55	54	55	64	55	0	0	0	0
	point1330	1330	1185	55	54	55	64	55	0	0	0	0
	point1331	1331	1185	55	54	55	64	55	0	0	0	0
	point1332	1332										
SR16-37 EB2.2	point1333	1333	1185	55	54	55	64	55	0	0	0	0
	point1334	1334	1185	55	54	55	64	55	0	0	0	0
	point1335	1335	1185	55	54	55	64	55	0	0	0	0
	point1336	1336	1185	55	54	55	64	55	0	0	0	0
	point1337	1337	1185	55	54	55	64	55	0	0	0	0
	point1338	1338	1185	55	54	55	64	55	0	0	0	0
	point1339	1339										
SR16-37 EB1.2	point1340	1340	1185	55	54	55	64	55	0	0	0	0
	point1341	1341	1185	55	54	55	64	55	0	0	0	0
	point1342	1342	1185	55	54	55	64	55	0	0	0	0
	point1343	1343	1185	55	54	55	64	55	0	0	0	0
	point1344	1344	1185	55	54	55	64	55	0	0	0	0
	point1345	1345	1185	55	54	55	64	55	0	0	0	0

	point1346	1346										
SR16-37 EB3.3	point1347	1347	1174	55	54	55	63	55	0	0	0	0
	point1348	1348	1174	55	54	55	63	55	0	0	0	0
	point1349	1349	1174	55	54	55	63	55	0	0	0	0
	point1350	1350	1174	55	54	55	63	55	0	0	0	0
	point1351	1351	1174	55	54	55	63	55	0	0	0	0
	point1352	1352	1174	55	54	55	63	55	0	0	0	0
	point1353	1353	1174	55	54	55	63	55	0	0	0	0
	point1354	1354	1174	55	54	55	63	55	0	0	0	0
	point1355	1355	1174	55	54	55	63	55	0	0	0	0
	point1356	1356	1174	55	54	55	63	55	0	0	0	0
	point1357	1357	1174	55	54	55	63	55	0	0	0	0
	point1358	1358	1174	55	54	55	63	55	0	0	0	0
	point1359	1359	1174	55	54	55	63	55	0	0	0	0
	point1360	1360	1174	55	54	55	63	55	0	0	0	0
	point1361	1361	1174	55	54	55	63	55	0	0	0	0
	point1362	1362	1174	55	54	55	63	55	0	0	0	0
	point1363	1363	1174	55	54	55	63	55	0	0	0	0
	point1364	1364	1174	55	54	55	63	55	0	0	0	0
	point1365	1365	1174	55	54	55	63	55	0	0	0	0
	point1366	1366	1174	55	54	55	63	55	0	0	0	0
	point1367	1367	1174	55	54	55	63	55	0	0	0	0
	point1368	1368	1174	55	54	55	63	55	0	0	0	0
	point1369	1369	1174	55	54	55	63	55	0	0	0	0
	point1370	1370	1174	55	54	55	63	55	0	0	0	0
	point1371	1371	1174	55	54	55	63	55	0	0	0	0
	point1372	1372	1174	55	54	55	63	55	0	0	0	0
	point1373	1373										
SR16-37 EB2.3	point1374	1374	1174	55	54	55	63	55	0	0	0	0
	point1375	1375	1174	55	54	55	63	55	0	0	0	0
	point1376	1376	1174	55	54	55	63	55	0	0	0	0
	point1377	1377	1174	55	54	55	63	55	0	0	0	0
	point1378	1378	1174	55	54	55	63	55	0	0	0	0
	point1379	1379	1174	55	54	55	63	55	0	0	0	0
	point1380	1380	1174	55	54	55	63	55	0	0	0	0
	point1381	1381	1174	55	54	55	63	55	0	0	0	0

	point1382	1382	1174	55	54	55	63	55	0	0	0	0
	point1383	1383	1174	55	54	55	63	55	0	0	0	0
	point1384	1384	1174	55	54	55	63	55	0	0	0	0
	point1385	1385	1174	55	54	55	63	55	0	0	0	0
	point1386	1386	1174	55	54	55	63	55	0	0	0	0
	point1387	1387	1174	55	54	55	63	55	0	0	0	0
	point1388	1388	1174	55	54	55	63	55	0	0	0	0
	point1389	1389	1174	55	54	55	63	55	0	0	0	0
	point1390	1390	1174	55	54	55	63	55	0	0	0	0
	point1391	1391	1174	55	54	55	63	55	0	0	0	0
	point1392	1392	1174	55	54	55	63	55	0	0	0	0
	point1393	1393	1174	55	54	55	63	55	0	0	0	0
	point1394	1394	1174	55	54	55	63	55	0	0	0	0
	point1395	1395	1174	55	54	55	63	55	0	0	0	0
	point1396	1396	1174	55	54	55	63	55	0	0	0	0
	point1397	1397	1174	55	54	55	63	55	0	0	0	0
	point1398	1398	1174	55	54	55	63	55	0	0	0	0
	point1399	1399	1761	55	80	55	94	55	0	0	0	0
	point1400	1400										
SR16-37 EB1.3	point1401	1401	1174	55	54	55	63	55	0	0	0	0
	point1402	1402	1174	55	54	55	63	55	0	0	0	0
	point1403	1403	1174	55	54	55	63	55	0	0	0	0
	point1404	1404	1174	55	54	55	63	55	0	0	0	0
	point1405	1405	1174	55	54	55	63	55	0	0	0	0
	point1406	1406	1174	55	54	55	63	55	0	0	0	0
	point1407	1407	1174	55	54	55	63	55	0	0	0	0
	point1408	1408	1174	55	54	55	63	55	0	0	0	0
	point1409	1409	1174	55	54	55	63	55	0	0	0	0
	point1410	1410	1174	55	54	55	63	55	0	0	0	0
	point1411	1411	1174	55	54	55	63	55	0	0	0	0
	point1412	1412	1174	55	54	55	63	55	0	0	0	0
	point1413	1413	1174	55	54	55	63	55	0	0	0	0
	point1414	1414	1174	55	54	55	63	55	0	0	0	0
	point1415	1415	1174	55	54	55	63	55	0	0	0	0
	point1416	1416	1174	55	54	55	63	55	0	0	0	0
	point1417	1417	1174	55	54	55	63	55	0	0	0	0

	point1418	1418	1174	55	54	55	63	55	0	0	0	0
	point1419	1419	1174	55	54	55	63	55	0	0	0	0
	point1420	1420	1174	55	54	55	63	55	0	0	0	0
	point1421	1421	1174	55	54	55	63	55	0	0	0	0
	point1422	1422	1174	55	54	55	63	55	0	0	0	0
	point1423	1423	1174	55	54	55	63	55	0	0	0	0
	point1424	1424	1174	55	54	55	63	55	0	0	0	0
	point1425	1425	1174	55	54	55	63	55	0	0	0	0
	point1426	1426	1761	55	80	55	94	55	0	0	0	0
	point1427	1427										
SR16-37 EB1.4	point1428	1428	1761	55	80	55	94	55	0	0	0	0
	point1429	1429	1761	55	80	55	94	55	0	0	0	0
	point1430	1430	1761	55	80	55	94	55	0	0	0	0
	point1431	1431	1761	55	80	55	94	55	0	0	0	0
	point1432	1432	1761	55	80	55	94	55	0	0	0	0
	point1433	1433										
SR16-37 EB2.4	point1434	1434	1761	55	80	55	94	55	0	0	0	0
	point1435	1435	1761	55	80	55	94	55	0	0	0	0
	point1436	1436	1761	55	80	55	94	55	0	0	0	0
	point1437	1437	1761	55	80	55	94	55	0	0	0	0
	point1438	1438	1761	55	80	55	94	55	0	0	0	0
	point1439	1439										
SR16-37 WB2.0	point1440	1440	1568	55	72	55	84	55	0	0	0	0
	point1441	1441	1568	55	72	55	84	55	0	0	0	0
	point1442	1442	1568	55	72	55	84	55	0	0	0	0
	point1443	1443	1568	55	72	55	84	55	0	0	0	0
	point1444	1444	1568	55	72	55	84	55	0	0	0	0
	point1445	1445	1568	55	72	55	84	55	0	0	0	0
	point1446	1446										
SR16-37 WB1.0	point1447	1447	1568	55	72	55	84	55	0	0	0	0
	point1448	1448	1568	55	72	55	84	55	0	0	0	0
	point1449	1449	1568	55	72	55	84	55	0	0	0	0
	point1450	1450	1568	55	72	55	84	55	0	0	0	0
	point1451	1451	1568	55	72	55	84	55	0	0	0	0
	point1452	1452	1568	55	72	55	84	55	0	0	0	0
	point1453	1453										

SR16-37 WB3.1	point1454	1454	1046	55	48	55	56	55	0	0	0	0
	point1455	1455	1046	55	48	55	56	55	0	0	0	0
	point1456	1456	1046	55	48	55	56	55	0	0	0	0
	point1457	1457	1046	55	48	55	56	55	0	0	0	0
	point1458	1458	1046	55	48	55	56	55	0	0	0	0
	point1459	1459	1046	55	48	55	56	55	0	0	0	0
	point1460	1460	1046	55	48	55	56	55	0	0	0	0
	point1461	1461	1046	55	48	55	56	55	0	0	0	0
	point1462	1462	1046	55	48	55	56	55	0	0	0	0
	point1463	1463	1046	55	48	55	56	55	0	0	0	0
	point1464	1464	1046	55	48	55	56	55	0	0	0	0
	point1465	1465	1046	55	48	55	56	55	0	0	0	0
	point1466	1466	1046	55	48	55	56	55	0	0	0	0
	point1467	1467	1046	55	48	55	56	55	0	0	0	0
	point1468	1468	1046	55	48	55	56	55	0	0	0	0
	point1469	1469	1046	55	48	55	56	55	0	0	0	0
	point1470	1470	1046	55	48	55	56	55	0	0	0	0
	point1471	1471	1046	55	48	55	56	55	0	0	0	0
	point1472	1472	1046	55	48	55	56	55	0	0	0	0
	point1473	1473	1046	55	48	55	56	55	0	0	0	0
	point1474	1474	1046	55	48	55	56	55	0	0	0	0
	point1475	1475	1046	55	48	55	56	55	0	0	0	0
	point1476	1476	1046	55	48	55	56	55	0	0	0	0
	point1477	1477	1046	55	48	55	56	55	0	0	0	0
	point1478	1478	1046	55	48	55	56	55	0	0	0	0
	point1479	1479	1046	55	48	55	56	55	0	0	0	0
	point1480	1480	1046	55	48	55	56	55	0	0	0	0
	point1481	1481	1046	55	48	55	56	55	0	0	0	0
	point1482	1482	1046	55	48	55	56	55	0	0	0	0
	point1483	1483	1046	55	48	55	56	55	0	0	0	0
	point1484	1484	1046	55	48	55	56	55	0	0	0	0
	point1485	1485	1046	55	48	55	56	55	0	0	0	0
	point1486	1486	1046	55	48	55	56	55	0	0	0	0
	point1487	1487										
SR16-37 WB2.1	point1488	1488	1046	55	48	55	56	55	0	0	0	0
	point1489	1489	1046	55	48	55	56	55	0	0	0	0

	point1490	1490	1046	55	48	55	56	55	0	0	0	0
	point1491	1491	1046	55	48	55	56	55	0	0	0	0
	point1492	1492	1046	55	48	55	56	55	0	0	0	0
	point1493	1493	1046	55	48	55	56	55	0	0	0	0
	point1494	1494	1046	55	48	55	56	55	0	0	0	0
	point1495	1495	1046	55	48	55	56	55	0	0	0	0
	point1496	1496	1046	55	48	55	56	55	0	0	0	0
	point1497	1497	1046	55	48	55	56	55	0	0	0	0
	point1498	1498	1046	55	48	55	56	55	0	0	0	0
	point1499	1499	1046	55	48	55	56	55	0	0	0	0
	point1500	1500	1046	55	48	55	56	55	0	0	0	0
	point1501	1501	1046	55	48	55	56	55	0	0	0	0
	point1502	1502	1046	55	48	55	56	55	0	0	0	0
	point1503	1503	1046	55	48	55	56	55	0	0	0	0
	point1504	1504	1046	55	48	55	56	55	0	0	0	0
	point1505	1505	1046	55	48	55	56	55	0	0	0	0
	point1506	1506	1046	55	48	55	56	55	0	0	0	0
	point1507	1507	1046	55	48	55	56	55	0	0	0	0
	point1508	1508	1046	55	48	55	56	55	0	0	0	0
	point1509	1509	1046	55	48	55	56	55	0	0	0	0
	point1510	1510	1046	55	48	55	56	55	0	0	0	0
	point1511	1511	1046	55	48	55	56	55	0	0	0	0
	point1512	1512	1046	55	48	55	56	55	0	0	0	0
	point1513	1513	1046	55	48	55	56	55	0	0	0	0
	point1514	1514	1046	55	48	55	56	55	0	0	0	0
	point1515	1515	1046	55	48	55	56	55	0	0	0	0
	point1516	1516	1046	55	48	55	56	55	0	0	0	0
	point1517	1517	1046	55	48	55	56	55	0	0	0	0
	point1518	1518	1046	55	48	55	56	55	0	0	0	0
	point1519	1519	1046	55	48	55	56	55	0	0	0	0
	point1520	1520										
SR16-37 WB1.1	point1521	1521	1046	55	48	55	56	55	0	0	0	0
	point1522	1522	1046	55	48	55	56	55	0	0	0	0
	point1523	1523	1046	55	48	55	56	55	0	0	0	0
	point1524	1524	1046	55	48	55	56	55	0	0	0	0
	point1525	1525	1046	55	48	55	56	55	0	0	0	0

	point1526	1526	1046	55	48	55	56	55	0	0	0	0
	point1527	1527	1046	55	48	55	56	55	0	0	0	0
	point1528	1528	1046	55	48	55	56	55	0	0	0	0
	point1529	1529	1046	55	48	55	56	55	0	0	0	0
	point1530	1530	1046	55	48	55	56	55	0	0	0	0
	point1531	1531	1046	55	48	55	56	55	0	0	0	0
	point1532	1532	1046	55	48	55	56	55	0	0	0	0
	point1533	1533	1046	55	48	55	56	55	0	0	0	0
	point1534	1534	1046	55	48	55	56	55	0	0	0	0
	point1535	1535	1046	55	48	55	56	55	0	0	0	0
	point1536	1536	1046	55	48	55	56	55	0	0	0	0
	point1537	1537	1046	55	48	55	56	55	0	0	0	0
	point1538	1538	1046	55	48	55	56	55	0	0	0	0
	point1539	1539	1046	55	48	55	56	55	0	0	0	0
	point1540	1540	1046	55	48	55	56	55	0	0	0	0
	point1541	1541	1046	55	48	55	56	55	0	0	0	0
	point1542	1542	1046	55	48	55	56	55	0	0	0	0
	point1543	1543	1046	55	48	55	56	55	0	0	0	0
	point1544	1544	1046	55	48	55	56	55	0	0	0	0
	point1545	1545	1046	55	48	55	56	55	0	0	0	0
	point1546	1546	1046	55	48	55	56	55	0	0	0	0
	point1547	1547	1046	55	48	55	56	55	0	0	0	0
	point1548	1548	1046	55	48	55	56	55	0	0	0	0
	point1549	1549	1046	55	48	55	56	55	0	0	0	0
	point1550	1550	1046	55	48	55	56	55	0	0	0	0
	point1551	1551	1046	55	48	55	56	55	0	0	0	0
	point1552	1552	1046	55	48	55	56	55	0	0	0	0
	point1553	1553										
SR16-37 WB3.2	point1554	1554	889	55	41	55	48	55	0	0	0	0
	point1555	1555	889	55	41	55	48	55	0	0	0	0
	point1556	1556	889	55	41	55	48	55	0	0	0	0
	point1557	1557	889	55	41	55	48	55	0	0	0	0
	point1558	1558	889	55	41	55	48	55	0	0	0	0
	point1559	1559	889	55	41	55	48	55	0	0	0	0
	point1560	1560	889	55	41	55	48	55	0	0	0	0
	point1561	1561										

SR16-37 WB2.2	point1562	1562	889	55	41	55	48	55	0	0	0	0
	point1563	1563	889	55	41	55	48	55	0	0	0	0
	point1564	1564	889	55	41	55	48	55	0	0	0	0
	point1565	1565	889	55	41	55	48	55	0	0	0	0
	point1566	1566	889	55	41	55	48	55	0	0	0	0
	point1567	1567	889	55	41	55	48	55	0	0	0	0
	point1568	1568										
SR16-37 WB1.2	point1569	1569	889	55	41	55	48	55	0	0	0	0
	point1570	1570	889	55	41	55	48	55	0	0	0	0
	point1571	1571	889	55	41	55	48	55	0	0	0	0
	point1572	1572	889	55	41	55	48	55	0	0	0	0
	point1573	1573	889	55	41	55	48	55	0	0	0	0
	point1574	1574	889	55	41	55	48	55	0	0	0	0
	point1575	1575										
SR16-37 WB1.3	point1576	1576	1291	55	59	55	69	55	0	0	0	0
	point1577	1577	1291	55	59	55	69	55	0	0	0	0
	point1578	1578	1291	55	59	55	69	55	0	0	0	0
	point1579	1579										
SR16-37 WB2.3	point1580	1580	1291	55	59	55	69	55	0	0	0	0
	point1581	1581	1291	55	59	55	69	55	0	0	0	0
	point1582	1582	1291	55	59	55	69	55	0	0	0	0
	point1583	1583										
SR16-37 Columbus Ave Offramp EB	point1584	1584	212	55	1	55	7	55	0	0	0	0
	point1585	1585	212	55	1	55	7	55	0	0	0	0
	point1586	1586	212	50	1	50	7	50	0	0	0	0
	point1587	1587	212	50	1	50	7	50	0	0	0	0
	point1588	1588	212	45	1	45	7	45	0	0	0	0
	point1589	1589	212	45	1	45	7	45	0	0	0	0
	point1590	1590	212	45	1	45	7	45	0	0	0	0
	point1591	1591	212	45	1	45	7	45	0	0	0	0
	point1592	1592										
Raccoon Creek Bike Path-2	point1245	1245	0	0	0	0	0	0	0	0	0	0
	point1246	1246	0	0	0	0	0	0	0	0	0	0
	point1247	1247	0	0	0	0	0	0	0	0	0	0
	point1248	1248	0	0	0	0	0	0	0	0	0	0
	point1249	1249	0	0	0	0	0	0	0	0	0	0

	point1250	1250										

<Organization?>
<Analysis By?>

11 September 2024
TNM 2.5

INPUT: TRAFFIC FOR LAeq1h Volumes
PROJECT/CONTRACT: <Project Name?>
RUN: <Run Title?>

Roadway	Points		Segment									
Name	Name	No.	Autos		MTrucks		HTrucks		Buses		Motorcycles	
			V	S	V	S	V	S	V	S	V	S
			veh/hr	mph	veh/hr	mph	veh/hr	mph	veh/hr	mph	veh/hr	mph
Columbus Rd SB.1	point5	5	613	35	7	35	24	35	0	0	0	0
	point6	6	613	35	7	35	24	35	0	0	0	0
	point7	7	613	35	7	35	24	35	0	0	0	0
	point8	8	613	35	7	35	24	35	0	0	0	0
	point9	9	613	35	7	35	24	35	0	0	0	0
	point10	10	613	35	7	35	24	35	0	0	0	0
	point11	11										
Columbus Rd SB.2	point13	13	734	35	10	35	34	35	0	0	0	0
	point1252	1252	734	35	10	35	34	35	0	0	0	0
	point14	14	734	35	10	35	34	35	0	0	0	0
	point15	15	734	35	10	35	34	35	0	0	0	0
	point16	16										
Columbus Rd SB.3	point18	18	854	45	13	45	43	45	0	0	0	0
	point1253	1253	854	45	13	45	43	45	0	0	0	0
	point19	19	854	45	13	45	43	45	0	0	0	0
	point20	20	854	45	13	45	43	45	0	0	0	0
	point21	21	854	45	13	45	43	45	0	0	0	0
	point22	22										
Columbus Rd NB.1	point23	23	668	45	9	45	28	45	0	0	0	0
	point24	24	668	45	9	45	28	45	0	0	0	0
	point25	25	668	45	9	45	28	45	0	0	0	0
	point26	26	668	45	9	45	28	45	0	0	0	0
	point27	27										

Columbus Rd NB.2	point29	29	531	35	7	35	22	35	0	0	0	0
	point1254	1254	531	35	7	35	22	35	0	0	0	0
	point30	30	531	35	7	35	22	35	0	0	0	0
	point31	31	531	35	7	35	22	35	0	0	0	0
	point32	32	531	35	7	35	22	35	0	0	0	0
	point33	33										
Columbus Rd NB.3	point35	35	393	35	5	35	15	35	0	0	0	0
	point1251	1251	393	35	5	35	15	35	0	0	0	0
	point36	36	393	35	5	35	15	35	0	0	0	0
	point37	37	393	35	5	35	15	35	0	0	0	0
	point38	38	393	35	5	35	15	35	0	0	0	0
	point39	39	393	35	5	35	15	35	0	0	0	0
	point40	40										
Spring Valley Nature	point53	53	60	35	4	35	0	0	0	0	0	0
	point52	52	60	35	4	35	0	0	0	0	0	0
	point51	51	60	35	4	35	0	0	0	0	0	0
	point50	50	60	35	4	35	0	0	0	0	0	0
	point49	49	60	35	4	35	0	0	0	0	0	0
	point48	48	60	35	4	35	0	0	0	0	0	0
	point47	47	60	35	4	35	0	0	0	0	0	0
	point46	46	60	35	4	35	0	0	0	0	0	0
	point45	45	60	35	4	35	0	0	0	0	0	0
	point44	44	60	35	4	35	0	0	0	0	0	0
	point43	43	60	35	4	35	0	0	0	0	0	0
	point42	42	60	35	4	35	0	0	0	0	0	0
	point41	41										
Hannah Dr	point56	56	60	35	4	35	0	0	0	0	0	0
	point57	57	60	35	4	35	0	0	0	0	0	0
	point58	58	60	35	4	35	0	0	0	0	0	0
	point59	59	60	35	4	35	0	0	0	0	0	0
	point60	60	60	35	4	35	0	0	0	0	0	0
	point61	61	60	35	4	35	0	0	0	0	0	0
	point62	62	60	35	4	35	0	0	0	0	0	0
	point63	63	60	35	4	35	0	0	0	0	0	0
	point64	64	60	35	4	35	0	0	0	0	0	0
	point65	65	60	35	4	35	0	0	0	0	0	0

	point66	66	60	35	4	35	0	0	0	0	0	0
	point67	67	60	35	4	35	0	0	0	0	0	0
	point68	68	60	35	4	35	0	0	0	0	0	0
	point69	69	60	35	4	35	0	0	0	0	0	0
	point70	70	60	35	4	35	0	0	0	0	0	0
	point71	71	60	35	4	35	0	0	0	0	0	0
	point72	72	60	35	4	35	0	0	0	0	0	0
	point73	73	60	35	4	35	0	0	0	0	0	0
	point74	74	60	35	4	35	0	0	0	0	0	0
	point75	75										
Hannah Dr2	point76	76	60	35	4	35	0	0	0	0	0	0
	point77	77	60	35	4	35	0	0	0	0	0	0
	point78	78	60	35	4	35	0	0	0	0	0	0
	point79	79	60	35	4	35	0	0	0	0	0	0
	point80	80	60	35	4	35	0	0	0	0	0	0
	point81	81	60	35	4	35	0	0	0	0	0	0
	point82	82	60	35	4	35	0	0	0	0	0	0
	point83	83										
Poppy Ln	point84	84	60	35	4	35	0	0	0	0	0	0
	point85	85	60	35	4	35	0	0	0	0	0	0
	point86	86	60	35	4	35	0	0	0	0	0	0
	point87	87	60	35	4	35	0	0	0	0	0	0
	point88	88	60	35	4	35	0	0	0	0	0	0
	point89	89	60	35	4	35	0	0	0	0	0	0
	point90	90	60	35	4	35	0	0	0	0	0	0
	point91	91	60	35	4	35	0	0	0	0	0	0
	point92	92	60	35	4	35	0	0	0	0	0	0
	point93	93	60	35	4	35	0	0	0	0	0	0
	point94	94	60	35	4	35	0	0	0	0	0	0
	point95	95	60	35	4	35	0	0	0	0	0	0
	point96	96	60	35	4	35	0	0	0	0	0	0
	point97	97	60	35	4	35	0	0	0	0	0	0
	point98	98	60	35	4	35	0	0	0	0	0	0
	point99	99										
Weaver Dr EB.1	point100	100	48	35	1	35	2	35	0	0	0	0
	point101	101	48	35	1	35	2	35	0	0	0	0

	point102	102	48	35	1	35	2	35	0	0	0	0
	point103	103	48	35	1	35	2	35	0	0	0	0
	point104	104										
Weaver Dr EB.2	point105	105	48	35	1	35	2	35	0	0	0	0
	point106	106	48	35	1	35	2	35	0	0	0	0
	point107	107										
Weaver Dr EB.3	point108	108	48	35	1	35	2	35	0	0	0	0
	point109	109	48	35	1	35	2	35	0	0	0	0
	point110	110	48	35	1	35	2	35	0	0	0	0
	point111	111	48	35	1	35	2	35	0	0	0	0
	point112	112	48	35	1	35	2	35	0	0	0	0
	point113	113	48	35	1	35	2	35	0	0	0	0
	point114	114	48	35	1	35	2	35	0	0	0	0
	point115	115	48	35	1	35	2	35	0	0	0	0
	point116	116	48	35	1	35	2	35	0	0	0	0
	point117	117										
Weaver Dr WB.1	point118	118	82	35	1	35	3	35	0	0	0	0
	point119	119	82	35	1	35	3	35	0	0	0	0
	point120	120	82	35	1	35	3	35	0	0	0	0
	point121	121	82	35	1	35	3	35	0	0	0	0
	point122	122	82	35	1	35	3	35	0	0	0	0
	point123	123	82	35	1	35	3	35	0	0	0	0
	point124	124	82	35	1	35	3	35	0	0	0	0
	point125	125	82	35	1	35	3	35	0	0	0	0
	point126	126	82	35	1	35	3	35	0	0	0	0
	point127	127	82	35	1	35	3	35	0	0	0	0
	point128	128	82	35	1	35	3	35	0	0	0	0
	point129	129	82	35	1	35	3	35	0	0	0	0
	point130	130										
Weaver Dr WB.2	point131	131	82	35	1	35	3	35	0	0	0	0
	point132	132	82	35	1	35	3	35	0	0	0	0
	point133	133										
Weaver Dr WB.3	point134	134	82	35	1	35	3	35	0	0	0	0
	point135	135	82	35	1	35	3	35	0	0	0	0
	point136	136										
Old River Rd	point137	137	18	35	0	0	1	35	0	0	0	0

	point138	138	18	35	0	0	1	35	0	0	0	0
	point139	139	18	35	0	0	1	35	0	0	0	0
	point140	140	18	35	0	0	1	35	0	0	0	0
	point141	141	18	35	0	0	1	35	0	0	0	0
	point142	142	18	35	0	0	1	35	0	0	0	0
	point143	143	18	35	0	0	1	35	0	0	0	0
	point144	144										
River Rd EB	point145	145	145	35	2	35	6	35	0	0	0	0
	point146	146	145	35	2	35	6	35	0	0	0	0
	point147	147	145	35	2	35	6	35	0	0	0	0
	point148	148	145	35	2	35	6	35	0	0	0	0
	point149	149	145	35	2	35	6	35	0	0	0	0
	point150	150	145	35	2	35	6	35	0	0	0	0
	point151	151	145	35	2	35	6	35	0	0	0	0
	point152	152	145	35	2	35	6	35	0	0	0	0
	point153	153	145	35	2	35	6	35	0	0	0	0
	point154	154	145	35	2	35	6	35	0	0	0	0
	point155	155	145	35	2	35	6	35	0	0	0	0
	point156	156	145	35	2	35	6	35	0	0	0	0
	point157	157	145	35	2	35	6	35	0	0	0	0
	point158	158	145	35	2	35	6	35	0	0	0	0
	point159	159	145	35	2	35	6	35	0	0	0	0
	point160	160	145	35	2	35	6	35	0	0	0	0
	point161	161	145	35	2	35	6	35	0	0	0	0
	point162	162	145	35	2	35	6	35	0	0	0	0
	point163	163	145	35	2	35	6	35	0	0	0	0
	point164	164	145	35	2	35	6	35	0	0	0	0
	point165	165	145	35	2	35	6	35	0	0	0	0
	point166	166	145	35	2	35	6	35	0	0	0	0
	point167	167	145	35	2	35	6	35	0	0	0	0
	point168	168	145	35	2	35	6	35	0	0	0	0
	point169	169	145	35	2	35	6	35	0	0	0	0
	point170	170	145	35	2	35	6	35	0	0	0	0
	point171	171	145	35	2	35	6	35	0	0	0	0
	point172	172	145	35	2	35	6	35	0	0	0	0
	point173	173	145	35	2	35	6	35	0	0	0	0

	point174	174	145	35	2	35	6	35	0	0	0	0
	point175	175	145	35	2	35	6	35	0	0	0	0
	point176	176	145	35	2	35	6	35	0	0	0	0
	point177	177	145	35	2	35	6	35	0	0	0	0
	point178	178	145	35	2	35	6	35	0	0	0	0
	point179	179	145	35	2	35	6	35	0	0	0	0
	point180	180	145	35	2	35	6	35	0	0	0	0
	point181	181	145	35	2	35	6	35	0	0	0	0
	point182	182	145	35	2	35	6	35	0	0	0	0
	point183	183	145	35	2	35	6	35	0	0	0	0
	point184	184	145	35	2	35	6	35	0	0	0	0
	point185	185	145	35	2	35	6	35	0	0	0	0
	point186	186	145	35	2	35	6	35	0	0	0	0
	point187	187	145	35	2	35	6	35	0	0	0	0
	point188	188	145	35	2	35	6	35	0	0	0	0
	point189	189	145	35	2	35	6	35	0	0	0	0
	point190	190	145	35	2	35	6	35	0	0	0	0
	point191	191	145	35	2	35	6	35	0	0	0	0
	point192	192	145	35	2	35	6	35	0	0	0	0
	point193	193	145	35	2	35	6	35	0	0	0	0
	point194	194	145	35	2	35	6	35	0	0	0	0
	point195	195	145	35	2	35	6	35	0	0	0	0
	point196	196	145	35	2	35	6	35	0	0	0	0
	point197	197										
River Rd WB	point198	198	145	35	2	35	6	35	0	0	0	0
	point199	199	145	35	2	35	6	35	0	0	0	0
	point200	200	145	35	2	35	6	35	0	0	0	0
	point201	201	145	35	2	35	6	35	0	0	0	0
	point202	202	145	35	2	35	6	35	0	0	0	0
	point203	203	145	35	2	35	6	35	0	0	0	0
	point204	204	145	35	2	35	6	35	0	0	0	0
	point205	205	145	35	2	35	6	35	0	0	0	0
	point206	206	145	35	2	35	6	35	0	0	0	0
	point207	207	145	35	2	35	6	35	0	0	0	0
	point208	208	145	35	2	35	6	35	0	0	0	0
	point209	209	145	35	2	35	6	35	0	0	0	0

	point210	210	145	35	2	35	6	35	0	0	0	0
	point211	211	145	35	2	35	6	35	0	0	0	0
	point212	212	145	35	2	35	6	35	0	0	0	0
	point213	213	145	35	2	35	6	35	0	0	0	0
	point214	214	145	35	2	35	6	35	0	0	0	0
	point215	215	145	35	2	35	6	35	0	0	0	0
	point216	216	145	35	2	35	6	35	0	0	0	0
	point217	217	145	35	2	35	6	35	0	0	0	0
	point218	218	145	35	2	35	6	35	0	0	0	0
	point219	219	145	35	2	35	6	35	0	0	0	0
	point220	220	145	35	2	35	6	35	0	0	0	0
	point221	221	145	35	2	35	6	35	0	0	0	0
	point222	222	145	35	2	35	6	35	0	0	0	0
	point223	223	145	35	2	35	6	35	0	0	0	0
	point224	224	145	35	2	35	6	35	0	0	0	0
	point225	225	145	35	2	35	6	35	0	0	0	0
	point226	226	145	35	2	35	6	35	0	0	0	0
	point227	227	145	35	2	35	6	35	0	0	0	0
	point228	228	145	35	2	35	6	35	0	0	0	0
	point229	229	145	35	2	35	6	35	0	0	0	0
	point230	230	145	35	2	35	6	35	0	0	0	0
	point231	231	145	35	2	35	6	35	0	0	0	0
	point232	232	145	35	2	35	6	35	0	0	0	0
	point233	233	145	35	2	35	6	35	0	0	0	0
	point234	234	145	35	2	35	6	35	0	0	0	0
	point235	235	145	35	2	35	6	35	0	0	0	0
	point236	236	145	35	2	35	6	35	0	0	0	0
	point237	237	145	35	2	35	6	35	0	0	0	0
	point238	238	145	35	2	35	6	35	0	0	0	0
	point239	239	145	35	2	35	6	35	0	0	0	0
	point240	240	145	35	2	35	6	35	0	0	0	0
	point241	241	145	35	2	35	6	35	0	0	0	0
	point242	242	145	35	2	35	6	35	0	0	0	0
	point243	243	145	35	2	35	6	35	0	0	0	0
	point244	244	145	35	2	35	6	35	0	0	0	0
	point245	245	145	35	2	35	6	35	0	0	0	0

	point246	246	145	35	2	35	6	35	0	0	0	0
	point247	247	145	35	2	35	6	35	0	0	0	0
	point248	248	145	35	2	35	6	35	0	0	0	0
	point249	249	145	35	2	35	6	35	0	0	0	0
	point250	250	145	35	2	35	6	35	0	0	0	0
	point251	251										
River Rd2 EB.1	point252	252	154	35	2	35	6	35	0	0	0	0
	point253	253	154	35	2	35	6	35	0	0	0	0
	point254	254	154	35	2	35	6	35	0	0	0	0
	point255	255	154	35	2	35	6	35	0	0	0	0
	point256	256	154	35	2	35	6	35	0	0	0	0
	point257	257	154	35	2	35	6	35	0	0	0	0
	point258	258	154	35	2	35	6	35	0	0	0	0
	point259	259	154	35	2	35	6	35	0	0	0	0
	point260	260										
River Rd2 EB.2	point261	261	154	35	2	35	6	35	0	0	0	0
	point262	262	154	35	2	35	6	35	0	0	0	0
	point263	263	154	35	2	35	6	35	0	0	0	0
	point264	264	154	35	2	35	6	35	0	0	0	0
	point265	265	154	35	2	35	6	35	0	0	0	0
	point266	266	154	35	2	35	6	35	0	0	0	0
	point267	267	154	35	2	35	6	35	0	0	0	0
	point268	268	154	35	2	35	6	35	0	0	0	0
	point269	269	154	35	2	35	6	35	0	0	0	0
	point270	270	154	35	2	35	6	35	0	0	0	0
	point271	271										
River Rd2 WB.1	point272	272	49	35	1	35	2	35	0	0	0	0
	point273	273	49	35	1	35	2	35	0	0	0	0
	point274	274	49	35	1	35	2	35	0	0	0	0
	point275	275	49	35	1	35	2	35	0	0	0	0
	point276	276	49	35	1	35	2	35	0	0	0	0
	point277	277	49	35	1	35	2	35	0	0	0	0
	point278	278	49	35	1	35	2	35	0	0	0	0
	point279	279	49	35	1	35	2	35	0	0	0	0
	point280	280	49	35	1	35	2	35	0	0	0	0
	point281	281	49	35	1	35	2	35	0	0	0	0

	point282	282	49	35	1	35	2	35	0	0	0	0
	point283	283										
River Rd2 WB.2	point284	284	49	35	1	35	2	35	0	0	0	0
	point285	285	49	35	1	35	2	35	0	0	0	0
	point286	286	49	35	1	35	2	35	0	0	0	0
	point287	287	49	35	1	35	2	35	0	0	0	0
	point288	288	49	35	1	35	2	35	0	0	0	0
	point289	289	49	35	1	35	2	35	0	0	0	0
	point290	290	49	35	1	35	2	35	0	0	0	0
	point291	291										
Mill Race Rd.1	point292	292	60	35	4	35	0	0	0	0	0	0
	point293	293	60	35	4	35	0	0	0	0	0	0
	point294	294	60	35	4	35	0	0	0	0	0	0
	point295	295	60	35	4	35	0	0	0	0	0	0
	point296	296	60	35	4	35	0	0	0	0	0	0
	point297	297	60	35	4	35	0	0	0	0	0	0
	point298	298	60	35	4	35	0	0	0	0	0	0
	point299	299	60	35	4	35	0	0	0	0	0	0
	point300	300										
Mill Race Rd.2	point301	301	60	35	4	35	0	0	0	0	0	0
	point302	302	60	35	4	35	0	0	0	0	0	0
	point303	303	60	35	4	35	0	0	0	0	0	0
	point304	304	60	35	4	35	0	0	0	0	0	0
	point305	305										
Springhill Rd	point306	306	60	35	4	35	0	0	0	0	0	0
	point307	307	60	35	4	35	0	0	0	0	0	0
	point308	308	60	35	4	35	0	0	0	0	0	0
	point309	309	60	35	4	35	0	0	0	0	0	0
	point310	310	60	35	4	35	0	0	0	0	0	0
	point311	311	60	35	4	35	0	0	0	0	0	0
	point312	312	60	35	4	35	0	0	0	0	0	0
	point313	313	60	35	4	35	0	0	0	0	0	0
	point314	314	60	35	4	35	0	0	0	0	0	0
	point315	315										
Clouse Ln	point316	316	60	35	4	35	0	0	0	0	0	0
	point317	317	60	35	4	35	0	0	0	0	0	0

	point318	318	60	35	4	35	0	0	0	0	0	0
	point319	319	60	35	4	35	0	0	0	0	0	0
	point320	320										
Lancaster Rd SB.1	point321	321	287	35	5	35	15	35	0	0	0	0
	point322	322	287	35	5	35	15	35	0	0	0	0
	point323	323	287	35	5	35	15	35	0	0	0	0
	point324	324	287	35	5	35	15	35	0	0	0	0
	point325	325	287	35	5	35	15	35	0	0	0	0
	point1259	1259	287	35	5	35	15	35	0	0	0	0
	point1260	1260										
Lancaster Rd SB.2	point328	328	467	35	7	35	21	35	0	0	0	0
	point1261	1261	467	35	7	35	21	35	0	0	0	0
	point1258	1258										
Lancaster Rd SB.3	point330	330	467	35	7	35	21	35	0	0	0	0
	point1266	1266	467	35	7	35	21	35	0	0	0	0
	point331	331	467	35	7	35	21	35	0	0	0	0
	point332	332										
Lancaster Rd SB.4	point334	334	647	45	8	45	26	45	0	0	0	0
	point1255	1255	647	45	8	45	26	45	0	0	0	0
	point335	335	647	45	8	45	26	45	0	0	0	0
	point336	336	647	45	8	45	26	45	0	0	0	0
	point337	337	647	45	8	45	26	45	0	0	0	0
	point338	338										
Lancaster Rd NB.1	point339	339	598	45	7	45	24	45	0	0	0	0
	point340	340	598	45	7	45	24	45	0	0	0	0
	point341	341	598	45	7	45	24	45	0	0	0	0
	point342	342	598	45	7	45	24	45	0	0	0	0
	point343	343	598	45	7	45	24	45	0	0	0	0
	point344	344	598	45	7	45	24	45	0	0	0	0
	point345	345										
Lancaster Rd NB.2	point347	347	538	35	8	35	26	35	0	0	0	0
	point1256	1256	538	35	8	35	26	35	0	0	0	0
	point348	348	538	35	8	35	26	35	0	0	0	0
	point349	349	538	35	8	35	26	35	0	0	0	0
	point350	350										
Lancaster Rd NB.3	point352	352	538	35	8	35	26	35	0	0	0	0

	point1267	1267	538	35	8	35	26	35	0	0	0	0
	point1262	1262	538	35	8	35	26	35	0	0	0	0
	point1263	1263										
Lancaster Rd NB.4	point355	355	478	35	8	35	27	35	0	0	0	0
	point1265	1265	478	35	8	35	27	35	0	0	0	0
	point1264	1264	478	35	8	35	27	35	0	0	0	0
	point356	356	478	35	8	35	27	35	0	0	0	0
	point357	357	478	35	8	35	27	35	0	0	0	0
	point358	358	478	35	8	35	27	35	0	0	0	0
	point359	359										
Glenshire Ct	point360	360	60	35	4	35	0	0	0	0	0	0
	point361	361	60	35	4	35	0	0	0	0	0	0
	point362	362	60	35	4	35	0	0	0	0	0	0
	point363	363	60	35	4	35	0	0	0	0	0	0
	point364	364	60	35	4	35	0	0	0	0	0	0
	point365	365										
Glenshire Dr	point366	366	60	35	4	35	0	0	0	0	0	0
	point367	367	60	35	4	35	0	0	0	0	0	0
	point368	368	60	35	4	35	0	0	0	0	0	0
	point369	369	60	35	4	35	0	0	0	0	0	0
	point370	370	60	35	4	35	0	0	0	0	0	0
	point371	371	60	35	4	35	0	0	0	0	0	0
	point372	372	60	35	4	35	0	0	0	0	0	0
	point373	373										
Glenshire Ct2	point374	374	60	35	4	35	0	0	0	0	0	0
	point375	375	60	35	4	35	0	0	0	0	0	0
	point376	376	60	35	4	35	0	0	0	0	0	0
	point377	377	60	35	4	35	0	0	0	0	0	0
	point378	378	60	35	4	35	0	0	0	0	0	0
	point379	379	60	35	4	35	0	0	0	0	0	0
	point380	380										
Lansing Cir	point381	381	60	35	4	35	0	0	0	0	0	0
	point382	382	60	35	4	35	0	0	0	0	0	0
	point383	383	60	35	4	35	0	0	0	0	0	0
	point384	384	60	35	4	35	0	0	0	0	0	0
	point385	385	60	35	4	35	0	0	0	0	0	0

	point386	386	60	35	4	35	0	0	0	0	0	0
	point387	387	60	35	4	35	0	0	0	0	0	0
	point388	388										
New Gran Dr	point389	389	60	35	4	35	0	0	0	0	0	0
	point390	390	60	35	4	35	0	0	0	0	0	0
	point391	391	60	35	4	35	0	0	0	0	0	0
	point392	392										
Cambrey Cir	point393	393	60	35	4	35	0	0	0	0	0	0
	point394	394	60	35	4	35	0	0	0	0	0	0
	point395	395	60	35	4	35	0	0	0	0	0	0
	point396	396	60	35	4	35	0	0	0	0	0	0
	point397	397	60	35	4	35	0	0	0	0	0	0
	point398	398	60	35	4	35	0	0	0	0	0	0
	point399	399	60	35	4	35	0	0	0	0	0	0
	point400	400	60	35	4	35	0	0	0	0	0	0
	point401	401										
Upland View Ct	point402	402	60	35	4	35	0	0	0	0	0	0
	point403	403	60	35	4	35	0	0	0	0	0	0
	point404	404	60	35	4	35	0	0	0	0	0	0
	point405	405	60	35	4	35	0	0	0	0	0	0
	point406	406	60	35	4	35	0	0	0	0	0	0
	point407	407	60	35	4	35	0	0	0	0	0	0
	point408	408	60	35	4	35	0	0	0	0	0	0
	point409	409	60	35	4	35	0	0	0	0	0	0
	point410	410	60	35	4	35	0	0	0	0	0	0
	point411	411	60	35	4	35	0	0	0	0	0	0
	point412	412	60	35	4	35	0	0	0	0	0	0
	point413	413	60	35	4	35	0	0	0	0	0	0
	point414	414	60	35	4	35	0	0	0	0	0	0
	point415	415	60	35	4	35	0	0	0	0	0	0
	point416	416	60	35	4	35	0	0	0	0	0	0
	point417	417	60	35	4	35	0	0	0	0	0	0
	point418	418										
Wicklow Dr SB.1	point419	419	30	35	2	35	0	0	0	0	0	0
	point420	420										
Wicklow Dr SB.2	point421	421	30	35	2	35	0	0	0	0	0	0

	point422	422	30	35	2	35	0	0	0	0	0	0
	point423	423	30	35	2	35	0	0	0	0	0	0
	point424	424	30	35	2	35	0	0	0	0	0	0
	point425	425	30	35	2	35	0	0	0	0	0	0
	point426	426	30	35	2	35	0	0	0	0	0	0
	point427	427	30	35	2	35	0	0	0	0	0	0
	point428	428	30	35	2	35	0	0	0	0	0	0
	point429	429										
Wicklow Dr NB.1	point430	430	30	35	2	35	0	0	0	0	0	0
	point431	431	30	35	2	35	0	0	0	0	0	0
	point432	432	30	35	2	35	0	0	0	0	0	0
	point433	433	30	35	2	35	0	0	0	0	0	0
	point434	434	30	35	2	35	0	0	0	0	0	0
	point435	435	30	35	2	35	0	0	0	0	0	0
	point436	436	30	35	2	35	0	0	0	0	0	0
	point437	437	30	35	2	35	0	0	0	0	0	0
	point438	438										
Wicklow Dr NB.2	point439	439	30	35	2	35	0	0	0	0	0	0
	point440	440										
Donegal Dr WB.1	point451	451	30	35	2	35	0	0	0	0	0	0
	point452	452	30	35	2	35	0	0	0	0	0	0
	point453	453	30	35	2	35	0	0	0	0	0	0
	point454	454	30	35	2	35	0	0	0	0	0	0
	point455	455	30	35	2	35	0	0	0	0	0	0
	point456	456										
Donegal Dr WB.2	point459	459	30	35	2	35	0	0	0	0	0	0
	point1269	1269	30	35	2	35	0	0	0	0	0	0
	point1268	1268	30	35	2	35	0	0	0	0	0	0
	point460	460	30	35	2	35	0	0	0	0	0	0
	point461	461										
Donegal Dr EB.1	point462	462	30	35	2	35	0	0	0	0	0	0
	point463	463	30	35	2	35	0	0	0	0	0	0
	point464	464	30	35	2	35	0	0	0	0	0	0
	point465	465										
Donegal Dr EB.2	point467	467	30	35	2	35	0	0	0	0	0	0
	point1270	1270	30	35	2	35	0	0	0	0	0	0

	point468	468	30	35	2	35	0	0	0	0	0	0
	point469	469	30	35	2	35	0	0	0	0	0	0
	point470	470	30	35	2	35	0	0	0	0	0	0
	point471	471										
Kildare St SB.1	point472	472	30	35	2	35	0	0	0	0	0	0
	point473	473	30	35	2	35	0	0	0	0	0	0
	point474	474										
Kildare St SB.2	point475	475	30	35	2	35	0	0	0	0	0	0
	point476	476	30	35	2	35	0	0	0	0	0	0
	point477	477	30	35	2	35	0	0	0	0	0	0
	point478	478	30	35	2	35	0	0	0	0	0	0
	point479	479										
Kildare St NB.1	point480	480	30	35	2	35	0	0	0	0	0	0
	point481	481	30	35	2	35	0	0	0	0	0	0
	point482	482	30	35	2	35	0	0	0	0	0	0
	point483	483	30	35	2	35	0	0	0	0	0	0
	point484	484										
Kildare St NB.2	point485	485	30	35	2	35	0	0	0	0	0	0
	point486	486										
S Galway Dr SB.1	point487	487	30	35	2	35	0	0	0	0	0	0
	point488	488	30	35	2	35	0	0	0	0	0	0
	point489	489										
S Galway Dr SB.2	point490	490	30	35	2	35	0	0	0	0	0	0
	point491	491	30	35	2	35	0	0	0	0	0	0
	point492	492	30	35	2	35	0	0	0	0	0	0
	point493	493	30	35	2	35	0	0	0	0	0	0
	point494	494	30	35	2	35	0	0	0	0	0	0
	point495	495	30	35	2	35	0	0	0	0	0	0
	point496	496	30	35	2	35	0	0	0	0	0	0
	point497	497	30	35	2	35	0	0	0	0	0	0
	point498	498	30	35	2	35	0	0	0	0	0	0
	point499	499	30	35	2	35	0	0	0	0	0	0
	point500	500	30	35	2	35	0	0	0	0	0	0
	point501	501	30	35	2	35	0	0	0	0	0	0
	point502	502	30	35	2	35	0	0	0	0	0	0
	point503	503										

S Galway Dr NB	point504	504	30	35	2	35	0	0	0	0	0	0
	point505	505	30	35	2	35	0	0	0	0	0	0
	point506	506	30	35	2	35	0	0	0	0	0	0
	point507	507	30	35	2	35	0	0	0	0	0	0
	point508	508	30	35	2	35	0	0	0	0	0	0
	point509	509	30	35	2	35	0	0	0	0	0	0
	point510	510	30	35	2	35	0	0	0	0	0	0
	point511	511	30	35	2	35	0	0	0	0	0	0
	point512	512	30	35	2	35	0	0	0	0	0	0
	point513	513	30	35	2	35	0	0	0	0	0	0
	point514	514	30	35	2	35	0	0	0	0	0	0
	point515	515	30	35	2	35	0	0	0	0	0	0
	point516	516	30	35	2	35	0	0	0	0	0	0
	point517	517										
S Galway Dr2	point518	518	60	35	4	35	0	0	0	0	0	0
	point519	519	60	35	4	35	0	0	0	0	0	0
	point520	520	60	35	4	35	0	0	0	0	0	0
	point521	521	60	35	4	35	0	0	0	0	0	0
	point522	522	60	35	4	35	0	0	0	0	0	0
	point523	523	60	35	4	35	0	0	0	0	0	0
	point524	524	60	35	4	35	0	0	0	0	0	0
	point525	525	60	35	4	35	0	0	0	0	0	0
	point526	526	60	35	4	35	0	0	0	0	0	0
	point527	527	60	35	4	35	0	0	0	0	0	0
	point528	528	60	35	4	35	0	0	0	0	0	0
	point529	529	60	35	4	35	0	0	0	0	0	0
	point530	530	60	35	4	35	0	0	0	0	0	0
	point531	531										
Cherry Valley Rd SB.1	point532	532	30	35	2	35	0	0	0	0	0	0
	point533	533										
Cherry Valley Rd SB.2	point534	534	30	35	2	35	0	0	0	0	0	0
	point535	535	30	35	2	35	0	0	0	0	0	0
	point536	536	30	35	2	35	0	0	0	0	0	0
	point537	537										
Westgate Dr	point538	538	60	35	4	35	0	0	0	0	0	0
	point539	539	60	35	4	35	0	0	0	0	0	0

	point540	540	60	35	4	35	0	0	0	0	0	0
	point541	541	60	35	4	35	0	0	0	0	0	0
	point542	542	60	35	4	35	0	0	0	0	0	0
	point543	543	60	35	4	35	0	0	0	0	0	0
	point544	544	60	35	4	35	0	0	0	0	0	0
	point545	545	60	35	4	35	0	0	0	0	0	0
	point546	546	60	35	4	35	0	0	0	0	0	0
	point547	547	60	35	4	35	0	0	0	0	0	0
	point548	548	60	35	4	35	0	0	0	0	0	0
	point549	549	60	35	4	35	0	0	0	0	0	0
	point550	550	60	35	4	35	0	0	0	0	0	0
	point551	551	60	35	4	35	0	0	0	0	0	0
	point552	552	60	35	4	35	0	0	0	0	0	0
	point553	553										
Cherry Valley Rd NB.1	point554	554	30	35	2	35	0	0	0	0	0	0
	point555	555	30	35	2	35	0	0	0	0	0	0
	point556	556	30	35	2	35	0	0	0	0	0	0
	point557	557										
Cherry Valley Rd NB.2	point558	558	30	35	2	35	0	0	0	0	0	0
	point559	559										
Speedway Dr	point560	560	60	35	4	35	0	0	0	0	0	0
	point561	561	60	35	4	35	0	0	0	0	0	0
	point562	562	60	35	4	35	0	0	0	0	0	0
	point563	563	60	35	4	35	0	0	0	0	0	0
	point564	564	60	35	4	35	0	0	0	0	0	0
	point565	565	60	35	4	35	0	0	0	0	0	0
	point566	566	60	35	4	35	0	0	0	0	0	0
	point567	567	60	35	4	35	0	0	0	0	0	0
	point568	568	60	35	4	35	0	0	0	0	0	0
	point569	569										
Cherry Valley Rd2 SB.1	point570	570	30	35	2	35	0	0	0	0	0	0
	point571	571	30	35	2	35	0	0	0	0	0	0
	point572	572										
Cherry Valley Rd2 SB.2	point573	573	30	35	2	35	0	0	0	0	0	0
	point574	574	30	35	2	35	0	0	0	0	0	0
	point575	575	30	35	2	35	0	0	0	0	0	0

	point576	576	30	35	2	35	0	0	0	0	0	0
	point577	577	30	35	2	35	0	0	0	0	0	0
	point578	578	30	35	2	35	0	0	0	0	0	0
	point579	579	30	35	2	35	0	0	0	0	0	0
	point580	580	30	35	2	35	0	0	0	0	0	0
	point581	581	30	35	2	35	0	0	0	0	0	0
	point582	582	30	35	2	35	0	0	0	0	0	0
	point583	583	30	35	2	35	0	0	0	0	0	0
	point584	584										
Cherry Valley Rd2 NB.1	point585	585	30	35	2	35	0	0	0	0	0	0
	point586	586	30	35	2	35	0	0	0	0	0	0
	point587	587	30	35	2	35	0	0	0	0	0	0
	point588	588	30	35	2	35	0	0	0	0	0	0
	point589	589	30	35	2	35	0	0	0	0	0	0
	point590	590	30	35	2	35	0	0	0	0	0	0
	point591	591	30	35	2	35	0	0	0	0	0	0
	point592	592	30	35	2	35	0	0	0	0	0	0
	point593	593	30	35	2	35	0	0	0	0	0	0
	point594	594	30	35	2	35	0	0	0	0	0	0
	point595	595	30	35	2	35	0	0	0	0	0	0
	point596	596	30	35	2	35	0	0	0	0	0	0
	point597	597										
Cherry Valley Rd2 NB.2	point598	598	30	35	2	35	0	0	0	0	0	0
	point599	599	30	35	2	35	0	0	0	0	0	0
	point600	600										
Thornwood Xing SB.1	point601	601	455	35	6	35	18	35	0	0	0	0
	point602	602	455	35	6	35	18	35	0	0	0	0
	point603	603	455	35	6	35	18	35	0	0	0	0
	point604	604	455	35	6	35	18	35	0	0	0	0
	point605	605	455	35	6	35	18	35	0	0	0	0
	point606	606	455	35	6	35	18	35	0	0	0	0
	point607	607										
Thornwood Xing SB.2	point609	609	462	35	5	35	19	35	0	0	0	0
	point1271	1271	462	35	5	35	19	35	0	0	0	0
	point610	610	462	35	5	35	19	35	0	0	0	0
	point611	611	462	35	5	35	19	35	0	0	0	0

	point612	612										
Thornwood Xing SB.3	point614	614	610	35	6	35	26	35	0	0	0	0
	point1276	1276	610	35	6	35	26	35	0	0	0	0
	point615	615	610	35	6	35	26	35	0	0	0	0
	point616	616	610	35	6	35	26	35	0	0	0	0
	point617	617	610	35	6	35	26	35	0	0	0	0
	point618	618	610	35	6	35	26	35	0	0	0	0
	point619	619	610	35	6	35	26	35	0	0	0	0
	point620	620	610	35	6	35	26	35	0	0	0	0
	point621	621	610	35	6	35	26	35	0	0	0	0
	point622	622	610	35	6	35	26	35	0	0	0	0
	point623	623										
Thornwood Xing NB.1	point624	624	551	35	6	35	23	35	0	0	0	0
	point625	625	551	35	6	35	23	35	0	0	0	0
	point626	626	551	35	6	35	23	35	0	0	0	0
	point627	627	551	35	6	35	23	35	0	0	0	0
	point628	628	551	35	6	35	23	35	0	0	0	0
	point629	629	551	35	6	35	23	35	0	0	0	0
	point630	630	551	35	6	35	23	35	0	0	0	0
	point631	631	551	35	6	35	23	35	0	0	0	0
	point632	632	551	35	6	35	23	35	0	0	0	0
	point1273	1273										
Thornwood Xing NB.2	point635	635	448	35	5	35	19	35	0	0	0	0
	point1275	1275	448	35	5	35	19	35	0	0	0	0
	point1274	1274	448	35	5	35	19	35	0	0	0	0
	point636	636	448	35	5	35	19	35	0	0	0	0
	point637	637	448	35	5	35	19	35	0	0	0	0
	point638	638										
Thornwood Xing NB.3	point640	640	444	35	6	35	17	35	0	0	0	0
	point1272	1272	444	35	6	35	17	35	0	0	0	0
	point641	641	444	35	6	35	17	35	0	0	0	0
	point642	642	444	35	6	35	17	35	0	0	0	0
	point643	643	444	35	6	35	17	35	0	0	0	0
	point644	644	444	35	6	35	17	35	0	0	0	0
	point645	645	444	35	6	35	17	35	0	0	0	0
	point646	646										

SR16-37 EB1.1	point647	647	934	55	43	55	50	55	0	0	0	0
	point648	648	934	55	43	55	50	55	0	0	0	0
	point649	649	934	55	43	55	50	55	0	0	0	0
	point650	650	934	55	43	55	50	55	0	0	0	0
	point651	651	934	55	43	55	50	55	0	0	0	0
	point652	652	934	55	43	55	50	55	0	0	0	0
	point653	653										
SR16-37 EB2.1	point654	654	934	55	43	55	50	55	0	0	0	0
	point655	655	934	55	43	55	50	55	0	0	0	0
	point656	656	934	55	43	55	50	55	0	0	0	0
	point657	657	934	55	43	55	50	55	0	0	0	0
	point658	658	934	55	43	55	50	55	0	0	0	0
	point659	659	934	55	43	55	50	55	0	0	0	0
	point660	660										
SR16-37 EB2.2	point661	661	934	55	43	55	50	55	0	0	0	0
	point662	662	934	55	43	55	50	55	0	0	0	0
	point663	663	934	55	43	55	50	55	0	0	0	0
	point664	664	934	55	43	55	50	55	0	0	0	0
	point665	665	934	55	43	55	50	55	0	0	0	0
	point666	666	934	55	43	55	50	55	0	0	0	0
	point667	667	934	55	43	55	50	55	0	0	0	0
	point668	668	934	55	43	55	50	55	0	0	0	0
	point669	669										
SR16-37 EB1.2	point670	670	934	55	43	55	50	55	0	0	0	0
	point671	671	934	55	43	55	50	55	0	0	0	0
	point672	672	934	55	43	55	50	55	0	0	0	0
	point673	673	934	55	43	55	50	55	0	0	0	0
	point674	674	934	55	43	55	50	55	0	0	0	0
	point675	675	934	55	43	55	50	55	0	0	0	0
	point676	676	934	55	43	55	50	55	0	0	0	0
	point677	677	934	55	43	55	50	55	0	0	0	0
	point678	678										
SR16-37 EB1.3	point679	679	1294	55	59	55	69	55	0	0	0	0
	point680	680	1294	55	59	55	69	55	0	0	0	0
	point681	681	1294	55	59	55	69	55	0	0	0	0
	point682	682	1294	55	59	55	69	55	0	0	0	0

	point683	683	1294	55	59	55	69	55	0	0	0	0
	point684	684	1294	55	59	55	69	55	0	0	0	0
	point685	685	1294	55	59	55	69	55	0	0	0	0
	point686	686	1294	55	59	55	69	55	0	0	0	0
	point687	687	1294	55	59	55	69	55	0	0	0	0
	point688	688										
SR16-37 EB2.3	point689	689	1294	55	59	55	69	55	0	0	0	0
	point690	690	1294	55	59	55	69	55	0	0	0	0
	point691	691	1294	55	59	55	69	55	0	0	0	0
	point692	692	1294	55	59	55	69	55	0	0	0	0
	point693	693	1294	55	59	55	69	55	0	0	0	0
	point694	694	1294	55	59	55	69	55	0	0	0	0
	point695	695	1294	55	59	55	69	55	0	0	0	0
	point696	696	1294	55	59	55	69	55	0	0	0	0
	point697	697	1294	55	59	55	69	55	0	0	0	0
	point698	698	1294	55	59	55	69	55	0	0	0	0
	point699	699										
SR16-37 EB1.4	point700	700	1327	55	61	55	71	55	0	0	0	0
	point701	701	1327	55	61	55	71	55	0	0	0	0
	point702	702	1327	55	61	55	71	55	0	0	0	0
	point703	703	1327	55	61	55	71	55	0	0	0	0
	point704	704	1327	55	61	55	0	55	0	0	0	0
	point705	705	1327	55	61	55	71	55	0	0	0	0
	point706	706	1327	55	61	55	71	55	0	0	0	0
	point707	707	1327	55	61	55	71	55	0	0	0	0
	point708	708										
SR16-37 EB2.4	point709	709	1327	55	61	55	71	55	0	0	0	0
	point710	710	1327	55	61	55	71	55	0	0	0	0
	point711	711	1327	55	61	55	71	55	0	0	0	0
	point712	712	1327	55	61	55	71	55	0	0	0	0
	point713	713	1327	55	61	55	71	55	0	0	0	0
	point714	714	1327	55	61	55	71	55	0	0	0	0
	point715	715										
SR16-37 EB1.5	point716	716	1327	55	61	55	71	55	0	0	0	0
	point717	717	1327	55	61	55	71	55	0	0	0	0
	point718	718	1327	55	61	55	71	55	0	0	0	0

	point719	719	1327	55	61	55	71	55	0	0	0	0
	point720	720	1327	55	61	55	71	55	0	0	0	0
	point721	721	1327	55	61	55	71	55	0	0	0	0
	point722	722	1327	55	61	55	71	55	0	0	0	0
	point723	723	1327	55	61	55	71	55	0	0	0	0
	point724	724	1327	55	61	55	71	55	0	0	0	0
	point725	725	1327	55	61	55	71	55	0	0	0	0
	point726	726	1327	55	61	55	71	55	0	0	0	0
	point727	727	1327	55	61	55	71	55	0	0	0	0
	point728	728	1327	55	61	55	71	55	0	0	0	0
	point729	729	1327	55	61	55	71	55	0	0	0	0
	point730	730	1327	55	61	55	71	55	0	0	0	0
	point731	731	1327	55	61	55	71	55	0	0	0	0
	point732	732	1327	55	61	55	71	55	0	0	0	0
	point733	733	1327	55	61	55	71	55	0	0	0	0
	point734	734	1327	55	61	55	71	55	0	0	0	0
	point735	735	1327	55	61	55	71	55	0	0	0	0
	point736	736	1327	55	61	55	71	55	0	0	0	0
	point737	737	1327	55	61	55	71	55	0	0	0	0
	point738	738	1327	55	61	55	71	55	0	0	0	0
	point739	739	1327	55	61	55	71	55	0	0	0	0
	point740	740										
SR16-37 EB2.5	point741	741	1327	55	61	55	71	55	0	0	0	0
	point742	742	1327	55	61	55	71	55	0	0	0	0
	point743	743	1327	55	61	55	71	55	0	0	0	0
	point744	744	1327	55	61	55	71	55	0	0	0	0
	point745	745	1327	55	61	55	71	55	0	0	0	0
	point746	746	1327	55	61	55	71	55	0	0	0	0
	point747	747	1327	55	61	55	71	55	0	0	0	0
	point748	748	1327	55	61	55	71	55	0	0	0	0
	point749	749	1327	55	61	55	71	55	0	0	0	0
	point750	750	1327	55	61	55	71	55	0	0	0	0
	point751	751	1327	55	61	55	71	55	0	0	0	0
	point752	752	1327	55	61	55	71	55	0	0	0	0
	point753	753	1327	55	61	55	71	55	0	0	0	0
	point754	754	1327	55	61	55	71	55	0	0	0	0

	point755	755	1327	55	61	55	71	55	0	0	0	0
	point756	756	1327	55	61	55	71	55	0	0	0	0
	point757	757	1327	55	61	55	71	55	0	0	0	0
	point758	758	1327	55	61	55	71	55	0	0	0	0
	point759	759	1327	55	61	55	71	55	0	0	0	0
	point760	760	1327	55	61	55	71	55	0	0	0	0
	point761	761	1327	55	61	55	71	55	0	0	0	0
	point762	762	1327	55	61	55	71	55	0	0	0	0
	point763	763	1327	55	61	55	71	55	0	0	0	0
	point764	764	1327	55	61	55	71	55	0	0	0	0
	point765	765	1327	55	61	55	71	55	0	0	0	0
	point766	766	1327	55	61	55	71	55	0	0	0	0
	point767	767										
SR16-37 EB1.6	point768	768	1327	55	61	55	71	55	0	0	0	0
	point769	769	1327	55	61	55	71	55	0	0	0	0
	point770	770	1327	55	61	55	71	55	0	0	0	0
	point771	771	1327	55	61	55	71	55	0	0	0	0
	point772	772	1327	55	61	55	71	55	0	0	0	0
	point773	773	1327	55	61	55	71	55	0	0	0	0
	point774	774	1327	55	61	55	71	55	0	0	0	0
	point775	775	1327	55	61	55	71	55	0	0	0	0
	point776	776	1327	55	61	55	71	55	0	0	0	0
	point777	777	1327	55	61	55	71	55	0	0	0	0
	point778	778	1327	55	61	55	71	55	0	0	0	0
	point779	779	1327	55	61	55	71	55	0	0	0	0
	point780	780	1327	55	61	55	71	55	0	0	0	0
	point781	781										
SR16-37 EB2.6	point782	782	1327	55	61	55	71	55	0	0	0	0
	point783	783	1327	55	61	55	71	55	0	0	0	0
	point784	784	1327	55	61	55	71	55	0	0	0	0
	point785	785	1327	55	61	55	71	55	0	0	0	0
	point786	786	1327	55	61	55	71	55	0	0	0	0
	point787	787	1327	55	61	55	71	55	0	0	0	0
	point788	788	1327	55	61	55	71	55	0	0	0	0
	point789	789	1327	55	61	55	71	55	0	0	0	0
	point790	790	1327	55	61	55	71	55	0	0	0	0

	point791	791	1327	55	61	55	71	55	0	0	0	0
	point792	792	1327	55	61	55	71	55	0	0	0	0
	point793	793	1327	55	61	55	71	55	0	0	0	0
	point794	794	1327	55	61	55	71	55	0	0	0	0
	point795	795	1327	55	61	55	71	55	0	0	0	0
	point796	796										
SR16-37 WB2.1	point797	797	1212	55	55	55	65	55	0	0	0	0
	point798	798	1212	55	55	55	65	55	0	0	0	0
	point799	799	1212	55	55	55	65	55	0	0	0	0
	point800	800	1212	55	55	55	65	55	0	0	0	0
	point801	801	1212	55	55	55	65	55	0	0	0	0
	point802	802	1212	55	55	55	65	55	0	0	0	0
	point803	803	1212	55	55	55	65	55	0	0	0	0
	point804	804	1212	55	55	55	65	55	0	0	0	0
	point805	805	1212	55	55	55	65	55	0	0	0	0
	point806	806	1212	55	55	55	65	55	0	0	0	0
	point807	807	1212	55	55	55	65	55	0	0	0	0
	point808	808	1212	55	55	55	65	55	0	0	0	0
	point809	809	1212	55	55	55	65	55	0	0	0	0
	point810	810	1212	55	55	55	65	55	0	0	0	0
	point811	811	1212	55	55	55	65	55	0	0	0	0
	point812	812	1212	55	55	55	65	55	0	0	0	0
	point813	813										
SR16-37 WB1.1	point814	814	1212	55	55	55	65	55	0	0	0	0
	point815	815	1212	55	55	55	65	55	0	0	0	0
	point816	816	1212	55	55	55	65	55	0	0	0	0
	point817	817	1212	55	55	55	65	55	0	0	0	0
	point818	818	1212	55	55	55	65	55	0	0	0	0
	point819	819	1212	55	55	55	65	55	0	0	0	0
	point820	820	1212	55	55	55	65	55	0	0	0	0
	point821	821	1212	55	55	55	65	55	0	0	0	0
	point822	822	1212	55	55	55	65	55	0	0	0	0
	point823	823	1212	55	55	55	65	55	0	0	0	0
	point824	824	1212	55	55	55	65	55	0	0	0	0
	point825	825	1212	55	55	55	65	55	0	0	0	0
	point826	826	1212	55	55	55	65	55	0	0	0	0

	point827	827	1212	55	55	55	65	55	0	0	0	0
	point828	828	1212	55	55	55	65	55	0	0	0	0
	point829	829	1212	55	55	55	65	55	0	0	0	0
	point830	830										
SR16-37 WB1.2	point831	831	1212	55	55	55	65	55	0	0	0	0
	point832	832	1212	55	55	55	65	55	0	0	0	0
	point833	833	1212	55	55	55	65	55	0	0	0	0
	point834	834	1212	55	55	55	65	55	0	0	0	0
	point835	835	1212	55	55	55	65	55	0	0	0	0
	point836	836	1212	55	55	55	65	55	0	0	0	0
	point837	837	1212	55	55	55	65	55	0	0	0	0
	point838	838	1212	55	55	55	65	55	0	0	0	0
	point839	839	1212	55	55	55	65	55	0	0	0	0
	point840	840	1212	55	55	55	65	55	0	0	0	0
	point841	841	1212	55	55	55	65	55	0	0	0	0
	point842	842	1212	55	55	55	65	55	0	0	0	0
	point843	843	1212	55	55	55	65	55	0	0	0	0
	point844	844	1212	55	55	55	65	55	0	0	0	0
	point845	845	1212	55	55	55	65	55	0	0	0	0
	point846	846	1212	55	55	55	65	55	0	0	0	0
	point847	847	1212	55	55	55	65	55	0	0	0	0
	point848	848	1212	55	55	55	65	55	0	0	0	0
	point849	849	1212	55	55	55	65	55	0	0	0	0
	point850	850	1212	55	55	55	65	55	0	0	0	0
	point851	851	1212	55	55	55	65	55	0	0	0	0
	point852	852	1212	55	55	55	65	55	0	0	0	0
	point853	853	1212	55	55	55	65	55	0	0	0	0
	point854	854	1212	55	55	55	65	55	0	0	0	0
	point855	855	1212	55	55	55	65	55	0	0	0	0
	point856	856	1212	55	55	55	65	55	0	0	0	0
	point857	857	1212	55	55	55	65	55	0	0	0	0
	point858	858	1212	55	55	55	65	55	0	0	0	0
	point859	859	1212	55	55	55	65	55	0	0	0	0
	point860	860	1212	55	55	55	65	55	0	0	0	0
	point861	861	1212	55	55	55	65	55	0	0	0	0
	point862	862	1212	55	55	55	65	55	0	0	0	0

	point863	863	1212	55	55	55	65	55	0	0	0	0
	point864	864	1212	55	55	55	65	55	0	0	0	0
	point865	865	1212	55	55	55	65	55	0	0	0	0
	point866	866	1212	55	55	55	65	55	0	0	0	0
	point867	867										
SR16-37 WB2.2	point868	868	1212	55	55	55	65	55	0	0	0	0
	point869	869	1212	55	55	55	65	55	0	0	0	0
	point870	870	1212	55	55	55	65	55	0	0	0	0
	point871	871	1212	55	55	55	65	55	0	0	0	0
	point872	872	1212	55	55	55	65	55	0	0	0	0
	point873	873	1212	55	55	55	65	55	0	0	0	0
	point874	874	1212	55	55	55	65	55	0	0	0	0
	point875	875	1212	55	55	55	65	55	0	0	0	0
	point876	876	1212	55	55	55	65	55	0	0	0	0
	point877	877	1212	55	55	55	65	55	0	0	0	0
	point878	878	1212	55	55	55	65	55	0	0	0	0
	point879	879	1212	55	55	55	65	55	0	0	0	0
	point880	880	1212	55	55	55	65	55	0	0	0	0
	point881	881	1212	55	55	55	65	55	0	0	0	0
	point882	882	1212	55	55	55	65	55	0	0	0	0
	point883	883	1212	55	55	55	65	55	0	0	0	0
	point884	884	1212	55	55	55	65	55	0	0	0	0
	point885	885	1212	55	55	55	65	55	0	0	0	0
	point886	886	1212	55	55	55	65	55	0	0	0	0
	point887	887	1212	55	55	55	65	55	0	0	0	0
	point888	888	1212	55	55	55	65	55	0	0	0	0
	point889	889	1212	55	55	55	65	55	0	0	0	0
	point890	890	1212	55	55	55	65	55	0	0	0	0
	point891	891	1212	55	55	55	65	55	0	0	0	0
	point892	892	1212	55	55	55	65	55	0	0	0	0
	point893	893	1212	55	55	55	65	55	0	0	0	0
	point894	894	1212	55	55	55	65	55	0	0	0	0
	point895	895	1212	55	55	55	65	55	0	0	0	0
	point896	896	1212	55	55	55	65	55	0	0	0	0
	point897	897	1212	55	55	55	65	55	0	0	0	0
	point898	898	1212	55	55	55	65	55	0	0	0	0

	point899	899	1212	55	55	55	65	55	0	0	0	0
	point900	900	1212	55	55	55	65	55	0	0	0	0
	point901	901	1212	55	55	55	65	55	0	0	0	0
	point902	902	1212	55	55	55	65	55	0	0	0	0
	point903	903	1212	55	55	55	65	55	0	0	0	0
	point904	904										
SR16-37 WB1.3	point905	905	936	55	43	55	50	55	0	0	0	0
	point906	906	936	55	43	55	50	55	0	0	0	0
	point907	907	936	55	43	55	50	55	0	0	0	0
	point908	908										
SR16-37 WB2.3	point909	909	936	55	43	55	50	55	0	0	0	0
	point910	910	936	55	43	55	50	55	0	0	0	0
	point911	911	936	55	43	55	50	55	0	0	0	0
	point912	912										
SR16-37 WB1.4	point913	913	936	55	43	55	50	55	0	0	0	0
	point914	914										
SR16-37 WB2.4	point915	915	936	55	43	55	50	55	0	0	0	0
	point916	916										
SR16-37 WB1.5	point917	917	936	55	43	55	50	55	0	0	0	0
	point918	918	936	55	43	55	50	55	0	0	0	0
	point919	919	936	55	43	55	50	55	0	0	0	0
	point920	920										
SR16-37 WB2.5	point921	921	936	55	43	55	50	55	0	0	0	0
	point922	922	936	55	43	55	50	55	0	0	0	0
	point923	923	936	55	43	55	50	55	0	0	0	0
	point924	924										
SR16-37 WB1.6	point925	925	940	55	43	55	50	55	0	0	0	0
	point926	926	940	55	43	55	50	55	0	0	0	0
	point927	927	940	55	43	55	50	55	0	0	0	0
	point928	928										
SR16-37 WB2.6	point929	929	940	55	43	55	50	55	0	0	0	0
	point930	930	940	55	43	55	50	55	0	0	0	0
	point931	931	940	55	43	55	50	55	0	0	0	0
	point932	932										
SR16-37 Columbus Ave Onramp EB.1	point933	933	308	20	2	20	16	20	0	0	0	0
	point934	934	308	20	2	20	16	20	0	0	0	0

	point935	935	308	20	2	20	16	20	0	0	0	0
	point1277	1277										
SR16-37 Columbus Ave Onramp EB.2	point1281	1281	616	55	4	55	32	55	0	0	0	0
	point1280	1280	616	55	4	55	32	55	0	0	0	0
	point1279	1279	616	55	4	55	32	55	0	0	0	0
	point939	939	616	55	4	55	32	55	0	0	0	0
	point940	940	616	55	4	55	32	55	0	0	0	0
	point941	941	616	55	4	55	32	55	0	0	0	0
	point942	942	616	55	4	55	32	55	0	0	0	0
	point943	943	616	55	4	55	32	55	0	0	0	0
	point944	944	616	55	4	55	32	55	0	0	0	0
	point945	945	616	55	4	55	32	55	0	0	0	0
	point946	946										
SR16-37 Columbus Ave Onramp EB2	point947	947	308	20	2	20	16	20	0	0	0	0
	point948	948	308	20	2	20	16	20	0	0	0	0
	point949	949	308	20	2	20	16	20	0	0	0	0
	point950	950	308	20	2	20	16	20	0	0	0	0
	point951	951										
SR16-37 Columbus Ave Offramp EB	point952	952	166	55	1	55	5	55	0	0	0	0
	point953	953	166	55	1	55	5	55	0	0	0	0
	point954	954	166	50	1	50	5	50	0	0	0	0
	point955	955	166	50	1	50	5	50	0	0	0	0
	point956	956	166	50	1	50	5	50	0	0	0	0
	point957	957	166	50	1	50	5	50	0	0	0	0
	point958	958	166	45	1	45	5	45	0	0	0	0
	point959	959	166	45	1	45	5	45	0	0	0	0
	point960	960										
SR16-37 Columbus Ave Offramp WB	point961	961	414	55	6	55	17	55	0	0	0	0
	point962	962	414	55	6	55	17	55	0	0	0	0
	point963	963	414	50	6	50	17	50	0	0	0	0
	point964	964	414	50	6	50	17	50	0	0	0	0
	point965	965	414	45	6	45	17	45	0	0	0	0
	point966	966	414	45	6	45	17	45	0	0	0	0
	point967	967	414	40	6	40	17	40	0	0	0	0
	point968	968	414	40	6	40	17	40	0	0	0	0
	point969	969	414	35	6	35	17	35	0	0	0	0

	point970	970	414	35	6	35	17	35	0	0	0	0
	point971	971	414	35	6	35	17	35	0	0	0	0
	point972	972	414	35	6	35	17	35	0	0	0	0
	point973	973	414	35	6	35	17	35	0	0	0	0
	point974	974	414	35	6	35	17	35	0	0	0	0
	point975	975	414	35	6	35	17	35	0	0	0	0
	point976	976	414	35	6	35	17	35	0	0	0	0
	point977	977	414	35	6	35	17	35	0	0	0	0
	point978	978	414	35	6	35	17	35	0	0	0	0
	point979	979	414	35	6	35	17	35	0	0	0	0
	point980	980	414	35	6	35	17	35	0	0	0	0
	point981	981	414	35	6	35	17	35	0	0	0	0
	point982	982										
SR16-37 Columbus Ave Onramp WB	point983	983	150	55	1	55	5	55	0	0	0	0
	point984	984	150	55	1	55	5	55	0	0	0	0
	point985	985	150	55	1	55	5	55	0	0	0	0
	point986	986	150	55	1	55	5	55	0	0	0	0
	point987	987	150	55	1	55	5	55	0	0	0	0
	point988	988	150	55	1	55	5	55	0	0	0	0
	point989	989	150	55	1	55	5	55	0	0	0	0
	point990	990	150	55	1	55	5	55	0	0	0	0
	point991	991	150	55	1	55	5	55	0	0	0	0
	point992	992	150	55	1	55	5	55	0	0	0	0
	point993	993	150	55	1	55	5	55	0	0	0	0
	point994	994	150	55	1	55	5	55	0	0	0	0
	point995	995	150	55	1	55	5	55	0	0	0	0
	point996	996	150	55	1	55	5	55	0	0	0	0
	point997	997	150	55	1	55	5	55	0	0	0	0
	point998	998	150	55	1	55	5	55	0	0	0	0
	point999	999	150	55	1	55	5	55	0	0	0	0
	point1000	1000	150	55	1	55	5	55	0	0	0	0
	point1001	1001										
SR16-37 Lancaster Rd Offramp EB	point1002	1002	287	55	10	55	30	55	0	0	0	0
	point1003	1003	287	55	10	55	30	55	0	0	0	0
	point1004	1004	287	50	10	50	30	50	0	0	0	0
	point1005	1005	287	50	10	50	30	50	0	0	0	0

	point1006	1006	287	45	10	45	30	45	0	0	0	0
	point1007	1007	287	45	10	45	30	45	0	0	0	0
	point1008	1008	287	40	10	40	30	40	0	0	0	0
	point1009	1009	287	40	10	40	30	40	0	0	0	0
	point1010	1010	287	35	10	35	30	35	0	0	0	0
	point1011	1011	287	35	10	35	30	35	0	0	0	0
	point1012	1012	287	35	10	35	30	35	0	0	0	0
	point1013	1013	287	35	10	35	30	35	0	0	0	0
	point1014	1014	287	35	10	35	30	35	0	0	0	0
	point1015	1015										
SR16-37 Lancaster Rd Onramp EB	point1016	1016	464	55	4	55	36	55	0	0	0	0
	point1017	1017	464	55	4	55	36	55	0	0	0	0
	point1018	1018	464	55	4	55	36	55	0	0	0	0
	point1019	1019	464	55	4	55	36	55	0	0	0	0
	point1020	1020	464	55	4	55	36	55	0	0	0	0
	point1021	1021	464	55	4	55	36	55	0	0	0	0
	point1022	1022	464	55	4	55	36	55	0	0	0	0
	point1023	1023	464	55	4	55	36	55	0	0	0	0
	point1024	1024	464	55	4	55	36	55	0	0	0	0
	point1025	1025										
SR16-37 Lancaster Rd Onramp WB	point1026	1026	215	55	3	55	21	55	0	0	0	0
	point1027	1027	215	55	3	55	21	55	0	0	0	0
	point1028	1028	215	55	3	55	21	55	0	0	0	0
	point1029	1029	215	55	3	55	21	55	0	0	0	0
	point1030	1030	215	55	3	55	21	55	0	0	0	0
	point1031	1031	215	55	3	55	21	55	0	0	0	0
	point1032	1032	215	55	3	55	21	55	0	0	0	0
	point1033	1033	215	55	3	55	21	55	0	0	0	0
	point1034	1034	215	55	3	55	21	55	0	0	0	0
	point1035	1035	215	55	3	55	21	55	0	0	0	0
	point1036	1036										
SR16-37 Lancaster Rd Offramp WB	point1037	1037	377	55	4	55	36	55	0	0	0	0
	point1038	1038	377	55	4	55	36	55	0	0	0	0
	point1039	1039	377	50	4	50	36	50	0	0	0	0
	point1040	1040	377	50	4	50	36	50	0	0	0	0
	point1041	1041	377	45	4	45	36	45	0	0	0	0

	point1042	1042	377	45	4	45	36	45	0	0	0	0
	point1043	1043	377	40	4	40	36	40	0	0	0	0
	point1044	1044	377	40	4	40	36	40	0	0	0	0
	point1045	1045	377	35	4	35	36	35	0	0	0	0
	point1046	1046	377	35	4	35	36	35	0	0	0	0
	point1047	1047	377	35	4	35	36	35	0	0	0	0
	point1048	1048	377	35	4	35	36	35	0	0	0	0
	point1049	1049										
SR16-37 Thornwood Xing Offramp WB	point1050	1050	288	55	2	55	16	55	0	0	0	0
	point1051	1051	288	50	2	50	16	50	0	0	0	0
	point1052	1052	288	45	2	45	16	45	0	0	0	0
	point1053	1053	288	40	2	40	16	40	0	0	0	0
	point1054	1054	288	40	2	40	16	40	0	0	0	0
	point1055	1055	288	35	2	35	16	35	0	0	0	0
	point1056	1056	288	35	2	35	16	35	0	0	0	0
	point1057	1057	288	35	2	35	16	35	0	0	0	0
	point1058	1058										
SR16-37 Thornwood Xing Onramp WB	point1059	1059	328	55	2	55	20	55	0	0	0	0
	point1060	1060	328	55	2	55	20	55	0	0	0	0
	point1061	1061	328	55	2	55	20	55	0	0	0	0
	point1062	1062	328	55	2	55	20	55	0	0	0	0
	point1063	1063	328	55	2	55	20	55	0	0	0	0
	point1064	1064	328	55	2	55	20	55	0	0	0	0
	point1065	1065	328	55	2	55	20	55	0	0	0	0
	point1066	1066	328	55	2	55	20	55	0	0	0	0
	point1067	1067	328	55	2	55	20	55	0	0	0	0
	point1068	1068	328	55	2	55	20	55	0	0	0	0
	point1069	1069	328	55	2	55	20	55	0	0	0	0
	point1070	1070	328	55	2	55	20	55	0	0	0	0
	point1071	1071	328	55	2	55	20	55	0	0	0	0
	point1072	1072	328	55	2	55	20	55	0	0	0	0
	point1073	1073	328	55	2	55	20	55	0	0	0	0
	point1074	1074	328	55	2	55	20	55	0	0	0	0
	point1075	1075										
SR16-37 Thornwood Xing Offramp EB	point1076	1076	284	55	3	55	20	55	0	0	0	0
	point1077	1077	284	55	3	55	20	55	0	0	0	0

	point1078	1078	284	50	3	50	20	50	0	0	0	0
	point1079	1079	284	50	3	50	20	50	0	0	0	0
	point1080	1080	284	45	3	45	20	45	0	0	0	0
	point1081	1081	284	45	3	45	20	45	0	0	0	0
	point1082	1082	284	40	3	40	20	40	0	0	0	0
	point1083	1083	284	40	3	40	20	40	0	0	0	0
	point1084	1084	284	35	3	35	20	35	0	0	0	0
	point1085	1085	284	35	3	35	20	35	0	0	0	0
	point1086	1086	284	35	3	35	20	35	0	0	0	0
	point1087	1087	284	35	3	35	20	35	0	0	0	0
	point1088	1088	284	35	3	35	20	35	0	0	0	0
	point1089	1089	284	35	3	35	20	35	0	0	0	0
	point1090	1090	284	35	3	35	20	35	0	0	0	0
	point1091	1091										
SR16-37 Thornwood Xing Onramp EB	point1092	1092	545	55	3	55	22	55	0	0	0	0
	point1093	1093	545	55	3	55	22	55	0	0	0	0
	point1094	1094	545	55	3	55	22	55	0	0	0	0
	point1095	1095	545	55	3	55	22	55	0	0	0	0
	point1096	1096	545	55	3	55	22	55	0	0	0	0
	point1097	1097	545	55	3	55	22	55	0	0	0	0
	point1098	1098	545	55	3	55	22	55	0	0	0	0
	point1099	1099	545	55	3	55	22	55	0	0	0	0
	point1100	1100	545	55	3	55	22	55	0	0	0	0
	point1101	1101	545	55	3	55	22	55	0	0	0	0
	point1102	1102	545	55	3	55	22	55	0	0	0	0
	point1103	1103	545	55	3	55	22	55	0	0	0	0
	point1104	1104	545	55	3	55	22	55	0	0	0	0
	point1105	1105	545	55	3	55	22	55	0	0	0	0
	point1106	1106	545	55	3	55	22	55	0	0	0	0
	point1107	1107	545	55	3	55	22	55	0	0	0	0
	point1108	1108	545	55	3	55	22	55	0	0	0	0
	point1109	1109	545	55	3	55	22	55	0	0	0	0
	point1110	1110	545	55	3	55	22	55	0	0	0	0
	point1111	1111	545	55	3	55	22	55	0	0	0	0
	point1112	1112										
Cherry Valley Hotel Parking	point1149	1149	0	0	0	0	0	0	0	0	0	0

	point1150	1150	0	0	0	0	0	0	0	0	0	0
	point1151	1151	0	0	0	0	0	0	0	0	0	0
	point1152	1152	0	0	0	0	0	0	0	0	0	0
	point1153	1153	0	0	0	0	0	0	0	0	0	0
	point1154	1154	0	0	0	0	0	0	0	0	0	0
	point1155	1155	0	0	0	0	0	0	0	0	0	0
	point1156	1156	0	0	0	0	0	0	0	0	0	0
	point1157	1157	0	0	0	0	0	0	0	0	0	0
	point1158	1158	0	0	0	0	0	0	0	0	0	0
	point1159	1159	0	0	0	0	0	0	0	0	0	0
	point1160	1160	0	0	0	0	0	0	0	0	0	0
	point1161	1161	0	0	0	0	0	0	0	0	0	0
	point1162	1162	0	0	0	0	0	0	0	0	0	0
	point1163	1163	0	0	0	0	0	0	0	0	0	0
	point1164	1164	0	0	0	0	0	0	0	0	0	0
	point1165	1165	0	0	0	0	0	0	0	0	0	0
	point1166	1166	0	0	0	0	0	0	0	0	0	0
	point1167	1167	0	0	0	0	0	0	0	0	0	0
	point1168	1168	0	0	0	0	0	0	0	0	0	0
	point1169	1169	0	0	0	0	0	0	0	0	0	0
	point1170	1170	0	0	0	0	0	0	0	0	0	0
	point1171	1171	0	0	0	0	0	0	0	0	0	0
	point1172	1172	0	0	0	0	0	0	0	0	0	0
	point1173	1173	0	0	0	0	0	0	0	0	0	0
	point1174	1174	0	0	0	0	0	0	0	0	0	0
	point1175	1175	0	0	0	0	0	0	0	0	0	0
	point1176	1176	0	0	0	0	0	0	0	0	0	0
	point1177	1177	0	0	0	0	0	0	0	0	0	0
	point1178	1178	0	0	0	0	0	0	0	0	0	0
	point1179	1179	0	0	0	0	0	0	0	0	0	0
	point1180	1180	0	0	0	0	0	0	0	0	0	0
	point1181	1181	0	0	0	0	0	0	0	0	0	0
	point1182	1182	0	0	0	0	0	0	0	0	0	0
	point1183	1183	0	0	0	0	0	0	0	0	0	0
	point1184	1184	0	0	0	0	0	0	0	0	0	0
	point1185	1185	0	0	0	0	0	0	0	0	0	0

	point1186	1186	0	0	0	0	0	0	0	0	0	0
	point1187	1187	0	0	0	0	0	0	0	0	0	0
	point1188	1188	0	0	0	0	0	0	0	0	0	0
	point1189	1189	0	0	0	0	0	0	0	0	0	0
	point1190	1190	0	0	0	0	0	0	0	0	0	0
	point1191	1191	0	0	0	0	0	0	0	0	0	0
	point1192	1192	0	0	0	0	0	0	0	0	0	0
	point1193	1193										
Cherry Valley Hotel Parking2	point1194	1194	0	0	0	0	0	0	0	0	0	0
	point1195	1195	0	0	0	0	0	0	0	0	0	0
	point1196	1196	0	0	0	0	0	0	0	0	0	0
	point1197	1197	0	0	0	0	0	0	0	0	0	0
	point1198	1198										
Thornwood Bike Path	point1199	1199	0	0	0	0	0	0	0	0	0	0
	point1200	1200	0	0	0	0	0	0	0	0	0	0
	point1201	1201	0	0	0	0	0	0	0	0	0	0
	point1202	1202	0	0	0	0	0	0	0	0	0	0
	point1203	1203	0	0	0	0	0	0	0	0	0	0
	point1204	1204										
Thornwood Bike Path2	point1205	1205	0	0	0	0	0	0	0	0	0	0
	point1206	1206	0	0	0	0	0	0	0	0	0	0
	point1207	1207	0	0	0	0	0	0	0	0	0	0
	point1208	1208	0	0	0	0	0	0	0	0	0	0
	point1209	1209	0	0	0	0	0	0	0	0	0	0
	point1210	1210	0	0	0	0	0	0	0	0	0	0
	point1211	1211	0	0	0	0	0	0	0	0	0	0
	point1212	1212	0	0	0	0	0	0	0	0	0	0
	point1213	1213										
Westgate Dr Shortcut	point1214	1214	60	35	4	35	0	0	0	0	0	0
	point1215	1215	60	35	4	35	0	0	0	0	0	0
	point1216	1216	60	35	4	35	0	0	0	0	0	0
	point1217	1217	60	35	4	35	0	0	0	0	0	0
	point1218	1218	60	35	4	35	0	0	0	0	0	0
	point1219	1219	60	35	4	35	0	0	0	0	0	0
	point1220	1220	60	35	4	35	0	0	0	0	0	0
	point1221	1221	60	35	4	35	0	0	0	0	0	0

	point1222	1222	60	35	4	35	0	0	0	0	0	0
	point1223	1223										
River Rd NB Onramp	point1224	1224	30	35	2	35	0	0	0	0	0	0
	point1225	1225	30	35	2	35	0	0	0	0	0	0
	point1226	1226	30	35	2	35	0	0	0	0	0	0
	point1227	1227										
Raccoon Creek Bike Path	point1228	1228	0	0	0	0	0	0	0	0	0	0
	point1229	1229	0	0	0	0	0	0	0	0	0	0
	point1230	1230	0	0	0	0	0	0	0	0	0	0
	point1231	1231	0	0	0	0	0	0	0	0	0	0
	point1232	1232	0	0	0	0	0	0	0	0	0	0
	point1233	1233	0	0	0	0	0	0	0	0	0	0
	point1234	1234	0	0	0	0	0	0	0	0	0	0
	point1235	1235	0	0	0	0	0	0	0	0	0	0
	point1236	1236	0	0	0	0	0	0	0	0	0	0
	point1237	1237	0	0	0	0	0	0	0	0	0	0
	point1238	1238	0	0	0	0	0	0	0	0	0	0
	point1239	1239	0	0	0	0	0	0	0	0	0	0
	point1240	1240	0	0	0	0	0	0	0	0	0	0
	point1241	1241	0	0	0	0	0	0	0	0	0	0
	point1242	1242	0	0	0	0	0	0	0	0	0	0
	point1243	1243	0	0	0	0	0	0	0	0	0	0
	point1244	1244	0	0	0	0	0	0	0	0	0	0
	point1245	1245	0	0	0	0	0	0	0	0	0	0
	point1246	1246	0	0	0	0	0	0	0	0	0	0
	point1247	1247	0	0	0	0	0	0	0	0	0	0
	point1248	1248	0	0	0	0	0	0	0	0	0	0
	point1249	1249	0	0	0	0	0	0	0	0	0	0
	point1250	1250										

EnviroScience, Inc. 11 September 2024
Michael Liptak &Kieran Hynes TNM 2.5

INPUT: RECEIVERS
PROJECT/CONTRACT: LIC-16/37-14.24/15.72 (PID 95445)
RUN: 2048 All Barriers All NSAs

Receiver Name	No.	#DUs	Coordinates (ground) X	Y	Z	Height above Ground	Input Sound Levels and Criteria Existing LAeq1h	Impact Criteria LAeq1h	Impact Criteria Sub'l	NR Goal	Active in Calc.
			ft	ft	ft	ft	dBA	dBA	dB	dB	
1.01 - 1256 COLUMBUS RD SW back	1	1	1,960,828.4	751,504.0	915.80	4.92	0.00	66	10.0	8.0	Y
1.02 -1256 COLUMBUS RD SW front	3	1	1,960,732.2	751,512.8	915.90	4.92	0.00	66	10.0	8.0	Y
2.01 - 1 HANNAH DR	4	1	1,960,730.8	750,861.0	913.30	4.92	0.00	66	10.0	8.0	Y
2.02 - 2 HANNAH DR	5	1	1,960,648.8	750,881.9	913.80	4.92	0.00	66	10.0	8.0	Y
2.03 - 3 HANNAH DR	6	1	1,960,575.0	750,795.5	914.80	4.92	0.00	66	10.0	8.0	Y
2.04 - 4 HANNAH DR	7	1	1,960,666.8	750,740.7	914.40	4.92	0.00	66	10.0	8.0	Y
2.05 - 6 HANNAH DR	8	1	1,960,710.4	750,729.8	915.10	4.92	0.00	66	10.0	8.0	Y
2.06 - 6 HANNAH DR	9	1	1,960,796.2	750,788.7	912.80	4.92	0.00	66	10.0	8.0	Y
2.07 - 7 HANNAH DR	10	1	1,960,808.9	750,781.9	913.10	4.92	0.00	66	10.0	8.0	Y
2.08 - 8 HANNAH DR	11	1	1,960,796.2	750,705.4	915.80	4.92	0.00	66	10.0	8.0	Y
2.09 - 9 HANNAH DR	12	1	1,960,875.8	750,669.4	917.70	4.92	0.00	66	10.0	8.0	Y
2.10 - 10 HANNAH DR	13	1	1,960,936.5	750,763.6	915.70	4.92	0.00	66	10.0	8.0	Y
2.11 - 11 HANNAH DR	14	1	1,960,940.8	750,658.9	916.10	4.92	0.00	66	10.0	8.0	Y
2.12 - 5 HANNAH DR	15	1	1,960,990.1	750,635.0	916.30	4.92	0.00	66	10.0	8.0	Y
2.13 - 13 HANNAH DR	16	1	1,961,033.8	750,609.3	917.00	4.92	0.00	66	10.0	8.0	Y
2.14 - 14 HANNAH DR	17	1	1,961,099.8	750,583.3	919.20	4.92	0.00	66	10.0	8.0	Y
2.15 - 1500 WEAVER RD	18	3	1,961,058.5	751,342.5	915.90	4.92	0.00	66	10.0	8.0	Y
2.16 - 1500 WEAVER RD	19	3	1,961,004.8	751,287.3	915.50	4.92	0.00	66	10.0	8.0	Y
2.17 - 1500 WEAVER RD	20	3	1,960,938.2	751,222.3	915.30	4.92	0.00	66	10.0	8.0	Y
2.18 - 1500 WEAVER RD	21	3	1,960,891.4	751,159.5	915.40	4.92	0.00	66	10.0	8.0	Y
2.19 - 1500 WEAVER RD	22	3	1,960,883.8	751,065.7	915.30	4.92	0.00	66	10.0	8.0	Y
2.20 - 1500 WEAVER RD	23	3	1,960,914.1	751,000.7	915.20	4.92	0.00	66	10.0	8.0	Y

2.21 - 1500 WEAVER RD	24	3	1,961,007.1	750,988.6	915.50	4.92	0.00	66	10.0	8.0	Y
2.22 - 1500 WEAVER RD	25	3	1,961,072.1	750,857.0	915.60	4.92	0.00	66	10.0	8.0	Y
2.23 - 1500 WEAVER RD	26	3	1,961,177.2	750,792.7	915.60	4.92	0.00	66	10.0	8.0	Y
2.24 - 1500 WEAVER RD	27	3	1,961,224.9	750,717.1	917.40	4.92	0.00	66	10.0	8.0	Y
2.25 - 1500 WEAVER RD	28	3	1,961,265.0	750,683.8	911.60	4.92	0.00	66	10.0	8.0	Y
2.26 - 1500 WEAVER RD	29	3	1,961,379.2	750,689.9	916.70	4.92	0.00	66	10.0	8.0	Y
2.27 - 1500 WEAVER RD	30	3	1,961,416.2	750,744.3	914.90	4.92	0.00	66	10.0	8.0	Y
2.28 - 1500 WEAVER RD	31	3	1,961,389.8	750,810.9	913.20	4.92	0.00	66	10.0	8.0	Y
2.29 - 1500 WEAVER RD	32	3	1,961,324.0	750,848.7	914.50	4.92	0.00	66	10.0	8.0	Y
2.30 - 1500 WEAVER RD	33	3	1,961,243.1	750,867.6	915.30	4.92	0.00	66	10.0	8.0	Y
2.31 - 15 POPPY LN	34	1	1,961,451.0	750,599.9	919.10	4.92	0.00	66	10.0	8.0	Y
2.32 - 16 POPPY LN	35	1	1,961,454.8	750,664.9	914.30	4.92	0.00	66	10.0	8.0	Y
2.33 - 17 POPPY LN	36	1	1,961,454.1	750,717.8	913.50	4.92	0.00	66	10.0	8.0	Y
2.34 - 18 POPPY LN	37	1	1,961,463.1	750,773.0	912.50	4.92	0.00	66	10.0	8.0	Y
2.35 - 19 POPPY LN	41	1	1,961,566.6	750,838.5	908.70	4.92	0.00	66	10.0	8.0	Y
2.36 - 20 POPPY LN	42	1	1,961,624.2	750,801.8	909.50	4.92	0.00	66	10.0	8.0	Y
2.37 - 21 POPPY LN	43	1	1,961,574.9	750,759.6	912.00	4.92	0.00	66	10.0	8.0	Y
2.38 - 23 POPPY LN	44	1	1,961,606.8	750,742.8	914.10	4.92	0.00	66	10.0	8.0	Y
2.39 - 22 POPPY LN	45	1	1,961,575.1	750,688.3	918.50	4.92	0.00	66	10.0	8.0	Y
2.40 - 24 POPPY LN	46	1	1,961,612.2	750,679.7	919.00	4.92	0.00	66	10.0	8.0	Y
2.41 - 25 POPPY LN	47	1	1,961,572.8	750,632.4	920.10	4.92	0.00	66	10.0	8.0	Y
2.42 - 27 POPPY LN	48	1	1,961,612.5	750,624.5	920.40	4.92	0.00	66	10.0	8.0	Y
2.43 - 26 POPPY LN	49	1	1,961,557.8	750,555.2	919.50	4.92	0.00	66	10.0	8.0	Y
2.44 - 28 POPPY LN	50	1	1,961,630.2	750,544.6	919.60	4.92	0.00	66	10.0	8.0	Y
2.45 - 1320 WEAVER DR NW	51	2	1,961,789.6	750,512.3	921.80	4.92	0.00	66	10.0	8.0	Y
2.46 - 1320 WEAVER DR NW	52	2	1,961,834.9	750,583.0	922.20	4.92	0.00	66	10.0	8.0	Y
2.47 - 1264 WEAVER DR NW	53	1	1,962,042.5	750,583.2	922.70	4.92	0.00	66	10.0	8.0	Y
2.48 - 1226 WEAVER DR NW	54	1	1,962,253.2	750,575.1	921.10	4.92	0.00	66	10.0	8.0	Y
2.49 - 1205 WEAVER DR NW	55	1	1,962,214.2	750,206.7	924.90	4.92	0.00	66	10.0	8.0	Y
2.50 - 1500 WEAVER RD	56	3	1,961,216.6	750,948.5	915.90	4.92	0.00	66	10.0	8.0	Y
3.01 - 1533 COLUMBUS RD	57	1	1,960,554.8	750,188.4	934.50	4.92	0.00	66	10.0	8.0	Y
3.02 - WORTHINGTON RD	58	1	1,960,687.2	750,398.7	930.30	4.92	0.00	66	10.0	8.0	Y
3.03 - 1535 WORTHINGTON RD	59	1	1,961,392.2	749,794.5	1,086.20	4.92	0.00	66	10.0	8.0	Y
3.04 - 2098 LANCASTER RD	60	1	1,962,148.6	749,468.3	1,009.50	4.92	0.00	66	10.0	8.0	Y
3.05 - 2108 LANCASTER RD	61	1	1,962,423.9	749,288.7	979.10	4.92	0.00	66	10.0	8.0	Y
4.01 - 905 RIVER RD SUITES A/B	62	1	1,963,069.1	750,129.1	922.00	4.92	0.00	66	10.0	8.0	Y

4.02 - 935 RIVER RD	63	1	1,963,137.6	750,056.8	920.70	4.92	0.00	66	10.0	8.0	Y
4.03 - 937 RIVER RD	64	1	1,963,250.0	750,053.4	918.50	4.92	0.00	66	10.0	8.0	Y
4.04 - 943 RIVER RD	65	1	1,963,240.5	749,976.7	918.80	4.92	0.00	66	10.0	8.0	Y
4.05 - 945 RIVER RD	66	1	1,963,427.0	749,906.8	920.70	4.92	0.00	66	10.0	8.0	Y
4.06 - 1020 RIVER RD	67	3	1,963,682.4	749,672.7	920.40	4.92	0.00	66	10.0	8.0	Y
4.07 - 1055 RIVER RD	68	1	1,963,737.8	749,959.9	903.40	4.92	0.00	66	10.0	8.0	Y
4.08 - 1062 RIVER RD	69	2	1,963,940.1	749,622.4	918.00	4.92	0.00	66	10.0	8.0	Y
4.09 - 1062 River Road	70	2	1,964,034.1	749,498.3	916.40	4.92	0.00	66	10.0	8.0	Y
4.10 - 1062 RIVER RD	71	2	1,964,086.2	749,595.0	919.70	4.92	0.00	66	10.0	8.0	Y
4.11 - 1089 RIVER RD	72	1	1,964,369.1	749,817.2	921.00	4.92	0.00	66	10.0	8.0	Y
4.12 - 1089 RIVER RD	73	1	1,964,482.8	749,799.6	916.50	4.92	0.00	66	10.0	8.0	Y
4.13 - 1105 RIVER RD	74	1	1,964,577.6	749,787.9	917.80	4.92	0.00	66	10.0	8.0	Y
4.14 - 1121 RIVER RD	75	1	1,964,783.6	749,771.0	918.20	4.92	0.00	66	10.0	8.0	Y
4.15 - 1135 RIVER RD	76	1	1,964,925.6	749,759.0	917.30	4.92	0.00	66	10.0	8.0	Y
4.16 - 1116 RIVER RD - W PLAYGROU	77	2	1,964,569.8	749,621.3	912.80	4.92	0.00	66	10.0	8.0	Y
4.17 - 1116 RIVER RD - S PLAYGROUN	78	2	1,964,614.9	749,520.8	914.80	4.92	0.00	66	10.0	8.0	Y
4.18 - 1116 RIVER RD -SE PLAY AREA	79	2	1,964,711.8	749,441.1	912.60	4.92	0.00	66	10.0	8.0	Y
4.19 - 1130 RIVER RD	80	1	1,964,805.1	749,389.1	911.10	4.92	0.00	66	10.0	8.0	Y
4.20 - 1188 RIVER RD	81	1	1,965,295.5	749,380.8	918.50	4.92	0.00	66	10.0	8.0	Y
4.21 - 1221 RIVER RD SE - GOLF	82	1	1,965,519.5	749,635.0	902.20	4.92	0.00	66	10.0	8.0	Y
4.22 - 1221 RIVER RD SE - GOLF	83	1	1,965,681.2	749,588.0	902.60	4.92	0.00	66	10.0	8.0	Y
4.23 - 1221 RIVER RD SE - GOLF	84	1	1,965,855.4	749,610.8	901.30	4.92	0.00	66	10.0	8.0	Y
4.24 - 1221 RIVER RD SE - GOLF	85	1	1,965,963.4	749,718.2	900.00	4.92	0.00	66	10.0	8.0	Y
4.25 - 1221 RIVER RD SE - GOLF	86	1	1,966,160.4	749,674.7	900.70	4.92	0.00	66	10.0	8.0	Y
4.26 - 1225 RIVER RD -FARMERS MAR	87	1	1,966,587.1	749,662.1	903.00	4.92	0.00	66	10.0	8.0	Y
4.27 - 1225 RIVER RD - PLAYGROUND	88	1	1,966,785.8	749,923.0	899.70	4.92	0.00	66	10.0	8.0	Y
4.28 - 1225 RIVER RD - BASEBALL	89	4	1,967,178.8	750,094.3	899.00	4.92	0.00	66	10.0	8.0	Y
4.29 - 1225 RIVER RD - BASEBALL	90	4	1,967,291.4	749,941.0	897.60	4.92	0.00	66	10.0	8.0	Y
4.30 - 927 RIVER RD	91	1	1,963,155.1	750,104.7	920.00	4.92	0.00	66	10.0	8.0	Y
4.31 - 941 RIVER RD	92	1	1,963,261.6	750,014.9	920.00	4.92	0.00	66	10.0	8.0	Y
5.01 - 1214 RIVER RD	93	1	1,965,988.0	749,021.6	916.00	4.92	0.00	66	10.0	8.0	Y
5.02 - 1238 RIVER RD	94	1	1,966,118.0	749,032.2	915.30	4.92	0.00	66	10.0	8.0	Y
5.03 - 1264 RIVER RD	95	1	1,966,234.5	749,053.9	915.80	4.92	0.00	66	10.0	8.0	Y
5.04 - 23 MILL RACE RD SE	96	1	1,966,601.2	749,031.0	917.00	4.92	0.00	66	10.0	8.0	Y
5.05 - 1388 TOW PATH RD	97	1	1,966,781.9	748,968.0	919.30	4.92	0.00	66	10.0	8.0	Y
5.06 - 62 SPRING HILL RD SE	98	1	1,966,031.8	748,807.7	918.30	4.92	0.00	66	10.0	8.0	Y

5.07 - 22 SPRING HILL RD SE	99	1	1,966,233.8	748,836.0	918.70	4.92	0.00	66	10.0	8.0	Y
6.01 - BIKE PATH 1	100	1	1,969,260.1	750,163.8	905.60	4.92	0.00	66	10.0	8.0	Y
6.02 - BIKE PATH 2	101	1	1,969,799.2	749,691.1	897.30	4.92	0.00	66	10.0	8.0	Y
7.01 - 301 CLOUSE LN NE	102	1	1,969,675.0	750,136.4	902.90	4.92	0.00	66	10.0	8.0	Y
7.02 - 277 CLOUSE LN NE	103	1	1,969,743.5	750,334.5	908.30	4.92	0.00	66	10.0	8.0	Y
7.03 - 257 CLOUSE LN NE	104	1	1,969,728.2	750,473.9	907.40	4.92	0.00	66	10.0	8.0	Y
7.04 - 125 GLENSHIRE CIR	105	1	1,970,147.8	750,494.0	902.70	4.92	0.00	66	10.0	8.0	Y
7.05 - 127 GLENSHIRE CT	106	1	1,970,170.1	750,394.7	901.30	4.92	0.00	66	10.0	8.0	Y
7.06 - 129 GLENSHIRE CIR	107	1	1,970,229.2	750,405.4	902.50	4.92	0.00	66	10.0	8.0	Y
7.07 - 133 GLENSHIRE CIR	108	1	1,970,262.2	750,319.1	900.00	4.92	0.00	66	10.0	8.0	Y
7.08 - 133 GLENSHIRE CIR	109	1	1,970,360.4	750,283.7	906.20	4.92	0.00	66	10.0	8.0	Y
7.09 - 128 GLENSHIRE CIR	110	1	1,970,460.8	750,193.9	895.40	4.92	0.00	66	10.0	8.0	Y
7.10 - 128 GLENSHIRE CIR	111	1	1,970,517.6	750,380.6	911.50	4.92	0.00	66	10.0	8.0	Y
7.11 - 204 NEW GRAN DR	112	1	1,970,644.8	750,364.6	893.90	4.92	0.00	66	10.0	8.0	Y
7.12 - 218 NEW GRAN DR	113	1	1,970,595.6	750,152.1	892.50	4.92	0.00	66	10.0	8.0	Y
7.13 - 353 LANSING CIR	114	1	1,970,701.4	750,075.7	889.20	4.92	0.00	66	10.0	8.0	Y
7.14 - 335 LANSING CIR	115	1	1,970,851.9	750,057.6	888.60	4.92	0.00	66	10.0	8.0	Y
7.15 - 317 LANSING CIR	116	1	1,970,952.5	750,012.2	888.50	4.92	0.00	66	10.0	8.0	Y
7.16 - 299 LANSING CIR	117	1	1,971,082.6	750,004.6	888.30	4.92	0.00	66	10.0	8.0	Y
7.17 - 179 NEW GRAN DR NE	118	1	1,970,841.4	750,432.7	898.90	4.92	0.00	66	10.0	8.0	Y
7.18 - 201 LANSING CIR NE	122	1	1,970,904.1	750,326.1	892.50	4.92	0.00	66	10.0	8.0	Y
7.19 - 281 LANSING CIR NE	123	1	1,971,061.4	750,362.4	892.50	4.92	0.00	66	10.0	8.0	Y
7.20 - 1820 NEWARK-GRANVILLE RD -	123	4	1,971,640.2	750,199.8	891.20	4.92	0.00	66	10.0	8.0	Y
7.21 - 1820 NEWARK-GRANVILLE RD -	124	4	1,971,741.8	749,991.8	886.70	4.92	0.00	66	10.0	8.0	Y
7.22 - 137 WICKLOW DR	125	1	1,971,878.9	750,127.7	905.90	4.92	0.00	66	10.0	8.0	Y
7.23 - 203 WICKLOW DR	126	1	1,971,874.2	750,033.1	904.00	4.92	0.00	66	10.0	8.0	Y
7.24 - 207 WICKLOW DR	127	1	1,971,980.5	749,964.6	895.60	4.92	0.00	66	10.0	8.0	Y
7.25 - 1820 NEWARK-GRANVILLE RD -	128	4	1,971,994.8	749,743.6	886.30	4.92	0.00	66	10.0	8.0	Y
7.26 - 211 WICKLOW DR	129	1	1,972,057.4	749,896.1	893.70	4.92	0.00	66	10.0	8.0	Y
7.27 - 215 WICKLOW DR	130	1	1,972,137.8	749,870.1	904.20	4.92	0.00	66	10.0	8.0	Y
7.28 - 217 WICKLOW DR	131	1	1,972,331.5	749,724.7	891.00	4.92	0.00	66	10.0	8.0	Y
7.29 - 216 KILDARE ST	132	1	1,972,359.9	749,788.5	909.60	4.92	0.00	66	10.0	8.0	Y
7.30 - 225 TO 231 SHANNON LN - 4 DU	133	4	1,972,513.4	749,787.9	907.00	4.92	0.00	66	10.0	8.0	Y
7.31 - 301 TO 305 SHANNON LN - 4 DU	134	4	1,972,496.2	749,726.0	907.50	4.92	0.00	66	10.0	8.0	Y
7.32 - 309 TO 315 SHANNON LN - 4 DU	135	4	1,972,548.8	749,537.7	910.20	4.92	0.00	66	10.0	8.0	Y
7.33 - NMP16- 317 TO 321 Shannon Lar	136	4	1,972,619.8	749,525.9	906.60	4.92	0.00	66	10.0	8.0	Y

7.34 - 325 TO 331 SHANNON LN - 4 DU	137	4	1,972,685.8	749,575.9	906.30	4.92	0.00	66	10.0	8.0	Y
7.35 - 302 SHANNON LN - 1 DU	138	1	1,972,665.8	749,752.6	906.30	4.92	0.00	66	10.0	8.0	Y
7.36 - 336 SHANNON LN - 1DU	139	1	1,972,763.6	749,723.1	906.40	4.92	0.00	66	10.0	8.0	Y
7.37 - 333 TO 339 SHANNON LN - 4 D	140	4	1,972,895.8	749,537.7	908.10	4.92	0.00	66	10.0	8.0	Y
7.38 - 341 TO 347 SHANNON LN - 4 DU	141	4	1,972,950.8	749,636.9	906.00	4.92	0.00	66	10.0	8.0	Y
7.39 - 317 TO 323 SHANNON LN - 4 DU	142	4	1,972,667.8	749,352.8	910.00	4.92	0.00	66	10.0	8.0	Y
7.40 - 14 WESTGATE DR NE	143	3	1,973,850.2	748,790.0	889.50	4.92	0.00	66	10.0	8.0	Y
8.01 - NMP20- 1067 Cherry Valley Road	144	1	1,973,819.2	748,174.6	887.20	4.92	0.00	66	10.0	8.0	Y
8.02 - 1067 CHERRY VALLEY RD SE B/	145	1	1,974,251.8	748,125.8	889.00	4.92	0.00	66	10.0	8.0	Y
8.03 - 1117 CHERRY VALLEY RD SE	146	1	1,974,088.9	748,029.9	885.90	4.92	0.00	66	10.0	8.0	Y
8.04 - 1137 CHERRY VALLEY RD SE	147	1	1,974,176.8	747,959.6	886.70	4.92	0.00	66	10.0	8.0	Y
8.05 - 1159 CHERRY VALLEY RD SE	148	1	1,974,337.8	747,966.4	885.70	4.92	0.00	66	10.0	8.0	Y
8.06 - 1179 CHERRY VALLEY RD	149	1	1,974,411.1	747,879.4	885.20	4.92	0.00	66	10.0	8.0	Y
8.07 - 1205 CHERRY VALLEY RD SE	150	1	1,974,512.5	747,849.9	883.80	4.92	0.00	66	10.0	8.0	Y
8.08 - 1229 CHERRY VALLEY RD SE	151	1	1,974,516.2	747,745.5	882.50	4.92	0.00	66	10.0	8.0	Y
8.09 - 1239 CHERRY VALLEY RD SE	152	1	1,974,563.1	747,683.5	881.70	4.92	0.00	66	10.0	8.0	Y
8.10 - 2299 CHERRY VALLEY RD SE	153	3	1,974,668.2	748,044.3	883.10	4.92	0.00	66	10.0	8.0	Y
8.11 - 2299 CHERRY VALLEY RD SE	154	3	1,974,690.2	747,740.6	880.50	4.92	0.00	66	10.0	8.0	Y
8.12 - 2299 CHERRY VALLEY RD SE	155	1	1,974,964.4	747,792.6	879.90	4.92	0.00	66	10.0	8.0	Y
8.13 - 2299 CHERRY VALLEY RD SE	156	1	1,975,030.6	747,672.0	881.00	4.92	0.00	66	10.0	8.0	Y
8.14 - 2299 CHERRY VALLEY RD SE	157	1	1,975,079.0	747,481.8	881.80	4.92	0.00	66	10.0	8.0	Y
8.15 - 2299 CHERRY VALLEY RD SE	158	1	1,975,200.8	747,517.2	880.90	4.92	0.00	66	10.0	8.0	Y
8.16 - 2299 CHERRY VALLEY RD SE	159	1	1,975,255.1	747,422.7	880.70	4.92	0.00	66	10.0	8.0	Y
8.17 - 2299 CHERRY VALLEY RD SE	160	1	1,975,318.9	747,360.1	879.00	4.92	0.00	66	10.0	8.0	Y
8.18 - 2299 CHERRY VALLEY RD SE	161	1	1,975,277.6	747,207.6	880.60	4.92	0.00	66	10.0	8.0	Y
8.19 - 2249 CHERRY VALLEY RD	162	1	1,975,284.6	747,028.9	879.30	4.92	0.00	66	10.0	8.0	Y
8.20 - 2299 CHERRY VALLEY RD SE	163	1	1,974,988.0	747,181.6	882.80	4.92	0.00	66	10.0	8.0	Y
8.21 - 2299 CHERRY VALLEY RD SE	164	1	1,974,880.5	747,343.5	883.70	4.92	0.00	66	10.0	8.0	Y
8.22 - NMP21- Inside Hotel Courtyard	165	1	1,974,871.5	747,520.2	880.50	4.92	0.00	66	10.0	8.0	Y
NMP1.Actual- 1062 River Road	166	1	1,964,122.8	749,478.9	915.60	4.92	0.00	66	10.0	8.0	Y
NMP10- 221 W River Road	167	1	1,966,909.6	749,653.5	897.90	4.92	0.00	66	10.0	8.0	Y
NMP11- 1264 River Road	168	1	1,966,213.4	749,098.7	913.40	4.92	0.00	66	10.0	8.0	Y
NMP12- 23 Mill Race Road	169	1	1,966,470.9	748,874.6	917.80	4.92	0.00	66	10.0	8.0	Y
NMP13- 133 Wicklow Dr6.	170	1	1,971,703.0	749,977.8	886.90	4.92	0.00	66	10.0	8.0	Y
NMP14- 301 Clouse Lane	170	1	1,969,653.1	750,096.1	899.60	4.92	0.00	66	10.0	8.0	Y
NMP15- 201 Lansing Circle	171	1	1,970,815.6	750,432.4	898.40	4.92	0.00	66	10.0	8.0	Y

NMP17- 14 Westgate Dr NE	172	1	1,973,929.2	748,792.1	890.80	4.92	0.00	66	10.0	8.0	Y
NMP18- 217 Wicklow Dr	174	1	1,972,285.2	749,996.5	905.60	4.92	0.00	66	10.0	8.0	Y
NMP19- 2299 Cherry Valley Road SE	156	1	1,974,996.9	747,724.6	881.60	4.92	0.00	66	10.0	8.0	Y
NMP2- 6 Hannah Drive	175	1	1,960,785.1	750,727.4	914.90	4.92	0.00	66	10.0	8.0	Y
NMP22- 2299 Cherry Valley Road SE	176	1	1,975,298.2	747,397.9	878.40	4.92	0.00	66	10.0	8.0	Y
NMP3- 1500 Weaver Drive	177	1	1,961,447.1	750,823.4	909.80	4.92	0.00	66	10.0	8.0	Y
NMP4- 1205 Weaver Drive	178	1	1,961,148.4	750,584.2	917.00	4.92	0.00	66	10.0	8.0	Y
NMP5- 1264 Weaver Drive	179	1	1,962,173.2	750,576.2	921.90	4.92	0.00	66	10.0	8.0	Y
NMP6- 1100 River Rd	180	1	1,964,554.0	749,540.1	910.10	4.92	0.00	66	10.0	8.0	Y
NMP7- 2098 Lancaster Road	181	1	1,962,124.8	749,464.4	1,012.70	4.92	0.00	66	10.0	8.0	Y
NMP8- 1020 River Road SE	182	1	1,963,383.4	749,782.5	920.40	4.92	0.00	66	10.0	8.0	Y
NMP9- 1161 River Road SE	183	1	1,965,094.6	749,760.0	917.70	4.92	0.00	66	10.0	8.0	Y
UD1.01	184	1	1,963,728.4	749,356.9	916.90	4.92	0.00	66	10.0	8.0	Y
UD1.02	185	1	1,963,712.4	749,309.5	921.60	4.92	0.00	66	10.0	8.0	Y
UD1.03	186	1	1,963,696.4	749,262.2	922.70	4.92	0.00	66	10.0	8.0	Y
UD1.04	187	1	1,963,680.4	749,214.8	924.60	4.92	0.00	66	10.0	8.0	Y
UD1.05	188	1	1,963,664.4	749,167.4	924.40	4.92	0.00	66	10.0	8.0	Y
UD1.06	189	1	1,963,648.4	749,120.0	924.10	4.92	0.00	66	10.0	8.0	Y
UD1.07	190	1	1,963,632.4	749,072.7	924.50	4.92	0.00	66	10.0	8.0	Y
UD1.08	191	1	1,963,616.4	749,025.3	924.20	4.92	0.00	66	10.0	8.0	Y
UD1.09	192	1	1,963,600.4	748,977.9	924.00	4.92	0.00	66	10.0	8.0	Y
UD1.10	193	1	1,963,584.4	748,930.6	923.70	4.92	0.00	66	10.0	8.0	Y
UD1.11	194	1	1,963,568.4	748,883.2	926.60	4.92	0.00	66	10.0	8.0	Y
UD1.12	195	1	1,963,552.4	748,835.8	926.50	4.92	0.00	66	10.0	8.0	Y
UD1.13	196	1	1,963,536.4	748,788.4	931.30	4.92	0.00	66	10.0	8.0	Y
UD1.14	197	1	1,963,520.4	748,741.1	932.20	4.92	0.00	66	10.0	8.0	Y
UD1.15	198	1	1,963,504.4	748,693.7	938.30	4.92	0.00	66	10.0	8.0	Y
UD2.01	199	1	1,965,177.9	749,193.8	912.50	4.92	0.00	66	10.0	8.0	Y
UD2.02	200	1	1,965,178.2	749,143.8	929.40	4.92	0.00	66	10.0	8.0	Y
UD2.03	201	1	1,965,178.8	749,093.8	953.10	4.92	0.00	66	10.0	8.0	Y
UD2.04	202	1	1,965,179.2	749,043.8	968.10	4.92	0.00	66	10.0	8.0	Y
UD2.05	203	1	1,965,179.8	748,993.8	976.80	4.92	0.00	66	10.0	8.0	Y
UD2.06	204	1	1,965,180.1	748,943.8	976.10	4.92	0.00	66	10.0	8.0	Y
UD2.07	205	1	1,965,180.6	748,893.8	973.70	4.92	0.00	66	10.0	8.0	Y
UD2.08	206	1	1,965,181.0	748,843.8	967.40	4.92	0.00	66	10.0	8.0	Y
UD2.09	207	1	1,965,181.5	748,793.8	961.90	4.92	0.00	66	10.0	8.0	Y

UD2.10	208	1	1,965,181.9	748,743.9	954.10	4.92	0.00	66	10.0	8.0	Y
UD2.11	209	1	1,965,182.4	748,693.9	950.60	4.92	0.00	66	10.0	8.0	Y
UD2.12	210	1	1,965,182.8	748,643.9	950.40	4.92	0.00	66	10.0	8.0	Y
UD2.13	211	1	1,965,183.2	748,593.9	950.90	4.92	0.00	66	10.0	8.0	Y
UD2.14	212	1	1,965,183.8	748,543.9	951.40	4.92	0.00	66	10.0	8.0	Y
UD3.01	213	1	1,967,243.8	749,489.0	905.00	4.92	0.00	66	10.0	8.0	Y
UD3.02	214	1	1,967,251.2	749,439.6	897.00	4.92	0.00	66	10.0	8.0	Y
UD3.03	215	1	1,967,259.0	749,390.2	895.60	4.92	0.00	66	10.0	8.0	Y
UD3.04	216	1	1,967,266.6	749,340.8	896.20	4.92	0.00	66	10.0	8.0	Y
UD3.05	217	1	1,967,274.2	749,291.4	894.60	4.92	0.00	66	10.0	8.0	Y
UD3.06	218	1	1,967,281.9	749,242.0	895.70	4.92	0.00	66	10.0	8.0	Y
UD3.07	219	1	1,967,289.5	749,192.6	896.90	4.92	0.00	66	10.0	8.0	Y
UD3.08	219	1	1,967,297.2	749,143.1	896.50	4.92	0.00	66	10.0	8.0	Y
UD3.09	220	1	1,967,304.8	749,093.7	896.60	4.92	0.00	66	10.0	8.0	Y
UD3.10	221	1	1,967,312.5	749,044.3	897.50	4.92	0.00	66	10.0	8.0	Y
UD3.11	222	1	1,967,320.1	748,994.9	898.50	4.92	0.00	66	10.0	8.0	Y
UD3.12	224	1	1,967,327.8	748,945.5	897.60	4.92	0.00	66	10.0	8.0	Y
UD3.13	156	1	1,967,335.4	748,896.1	898.00	4.92	0.00	66	10.0	8.0	Y
UD3.14	225	1	1,967,343.0	748,846.7	895.80	4.92	0.00	66	10.0	8.0	Y
UD4.01	226	1	1,968,547.8	749,692.2	919.30	4.92	0.00	66	10.0	8.0	Y
UD4.02	227	1	1,968,555.6	749,642.8	899.80	4.92	0.00	66	10.0	8.0	Y
UD4.03	228	1	1,968,563.2	749,593.5	896.00	4.92	0.00	66	10.0	8.0	Y
UD4.04	229	1	1,968,571.1	749,544.1	896.70	4.92	0.00	66	10.0	8.0	Y
UD4.05	230	1	1,968,578.9	749,494.7	895.40	4.92	0.00	66	10.0	8.0	Y
UD4.06	231	1	1,968,586.8	749,445.3	894.90	4.92	0.00	66	10.0	8.0	Y
UD4.07	232	1	1,968,594.4	749,395.9	893.90	4.92	0.00	66	10.0	8.0	Y
UD4.08	233	1	1,968,602.2	749,346.5	893.30	4.92	0.00	66	10.0	8.0	Y
UD4.09	234	1	1,968,610.0	749,297.1	896.00	4.92	0.00	66	10.0	8.0	Y
UD4.10	235	1	1,968,617.8	749,247.7	896.30	4.92	0.00	66	10.0	8.0	Y
UD4.11	236	1	1,968,625.5	749,198.3	894.70	4.92	0.00	66	10.0	8.0	Y
UD4.12	237	1	1,968,633.2	749,148.9	895.50	4.92	0.00	66	10.0	8.0	Y
UD4.13	238	1	1,968,641.1	749,099.5	893.20	4.92	0.00	66	10.0	8.0	Y
UD4.14	239	1	1,968,648.9	749,050.1	893.20	4.92	0.00	66	10.0	8.0	Y
UD4.15	240	1	1,968,656.6	749,000.8	892.80	4.92	0.00	66	10.0	8.0	Y
UD5.01	241	1	1,968,596.8	749,827.2	919.90	4.92	0.00	66	10.0	8.0	Y
UD5.02	242	1	1,968,589.0	749,876.6	897.10	4.92	0.00	66	10.0	8.0	Y

UD5.03	243	1	1,968,581.2	749,926.0	898.60	4.92	0.00	66	10.0	8.0	Y
UD5.04	244	1	1,968,573.6	749,975.4	906.40	4.92	0.00	66	10.0	8.0	Y
UD5.05	245	1	1,968,565.9	750,024.8	909.60	4.92	0.00	66	10.0	8.0	Y
UD5.06	246	1	1,968,558.2	750,074.2	909.70	4.92	0.00	66	10.0	8.0	Y
UD5.07	247	1	1,968,550.5	750,123.6	910.20	4.92	0.00	66	10.0	8.0	Y
UD5.08	248	1	1,968,542.8	750,173.0	910.70	4.92	0.00	66	10.0	8.0	Y
UD5.09	249	1	1,968,535.1	750,222.4	911.30	4.92	0.00	66	10.0	8.0	Y
UD5.10	250	1	1,968,527.4	750,271.8	911.60	4.92	0.00	66	10.0	8.0	Y
UD5.11	251	1	1,968,519.8	750,321.2	911.90	4.92	0.00	66	10.0	8.0	Y
UD5.12	252	1	1,968,512.0	750,370.6	912.10	4.92	0.00	66	10.0	8.0	Y
UD5.13	253	1	1,968,504.2	750,420.0	912.00	4.92	0.00	66	10.0	8.0	Y
UD5.14	254	1	1,968,496.6	750,469.4	911.80	4.92	0.00	66	10.0	8.0	Y
UD5.15	255	1	1,968,488.9	750,518.8	911.60	4.92	0.00	66	10.0	8.0	Y
UD5.16	256	1	1,968,481.2	750,568.2	911.20	4.92	0.00	66	10.0	8.0	Y
UD5.17	257	1	1,968,473.5	750,617.6	910.80	4.92	0.00	66	10.0	8.0	Y
UD6.01	258	1	1,969,284.8	749,934.7	928.80	4.92	0.00	66	10.0	8.0	Y
UD6.02	259	1	1,969,276.2	749,984.0	902.70	4.92	0.00	66	10.0	8.0	Y
UD6.03	260	1	1,969,267.6	750,033.3	898.20	4.92	0.00	66	10.0	8.0	Y
UD6.04	261	1	1,969,259.1	750,082.5	904.20	4.92	0.00	66	10.0	8.0	Y
UD6.05	262	1	1,969,250.6	750,131.8	909.80	4.92	0.00	66	10.0	8.0	Y
UD6.06	263	1	1,969,242.1	750,181.1	906.20	4.92	0.00	66	10.0	8.0	Y
UD6.07	264	1	1,969,233.5	750,230.3	909.20	4.92	0.00	66	10.0	8.0	Y
UD6.08	265	1	1,969,225.0	750,279.6	908.60	4.92	0.00	66	10.0	8.0	Y
UD6.09	266	1	1,969,216.5	750,328.9	909.00	4.92	0.00	66	10.0	8.0	Y
UD6.10	267	1	1,969,207.9	750,378.1	909.50	4.92	0.00	66	10.0	8.0	Y
UD6.11	268	1	1,969,199.4	750,427.4	909.90	4.92	0.00	66	10.0	8.0	Y
UD6.12	268	1	1,969,190.9	750,476.7	909.90	4.92	0.00	66	10.0	8.0	Y
UD6.13	269	1	1,969,182.4	750,526.0	910.00	4.92	0.00	66	10.0	8.0	Y
UD6.14	270	1	1,969,173.8	750,575.2	910.20	4.92	0.00	66	10.0	8.0	Y
UD6.15	271	1	1,969,165.2	750,624.5	910.40	4.92	0.00	66	10.0	8.0	Y
UD6.16	272	1	1,969,156.8	750,673.8	910.30	4.92	0.00	66	10.0	8.0	Y
UD7.01	274	1	1,970,855.4	749,830.6	904.90	4.92	0.00	66	10.0	8.0	Y
UD7.02	156	1	1,970,846.2	749,781.4	889.50	4.92	0.00	66	10.0	8.0	Y
UD7.03	275	1	1,970,837.2	749,732.2	882.80	4.92	0.00	66	10.0	8.0	Y
UD7.04	276	1	1,970,828.2	749,683.1	880.70	4.92	0.00	66	10.0	8.0	Y
UD7.05	277	1	1,970,819.1	749,633.9	886.10	4.92	0.00	66	10.0	8.0	Y

UD7.06	278	1	1,970,810.0	749,584.7	888.60	4.92	0.00	66	10.0	8.0	Y
UD7.07	279	1	1,970,800.9	749,535.5	888.10	4.92	0.00	66	10.0	8.0	Y
UD7.08	280	1	1,970,791.9	749,486.4	888.30	4.92	0.00	66	10.0	8.0	Y
UD7.09	281	1	1,970,782.8	749,437.2	887.70	4.92	0.00	66	10.0	8.0	Y
UD7.10	282	1	1,970,773.8	749,388.0	889.60	4.92	0.00	66	10.0	8.0	Y
UD7.11	283	1	1,970,764.6	749,338.9	890.60	4.92	0.00	66	10.0	8.0	Y
UD8.01	284	1	1,971,277.9	749,855.1	899.50	4.92	0.00	66	10.0	8.0	Y
UD8.02	285	1	1,971,280.5	749,905.1	889.10	4.92	0.00	66	10.0	8.0	Y
UD8.03	286	1	1,971,283.1	749,955.0	889.40	4.92	0.00	66	10.0	8.0	Y
UD8.04	287	1	1,971,285.8	750,004.9	888.80	4.92	0.00	66	10.0	8.0	Y
UD8.05	288	1	1,971,288.2	750,054.9	888.70	4.92	0.00	66	10.0	8.0	Y
UD8.06	289	1	1,971,290.9	750,104.8	889.00	4.92	0.00	66	10.0	8.0	Y
UD8.07	290	1	1,971,293.5	750,154.7	885.60	4.92	0.00	66	10.0	8.0	Y
UD8.08	291	1	1,971,296.2	750,204.7	891.20	4.92	0.00	66	10.0	8.0	Y
UD8.09	293	1	1,971,298.8	750,254.6	889.50	4.92	0.00	66	10.0	8.0	Y
UD8.10	294	1	1,971,301.4	750,304.5	887.40	4.92	0.00	66	10.0	8.0	Y
UD8.11	295	1	1,971,304.0	750,354.5	888.40	4.92	0.00	66	10.0	8.0	Y
UD8.12	296	1	1,971,306.6	750,404.4	889.00	4.92	0.00	66	10.0	8.0	Y
UD8.13	297	1	1,971,309.2	750,454.3	899.20	4.92	0.00	66	10.0	8.0	Y
UD8.14	298	1	1,971,311.8	750,504.2	906.70	4.92	0.00	66	10.0	8.0	Y
UD8.15	299	1	1,971,314.5	750,554.2	908.60	4.92	0.00	66	10.0	8.0	Y
UD8.16	300	1	1,971,317.1	750,604.1	908.70	4.92	0.00	66	10.0	8.0	Y
UD8.17	301	1	1,971,319.8	750,654.0	908.70	4.92	0.00	66	10.0	8.0	Y
UD9.01	302	1	1,972,730.8	749,101.5	892.80	4.92	0.00	66	10.0	8.0	Y
UD9.02	303	1	1,972,706.8	749,057.7	883.90	4.92	0.00	66	10.0	8.0	Y
UD9.03	304	1	1,972,682.6	749,013.8	876.80	4.92	0.00	66	10.0	8.0	Y
UD9.04	305	1	1,972,658.5	748,970.0	880.50	4.92	0.00	66	10.0	8.0	Y
UD9.05	306	1	1,972,634.5	748,926.2	883.00	4.92	0.00	66	10.0	8.0	Y
UD9.06	307	1	1,972,610.4	748,882.4	884.40	4.92	0.00	66	10.0	8.0	Y
UD9.07	308	1	1,972,586.2	748,838.6	884.00	4.92	0.00	66	10.0	8.0	Y
UD9.08	309	1	1,972,562.2	748,794.8	883.60	4.92	0.00	66	10.0	8.0	Y
UD9.09	310	1	1,972,538.1	748,750.9	882.80	4.92	0.00	66	10.0	8.0	Y
UD9.10	311	1	1,972,514.0	748,707.1	884.60	4.92	0.00	66	10.0	8.0	Y
UD9.11	312	1	1,972,489.9	748,663.3	882.60	4.92	0.00	66	10.0	8.0	Y
UD9.12	313	1	1,972,465.9	748,619.5	884.70	4.92	0.00	66	10.0	8.0	Y
UD9.13	314	1	1,972,441.8	748,575.7	885.40	4.92	0.00	66	10.0	8.0	Y

UD9.14	315	1	1,972,417.8	748,531.9	884.40	4.92	0.00	66	10.0	8.0	Y
UD9.15	316	1	1,972,393.6	748,488.0	881.80	4.92	0.00	66	10.0	8.0	Y
UD10.01	317	1	1,973,161.2	749,071.4	901.20	4.92	0.00	66	10.0	8.0	Y
UD10.02	319	1	1,973,182.8	749,116.5	906.40	4.92	0.00	66	10.0	8.0	Y
UD10.03	320	1	1,973,204.4	749,161.6	904.10	4.92	0.00	66	10.0	8.0	
UD10.04	321	1	1,973,226.0	749,206.7	904.10	4.92	0.00	66	10.0	8.0	
UD10.05	322	1	1,973,247.6	749,251.8	903.50	4.92	0.00	66	10.0	8.0	
UD10.06	323	1	1,973,269.2	749,296.9	903.50	4.92	0.00	66	10.0	8.0	
UD10.07	324	1	1,973,290.8	749,342.0	903.80	4.92	0.00	66	10.0	8.0	
UD10.08	325	1	1,973,312.4	749,387.1	904.50	4.92	0.00	66	10.0	8.0	
UD10.09	326	1	1,973,334.0	749,432.2	904.80	4.92	0.00	66	10.0	8.0	
UD10.10	327	1	1,973,355.6	749,477.3	904.50	4.92	0.00	66	10.0	8.0	
UD10.11	328	1	1,973,377.2	749,522.4	905.20	4.92	0.00	66	10.0	8.0	
UD11.01	329	1	1,973,272.1	748,850.8	890.90	4.92	0.00	66	10.0	8.0	
UD11.02	330	1	1,973,251.2	748,805.4	892.40	4.92	0.00	66	10.0	8.0	
UD11.03	331	1	1,973,230.2	748,760.0	890.70	4.92	0.00	66	10.0	8.0	
UD11.04	332	1	1,973,209.4	748,714.6	888.90	4.92	0.00	66	10.0	8.0	
UD11.05	333	1	1,973,188.5	748,669.1	887.90	4.92	0.00	66	10.0	8.0	
UD11.06	334	1	1,973,167.6	748,623.7	890.00	4.92	0.00	66	10.0	8.0	
UD11.07	335	1	1,973,146.8	748,578.3	889.80	4.92	0.00	66	10.0	8.0	
UD11.08	336	1	1,973,125.8	748,532.9	884.30	4.92	0.00	66	10.0	8.0	
UD11.09	337	1	1,973,104.9	748,487.4	886.10	4.92	0.00	66	10.0	8.0	
UD11.10	338	1	1,973,084.0	748,442.0	882.50	4.92	0.00	66	10.0	8.0	
UD11.11	339	1	1,973,063.1	748,396.6	882.00	4.92	0.00	66	10.0	8.0	
UD11.12	340	1	1,973,042.2	748,351.2	882.00	4.92	0.00	66	10.0	8.0	
UD11.13	341	1	1,973,021.2	748,305.7	883.10	4.92	0.00	66	10.0	8.0	
UD11.14	342	1	1,973,000.4	748,260.3	881.50	4.92	0.00	66	10.0	8.0	
UD11.15	343	1	1,972,979.5	748,214.9	880.90	4.92	0.00	66	10.0	8.0	Y

EnviroScience, Inc. 11 September 2024
Michael Liptak &Kieran Hynes TNM 2.5

INPUT: BARRIERS
PROJECT/CONTRACT: LIC-16/37-14.24/15.72 (PID 95445)
RUN: 2048 All Barriers All NSAs

Barrier Name	Type	Height Min	Height Max	If Wall $ per Unit Area	If Berm $ per Unit Vol.	If Berm Top Width	If Berm Run:Rise	Add'tnl $ per Unit Length	Points Name	No.	Coordinates (bottom) X	Y	Z	Height at Point	Segment Seg Ht Increment	Perturbs #Up	Perturbs #Dn	On Struct?	Important Reflections?
		ft	ft	$/sq ft	$/cu yd	ft	ft:ft	$/ft			ft	ft	ft	ft	ft				
Median Wall.1	W	0.00	99.99	0.00				0.00	point84	84	1,958,603.4	751,375.4	919.70	5.00	0.00	0	0		
									point85	85	1,958,789.9	751,303.4	919.50	5.00	0.00	0	0		
									point86	86	1,959,257.9	751,127.4	918.20	5.00	0.00	0	0		
									point87	87	1,959,726.1	750,951.8	917.50	5.00	0.00	0	0		
									point88	88	1,960,194.1	750,776.1	917.00	5.00	0.00	0	0		
									point89	89	1,960,331.1	750,724.7	916.80	5.00					
Median Wall.2	W	0.00	99.99	0.00				0.00	point90	90	1,960,362.6	750,712.9	916.80	5.00	0.00	0	0		
									point91	91	1,960,661.9	750,600.6	921.00	5.00	0.00	0	0		
									point92	92	1,961,130.5	750,424.8	926.50	5.00	0.00	0	0		
									point93	93	1,961,597.4	750,249.6	929.30	5.00	0.00	0	0		
									point94	94	1,962,066.8	750,073.6	930.40	5.00	0.00	0	0		
									point95	95	1,962,534.9	749,897.9	926.10	5.00	0.00	0	0		
									point96	96	1,962,590.5	749,877.0	925.40	5.00					
Median Wall.3	W	0.00	99.99	0.00				0.00	point97	97	1,962,644.1	749,856.8	925.40	5.00	0.00	0	0		
									point98	98	1,963,002.9	749,722.1	922.70	5.00	0.00	0	0		
									point99	99	1,963,471.0	749,546.2	918.70	5.00	0.00	0	0		
									point100	100	1,963,944.0	749,384.8	914.40	6.20	0.00	0	0		
									point101	101	1,964,432.9	749,281.3	912.70	6.20	0.00	0	0		
									point102	102	1,964,931.0	749,241.8	911.10	6.20	0.00	0	0		
									point103	103	1,965,430.0	749,265.3	909.70	6.10	0.00	0	0		
									point104	104	1,965,924.6	749,338.2	908.40	5.10	0.00	0	0		
									point105	105	1,966,418.8	749,414.9	907.00	5.00	0.00	0	0		
									point106	106	1,966,912.9	749,491.8	905.60	5.00	0.00	0	0		
									point107	107	1,967,406.9	749,568.4	904.90	5.00	0.00	0	0		
									point108	108	1,967,653.6	749,609.0	906.30	5.00	0.00	0	0		
									point109	109	1,967,999.1	749,665.0	910.90	5.00	0.00	0	0		
									point110	110	1,968,394.2	749,726.6	917.60	5.00	0.00	0	0		
									point111	111	1,968,888.4	749,803.6	925.70	5.00	0.00	0	0		
									point112	112	1,969,382.4	749,880.6	931.00	5.30	0.00	0	0		
									point113	113	1,969,878.1	749,943.9	926.40	6.40	0.00	0	0		
									point114	114	1,970,377.8	749,946.6	918.10	6.30	0.00	0	0		
									point115	115	1,970,873.8	749,886.5	905.80	6.30	0.00	0	0		
									point116	116	1,971,358.0	749,763.1	897.60	6.30	0.00	0	0		
									point117	117	1,971,822.8	749,579.6	895.80	5.30	0.00	0	0		
									point118	118	1,972,277.2	749,371.2	894.10	5.00	0.00	0	0		

									point119	119	1,972,731.8	749,162.8	892.70	5.00	0.00	0	0		
									point120	120	1,973,186.2	748,954.4	890.80	5.00	0.00	0	0		
									point121	121	1,973,640.8	748,746.1	889.10	5.00	0.00	0	0		
									point122	122	1,974,094.9	748,536.8	887.40	5.00	0.00	0	0		
									point123	123	1,974,549.4	748,328.3	885.90	5.00	0.00	0	0		
									point124	124	1,975,012.8	748,141.4	884.30	6.10	0.00	0	0		
									point125	125	1,975,496.0	748,014.4	882.60	5.90	0.00	0	0		
									point126	126	1,975,640.1	747,989.0	882.30	5.50					
Event Center	W	29.00	99.99	0.00				0.00	point127	127	1,974,725.8	747,995.0	880.60	29.00	0.00	0	0		
									point128	128	1,974,779.2	747,936.1	880.70	29.00	0.00	0	0		
									point129	129	1,974,822.4	747,903.1	880.70	29.00	0.00	0	0		
									point130	130	1,974,826.2	747,900.4	880.50	29.00	0.00	0	0		
									point131	131	1,974,886.0	747,865.3	880.50	29.00	0.00	0	0		
									point132	132	1,974,837.4	747,809.9	876.70	29.00	0.00	0	0		
									point133	133	1,974,730.5	747,751.8	878.90	29.00					
Hotel1	W	0.00	99.99	0.00				0.00	point134	134	1,974,732.6	747,643.2	881.40	27.00	0.00	0	0		
									point135	135	1,974,826.8	747,724.8	880.20	27.00	0.00	0	0		
									point136	136	1,974,934.9	747,714.9	881.70	27.00	0.00	0	0		
									point137	137	1,975,005.4	747,635.0	882.40	27.00	0.00	0	0		
									point138	138	1,975,025.2	747,464.8	881.90	27.00	0.00	0	0		
									point139	139	1,975,064.2	747,424.8	882.00	27.00	0.00	0	0		
									point140	140	1,975,201.9	747,414.1	881.70	27.00	0.00	0	0		
									point141	141	1,975,265.0	747,344.4	881.50	27.00	0.00	0	0		
									point142	142	1,975,254.9	747,255.2	882.40	27.00	0.00	0	0		
									point143	143	1,975,195.4	747,204.6	882.40	27.00					
Hotel2	W	0.00	99.99	0.00				0.00	point144	144	1,974,731.8	747,628.2	881.50	27.00	0.00	0	0		
									point145	145	1,974,724.9	747,515.8	882.30	27.00	0.00	0	0		
									point146	146	1,974,765.0	747,465.3	881.90	27.00	0.00	0	0		
									point147	147	1,974,795.0	747,443.0	883.00	27.00	0.00	0	0		
									point148	148	1,974,845.6	747,405.3	882.80	27.00	0.00	0	0		
									point149	149	1,974,889.5	747,385.4	882.70	27.00	0.00	0	0		
									point150	150	1,975,060.1	747,206.9	881.10	27.00	0.00	0	0		
									point151	151	1,975,180.4	747,204.9	882.20	27.00					
Barrier 2	W	0.00	99.99	40.00				0.00	Sta 0+00	152	1,960,304.0	750,435.9	931.80	10.00	2.00	2	0		
									Sta 0+25	153	1,960,328.2	750,441.8	930.90	10.00	2.00	2	0		
									Sta 0+50	154	1,960,352.6	750,447.6	930.20	10.00	2.00	2	0		
									Sta 0+75	155	1,960,376.9	750,453.4	929.90	10.00	2.00	2	0		
									Sta 1+00	156	1,960,401.2	750,459.3	929.90	10.00	2.00	2	0		
									Sta 1+50	157	1,960,451.1	750,462.5	928.90	10.00	2.00	2	0		
									Sta 2+00	158	1,960,501.0	750,465.7	927.10	10.00	2.00	2	0		
									Sta 2+50	159	1,960,550.9	750,468.9	926.60	10.00	2.00	2	0		
									Sta 3+00	160	1,960,600.9	750,466.3	924.90	10.00	2.00	2	0		
									Sta 3+50	161	1,960,650.8	750,463.8	923.50	10.00	2.00	2	0		
									Sta 4+00	162	1,960,700.8	750,461.1	922.90	10.00	2.00	2	0		
									Sta 4+50	163	1,960,750.4	750,455.7	922.50	10.00	2.00	2	0		
									Sta 5+00	164	1,960,800.1	750,450.3	922.50	10.00	2.00	2	0		
									Sta 5+50	165	1,960,849.0	750,439.5	922.30	10.00	2.00	2	0		
									Sta 6+00	166	1,960,897.8	750,428.7	922.90	10.00	2.00	2	0		
									Sta 6+50	167	1,960,945.4	750,413.5	923.70	10.00	2.00	2	0		

									Sta 6+75	168	1,960,969.2	750,405.9	923.90	10.00	2.00	2	0		
									Sta 7+00	169	1,960,993.0	750,398.3	924.40	10.00	2.00	2	0		
									Sta 7+25	170	1,961,016.9	750,390.7	924.00	10.00	2.00	2	0		
									Sta 7+50	171	1,961,040.6	750,383.1	924.70	10.00					
Barrier 1	W	0.00	99.99	40.00				0.00	Sta 0+00	460	1,960,430.8	750,771.4	918.40	10.00	2.00	2	0		
									Sta 0+25	461	1,960,454.5	750,763.6	918.60	10.00	2.00	2	0		
									Sta 0+50	462	1,960,478.2	750,755.8	918.60	10.00	2.00	2	0		
									Sta 0+75	463	1,960,501.9	750,747.9	918.90	10.00	2.00	2	0		
									Sta 1+00	464	1,960,525.6	750,740.1	918.40	10.00	2.00	2	0		
									Sta 1+50	465	1,960,573.4	750,725.0	917.10	10.00	2.00	2	0		
									Sta 2+00	466	1,960,613.1	750,694.7	919.90	10.00	2.00	2	0		
									Sta 2+50	467	1,960,657.5	750,671.6	920.60	10.00	2.00	2	0		
									Sta 3+00	468	1,960,704.0	750,653.4	920.70	10.00	2.00	2	0		
									Sta 3+50	469	1,960,751.1	750,636.4	921.00	10.00	2.00	2	0		
									Sta 4+00	470	1,960,797.5	750,617.8	921.20	10.00	2.00	2	0		
									Sta 4+50	471	1,960,843.9	750,599.2	922.90	10.00	2.00	2	0		
									Sta 5+00	472	1,960,890.2	750,580.6	923.30	10.00	2.00	2	0		
									Sta 5+50	473	1,960,937.1	750,563.1	923.10	10.00	2.00	2	0		
									Sta 6+00	474	1,960,983.9	750,545.5	924.20	10.00	2.00	2	0		
									Sta 6+50	475	1,961,031.0	750,528.8	924.60	10.00	2.00	2	0		
									Sta 7+00	476	1,961,078.1	750,511.9	924.60	10.00	2.00	2	0		
									Sta 7+50	477	1,961,125.2	750,495.1	924.50	10.00	2.00	2	0		
									Sta 8+00	478	1,961,171.5	750,476.1	925.40	10.00	2.00	2	0		
									Sta 8+50	479	1,961,218.1	750,458.1	926.10	10.00	2.00	2	0		
									Sta 9+00	480	1,961,265.4	750,441.6	926.30	10.00	2.00	2	0		
									Sta 9+50	481	1,961,312.5	750,425.2	926.60	10.00	2.00	2	0		
									Sta 10+00	482	1,961,360.4	750,410.6	925.60	10.00	2.00	2	0		
									Sta 10+50	483	1,961,408.1	750,396.0	925.40	10.00	2.00	2	0		
									Sta 11+00	484	1,961,456.0	750,381.4	925.00	10.00	2.00	2	0		
									Sta 11+50	485	1,961,503.1	750,364.8	925.70	10.00	2.00	2	0		
									Sta 12+00	486	1,961,550.4	750,348.3	925.40	10.00	2.00	2	0		
									Sta 12+50	487	1,961,597.5	750,331.7	926.80	10.00	2.00	2	0		
									Sta 13+00	488	1,961,644.8	750,315.1	927.30	10.00	2.00	2	0		
									Sta 13+50	489	1,961,691.9	750,298.6	928.50	10.00	2.00	2	0		
									Sta 14+00	490	1,961,739.0	750,282.0	928.30	10.00	2.00	2	0		
									Sta 14+50	491	1,961,785.9	750,264.5	929.00	10.00	2.00	2	0		
									Sta 15+00	492	1,961,832.8	750,246.9	929.40	10.00	2.00	2	0		
									Sta 15+50	493	1,961,879.5	750,229.4	930.10	10.00	2.00	2	0		
									Sta 16+00	494	1,961,926.4	750,211.9	929.90	10.00	2.00	2	0		
									Sta 16+50	495	1,961,973.1	750,194.4	929.90	10.00	2.00	2	0		
									Sta 17+00	496	1,962,020.2	750,177.5	929.90	10.00	2.00	2	0		
									Sta 17+50	497	1,962,067.4	750,160.7	929.70	10.00	2.00	2	0		
									Sta 18+00	498	1,962,114.5	750,143.9	929.70	10.00	2.00	2	0		
									Sta 18+50	499	1,962,162.6	750,130.6	929.10	10.00	2.00	2	0		
									Sta 19+00	500	1,962,211.9	750,121.6	928.40	10.00	2.00	2	0		
									Sta 19+50	501	1,962,261.6	750,117.1	927.30	10.00	2.00	2	0		
									Sta 20+00	502	1,962,311.2	750,111.5	926.70	10.00	2.00	2	0		
									Sta 20+50	503	1,962,361.2	750,109.1	927.30	10.00	2.00	2	0		
									Sta 21+00	504	1,962,411.1	750,111.5	927.00	10.00	2.00	2	0		

									Sta 21+25	505	1,962,436.1	750,112.8	927.00	10.00	2.00	2	0		
									Sta 21+50	506	1,962,461.1	750,114.0	927.70	10.00	2.00	2	0		
									Sta 21+75	507	1,962,486.1	750,115.3	928.00	10.00	2.00	2	0		
									Sta 22+00	508	1,962,511.0	750,116.5	929.80	10.00					
Barrier 3	W	0.00	99.99	40.00				0.00	Sta 0+00	509	1,962,885.9	750,088.8	921.20	10.00	2.00	2	0		
									Sta 0+25	510	1,962,904.4	750,071.9	921.00	10.00	2.00	2	0		
									Sta 0+50	511	1,962,922.9	750,055.1	920.80	10.00	2.00	2	0		
									Sta 0+75	512	1,962,941.4	750,038.4	920.70	10.00	2.00	2	0		
									Sta 1+00	513	1,962,959.9	750,021.6	920.70	10.00	2.00	2	0		
									Sta 1+50	514	1,962,997.0	749,988.0	920.50	10.00	2.00	2	0		
									Sta 2+00	515	1,963,034.0	749,954.4	920.90	10.00	2.00	2	0		
									Sta 2+50	516	1,963,071.0	749,920.8	920.10	10.00	2.00	2	0		
									Sta 3+00	517	1,963,108.1	749,887.2	920.10	10.00	2.00	2	0		
									Sta 3+50	518	1,963,145.1	749,853.6	919.00	10.00	2.00	2	0		
									Sta 4+00	519	1,963,187.8	749,827.6	918.40	10.00	2.00	2	0		
									Sta 4+50	520	1,963,230.5	749,801.6	918.50	10.00	2.00	2	0		
									Sta 5+00	521	1,963,273.1	749,775.5	918.60	10.00	2.00	2	0		
									Sta 5+50	522	1,963,315.9	749,749.4	919.10	10.00	2.00	2	0		
									Sta 6+00	523	1,963,358.5	749,723.4	920.20	10.00	2.00	2	0		
									Sta 6+50	524	1,963,401.2	749,697.4	920.60	10.00	2.00	2	0		
									Sta 7+00	525	1,963,443.9	749,671.3	920.30	10.00	2.00	2	0		
									Sta 7+50	526	1,963,491.1	749,655.1	920.40	10.00	2.00	2	0		
									Sta 8+00	527	1,963,538.5	749,638.9	920.00	10.00	2.00	2	0		
									Sta 8+50	528	1,963,585.9	749,622.8	920.20	10.00	2.00	2	0		
									Sta 9+00	529	1,963,633.1	749,606.7	918.90	10.00	2.00	2	0		
									Sta 9+50	530	1,963,680.5	749,590.6	918.60	10.00	2.00	2	0		
									Sta 10+00	531	1,963,727.8	749,574.4	918.50	10.00	2.00	2	0		
									Sta 10+50	532	1,963,775.1	749,558.3	917.70	10.00	2.00	2	0		
									Sta 11+00	533	1,963,822.2	749,541.7	917.80	10.00	2.00	2	0		
									Sta 11+50	534	1,963,869.4	749,525.0	916.80	10.00	2.00	2	0		
									Sta 12+00	535	1,963,916.6	749,508.4	916.80	10.00	2.00	2	0		
									Sta 12+50	536	1,963,963.8	749,491.7	916.80	10.00	2.00	2	0		
									Sta 13+00	537	1,964,010.9	749,475.1	916.30	10.00	2.00	2	0		
									Sta 13+50	538	1,964,058.0	749,458.4	915.70	10.00	2.00	2	0		
									Sta 14+00	539	1,964,107.0	749,448.6	914.80	10.00	2.00	2	0		
									Sta 14+50	540	1,964,156.0	749,438.7	915.30	10.00	2.00	2	0		
									Sta 15+00	541	1,964,205.1	749,428.8	917.30	10.00	2.00	2	0		
									Sta 15+50	542	1,964,254.1	749,419.0	916.40	10.00	2.00	2	0		
									Sta 16+00	543	1,964,303.1	749,409.1	917.70	10.00	2.00	2	0		
									Sta 16+50	544	1,964,352.1	749,399.3	918.40	10.00	2.00	2	0		
									Sta 17+00	545	1,964,401.1	749,389.4	919.50	10.00	2.00	2	0		
									Sta 17+50	546	1,964,450.1	749,379.6	916.90	10.00	2.00	2	0		
									Sta 18+00	547	1,964,499.2	749,369.8	914.70	10.00	2.00	2	0		
									Sta 18+50	548	1,964,548.2	749,359.9	915.00	10.00	2.00	2	0		
									Sta 19+00	549	1,964,598.2	749,358.9	914.10	10.00	2.00	2	0		
									Sta 19+50	550	1,964,648.2	749,357.9	914.30	10.00	2.00	2	0		
									Sta 20+00	551	1,964,698.1	749,357.0	914.20	10.00	2.00	2	0		
									Sta 20+50	552	1,964,748.1	749,356.0	913.80	10.00	2.00	2	0		
									Sta 21+00	553	1,964,798.1	749,355.0	911.50	10.00	2.00	2	0		

									Sta 21+50	554	1,964,848.1	749,354.1	911.90	10.00	2.00	2	0		
									Sta 22+00	555	1,964,898.1	749,355.1	914.60	10.00	2.00	2	0		
									Sta 22+50	556	1,964,948.1	749,356.1	916.90	10.00	2.00	2	0		
									Sta 23+00	557	1,964,998.1	749,357.1	916.90	10.00	2.00	2	0		
									Sta 23+50	558	1,965,048.1	749,358.1	918.00	10.00	2.00	2	0		
									Sta 24+00	559	1,965,098.1	749,359.1	918.10	10.00	2.00	2	0		
									Sta 24+50	560	1,965,148.1	749,360.4	918.90	10.00	2.00	2	0		
									Sta 25+00	561	1,965,198.1	749,361.6	918.30	10.00	2.00	2	0		
									Sta 25+50	562	1,965,248.0	749,362.9	918.70	10.00	2.00	2	0		
									Sta 26+00	563	1,965,298.0	749,364.2	918.50	10.00	2.00	2	0		
									Sta 26+50	564	1,965,348.0	749,365.5	918.60	10.00	2.00	2	0		
									Sta 27+00	565	1,965,397.4	749,373.5	918.40	10.00	2.00	2	0		
									Sta 27+25	566	1,965,422.0	749,377.5	918.20	10.00	2.00	2	0		
									Sta 27+50	567	1,965,446.8	749,381.4	917.80	10.00	2.00	2	0		
									Sta 27+75	568	1,965,471.4	749,385.4	917.00	10.00	2.00	2	0		
									Sta 28+00	569	1,965,496.1	749,389.4	914.90	10.00					
Barrier 4	W	0.00	99.99	40.00				0.00	Sta 0+00	570	1,965,683.5	749,373.7	908.80	10.00	2.00	2	0		
									Sta 0+25	571	1,965,708.1	749,377.6	908.20	10.00	2.00	2	0		
									Sta 0+50	572	1,965,732.9	749,381.6	908.60	10.00	2.00	2	0		
									Sta 0+75	573	1,965,757.5	749,385.5	908.10	10.00	2.00	2	0		
									Sta 1+00	574	1,965,782.2	749,389.4	908.30	10.00	2.00	2	0		
									Sta 1+50	575	1,965,831.6	749,397.3	908.10	10.00	2.00	2	0		
									Sta 2+00	576	1,965,881.0	749,405.2	907.80	10.00	2.00	2	0		
									Sta 2+50	577	1,965,930.4	749,413.1	907.60	10.00	2.00	2	0		
									Sta 3+00	578	1,965,979.8	749,420.9	906.40	10.00	2.00	2	0		
									Sta 3+50	579	1,966,029.1	749,428.8	905.80	10.00	2.00	2	0		
									Sta 4+00	580	1,966,078.6	749,436.0	905.80	10.00	2.00	2	0		
									Sta 4+50	581	1,966,128.1	749,443.0	905.50	10.00	2.00	2	0		
									Sta 5+00	582	1,966,177.6	749,450.0	905.60	10.00	2.00	2	0		
									Sta 5+50	583	1,966,227.1	749,457.0	906.10	10.00	2.00	2	0		
									Sta 6+00	584	1,966,276.6	749,463.9	906.90	10.00	2.00	2	0		
									Sta 6+50	585	1,966,326.1	749,470.9	906.90	10.00	2.00	2	0		
									Sta 7+00	586	1,966,375.5	749,479.1	905.70	10.00	2.00	2	0		
									Sta 7+50	587	1,966,424.8	749,487.2	906.40	10.00	2.00	2	0		
									Sta 8+00	588	1,966,474.1	749,495.4	905.40	10.00	2.00	2	0		
									Sta 8+50	589	1,966,523.5	749,503.5	906.00	10.00	2.00	2	0		
									Sta 9+00	590	1,966,572.8	749,511.6	905.60	10.00	2.00	2	0		
									Sta 9+50	591	1,966,622.1	749,519.8	904.40	10.00	2.00	2	0		
									Sta 10+00	592	1,966,671.5	749,527.9	904.20	10.00	2.00	2	0		
									Sta 10+50	593	1,966,720.8	749,536.1	905.00	10.00	2.00	2	0		
									Sta 11+00	594	1,966,770.1	749,544.2	904.00	10.00	2.00	2	0		
									Sta 11+50	595	1,966,819.5	749,552.3	904.20	10.00	2.00	2	0		
									Sta 12+00	596	1,966,868.9	749,559.9	903.90	10.00	2.00	2	0		
									Sta 12+50	597	1,966,918.2	749,567.6	903.60	10.00	2.00	2	0		
									Sta 13+00	598	1,966,967.8	749,575.2	902.70	10.00	2.00	2	0		
									Sta 13+50	599	1,967,017.1	749,582.9	902.90	10.00	2.00	2	0		
									Sta 14+00	600	1,967,066.5	749,590.5	902.50	10.00	2.00	2	0		
									Sta 14+50	601	1,967,115.9	749,598.2	902.50	10.00	2.00	2	0		
									Sta 15+00	602	1,967,165.4	749,605.8	902.80	10.00	2.00	2	0		

									Sta 15+50	603	1,967,214.8	749,613.4	902.30	10.00	2.00	2	0		
									Sta 16+00	604	1,967,264.1	749,621.1	903.10	10.00	2.00	2	0		
									Sta 16+50	605	1,967,313.6	749,628.8	903.00	10.00	2.00	2	0		
									Sta 17+00	606	1,967,363.0	749,636.4	904.00	10.00	2.00	2	0		
									Sta 17+50	607	1,967,412.4	749,644.0	903.30	10.00	2.00	2	0		
									Sta 18+00	608	1,967,461.9	749,651.7	904.10	10.00	2.00	2	0		
									Sta 18+50	609	1,967,511.2	749,659.3	903.30	10.00	2.00	2	0		
									Sta 19+00	610	1,967,560.8	749,666.4	903.50	10.00	2.00	2	0		
									Sta 19+25	611	1,967,585.5	749,670.0	903.40	10.00	2.00	2	0		
									Sta 19+50	612	1,967,610.2	749,673.6	903.10	10.00	2.00	2	0		
									Sta 19+75	613	1,967,635.0	749,677.2	905.90	10.00	2.00	2	0		
									Sta 20+00	614	1,967,659.8	749,680.8	905.50	10.00					
Barrier 5	W	0.00	99.99	40.00				0.00	Sta 0+00	615	1,969,602.1	749,985.2	927.50	10.00	2.00	2	0		
									Sta 0+25	616	1,969,626.9	749,988.2	929.60	10.00	2.00	2	0		
									Sta 0+50	617	1,969,651.8	749,991.2	930.00	10.00	2.00	2	0		
									Sta 0+75	618	1,969,676.5	749,994.2	930.60	10.00	2.00	2	0		
									Sta 1+00	619	1,969,701.4	749,997.2	929.90	10.00	2.00	2	0		
									Sta 1+50	620	1,969,751.0	750,003.3	928.60	10.00	2.00	2	0		
									Sta 2+00	621	1,969,800.9	750,007.2	928.70	10.00	2.00	2	0		
									Sta 2+50	622	1,969,850.8	750,011.2	927.70	10.00	2.00	2	0		
									Sta 3+00	623	1,969,900.5	750,015.2	925.50	10.00	2.00	2	0		
									Sta 3+50	624	1,969,950.5	750,017.1	926.50	10.00	2.00	2	0		
									Sta 4+00	625	1,970,000.5	750,019.1	924.80	10.00	2.00	2	0		
									Sta 4+50	626	1,970,050.4	750,021.0	924.60	10.00	2.00	2	0		
									Sta 5+00	627	1,970,100.4	750,022.9	923.00	10.00	2.00	2	0		
									Sta 5+50	628	1,970,150.4	750,022.1	923.90	10.00	2.00	2	0		
									Sta 6+00	629	1,970,200.4	750,021.3	921.20	10.00	2.00	2	0		
									Sta 6+50	630	1,970,250.4	750,020.6	920.50	10.00	2.00	2	0		
									Sta 7+00	631	1,970,300.4	750,019.8	918.90	10.00	2.00	2	0		
									Sta 7+50	632	1,970,350.4	750,018.9	916.80	10.00	2.00	2	0		
									Sta 8+00	633	1,970,400.2	750,015.4	915.10	10.00	2.00	2	0		
									Sta 8+50	634	1,970,450.1	750,011.8	915.20	10.00	2.00	2	0		
									Sta 9+00	635	1,970,500.0	750,008.2	912.40	10.00	2.00	2	0		
									Sta 9+50	636	1,970,549.6	750,002.5	912.00	10.00	2.00	2	0		
									Sta 10+00	637	1,970,599.2	749,996.7	912.00	10.00	2.00	2	0		
									Sta 10+50	638	1,970,649.0	749,990.9	910.60	10.00	2.00	2	0		
									Sta 11+00	639	1,970,698.6	749,985.2	908.30	10.00	2.00	2	0		
									Sta 11+50	640	1,970,748.0	749,977.2	908.60	10.00	2.00	2	0		
									Sta 12+00	641	1,970,797.4	749,969.3	908.80	10.00	2.00	2	0		
									Sta 12+50	642	1,970,846.8	749,961.4	906.90	10.00	2.00	2	0		
									Sta 13+00	643	1,970,896.1	749,953.4	904.60	10.00	2.00	2	0		
									Sta 13+50	644	1,970,945.5	749,945.5	902.00	10.00	2.00	2	0		
									Sta 14+00	645	1,970,994.1	749,933.9	901.80	10.00	2.00	2	0		
									Sta 14+50	646	1,971,042.8	749,922.3	901.70	10.00	2.00	2	0		
									Sta 15+00	647	1,971,091.4	749,910.7	901.20	10.00	2.00	2	0		
									Sta 15+50	648	1,971,140.0	749,899.1	900.50	10.00	2.00	2	0		
									Sta 16+00	649	1,971,188.1	749,885.4	898.80	10.00	2.00	2	0		
									Sta 16+50	650	1,971,236.2	749,871.7	898.50	10.00	2.00	2	0		
									Sta 17+00	651	1,971,284.2	749,858.0	898.10	10.00	2.00	2	0		

									Sta 17+50	652	1,971,332.4	749,844.4	897.20	10.00	2.00	2	0		
									Sta 18+00	653	1,971,379.8	749,828.4	896.70	10.00	2.00	2	0		
									Sta 18+50	654	1,971,427.1	749,812.6	896.70	10.00	2.00	2	0		
									Sta 19+00	655	1,971,474.6	749,796.6	896.80	10.00	2.00	2	0		
									Sta 19+50	656	1,971,521.2	749,778.8	896.00	10.00	2.00	2	0		
									Sta 20+00	657	1,971,568.0	749,760.9	895.10	10.00	2.00	2	0		
									Sta 20+50	658	1,971,614.8	749,743.1	895.30	10.00	2.00	2	0		
									Sta 21+00	659	1,971,660.8	749,723.5	896.20	10.00	2.00	2	0		
									Sta 21+50	660	1,971,706.8	749,704.0	895.80	10.00	2.00	2	0		
									Sta 22+00	661	1,971,752.8	749,684.4	895.30	10.00	2.00	2	0		
									Sta 22+50	662	1,971,798.8	749,664.9	893.80	10.00	2.00	2	0		
									Sta 23+00	663	1,971,844.8	749,645.4	893.30	10.00	2.00	2	0		
									Sta 23+50	664	1,971,890.2	749,624.6	892.80	10.00	2.00	2	0		
									Sta 24+00	665	1,971,935.8	749,603.8	893.50	10.00	2.00	2	0		
									Sta 24+50	666	1,971,981.2	749,583.1	892.00	10.00	2.00	2	0		
									Sta 25+00	667	1,972,026.8	749,562.3	891.70	10.00	2.00	2	0		
									Sta 25+50	668	1,972,072.2	749,541.6	892.10	10.00	2.00	2	0		
									Sta 26+00	669	1,972,117.8	749,520.8	891.80	10.00	2.00	2	0		
									Sta 26+50	670	1,972,163.2	749,500.0	891.70	10.00	2.00	2	0		
									Sta 27+00	671	1,972,208.6	749,479.2	892.00	10.00	2.00	2	0		
									Sta 27+50	672	1,972,254.1	749,458.3	890.40	10.00	2.00	2	0		
									Sta 28+00	673	1,972,299.5	749,437.3	890.40	10.00	2.00	2	0		
									Sta 28+50	674	1,972,344.9	749,416.4	892.10	10.00	2.00	2	0		
									Sta 29+00	675	1,972,390.2	749,395.4	891.30	10.00	2.00	2	0		
									Sta 29+50	676	1,972,435.6	749,374.4	890.60	10.00	2.00	2	0		
									Sta 30+00	677	1,972,481.0	749,353.5	890.20	10.00	2.00	2	0		
									Sta 30+50	678	1,972,526.5	749,332.6	891.50	10.00	2.00	2	0		
									Sta 31+00	679	1,972,571.9	749,311.6	892.20	10.00	2.00	2	0		
									Sta 31+50	680	1,972,617.2	749,290.6	893.70	10.00	2.00	2	0		
									Sta 31+75	681	1,972,640.0	749,280.1	892.30	10.00	2.00	2	0		
									Sta 32+00	682	1,972,662.6	749,269.7	892.60	10.00	2.00	2	0		
									Sta 32+25	683	1,972,685.4	749,259.2	892.60	10.00	2.00	2	0		
									Sta 32+50	684	1,972,708.0	749,248.8	892.50	10.00					
Barrier 6	W	0.00	99.99	40.00				0.00	Sta 0+00	685	1,972,657.5	749,315.8	906.60	10.00	2.00	2	0		
									Sta 0+25	686	1,972,680.1	749,305.2	907.70	10.00	2.00	2	0		
									Sta 0+50	687	1,972,702.8	749,294.6	905.90	10.00	2.00	2	0		
									Sta 0+75	688	1,972,725.4	749,283.9	906.30	10.00	2.00	2	0		
									Sta 1+00	689	1,972,748.0	749,273.3	905.90	10.00	2.00	2	0		
									Sta 1+50	690	1,972,793.2	749,252.1	905.90	10.00	2.00	2	0		
									Sta 2+00	691	1,972,838.5	749,230.8	905.10	10.00	2.00	2	0		
									Sta 2+50	692	1,972,883.5	749,209.1	905.30	10.00	2.00	2	0		
									Sta 3+00	693	1,972,928.6	749,187.5	904.80	10.00	2.00	2	0		
									Sta 3+50	694	1,972,973.8	749,165.9	904.70	10.00	2.00	2	0		
									Sta 3+75	695	1,972,996.2	749,155.1	903.40	10.00	2.00	2	0		
									Sta 4+00	696	1,973,018.9	749,144.3	904.30	10.00	2.00	2	0		
									Sta 4+25	697	1,973,041.4	749,133.5	902.70	10.00	2.00	2	0		
									Sta 4+50	698	1,973,063.9	749,122.7	903.70	10.00					
Barrier 7	W	0.00	99.99	40.00				0.00	Sta 0+00	699	1,973,634.0	748,851.4	888.70	10.00	2.00	2	0		
									Sta 0+25	700	1,973,656.9	748,841.6	888.10	10.00	2.00	2	0		

									Sta 0+50	701	1,973,679.9	748,831.8	888.10	10.00	2.00	2	0		
									Sta 0+75	702	1,973,702.9	748,821.9	887.10	10.00	2.00	2	0		
									Sta 1+00	703	1,973,725.9	748,812.1	888.80	10.00	2.00	2	0		
									Sta 1+50	704	1,973,771.9	748,792.4	888.80	10.00	2.00	2	0		
									Sta 2+00	705	1,973,817.9	748,772.8	888.10	10.00	2.00	2	0		
									Sta 2+50	706	1,973,863.8	748,753.1	888.90	10.00	2.00	2	0		
									Sta 3+00	707	1,973,909.8	748,733.4	888.70	10.00	2.00	2	0		
									Sta 3+50	708	1,973,955.8	748,713.8	887.20	10.00	2.00	2	0		
									Sta 4+00	709	1,974,001.6	748,694.1	887.80	10.00	2.00	2	0		
									Sta 4+25	710	1,974,024.6	748,684.2	888.10	10.00	2.00	2	0		
									Sta 4+50	711	1,974,047.6	748,674.4	887.70	10.00	2.00	2	0		
									Sta 4+75	712	1,974,070.6	748,664.6	887.60	10.00	2.00	2	0		
									Sta 5+00	713	1,974,093.6	748,654.7	887.70	10.00					
Barrier 8	W	0.00	99.99	40.00				0.00	Sta 0+00	714	1,974,091.9	748,462.6	886.80	10.00	2.00	2	0		
									Sta 0+25	715	1,974,114.5	748,451.9	887.30	10.00	2.00	2	0		
									Sta 0+50	716	1,974,137.1	748,441.4	887.20	10.00	2.00	2	0		
									Sta 0+75	717	1,974,159.8	748,430.8	887.10	10.00	2.00	2	0		
									Sta 1+00	718	1,974,182.4	748,420.2	887.10	10.00	2.00	2	0		
									Sta 1+50	719	1,974,227.6	748,398.9	887.20	10.00	2.00	2	0		
									Sta 2+00	720	1,974,273.0	748,377.8	887.30	10.00	2.00	2	0		
									Sta 2+50	721	1,974,318.2	748,356.6	887.30	10.00	2.00	2	0		
									Sta 3+00	722	1,974,362.6	748,333.6	887.00	10.00	2.00	2	0		
									Sta 3+50	723	1,974,407.1	748,310.6	886.50	10.00	2.00	2	0		
									Sta 4+00	724	1,974,451.5	748,287.7	886.80	10.00	2.00	2	0		
									Sta 4+50	725	1,974,495.9	748,264.8	886.60	10.00	2.00	2	0		
									Sta 5+00	726	1,974,540.5	748,242.1	886.60	10.00	2.00	2	0		
									Sta 5+50	727	1,974,585.1	748,219.6	887.40	10.00	2.00	2	0		
									Sta 6+00	728	1,974,629.8	748,196.9	886.20	10.00	2.00	2	0		
									Sta 6+50	729	1,974,674.2	748,174.3	886.90	10.00	2.00	2	0		
									Sta 7+00	730	1,974,718.0	748,150.0	885.80	10.00	2.00	2	0		
									Sta 7+50	731	1,974,761.6	748,125.7	887.20	10.00	2.00	2	0		
									Sta 8+00	732	1,974,805.4	748,101.4	887.50	10.00	2.00	2	0		
									Sta 8+50	733	1,974,849.0	748,077.0	886.90	10.00	2.00	2	0		
									Sta 9+00	734	1,974,892.8	748,052.7	888.20	10.00	2.00	2	0		
									Sta 9+50	735	1,974,930.8	748,020.2	888.30	10.00	2.00	2	0		
									Sta 10+00	736	1,974,968.8	747,987.8	886.90	10.00	2.00	2	0		
									Sta 10+50	737	1,975,003.6	747,951.9	888.20	10.00	2.00	2	0		
									Sta 11+00	738	1,975,036.5	747,914.2	886.20	10.00	2.00	2	0		
									Sta 11+50	739	1,975,069.5	747,876.6	885.90	10.00	2.00	2	0		
									Sta 11+75	740	1,975,083.2	747,855.8	888.00	10.00	2.00	2	0		
									Sta 12+00	741	1,975,097.0	747,834.9	887.00	10.00	2.00	2	0		
									Sta 12+25	742	1,975,110.9	747,814.1	889.20	10.00	2.00	2	0		
									Sta 12+50	743	1,975,124.6	747,793.2	888.20	10.00					

EnviroScience, Inc.					**11 September 2024**	
Michael Liptak &Kieran Hynes					**TNM 2.5**	
INPUT: BUILDING ROWS						
PROJECT/CONTRACT:	**LIC-16/37-14.24/15.72 (PID 95445)**					
RUN:	**2048 All Barriers All NSAs**					
Building Row			**Points**			
Name	**Average**	**Building**	**No.**	**Coordinates (ground)**		
	Height	**Percent**		**X**	**Y**	**Z**
	ft	%		ft	ft	ft
Middleton Assisted Living	21.00	80	1	1,961,384.0	750,774.6	914.60
			2	1,961,365.9	750,716.1	915.60
			3	1,961,315.5	750,684.2	913.50
			4	1,961,275.0	750,705.3	914.60
			5	1,961,245.1	750,726.4	916.50
			6	1,961,231.9	750,805.7	915.60
			7	1,961,134.6	750,905.4	916.00
			8	1,961,024.5	751,035.4	915.60
			9	1,960,964.1	751,114.9	915.40
			10	1,960,904.9	751,124.9	915.20
			11	1,961,016.4	751,234.1	915.40
			12	1,961,093.5	751,313.9	916.20
Lansing Cir Homes	25.00	50	36	1,970,690.4	750,472.4	898.90
			37	1,970,686.1	750,381.4	894.00
			38	1,970,675.9	750,274.4	893.10
			39	1,970,751.6	750,176.6	890.40
			40	1,970,900.4	750,186.8	891.00
			41	1,971,008.4	750,180.8	890.20
			42	1,971,112.5	750,168.9	891.60

EnviroScience, Inc.			11 September 2024	
Michael Liptak &Kieran Hynes			TNM 2.5	
INPUT: TERRAIN LINES				
PROJECT/CONTRACT:	LIC-16/37-14.24/15.72 (PID 95445)			
RUN:	2048 All Barriers All NSAs			

Terrain Line	Points			
Name	No.	Coordinates (ground)		
		X	Y	Z
		ft	ft	ft
Columbus WB N Toe	25	1,958,056.8	751,707.5	909.40
	26	1,958,308.2	751,605.6	908.40
	27	1,958,481.9	751,530.2	907.90
	28	1,958,691.2	751,451.1	907.30
	29	1,959,124.2	751,292.9	908.20
	30	1,959,399.0	751,191.4	907.60
	31	1,959,537.6	751,167.2	905.90
	32	1,959,655.9	751,171.8	907.90
	33	1,959,724.1	751,196.9	908.30
	34	1,959,790.2	751,236.0	909.40
	35	1,959,868.4	751,304.9	909.20
	36	1,959,990.2	751,406.3	908.00
	37	1,960,145.8	751,460.2	907.70
	38	1,960,287.2	751,445.4	907.10
	39	1,960,374.8	751,406.3	907.80
	40	1,960,423.1	751,354.2	908.70
	41	1,960,464.1	751,299.3	917.20
	42	1,960,500.4	751,266.8	917.90
	43	1,960,600.0	751,195.1	920.10
Columbus WB S Toe	44	1,959,997.0	751,032.8	913.30
	45	1,959,974.2	751,065.9	914.10
	46	1,959,971.4	751,151.4	912.90
	47	1,960,013.9	751,254.9	912.10
	48	1,960,107.5	751,310.8	911.20

	49	1,960,205.6	751,313.5	908.30
	50	1,960,296.6	751,286.9	912.30
	51	1,960,365.9	751,208.9	915.20
	52	1,960,424.6	751,149.1	916.10
	53	1,960,455.2	751,083.0	917.30
	54	1,960,468.5	750,997.5	918.00
	55	1,960,443.2	750,935.6	918.50
	56	1,960,405.4	750,887.9	918.20
	57	1,960,371.5	750,853.5	917.50
	58	1,960,370.9	750,813.9	917.20
	59	1,960,383.0	750,803.6	917.40
Farm1 BL	144	1,957,555.4	751,741.9	909.50
	145	1,958,011.1	751,539.9	910.40
	146	1,958,582.5	751,289.9	914.40
	147	1,958,801.0	751,191.8	913.30
	148	1,958,791.1	751,122.4	914.40
	149	1,958,744.9	751,004.1	915.80
	150	1,958,679.0	750,838.6	918.10
	151	1,958,662.1	750,695.3	919.40
	152	1,958,631.0	750,612.6	920.50
	153	1,958,614.0	750,577.0	921.30
Farm1 BL2	154	1,958,734.2	750,611.7	919.30
	155	1,958,802.8	750,990.7	915.00
	156	1,958,848.1	751,121.5	914.50
	157	1,958,908.6	751,145.5	911.90
	158	1,959,125.8	751,053.9	914.90
	159	1,959,361.6	750,956.0	913.40
	160	1,959,590.4	750,834.1	913.40
	161	1,959,730.2	750,728.0	913.70
	162	1,959,788.1	750,656.8	915.30
	163	1,959,866.2	750,600.9	914.70
	164	1,959,881.9	750,566.2	917.90
	165	1,959,991.6	750,542.1	919.50
	166	1,960,014.5	750,507.4	919.20
	167	1,960,059.4	750,479.5	920.10
	168	1,960,059.4	750,461.0	923.30

	169	1,960,021.2	750,396.4	931.00
	170	1,959,844.2	750,182.5	935.30
	171	1,959,657.1	749,947.6	952.70
	172	1,959,344.9	749,585.0	958.20
Columbus Overpass1	173	1,960,098.8	750,576.9	933.90
	174	1,960,135.8	750,557.2	933.70
	175	1,960,179.0	750,594.4	928.00
	176	1,960,216.2	750,656.4	920.90
	177	1,960,253.9	750,675.0	919.00
	178	1,960,280.8	750,672.5	918.90
Columbus Overpass2	179	1,960,328.8	750,648.9	919.10
	180	1,960,334.1	750,627.0	919.30
	181	1,960,322.4	750,595.5	919.90
	182	1,960,293.6	750,565.4	922.10
	183	1,960,267.1	750,533.9	922.90
	184	1,960,253.5	750,509.2	922.80
	185	1,960,325.2	750,515.6	922.10
	186	1,960,347.0	750,522.8	920.90
	187	1,960,366.8	750,527.4	917.70
Columbus Overpass3	188	1,960,431.8	750,778.9	918.00
	189	1,960,461.0	750,775.4	918.10
	190	1,960,485.1	750,792.1	917.90
	191	1,960,515.0	750,823.7	918.30
	192	1,960,536.2	750,856.4	919.40
	193	1,960,582.8	750,914.3	918.30
	194	1,960,610.2	750,952.8	917.60
	195	1,960,635.0	750,983.8	917.00
Spring Valley BL1	196	1,959,918.2	750,079.2	941.90
	197	1,959,931.8	750,044.7	944.40
	198	1,959,915.2	749,999.7	950.80
	199	1,959,903.2	749,939.7	956.80
	200	1,959,895.8	749,887.2	956.30
	201	1,959,868.8	749,810.7	958.60
	202	1,959,817.8	749,690.7	965.90
	203	1,959,786.2	749,572.2	963.10
	204	1,959,768.2	749,413.2	969.80

	205	1,959,813.2	749,299.2	971.10
Spring Valley BL2	206	1,959,969.2	750,059.7	939.80
	207	1,960,006.8	749,993.7	939.80
	208	1,959,987.2	749,929.2	937.00
	209	1,959,978.2	749,873.7	934.80
	210	1,959,958.8	749,807.7	935.70
	211	1,959,945.2	749,740.2	936.40
	212	1,959,898.8	749,621.8	937.50
	213	1,959,883.8	749,474.8	940.40
	214	1,959,915.2	749,389.2	942.10
	215	1,960,033.8	749,356.2	941.40
Spring Valley BL3	216	1,960,516.2	750,292.2	923.80
	217	1,960,502.9	750,275.8	924.00
	218	1,960,466.9	750,196.5	924.40
	219	1,960,461.0	750,133.7	925.60
	220	1,960,458.0	750,067.9	926.90
	221	1,960,429.5	750,027.5	926.40
	222	1,960,386.1	749,931.8	929.10
	223	1,960,341.2	749,792.8	934.10
	224	1,960,268.0	749,658.2	934.10
	225	1,960,202.1	749,626.8	926.70
	226	1,960,179.8	749,511.6	929.70
	227	1,960,184.2	749,389.0	936.10
	228	1,960,241.0	749,297.8	940.30
Spring Valley Hill	229	1,960,849.9	749,414.4	1,087.90
	230	1,960,942.6	749,563.9	1,080.50
	231	1,961,095.1	749,686.5	1,081.70
	232	1,961,199.9	749,870.4	1,073.20
	233	1,961,294.1	749,952.7	1,072.40
	234	1,961,443.8	749,937.8	1,076.50
	235	1,961,614.4	749,897.2	1,054.70
	236	1,961,689.1	749,803.1	1,042.80
	237	1,961,702.6	749,734.2	1,049.50
	238	1,961,820.8	749,683.4	1,041.70
	239	1,961,879.1	749,635.6	1,037.50
	240	1,961,883.6	749,625.1	1,036.80

Spring Valley Ridge	241	1,961,302.5	750,140.6	997.60
	242	1,961,355.5	750,141.8	999.20
	243	1,961,442.6	750,130.6	1,001.50
	244	1,961,517.5	750,120.3	1,003.40
	245	1,961,639.1	750,070.7	1,010.80
	246	1,961,689.1	750,041.2	1,019.90
	247	1,961,789.0	749,991.1	1,020.40
	248	1,961,855.5	749,972.4	1,003.10
	249	1,961,913.5	749,935.9	985.90
	250	1,961,966.9	749,891.9	978.70
	251	1,962,009.0	749,834.8	988.50
	252	1,962,037.1	749,790.8	993.70
	253	1,962,088.6	749,749.6	993.20
	254	1,962,150.4	749,726.9	984.50
	255	1,962,229.1	749,713.6	968.30
	256	1,962,289.2	749,685.4	961.90
	257	1,962,363.6	749,625.3	959.20
	258	1,962,462.8	749,559.6	952.00
	259	1,962,518.8	749,477.4	954.20
	260	1,962,512.1	749,409.7	961.20
	261	1,962,452.9	749,007.6	1,000.80
	262	1,962,397.5	748,727.7	1,032.40
	263	1,962,381.2	748,557.8	1,042.30
Lancaster BL1	264	1,962,273.2	750,124.6	925.90
	265	1,962,379.8	750,126.2	923.90
	266	1,962,439.1	750,128.7	923.20
	267	1,962,495.6	750,131.5	923.20
	268	1,962,577.8	750,143.2	923.70
	269	1,962,589.6	750,166.1	923.80
	270	1,962,561.9	750,169.2	924.20
	271	1,962,494.6	750,164.8	923.20
	272	1,962,443.2	750,169.2	923.40
	273	1,962,436.0	750,208.8	923.40
	274	1,962,455.4	750,333.2	923.70
Lancaster BL2	275	1,962,572.1	750,315.6	929.00
	276	1,962,533.9	750,317.4	930.70

	277	1,962,480.0	750,315.6	931.00
	278	1,962,480.0	750,295.4	931.70
	279	1,962,472.0	750,251.3	932.40
	280	1,962,467.1	750,195.6	931.70
	281	1,962,486.9	750,193.2	932.20
	282	1,962,605.9	750,200.2	931.70
Lancaster BL3	291	1,962,345.9	750,050.5	928.30
	292	1,962,521.1	750,051.1	928.80
	293	1,962,573.0	750,048.3	929.30
	294	1,962,591.5	750,042.9	929.40
	295	1,962,585.5	750,019.4	928.40
	296	1,962,583.9	749,997.1	928.20
	297	1,962,583.9	749,982.3	928.20
	298	1,962,583.9	749,969.2	927.40
Lancaster BL4	299	1,962,687.6	749,937.0	926.80
	300	1,962,694.8	749,984.5	929.30
	301	1,962,683.2	750,021.6	934.00
	302	1,962,695.8	750,042.3	935.10
	303	1,962,742.1	750,048.3	935.00
	304	1,962,878.1	749,988.8	932.30
	305	1,962,939.5	749,932.6	929.20
	306	1,962,982.6	749,901.4	927.30
	307	1,963,088.0	749,819.4	923.40
	308	1,963,107.5	749,804.0	923.00
	309	1,963,193.9	749,729.0	921.70
Lancaster BL5	310	1,962,653.8	749,773.4	926.20
	311	1,962,679.8	749,758.2	927.60
	312	1,962,685.8	749,734.9	931.00
	313	1,962,680.9	749,691.0	933.50
	314	1,962,697.6	749,674.2	933.50
	315	1,962,772.0	749,650.8	932.10
	316	1,962,906.0	749,615.6	929.70
	317	1,963,061.1	749,567.3	928.00
	318	1,963,205.0	749,531.5	925.10
	319	1,963,358.5	749,490.8	922.50
	320	1,963,514.8	749,450.7	919.90

Farm2 BL	321	1,965,087.1	749,140.5	928.90
	322	1,965,058.5	749,134.5	928.70
	323	1,965,002.9	749,114.9	926.60
	324	1,964,769.1	749,009.6	927.20
	325	1,964,572.0	748,863.7	930.40
	326	1,964,359.8	748,719.2	934.10
	327	1,964,248.4	748,687.7	934.90
	328	1,964,034.8	748,695.2	936.30
	329	1,963,815.0	748,695.2	935.00
	330	1,963,649.1	748,710.4	933.60
	331	1,963,354.2	748,742.0	934.60
	332	1,963,116.5	748,781.1	943.40
	333	1,963,015.6	748,826.2	940.10
	334	1,962,863.6	748,927.1	948.00
	335	1,962,795.9	748,987.2	954.90
	336	1,962,755.2	749,069.9	952.70
	337	1,962,756.8	749,139.1	948.20
	338	1,962,764.4	749,230.9	944.40
	339	1,962,741.8	749,306.1	942.20
	340	1,962,686.1	749,343.8	946.00
	341	1,962,678.6	749,394.9	944.30
	342	1,962,702.6	749,462.6	942.00
	343	1,962,806.5	749,495.6	933.70
	344	1,962,899.8	749,500.2	931.10
	345	1,963,096.9	749,461.1	925.90
	346	1,963,357.2	749,412.9	922.80
	347	1,963,705.0	749,350.9	917.00
	348	1,963,774.6	749,322.1	917.80
	349	1,964,050.4	749,252.1	908.50
	350	1,964,256.1	749,219.5	914.60
	351	1,964,552.4	749,197.1	914.10
	352	1,964,961.4	749,177.8	913.00
	353	1,965,258.4	749,186.5	911.40
	354	1,965,311.4	749,191.4	911.70
	355	1,965,519.4	749,207.2	911.50
	356	1,965,576.5	749,215.6	910.10

	357	1,965,615.1	749,212.9	911.10
	358	1,965,636.8	749,195.1	911.10
	359	1,965,649.6	749,171.2	911.50
	360	1,965,673.5	749,144.4	912.00
	361	1,965,698.9	749,112.6	912.10
	362	1,965,730.2	749,088.8	913.30
	363	1,965,784.4	749,074.0	914.10
	364	1,965,846.5	749,066.1	914.30
Farm2 Hill	365	1,962,478.8	748,345.1	1,060.20
	366	1,962,516.9	748,471.9	1,067.20
	367	1,962,542.6	748,558.8	1,070.40
	368	1,962,551.2	748,625.6	1,063.50
	369	1,962,674.4	748,621.8	1,058.60
	370	1,962,893.1	748,540.5	1,056.80
	371	1,962,993.4	748,500.4	1,057.60
	372	1,963,043.0	748,477.6	1,057.80
	373	1,963,136.6	748,476.6	1,053.70
	374	1,963,445.4	748,412.4	1,050.50
	375	1,963,856.9	748,378.1	1,062.30
	376	1,964,024.0	748,390.5	1,053.80
	377	1,964,162.6	748,286.2	1,046.00
	378	1,964,214.1	748,236.6	1,044.70
	379	1,964,549.6	748,225.2	1,043.30
	380	1,965,122.4	748,200.0	988.20
	381	1,965,735.8	748,246.4	949.90
Springhill Section1	382	1,965,527.9	748,358.9	954.10
	383	1,965,798.0	748,513.3	947.30
	384	1,965,887.8	748,572.8	945.10
	385	1,965,948.1	748,614.2	942.50
	386	1,966,012.0	748,677.2	928.70
	387	1,966,097.4	748,762.6	917.60
Springhill Section2	388	1,964,871.4	748,402.2	983.80
	389	1,965,043.5	748,456.4	962.00
	390	1,965,173.4	748,522.6	952.40
	391	1,965,327.4	748,578.5	945.10
	392	1,965,544.2	748,736.8	942.10

	393	1,965,677.5	748,821.0	940.40
	394	1,965,798.0	748,846.8	932.50
	395	1,965,954.6	748,909.6	917.80
Springhill Section3	396	1,964,587.9	748,467.5	1,005.40
	397	1,964,741.8	748,629.1	1,019.20
	398	1,964,900.2	748,735.2	1,019.90
	399	1,965,006.5	748,825.9	1,012.00
	400	1,965,083.4	748,918.2	991.70
	401	1,965,137.2	748,962.9	983.20
	402	1,965,285.0	749,009.0	971.00
	403	1,965,584.1	749,113.6	954.90
	404	1,965,644.4	749,068.1	940.30
	405	1,965,717.0	749,045.1	933.40
	406	1,965,783.1	749,043.6	922.90
	407	1,965,825.1	749,042.4	921.10
SR1637 EB Toe1	408	1,965,856.8	749,249.3	906.00
	409	1,966,038.1	749,270.5	900.40
	410	1,966,394.5	749,315.3	895.60
	411	1,966,744.9	749,372.1	894.20
	412	1,967,011.0	749,411.9	893.50
	413	1,967,395.9	749,469.9	891.10
	414	1,967,589.6	749,497.4	890.70
	415	1,967,691.9	749,517.9	891.10
	416	1,967,746.4	749,530.2	894.90
	417	1,967,786.0	749,571.4	888.40
SR1637 EB Toe2	418	1,967,880.4	749,582.2	893.60
	419	1,967,898.2	749,564.7	896.90
	420	1,967,948.1	749,563.6	897.20
	421	1,968,046.9	749,567.8	895.60
	422	1,968,440.5	749,628.2	897.70
	423	1,968,629.6	749,632.4	895.50
	424	1,969,000.8	749,679.1	894.80
	425	1,969,413.0	749,726.1	893.00
	426	1,969,591.2	749,766.2	893.10
	427	1,969,608.4	749,786.2	893.60
	428	1,969,608.0	749,842.6	900.90

SR1637 EB Toe3	429	1,969,664.8	749,840.6	901.90
	430	1,969,692.0	749,821.1	903.10
	431	1,969,712.4	749,814.2	900.00
	432	1,969,749.8	749,804.1	896.60
	433	1,969,805.0	749,794.7	891.90
	434	1,969,895.1	749,793.0	890.10
	435	1,970,053.2	749,811.7	890.40
	436	1,970,230.9	749,815.1	890.90
	437	1,970,435.2	749,836.2	894.10
	438	1,970,692.6	749,801.4	890.30
	439	1,970,727.4	749,805.0	889.90
	440	1,970,817.0	749,797.1	890.40
	441	1,971,016.0	749,760.6	888.20
	442	1,971,256.0	749,704.4	887.50
	443	1,971,459.1	749,631.2	886.80
	444	1,971,614.8	749,574.3	884.60
	445	1,971,729.9	749,525.7	884.50
	446	1,971,806.4	749,486.6	884.10
	447	1,971,861.6	749,446.6	885.30
	448	1,972,023.1	749,367.6	885.20
	449	1,972,366.0	749,218.6	884.30
	450	1,972,530.2	749,137.7	884.60
	451	1,972,702.4	749,059.1	883.80
	452	1,972,868.2	748,999.5	896.40
	453	1,972,999.5	748,928.3	902.40
	454	1,973,077.6	748,894.3	896.00
	455	1,973,176.5	748,839.6	891.10
SR1637 EB Toe7	475	1,975,822.5	747,871.4	876.20
	476	1,975,960.4	747,850.2	869.90
	477	1,976,124.2	747,852.6	873.30
	478	1,976,311.8	747,837.9	869.20
	479	1,976,467.1	747,846.9	874.40
	480	1,976,700.2	747,860.1	876.50
	481	1,976,739.5	747,869.1	877.20
Raccoon Crk Sec1	482	1,967,536.6	749,949.4	898.30
	483	1,967,769.4	749,966.6	896.60

	484	1,967,931.4	749,982.1	895.20
	485	1,968,014.1	749,982.1	890.80
	486	1,968,150.2	749,990.8	898.50
Raccoon Crk Sec2	487	1,967,452.2	749,261.8	894.80
	488	1,967,718.9	749,305.1	897.20
	489	1,967,805.4	749,320.1	887.50
	490	1,967,894.9	749,335.2	896.70
	491	1,968,381.8	749,417.7	895.20
Raccoon Crk Sec3	492	1,967,491.5	748,894.8	898.70
	493	1,967,782.2	748,947.1	896.70
	494	1,967,847.6	748,963.2	886.30
	495	1,967,919.0	748,980.2	893.20
	496	1,968,472.2	749,098.9	896.50
Raccoon Crk Toe	497	1,967,101.8	748,590.4	912.50
	498	1,967,144.0	748,627.6	912.70
	499	1,967,130.9	748,725.0	908.40
	500	1,967,151.0	748,792.2	906.30
	501	1,967,205.2	748,805.3	904.00
	502	1,967,289.6	748,788.2	898.50
	503	1,967,296.6	748,741.1	902.00
	504	1,967,347.9	748,727.0	897.20
	505	1,967,448.2	748,673.8	898.90
	506	1,967,621.1	748,591.4	897.90
	507	1,967,692.4	748,581.4	897.60
	508	1,967,769.8	748,597.5	895.20
	509	1,967,850.1	748,630.6	895.80
	510	1,967,895.2	748,659.8	896.60
	511	1,967,952.5	748,671.8	895.60
	512	1,968,033.9	748,659.8	895.80
Raccoon Crk Ridge	513	1,967,144.0	748,469.9	923.30
	514	1,967,151.0	748,541.2	923.70
	515	1,967,185.1	748,590.4	921.60
	516	1,967,183.1	748,662.8	916.50
	517	1,967,190.1	748,716.9	917.70
	518	1,967,212.2	748,734.0	918.70
	519	1,967,261.5	748,680.8	918.70

	520	1,967,379.0	748,653.7	919.20
	521	1,967,460.4	748,607.5	918.20
	522	1,967,543.8	748,566.4	921.90
	523	1,967,619.0	748,548.2	919.50
	524	1,967,649.2	748,540.2	919.20
	525	1,967,757.6	748,553.3	914.50
	526	1,967,822.0	748,566.4	914.90
	527	1,967,864.1	748,583.4	914.30
	528	1,967,919.4	748,611.5	912.10
River Rd Toe	529	1,966,500.6	749,235.4	899.60
	530	1,966,734.8	749,097.9	898.80
	531	1,966,913.5	749,052.7	899.40
Upland View Top1	577	1,969,678.8	748,866.6	931.50
	578	1,969,656.5	748,989.1	927.80
	579	1,969,726.6	749,120.5	919.30
	580	1,969,841.9	749,257.6	909.10
	581	1,969,929.6	749,310.1	907.30
	582	1,970,147.6	749,265.4	904.00
	583	1,970,300.4	749,293.9	896.90
	584	1,970,393.6	749,286.1	892.80
	585	1,970,689.0	749,211.1	896.80
	586	1,970,831.4	749,164.4	892.60
	587	1,970,937.6	749,151.5	890.80
Upland View Top2	588	1,970,171.0	748,967.5	908.30
	589	1,970,324.2	748,980.7	905.40
	590	1,970,438.9	748,935.1	906.00
	591	1,970,517.1	748,913.8	906.70
	592	1,970,607.4	748,931.0	908.80
	593	1,970,636.9	748,954.3	907.30
	594	1,970,696.8	749,015.2	901.30
	595	1,970,766.8	749,063.9	898.00
	596	1,970,843.9	749,097.4	897.00
	597	1,970,904.8	749,118.7	896.50
	598	1,970,952.5	749,133.9	891.40
Upland View Top3	599	1,970,956.6	748,924.9	990.30
	600	1,971,229.6	748,778.8	1,002.70

	601	1,971,330.1	748,686.5	1,021.20
	602	1,971,400.1	748,632.7	1,032.20
	603	1,971,449.9	748,610.4	1,034.40
SR16-37 NB Toe1	604	1,976,564.0	748,063.4	869.50
	605	1,976,404.2	748,055.1	867.00
	606	1,976,247.6	748,047.6	868.70
	607	1,976,188.1	748,063.4	869.60
	608	1,976,116.5	748,052.1	868.70
	609	1,976,047.2	748,051.3	869.50
	610	1,975,980.9	748,052.8	869.60
	611	1,975,953.0	748,061.1	869.20
	612	1,975,918.4	748,072.4	869.40
	613	1,975,929.8	748,119.1	869.30
	614	1,975,950.8	748,154.5	868.80
	615	1,975,984.0	748,192.9	869.00
	616	1,976,008.8	748,220.0	868.90
	617	1,976,039.6	748,232.1	868.60
	618	1,976,082.1	748,248.3	869.50
	619	1,976,241.6	748,171.6	869.70
	620	1,976,425.8	748,077.6	867.80
SR16-37 NB Top1	621	1,975,854.2	748,089.9	882.80
	622	1,975,895.5	748,168.8	886.50
	623	1,975,935.1	748,220.6	887.70
	624	1,975,970.0	748,258.4	886.50
	625	1,976,013.6	748,277.2	887.20
	626	1,976,046.1	748,292.2	886.90
	627	1,976,090.1	748,294.7	885.50
Thornwood Section	628	1,975,448.0	748,426.6	886.40
	629	1,975,419.5	748,619.6	886.20
	630	1,975,424.0	748,794.2	900.20
	631	1,975,443.5	748,991.8	905.60
	632	1,975,452.6	749,029.4	899.80
	633	1,975,520.0	749,308.2	900.90
Westgate Toe	634	1,975,098.2	748,854.8	891.10
	635	1,974,981.0	748,854.8	888.80
	636	1,974,930.2	748,987.7	889.60

	637	1,974,945.0	749,104.8	887.20
	638	1,974,886.4	749,216.3	888.70
	639	1,974,781.5	749,296.3	889.30
	640	1,974,694.8	749,326.8	888.80
	641	1,974,577.6	749,324.5	889.70
	642	1,974,381.5	749,303.1	891.30
	643	1,974,090.8	749,247.9	890.90
	644	1,973,886.9	749,220.8	888.80
SR16-37 NB Toe2	649	1,973,332.2	749,014.6	903.90
	650	1,973,302.4	749,026.9	906.50
	651	1,973,118.6	749,094.7	904.40
	652	1,972,877.9	749,209.4	905.20
	653	1,972,671.2	749,301.8	907.20
SR16-37 NB Toe3	654	1,972,604.0	749,319.6	887.20
	655	1,972,485.9	749,380.3	883.90
	656	1,972,338.9	749,445.5	884.50
	657	1,972,117.9	749,550.4	886.10
	658	1,971,582.8	749,779.6	887.90
	659	1,971,219.2	749,914.3	888.80
	660	1,971,048.0	749,948.1	891.00
	661	1,970,779.6	750,008.9	891.70
	662	1,970,561.4	750,055.2	888.40
	663	1,970,375.6	750,078.7	892.60
	664	1,970,067.9	750,094.6	895.30
	665	1,969,947.9	750,088.1	897.20
	666	1,969,738.5	750,076.9	898.30
	667	1,969,615.5	750,054.1	898.70
	668	1,969,542.5	750,026.4	898.40
SR16-37 NB Toe4	669	1,969,390.4	750,009.8	901.70
	670	1,969,191.0	749,989.8	899.50
	671	1,969,134.5	749,977.3	902.40
	672	1,968,959.1	749,930.0	905.20
	673	1,968,588.1	749,882.9	897.70
	674	1,968,166.6	749,820.9	897.50
	675	1,967,936.2	749,791.1	889.70
	676	1,967,883.6	749,748.1	888.00

	677	1,967,864.8	749,712.3	890.60
SR16-37 NB Toe5	678	1,967,777.2	749,700.8	889.10
	679	1,967,762.4	749,711.4	893.30
	680	1,967,603.6	749,698.4	894.60
	681	1,967,202.0	749,639.1	896.00
	682	1,966,747.9	749,586.0	899.30
	683	1,966,627.1	749,571.2	902.20
	684	1,966,551.8	749,562.7	900.50
	685	1,966,507.2	749,544.7	901.20
	686	1,966,349.4	749,520.3	899.70
	687	1,966,279.4	749,497.0	899.60
	688	1,965,951.9	749,461.0	902.80
	689	1,965,817.2	749,435.6	900.20
	690	1,965,636.9	749,405.8	914.50
	691	1,965,588.5	749,436.1	911.70
	692	1,965,557.2	749,460.1	910.00
SR16-37 NB Toe6	693	1,965,426.5	749,486.3	916.30
	694	1,965,471.6	749,431.1	915.80
	695	1,965,485.9	749,390.1	916.20
Lake Hudson Top	702	1,965,545.4	749,507.8	909.20
	703	1,965,434.1	749,582.2	914.70
	704	1,965,371.4	749,698.9	915.60
	705	1,965,282.2	749,785.0	914.90
	706	1,965,263.8	749,980.6	908.80
	707	1,965,247.1	750,041.4	909.00
	708	1,965,229.4	750,101.6	910.10
	709	1,965,191.9	750,104.1	906.20
	710	1,965,139.5	750,078.3	909.40
	711	1,965,094.0	750,023.6	907.60
	712	1,965,036.9	749,975.6	910.90
	713	1,964,966.8	749,973.2	911.00
	714	1,964,846.2	749,941.2	912.40
	715	1,964,618.5	749,916.6	913.70
	716	1,964,494.9	749,909.9	915.40
	717	1,964,376.2	749,895.1	916.80
	718	1,964,338.1	749,885.3	916.70

	719	1,964,334.4	749,838.6	918.60
	720	1,964,303.6	749,815.9	918.50
Lake Hudson Toe	721	1,965,517.0	749,576.0	902.30
	722	1,965,486.6	749,656.2	902.80
	723	1,965,456.4	749,731.4	902.80
	724	1,965,406.5	749,808.7	902.50
	725	1,965,325.1	749,883.2	904.30
	726	1,965,299.8	749,991.8	903.00
	727	1,965,288.0	750,104.2	902.40
	728	1,965,238.1	750,166.8	903.90
	729	1,965,249.9	750,250.8	902.60
	730	1,965,240.1	750,300.6	903.00
	731	1,965,196.1	750,306.5	906.10
	732	1,965,153.1	750,265.4	898.40
	733	1,965,115.9	750,215.6	897.90
	734	1,965,105.1	750,156.9	898.00
	735	1,965,088.5	750,112.9	899.20
	736	1,965,049.4	750,027.9	900.60
	737	1,965,000.5	750,021.1	901.80
	738	1,964,963.4	750,034.8	898.20
	739	1,964,904.8	750,028.9	897.70
	740	1,964,878.2	749,992.8	900.60
	741	1,964,665.9	749,963.2	900.30
	742	1,964,395.8	749,943.7	898.80
	743	1,964,283.4	749,951.5	903.40
	744	1,964,278.5	749,887.0	902.40
	745	1,964,230.5	749,869.4	902.60
	746	1,964,177.8	749,861.6	907.40
	747	1,964,102.6	749,896.5	907.50
	748	1,964,016.2	749,888.4	905.60
	749	1,963,918.8	749,878.0	905.60
	750	1,963,823.5	749,896.9	904.50
	751	1,963,782.8	749,897.8	903.70
	752	1,963,649.8	749,903.6	903.70
	753	1,963,583.2	749,927.1	904.00
	754	1,963,521.6	750,004.2	903.20

	755	1,963,443.4	750,126.4	902.90
Raccoon Crk Bank1	840	1,968,714.4	748,708.8	885.90
	841	1,968,919.6	748,914.6	885.30
	842	1,969,030.8	749,007.4	883.60
	843	1,969,188.0	749,145.7	882.60
	844	1,969,298.6	749,225.9	881.90
	845	1,969,426.8	749,283.9	882.70
	846	1,969,629.8	749,382.1	881.40
	847	1,969,865.4	749,485.6	882.40
Raccoon Crk Bank2	848	1,970,159.9	749,583.1	881.20
	849	1,970,339.9	749,691.6	880.10
	850	1,970,484.0	749,767.5	879.80
	851	1,970,641.0	749,734.2	880.60
	852	1,970,875.8	749,631.1	880.00
	853	1,971,029.2	749,570.5	878.30
	854	1,971,156.6	749,435.2	878.60
	855	1,971,237.8	749,366.3	877.90
	856	1,971,254.9	749,323.9	877.60
	857	1,971,367.1	749,286.5	877.70
	858	1,971,500.5	749,251.1	877.50
	859	1,971,739.1	749,135.8	877.40
	860	1,971,873.5	749,065.1	876.60
	861	1,971,969.5	749,029.8	877.40
	862	1,972,143.6	748,961.0	879.90
	863	1,972,284.0	748,951.9	879.00
	864	1,972,462.9	748,990.3	880.30
	865	1,972,580.1	749,021.6	877.80
	866	1,972,762.1	748,923.6	876.80
	867	1,972,806.6	748,831.6	878.20
	868	1,972,826.8	748,771.9	876.00
	869	1,972,822.8	748,704.2	876.20
	870	1,972,753.0	748,626.4	875.50
	871	1,972,705.5	748,576.9	874.10
	872	1,972,680.2	748,539.6	874.30
	873	1,972,664.1	748,474.9	873.30
	874	1,972,684.4	748,302.9	877.80

	875	1,972,724.9	748,207.8	874.50
	876	1,972,785.5	748,157.2	873.30
	877	1,972,863.5	748,119.8	873.80
	878	1,973,006.4	748,080.2	873.40
	879	1,973,104.6	748,068.1	872.00
	880	1,973,197.6	748,023.5	872.00
	881	1,973,246.2	747,935.5	871.30
	882	1,973,248.2	747,877.9	871.80
	883	1,973,233.1	747,818.2	872.00
	884	1,973,227.0	747,790.9	872.50
Spring Valley BL5	886	1,960,535.4	750,027.2	942.20
	887	1,960,656.5	750,069.3	939.90
	888	1,960,794.5	750,085.1	940.50
	889	1,960,893.5	750,169.9	938.40
	890	1,960,981.2	750,254.2	927.90
	891	1,961,048.0	750,339.0	929.40
Hotel Toe	892	1,974,539.2	748,229.4	886.70
	893	1,974,650.1	748,163.9	886.40
	894	1,974,711.1	748,119.7	886.60
	895	1,974,794.0	748,052.6	880.80
	896	1,974,853.8	748,000.9	889.00
	897	1,974,890.0	747,947.4	879.50
	898	1,974,986.6	747,852.7	879.80
	899	1,975,035.1	747,812.1	880.90
	900	1,975,115.0	747,746.9	880.90
	901	1,975,159.0	747,693.4	878.80
	902	1,975,198.4	747,634.1	878.30
	903	1,975,245.4	747,576.1	876.90
	904	1,975,286.9	747,518.5	878.50
	905	1,975,328.0	747,485.9	879.40
	906	1,975,375.0	747,457.4	879.90
	907	1,975,448.4	747,424.1	878.60
	908	1,975,504.0	747,406.8	877.80
	909	1,975,559.8	747,389.5	876.80
	910	1,975,593.8	747,374.7	876.80
	911	1,975,615.0	747,329.9	876.60

	912	1,975,625.5	747,258.1	876.90
	913	1,975,636.0	747,184.1	877.50
	914	1,975,637.0	747,137.3	877.50
Hotel Top	915	1,974,636.1	748,196.6	886.40
	916	1,974,759.6	748,129.7	886.40
	917	1,974,845.5	748,082.9	887.90
EB Interchange Toe	938	1,974,804.1	748,147.7	887.60
	939	1,974,908.6	748,104.8	885.60
	940	1,974,945.8	748,088.1	884.30
	941	1,975,004.5	748,054.2	881.20
	942	1,975,050.1	748,029.4	879.80
	943	1,975,148.1	748,001.9	878.90
	944	1,975,233.2	747,977.3	878.50
	945	1,975,310.4	747,957.9	879.50
	946	1,975,344.2	747,948.2	881.40
	947	1,975,291.5	747,923.1	879.50
	948	1,975,237.2	747,857.3	877.40
	949	1,975,216.9	747,806.9	879.60
	950	1,975,161.4	747,884.5	878.20
	951	1,975,100.2	747,965.2	879.40
	952	1,975,074.8	747,998.4	879.50
EB Interchange Top	953	1,975,640.2	747,903.9	884.60
	954	1,975,566.4	747,915.9	884.00
	955	1,975,473.6	747,926.5	884.10
	956	1,975,417.8	747,918.4	883.90
	957	1,975,363.2	747,889.8	883.70
	958	1,975,323.6	747,848.2	884.20
	959	1,975,290.8	747,765.9	885.60
	960	1,975,291.1	747,711.7	886.70
	961	1,975,305.2	747,684.3	886.60
	962	1,975,351.4	747,617.6	887.50
	963	1,975,395.2	747,586.3	889.60
	964	1,975,453.6	747,560.6	888.80
	965	1,975,512.4	747,544.4	892.80
	966	1,975,581.4	747,529.5	896.90
	967	1,975,631.9	747,524.4	898.00

	968	1,975,653.5	747,532.1	898.90
	969	1,975,672.0	747,556.8	900.90
	970	1,975,683.9	747,612.4	902.70
	971	1,975,689.9	747,705.9	904.80
	972	1,975,694.9	747,784.6	906.70
	973	1,975,700.6	747,875.4	907.50
Wicklow Toe	974	1,971,734.6	750,127.6	889.50
	975	1,971,803.5	750,070.2	889.80
	976	1,971,854.9	750,008.2	885.30
	977	1,971,982.8	749,932.4	886.80
	978	1,972,099.1	749,846.7	885.40
	979	1,972,213.1	749,767.9	884.70
	980	1,972,306.2	749,717.8	884.30
	981	1,972,377.8	749,660.8	882.90
	982	1,972,452.9	749,561.8	882.70
	983	1,972,515.5	749,462.7	881.80
	984	1,972,541.2	749,376.8	881.10
SR16-37 NB Toe6-2	985	1,965,485.9	749,386.1	916.20
	696	1,965,454.1	749,370.6	916.70
	697	1,965,360.5	749,361.1	917.60
	698	1,965,208.4	749,347.0	916.80
	699	1,965,044.8	749,350.4	916.40
	700	1,964,929.5	749,349.7	915.90
	701	1,964,861.5	749,340.2	912.00
Hotel Top-2	918	1,974,944.0	748,016.5	888.20
	919	1,974,994.1	747,971.0	888.90
	920	1,975,024.1	747,937.9	888.20
	921	1,975,095.8	747,844.8	889.70
	922	1,975,134.8	747,790.7	890.20
	923	1,975,191.2	747,706.1	891.20
	924	1,975,235.9	747,642.1	891.90
	925	1,975,282.6	747,581.2	893.00
	926	1,975,375.6	747,510.1	894.20
	927	1,975,464.5	747,480.6	895.20
	928	1,975,551.6	747,458.9	895.80
	929	1,975,634.0	747,440.8	897.20

	930	1,975,661.4	747,422.2	897.00
	931	1,975,671.8	747,402.1	896.50
	932	1,975,681.0	747,346.8	895.10
	933	1,975,673.1	747,244.9	891.60
	934	1,975,665.9	747,132.3	887.50
	935	1,975,639.1	747,034.8	883.50
	936	1,975,596.9	746,952.9	881.20
	937	1,975,553.6	746,887.2	883.20

EnviroScience, Inc.				**11 September 2024**	
Michael Liptak &Kieran Hynes				**TNM 2.5**	
INPUT: GROUND ZONES					
PROJECT/CONTRACT:	**LIC-16/37-14.24/15.72 (PID 95445)**				
RUN:	**2048 All Barriers All NSAs**				
Ground Zone			**Points**		
Name	**Type**	**Flow**	**No.**	**Coordinates**	
		Resistivity		**X**	**Y**
		cgs rayls		ft	ft
Lake Hudson	Water	20000	1	1,964,139.9	750,684.0
			2	1,963,996.5	750,742.9
			3	1,963,929.5	750,738.9
			4	1,963,866.5	750,712.1
			5	1,963,806.2	750,716.2
			6	1,963,713.8	750,756.4
			7	1,963,683.0	750,751.0
			8	1,963,640.1	750,721.5
			9	1,963,616.0	750,710.8
			10	1,963,605.2	750,627.8
			11	1,963,605.2	750,538.1
			12	1,963,562.4	750,516.6
			13	1,963,519.5	750,521.9
			14	1,963,492.6	750,595.6
			15	1,963,472.6	750,633.1
			16	1,963,376.1	750,633.1
			17	1,963,310.5	750,631.8
			18	1,963,299.8	750,562.1
			19	1,963,415.0	750,338.4
			20	1,963,511.4	750,160.3
			21	1,963,539.6	750,094.7
			22	1,963,565.0	750,104.1
			23	1,963,558.4	750,149.6

			24	1,963,557.0	750,248.8
			25	1,963,571.8	750,290.2
			26	1,963,609.2	750,272.8
			27	1,963,645.4	750,262.1
			28	1,963,695.0	750,191.1
			29	1,963,780.8	750,090.7
			30	1,963,885.2	750,046.5
			31	1,964,012.5	750,021.0
			32	1,964,095.6	750,019.7
			33	1,964,205.5	750,050.5
			34	1,964,244.4	750,053.2
			35	1,964,293.9	750,014.3
			36	1,964,302.0	749,971.1
			37	1,964,401.5	749,959.6
			38	1,964,573.6	749,974.8
			39	1,964,790.1	749,999.4
			40	1,964,877.0	750,009.9
			41	1,964,897.4	750,037.6
			42	1,964,926.8	750,046.5
			43	1,965,004.2	750,075.2
			44	1,965,081.6	750,149.1
			45	1,965,117.2	750,251.1
			46	1,965,138.8	750,341.6
			47	1,965,138.8	750,391.5
			48	1,965,128.6	750,501.9
			49	1,965,101.9	750,512.6
			50	1,965,072.4	750,497.9
			51	1,965,033.5	750,438.9
			52	1,964,990.6	750,417.5
			53	1,964,879.4	750,430.9
			54	1,964,781.6	750,499.2
			55	1,964,725.4	750,544.8
			56	1,964,732.0	750,673.3
			57	1,964,689.1	750,738.9
			58	1,964,540.5	750,779.1
			59	1,964,482.9	750,784.5

			60	1,964,433.2	750,759.0
			61	1,964,381.0	750,678.7
			62	1,964,314.0	750,663.9
Shoulder	Pavement	20000	141	1,958,608.0	751,387.5
			142	1,958,794.5	751,315.6
			143	1,959,262.5	751,139.6
			144	1,959,730.6	750,964.0
			145	1,960,198.8	750,788.2
			146	1,960,666.4	750,612.8
			147	1,961,135.0	750,437.0
			148	1,961,601.9	750,261.8
			149	1,962,071.2	750,085.8
			150	1,962,539.4	749,910.1
			151	1,963,007.5	749,734.2
			152	1,963,475.4	749,558.4
			153	1,963,947.5	749,397.3
			154	1,964,434.6	749,294.2
			155	1,964,931.1	749,254.8
			156	1,965,428.8	749,278.2
			157	1,965,922.8	749,351.1
			158	1,966,416.8	749,427.8
			159	1,966,910.9	749,504.6
			160	1,967,404.9	749,581.2
			161	1,967,651.5	749,621.8
			162	1,967,997.0	749,677.8
			163	1,968,392.2	749,739.4
			164	1,968,886.4	749,816.4
			165	1,969,380.5	749,893.4
			166	1,969,877.2	749,956.9
			167	1,970,378.5	749,959.6
			168	1,970,876.2	749,899.3
			169	1,971,362.0	749,775.6
			170	1,971,827.9	749,591.5
			171	1,972,282.6	749,383.0
			172	1,972,737.1	749,174.6
			173	1,973,191.6	748,966.2

			174	1,973,646.2	748,757.9
			175	1,974,100.2	748,548.6
			176	1,974,554.5	748,340.3
			177	1,975,016.9	748,153.8
			178	1,975,498.9	748,027.1
			179	1,975,642.4	748,001.8
			180	1,975,637.9	747,976.2
			181	1,975,493.2	748,001.7
			182	1,975,008.6	748,129.0
			183	1,974,544.2	748,316.4
			184	1,974,089.4	748,524.9
			185	1,973,635.4	748,734.3
			186	1,973,180.9	748,942.6
			187	1,972,726.4	749,150.9
			188	1,972,271.9	749,359.3
			189	1,971,817.6	749,567.6
			190	1,971,354.0	749,750.8
			191	1,970,871.4	749,873.8
			192	1,970,377.1	749,933.6
			193	1,969,879.0	749,930.9
			194	1,969,384.2	749,867.7
			195	1,968,890.4	749,790.8
			196	1,968,396.2	749,713.8
			197	1,968,001.1	749,652.1
			198	1,967,655.6	749,596.1
			199	1,967,409.0	749,555.5
			200	1,966,914.9	749,478.9
			201	1,966,420.8	749,402.1
			202	1,965,926.6	749,325.4
			203	1,965,431.2	749,252.3
			204	1,964,930.8	749,228.8
			205	1,964,431.0	749,268.4
			206	1,963,940.5	749,372.2
			207	1,963,466.6	749,534.0
			208	1,962,998.4	749,709.9
			209	1,962,530.2	749,885.7

			210	1,962,062.1	750,061.4
			211	1,961,592.8	750,237.4
			212	1,961,125.9	750,412.7
			213	1,960,657.2	750,588.4
			214	1,960,189.6	750,763.9
			215	1,959,721.5	750,939.7
			216	1,959,253.4	751,115.2
			217	1,958,785.2	751,291.2
			218	1,958,598.6	751,363.2

EnviroScience, Inc.				**11 September 2024**	
Michael Liptak &Kieran Hynes				**TNM 2.5**	
INPUT: TREE ZONES					
PROJECT/CONTRACT:	**LIC-16/37-14.24/15.72 (PID 95445)**				
RUN:	**2048 All Barriers All NSAs**				
Tree Zone		**Points**			
Name	**Average**	**No.**	**Coordinates (ground)**		
	Height		**X**	**Y**	**Z**
	ft		ft	ft	ft
Tree Zone1	50.00	1	1,965,545.6	749,453.9	909.20
		2	1,965,617.8	749,386.4	907.90
		3	1,965,965.0	749,431.4	902.50
		4	1,967,126.9	749,604.6	900.80
		5	1,967,523.0	749,666.3	901.90
		6	1,967,789.2	749,699.5	888.90
		7	1,967,864.5	749,890.9	892.00
		8	1,967,988.4	749,974.5	890.80
		9	1,967,516.9	749,940.9	898.30
		10	1,967,399.0	749,776.9	898.50
		11	1,967,255.4	749,687.8	897.00
		12	1,966,655.0	749,581.6	901.00
		13	1,965,890.9	749,459.6	902.10
		14	1,965,650.4	749,424.7	909.10
		15	1,965,556.9	749,468.2	909.30
Tree Zone2	50.00	16	1,969,624.8	750,008.4	923.50
		17	1,969,885.8	750,034.6	915.40
		18	1,970,269.8	750,036.5	912.20
		19	1,970,579.6	750,010.6	904.80
		20	1,970,935.5	749,958.2	896.50
		21	1,970,944.5	749,967.6	892.60
		22	1,970,566.1	750,045.2	889.40
		23	1,970,372.8	750,072.3	892.40
		24	1,970,060.1	750,089.4	896.30

		25	1,969,706.6	750,065.4	900.50
		26	1,969,616.0	750,045.8	899.90
Tree Zone3	50.00	27	1,971,611.8	750,143.1	888.10
		28	1,971,722.2	750,084.2	889.20
		29	1,972,011.4	749,878.9	886.50
		30	1,972,369.6	749,620.6	886.20
		31	1,972,338.0	749,468.3	886.10
		32	1,972,556.9	749,351.0	882.70
		36	1,972,633.6	749,407.0	907.90
		37	1,972,481.5	749,653.8	905.60
		38	1,972,346.6	749,787.2	909.50
		39	1,972,134.5	749,893.2	907.10
		40	1,971,918.5	750,041.4	906.60
		41	1,971,716.9	750,162.7	893.20
		42	1,971,608.6	750,177.2	889.10

Appendix E: Sound Level Results

Sound Level Result Comparison Tables

TNM 2.5 Output Tables

Table E-1. NSA 1&2 Sound Level Results (Full Length Barrier 1)

Receiver Name	Noise Abatement Criteria Level (dB)	# Equivalent Receptors	Scenario		Full Length Barrier 1				Full Length Barrier 1				Full Length Barrier 1			
			Wall Length(s)		2200ft				2200ft				2200ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.9 dB?	Benefit >6.5 dB?
				17			9.1	1			13.6	8.1			26.1	9.1
							54%				80%				154%	
1.01	71	1.1	60.4	0	60.1	0.3	0	0	60.1	0.3	0	0	60	0.4	0	0
1.02	71	1.1	58.5	0	58.2	0.3	0	0	58.2	0.3	0	0	58	0.5	0	0
2.01	66	1.0	65.3	0	63.5	1.8	0	0	62.6	2.7	0	0	62.2	3.1	0	0
2.02	66	1.0	66.5	1	64	2.5	0	0	63.1	3.4	0	0	62.7	3.8	0	0
2.03	66	1.0	71.2	1	65.9	5.3	1	0	65.1	6.1	1	0	64.8	6.4	1	1
2.04	66	1.0	71.1	1	64.3	6.8	1	1	63.5	7.6	1	1	63	8.1	1	1
2.05	66	1.0	70.7	1	64.3	6.4	1	0	63.2	7.5	1	1	62.7	8.0	1	1
2.06	66	1.0	66.4	1	63.2	3.2	0	0	61.9	4.5	1	0	61.4	5.0	1	0
2.07	66	1.0	66.3	1	63.2	3.1	0	0	61.9	4.4	0	0	61.4	4.9	1	0
2.08	66	1.0	69.9	1	64.1	5.8	1	0	62.7	7.2	1	1	62.1	7.8	1	1
2.09	66	1.0	70.6	1	64.2	6.4	1	0	62.7	7.9	1	1	62	8.6	1	1
2.10	66	1.0	66.3	1	63.9	2.4	0	0	62.9	3.4	0	0	62.4	3.9	0	0
2.11	66	1.0	69	1	63.4	5.6	1	0	61.9	7.1	1	1	61.3	7.7	1	1
2.12	66	1.0	69.2	1	63.3	5.9	1	0	61.9	7.3	1	1	61.3	7.9	1	1
2.13	66	1.0	69.6	1	63.2	6.4	1	0	61.9	7.7	1	1	61.3	8.3	1	1
2.14	66	1.0	70.2	1	64	6.2	1	0	62.3	7.9	1	1	61.7	8.5	1	1
2.15	66	3.0	60.1	0	59.8	0.3	0	0	59.8	0.3	0	0	59.7	0.4	0	0
2.16	66	3.0	60.7	0	60.5	0.2	0	0	60.4	0.3	0	0	60.3	0.4	0	0
2.17	66	3.0	61.6	0	61.3	0.3	0	0	61.3	0.3	0	0	61.2	0.4	0	0
2.18	66	3.0	62.1	0	61.6	0.5	0	0	61.5	0.6	0	0	61.3	0.8	0	0
2.19	66	3.0	61.7	0	60.7	1.0	0	0	60.4	1.3	0	0	60	1.7	0	0
2.20	66	3.0	61.9	0	60.6	1.3	0	0	60.1	1.8	0	0	59.4	2.5	0	0
2.21	66	3.0	61.3	0	59.7	1.6	0	0	59.1	2.2	0	0	58.3	3.0	0	0
2.22	66	3.0	63.2	0	61	2.2	0	0	60.1	3.1	0	0	59.2	4.0	0	0
2.23	66	3.0	63.6	0	60.8	2.8	0	0	59.7	3.9	0	0	58.7	4.9	3	0
2.24	66	3.0	65.4	0	62.3	3.1	0	0	61.2	4.2	0	0	60.2	5.2	3	0
2.25	66	3.0	63.8	0	61.4	2.4	0	0	60.2	3.6	0	0	59.4	4.4	0	0
2.26	66	3.0	64.4	0	61.6	2.8	0	0	60.4	4.0	0	0	59.3	5.1	3	0
2.27	66	3.0	62.9	0	61.2	1.7	0	0	60.5	2.4	0	0	59.7	3.2	0	0
2.28	66	3.0	61	0	59.2	1.8	0	0	58.3	2.7	0	0	57.3	3.7	0	0
2.29	66	3.0	60.5	0	58.3	2.2	0	0	57.4	3.1	0	0	56.1	4.4	0	0
2.30	66	3.0	59.9	0	57.8	2.1	0	0	56.9	3.0	0	0	55.7	4.2	0	0
2.31	66	1.0	66.6	1	63.2	3.4	0	0	62	4.6	1	0	60.8	5.8	1	0
2.32	66	1.0	64.1	0	61.8	2.3	0	0	60.8	3.3	0	0	59.8	4.3	0	0
2.33	66	1.0	63.2	0	61.6	1.6	0	0	60.8	2.4	0	0	60	3.2	0	0
2.34	66	1.0	62.3	0	61.1	1.2	0	0	60.5	1.8	0	0	59.8	2.5	0	0
2.35	66	1.0	60.1	0	59.1	1.0	0	0	58.5	1.6	0	0	58	2.1	0	0

Table E-1. NSA 1&2 Sound Level Results (Full Length Barrier 1)

Receiver Name	Noise Abatement Criteria Level (dB)	# Equivalent Receptors	Scenario		Full Length Barrier 1				Full Length Barrier 1				Full Length Barrier 1			
			Wall Length(s)		2200ft				2200ft				2200ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.9 dB?	Benefit >6.5 dB?
				17			9.1	1			13.6	8.1			26.1	9.1
							54%				80%				154%	
2.36	66	1.0	60	0	58.8	1.2	0	0	58	2.0	0	0	57.2	2.8	0	0
2.37	66	1.0	62.3	0	61.1	1.2	0	0	60.5	1.8	0	0	59.8	2.5	0	0
2.38	66	1.0	62.8	0	61.6	1.2	0	0	61	1.8	0	0	60.4	2.4	0	0
2.39	66	1.0	64.4	0	62.6	1.8	0	0	62	2.4	0	0	61.2	3.2	0	0
2.40	66	1.0	64.1	0	62.2	1.9	0	0	61.4	2.7	0	0	60.4	3.7	0	0
2.41	66	1.0	65.6	1	63.4	2.2	0	0	62.6	3.0	0	0	61.7	3.9	0	0
2.42	66	1.0	65.2	0	62.9	2.3	0	0	62	3.2	0	0	61	4.2	0	0
2.43	66	1.0	66.5	1	63.1	3.4	0	0	61.9	4.6	1	0	60.4	6.1	1	0
2.44	66	1.0	66	1	62.8	3.2	0	0	61.6	4.4	0	0	60.2	5.8	1	0
2.45	71	1.5	65.8	0	62.7	3.1	0	0	61.3	4.5	1.5	0	60.1	5.7	1.5	0
2.46	71	1.5	64.2	0	61.6	2.6	0	0	60.3	3.9	0	0	59	5.2	1.5	0
2.47	66	0.2	62.7	0	60.7	2.0	0	0	59.4	3.3	0	0	58.4	4.3	0	0
2.48	66	1.0	61.2	0	59.9	1.3	0	0	59	2.2	0	0	58.3	2.9	0	0
2.49	71	0.1	70.1	0	63.7	6.4	0.1	0	62.3	7.8	0.1	0.1	61.5	8.6	0.1	0.1
2.50	66	3.0	59.6	0	57.9	1.7	0	0	57.1	2.5	0	0	55.9	3.7	0	0
	85.5			17		6.8	9.1	1		7.9	13.6	8.1		8.6	26.1	9.1

Key

Receptor Not Impacted
Receptor Impacted

Receptor Benefited
Receptor Not Benefited

Table E-2. NSA 1&2 Sound Level Results (Short Length Barrier 1)

Receiver Name	Noise Abatement Criteria Level (dB)	# Equivalent Receptors	Scenario		Short Length Barrier 1				Short Length Barrier 1				Short Length Barrier 1			
			Wall Length		1000ft				1000ft				1000ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.9 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.9 dB?	Benefit >6.5 dB?
				17.0			9.0	1.0			10.0	8.0			11.0	9.0
							53%				59%				65%	
1.01	71	1.1	60.4	0	60.2	0.2	0	0	60.2	0.2	0	0	60	0.4	0	0
1.02	71	1.1	58.5	0	58.3	0.2	0	0	58.2	0.3	0	0	58.1	0.4	0	0
2.01	66	1.0	65.3	0	63.5	1.8	0	0	62.7	2.6	0	0	62.3	3.0	0	0
2.02	66	1.0	66.5	1	64	2.5	0	0	63.2	3.3	0	0	62.7	3.8	0	0
2.03	66	1.0	71.2	1	65.9	5.3	1	0	65.1	6.1	1	0	64.8	6.4	1	1
2.04	66	1.0	71.1	1	64.3	6.8	1	1	63.5	7.6	1	1	63	8.1	1	1
2.05	66	1.0	70.7	1	64.3	6.4	1	0	63.2	7.5	1	1	62.7	8.0	1	1
2.06	66	1.0	66.4	1	63.2	3.2	0	0	61.9	4.5	1	0	61.4	5.0	1	0
2.07	66	1.0	66.3	1	63.2	3.1	0	0	61.9	4.4	0	0	61.4	4.9	1	0
2.08	66	1.0	69.9	1	64.1	5.8	1	0	62.7	7.2	1	1	62.2	7.7	1	1
2.09	66	1.0	70.6	1	64.2	6.4	1	0	62.7	7.9	1	1	62.1	8.5	1	1
2.10	66	1.0	66.3	1	64	2.3	0	0	63	3.3	0	0	62.6	3.7	0	0
2.11	66	1.0	69	1	63.5	5.5	1	0	62	7.0	1	1	61.5	7.5	1	1
2.12	66	1.0	69.2	1	63.4	5.8	1	0	62	7.2	1	1	61.4	7.8	1	1
2.13	66	1.0	69.6	1	63.2	6.4	1	0	62.1	7.5	1	1	61.5	8.1	1	1
2.14	66	1.0	70.2	1	64.2	6.0	1	0	62.6	7.6	1	1	62	8.2	1	1
2.15	66	3.0	60.1	0	59.9	0.2	0	0	59.9	0.2	0	0	59.8	0.3	0	0
2.16	66	3.0	60.7	0	60.5	0.2	0	0	60.4	0.3	0	0	60.3	0.4	0	0
2.17	66	3.0	61.6	0	61.4	0.2	0	0	61.3	0.3	0	0	61.2	0.4	0	0
2.18	66	3.0	62.1	0	61.7	0.4	0	0	61.6	0.5	0	0	61.4	0.7	0	0
2.19	66	3.0	61.7	0	60.9	0.8	0	0	60.6	1.1	0	0	60.2	1.5	0	0
2.20	66	3.0	61.9	0	60.7	1.2	0	0	60.3	1.6	0	0	59.8	2.1	0	0
2.21	66	3.0	61.3	0	60	1.3	0	0	59.4	1.9	0	0	58.8	2.5	0	0
2.22	66	3.0	63.2	0	61.3	1.9	0	0	60.5	2.7	0	0	59.9	3.3	0	0
2.23	66	3.0	63.6	0	61.2	2.4	0	0	60.4	3.2	0	0	59.7	3.9	0	0
2.24	66	3.0	65.4	0	62.9	2.5	0	0	62.1	3.3	0	0	61.6	3.8	0	0
2.25	66	3.0	63.8	0	61.9	1.9	0	0	61.1	2.7	0	0	60.7	3.1	0	0
2.26	66	3.0	64.4	0	62.7	1.7	0	0	62.2	2.2	0	0	61.9	2.5	0	0
2.27	66	3.0	62.9	0	62	0.9	0	0	61.7	1.2	0	0	61.4	1.5	0	0
2.28	66	3.0	61	0	60	1.0	0	0	59.6	1.4	0	0	59.3	1.7	0	0
2.29	66	3.0	60.5	0	59.1	1.4	0	0	58.6	1.9	0	0	58.1	2.4	0	0
2.30	66	3.0	59.9	0	58.8	1.1	0	0	58.4	1.5	0	0	58	1.9	0	0
2.31	66	1.0	66.6	1	65.2	1.4	0	0	64.9	1.7	0	0	64.8	1.8	0	0
2.32	66	1.0	64.1	0	63	1.1	0	0	62.6	1.5	0	0	62.5	1.6	0	0
2.33	66	1.0	63.2	0	62.4	0.8	0	0	62.1	1.1	0	0	62	1.2	0	0
2.34	66	1.0	62.3	0	61.7	0.6	0	0	61.5	0.8	0	0	61.4	0.9	0	0
2.35	66	1.0	60.1	0	59.6	0.5	0	0	59.4	0.7	0	0	59.2	0.9	0	0

Table E-2. NSA 1&2 Sound Level Results (Short Length Barrier 1)

Receiver Name	Noise Abatement Criteria Level (dB)	# Equivalent Receptors	Scenario		Short Length Barrier 1				Short Length Barrier 1				Short Length Barrier 1			
			Wall Length		1000ft				1000ft				1000ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.9 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.9 dB?	Benefit >6.5 dB?
				17.0			9.0	1.0			10.0	8.0			11.0	9.0
							53%				59%				65%	
2.36	66	1.0	60	0	59.6	0.4	0	0	59.5	0.5	0	0	59.3	0.7	0	0
2.37	66	1.0	62.3	0	61.8	0.5	0	0	61.6	0.7	0	0	61.5	0.8	0	0
2.38	66	1.0	62.8	0	62.4	0.4	0	0	62.3	0.5	0	0	62.2	0.6	0	0
2.39	66	1.0	64.4	0	63.8	0.6	0	0	63.6	0.8	0	0	63.5	0.9	0	0
2.40	66	1.0	64.1	0	63.6	0.5	0	0	63.4	0.7	0	0	63.3	0.8	0	0
2.41	66	1.0	65.6	1	65	0.6	0	0	64.9	0.7	0	0	64.7	0.9	0	0
2.42	66	1.0	65.2	0	64.7	0.5	0	0	64.6	0.6	0	0	64.5	0.7	0	0
2.43	66	1.0	66.5	1	65.8	0.7	0	0	65.6	0.9	0	0	65.6	0.9	0	0
2.44	66	1.0	66	1	65.5	0.5	0	0	65.4	0.6	0	0	65.4	0.6	0	0
2.45	71	1.5	65.8	0	65.6	0.2	0	0	65.6	0.2	0	0	65.6	0.2	0	0
2.46	71	1.5	64.2	0	63.9	0.3	0	0	63.9	0.3	0	0	63.8	0.4	0	0
2.47	66	0.2	62.7	0	62.5	0.2	0	0	62.5	0.2	0	0	62.5	0.2	0	0
2.48	66	1.0	61.2	0	61.1	0.1	0	0	61.1	0.1	0	0	61.1	0.1	0	0
2.49	71	0.1	70.1	0	70.1	0.0	0	0	70.1	0.0	0	0	70.1	0.0	0	0
2.50	66	3.0	59.6	0	58.7	0.9	0	0	58.2	1.4	0	0	57.7	1.9	0	0
		85.5		17		6.8	9	1		7.9	10	8		8.5	11	9

Key

	Receptor Not Impacted
	Receptor Impacted
	Receptor Benefited
	Receptor Not Benefited

Table E-3. NSA 1&2 Sound Level Results (Medium Length Barrier 1)

Receiver Name	Noise Abatement Criteria Level (dB)	# Equivalent Receptors	Scenario		Medium Length Barrier 1				Medium Length Barrier 1				Medium Length Barrier 1			
			Wall Length		1600ft				1600ft				1600ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?
				17.00			9.00	1.00			10.00	8.00			23.00	9.00
							53%				59%				135%	
1.01	71	1.1	60.4	0	60.1	0.3	0	0	60.1	0.3	0	0	60	0.4	0	0
1.02	71	1.1	58.5	0	58.2	0.3	0	0	58.2	0.3	0	0	58	0.5	0	0
2.01	66	1.0	65.3	0	63.5	1.8	0	0	62.7	2.6	0	0	62.2	3.1	0	0
2.02	66	1.0	66.5	1	64	2.5	0	0	63.2	3.3	0	0	62.7	3.8	0	0
2.03	66	1.0	71.2	1	65.9	5.3	1	0	65.1	6.1	1	0	64.8	6.4	1	1
2.04	66	1.0	71.1	1	64.3	6.8	1	1	63.5	7.6	1	1	63	8.1	1	1
2.05	66	1.0	70.7	1	64.3	6.4	1	0	63.2	7.5	1	1	62.7	8.0	1	1
2.06	66	1.0	66.4	1	63.2	3.2	0	0	61.9	4.5	1	0	61.4	5.0	1	0
2.07	66	1.0	66.3	1	63.2	3.1	0	0	61.9	4.4	0	0	61.4	4.9	1	0
2.08	66	1.0	69.9	1	64.1	5.8	1	0	62.7	7.2	1	1	62.1	7.8	1	1
2.09	66	1.0	70.6	1	64.2	6.4	1	0	62.7	7.9	1	1	62.1	8.5	1	1
2.10	66	1.0	66.3	1	63.9	2.4	0	0	62.9	3.4	0	0	62.5	3.8	0	0
2.11	66	1.0	69	1	63.4	5.6	1	0	61.9	7.1	1	1	61.3	7.7	1	1
2.12	66	1.0	69.2	1	63.4	5.8	1	0	61.9	7.3	1	1	61.3	7.9	1	1
2.13	66	1.0	69.6	1	63.2	6.4	1	0	61.9	7.7	1	1	61.4	8.2	1	1
2.14	66	1.0	70.2	1	64.1	6.1	1	0	62.3	7.9	1	1	61.7	8.5	1	1
2.15	66	3.0	60.1	0	59.9	0.2	0	0	59.8	0.3	0	0	59.7	0.4	0	0
2.16	66	3.0	60.7	0	60.5	0.2	0	0	60.4	0.3	0	0	60.3	0.4	0	0
2.17	66	3.0	61.6	0	61.3	0.3	0	0	61.3	0.3	0	0	61.2	0.4	0	0
2.18	66	3.0	62.1	0	61.7	0.4	0	0	61.6	0.5	0	0	61.4	0.7	0	0
2.19	66	3.0	61.7	0	60.8	0.9	0	0	60.4	1.3	0	0	60	1.7	0	0
2.20	66	3.0	61.9	0	60.6	1.3	0	0	60.1	1.8	0	0	59.5	2.4	0	0
2.21	66	3.0	61.3	0	59.8	1.5	0	0	59.1	2.2	0	0	58.3	3.0	0	0
2.22	66	3.0	63.2	0	61.1	2.1	0	0	60.2	3.0	0	0	59.3	3.9	0	0
2.23	66	3.0	63.6	0	60.8	2.8	0	0	59.8	3.8	0	0	58.7	4.9	3	0
2.24	66	3.0	65.4	0	62.3	3.1	0	0	61.3	4.1	0	0	60.3	5.1	3	0
2.25	66	3.0	63.8	0	61.5	2.3	0	0	60.2	3.6	0	0	59.5	4.3	0	0
2.26	66	3.0	64.4	0	61.7	2.7	0	0	60.6	3.8	0	0	59.5	4.9	3	0
2.27	66	3.0	62.9	0	61.3	1.6	0	0	60.6	2.3	0	0	59.8	3.1	0	0
2.28	66	3.0	61	0	59.3	1.7	0	0	58.4	2.6	0	0	57.5	3.5	0	0
2.29	66	3.0	60.5	0	58.4	2.1	0	0	57.5	3.0	0	0	56.4	4.1	0	0
2.30	66	3.0	59.9	0	57.9	2.0	0	0	57.1	2.8	0	0	56	3.9	0	0
2.31	66	1.0	66.6	1	63.4	3.2	0	0	62.2	4.4	0	0	61.2	5.4	1	0
2.32	66	1.0	64.1	0	62	2.1	0	0	61	3.1	0	0	60.1	4.0	0	0
2.33	66	1.0	63.2	0	61.7	1.5	0	0	60.9	2.3	0	0	60.1	3.1	0	0
2.34	66	1.0	62.3	0	61.1	1.2	0	0	60.6	1.7	0	0	59.9	2.4	0	0
2.35	66	1.0	60.1	0	59.2	0.9	0	0	58.8	1.3	0	0	58.3	1.8	0	0

Table E-3. NSA 1&2 Sound Level Results (Medium Length Barrier 1)

Receiver Name	Noise Abatement Criteria Level (dB)	# Equivalent Receptors	Scenario		Medium Length Barrier 1				Medium Length Barrier 1				Medium Length Barrier 1			
			Wall Length		1600ft				1600ft				1600ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?
				17.00			9.00	1.00			10.00	8.00			23.00	9.00
							53%				59%				135%	
2.36	66	1.0	60	0	59	1.0	0	0	58.3	1.7	0	0	57.7	2.3	0	0
2.37	66	1.0	62.3	0	61.2	1.1	0	0	60.6	1.7	0	0	60	2.3	0	0
2.38	66	1.0	62.8	0	61.7	1.1	0	0	61.2	1.6	0	0	60.7	2.1	0	0
2.39	66	1.0	64.4	0	62.7	1.7	0	0	62.1	2.3	0	0	61.4	3.0	0	0
2.40	66	1.0	64.1	0	62.4	1.7	0	0	61.6	2.5	0	0	60.8	3.3	0	0
2.41	66	1.0	65.6	1	63.6	2.0	0	0	62.8	2.8	0	0	62	3.6	0	0
2.42	66	1.0	65.2	0	63.1	2.1	0	0	62.3	2.9	0	0	61.4	3.8	0	0
2.43	66	1.0	66.5	1	63.4	3.1	0	0	62.3	4.2	0	0	61	5.5	1	0
2.44	66	1.0	66	1	63.2	2.8	0	0	62.1	3.9	0	0	60.9	5.1	1	0
2.45	71	1.5	65.8	0	63.4	2.4	0	0	62.5	3.3	0	0	61.7	4.1	0	0
2.46	71	1.5	64.2	0	62.4	1.8	0	0	61.6	2.6	0	0	60.8	3.4	0	0
2.47	66	0.2	62.7	0	61.8	0.9	0	0	61.4	1.3	0	0	60.9	1.8	0	0
2.48	66	1.0	61.2	0	60.9	0.3	0	0	60.6	0.6	0	0	60.4	0.8	0	0
2.49	71	0.1	70.1	0	70	0.1	0	0	70	0.1	0	0	70	0.1	0	0
2.50	66	3.0	59.6	0	58	1.6	0	0	57.2	2.4	0	0	56.1	3.5	0	0
		85.5		17		6.8	9	1		7.9	10	8		8.5	23	9

Key

	Receptor Not Impacted
	Receptor Impacted
	Receptor Benefited
	Receptor Not Benefited

Table E-4. NSA 3 Sound Level Results (Full Length Barrier 2)

Receiver Name	Noise Abatement Criteria Level (dB)	# Equivalent Receptors	Scenario		Full Length Barrier 2				Full Length Barrier 2				Full Length Barrier 2			
			Wall Length(s)		750ft				750ft				750ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?
				1			0	0			1	0			1	1
							0%				100%				100%	
3.01	66	1	63.3	0	61.5	1.8	0	0	61.1	2.2	0	0	60.4	2.9	0	0
3.02	66	1	71.4	1	67.8	3.6	0	0	66.5	4.9	1	0	64.3	7.1	1	1
3.03	66	1	60.4	0	60.4	0.0	0	0	60.4	0.0	0	0	60.4	0.0	0	0
3.04	66	1	64.2	0	64.2	0.0	0	0	64.2	0.0	0	0	64.2	0.0	0	0
3.05	66	1	64.6	0	64.6	0.0	0	0	64.6	0.0	0	0	64.6	0.0	0	0
						3.6				4.9				7.1		

Key

Receptor Not Impacted	Receptor Benefited
Receptor Impacted	Receptor Not Benefited

Table E-5. NSA 3 Sound Level Results (Partial Length Barrier 2)

Receiver Name	Noise Abatement Criteria Level (dB)	# Equivalent Receptors	Scenario		Barrier 2 Medium				Barrier 2 Medium				Barrier 2 Medium			
			Wall Length(s)		550ft				550ft				550ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?
				1			0	0			1	0			1	1
							0%				100%				100%	
3.01	66	1	63.3	0	62.2	1.1	0	0	62	1.3	0	0	61.5	1.8	0	0
3.02	66	1	71.4	1	67.8	3.6	0	0	66.5	4.9	1	0	64.4	7.0	1	1
3.03	66	1	60.4	0	60.4	0.0	0	0	60.4	0.0	0	0	60.4	0.0	0	0
3.04	66	1	64.2	0	64.2	0.0	0	0	64.2	0.0	0	0	64.2	0.0	0	0
3.05	66	1	64.6	0	64.6	0.0	0	0	64.6	0.0	0	0	64.6	0.0	0	0
						3.6	0	0		4.9	1	0		7.0	1	1

Key

Receptor Not Impacted	Receptor Benefited
Receptor Impacted	Receptor Not Benefited

Table E-6. NSA 4 Sound Level Results (Barrier 3 Only)

Receiver Name	Noise Abatement Criteria Level (dB)	# Equivalent Receptors	Scenario		Full Length Barrier 3				Full Length Barrier 3				Full Length Barrier 3			
			Wall Length(s)		2800ft				2800ft				2800ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?
				16.5			12.5	8.1			14.7	8.1			14.7	14.7
							76%				89%				89%	
4.01	66	0.2	64.3	0	63.3	1.0	0	0	62.5	1.8	0	0	62.0	2.3	0	0
4.02	71	1.1	65.1	0	63.3	1.8	0	0	62.5	2.6	0	0	61.7	3.4	0	0
4.03	71	0.5	63.7	0	62.1	1.6	0	0	61.2	2.5	0	0	60.6	3.1	0	0
4.04	71	0.5	65.8	0	63.5	2.3	0	0	62.4	3.4	0	0	61.5	4.3	0	0
4.05	66	0.2	66.7	0.2	64.3	2.4	0	0	63.5	3.2	0	0	62.9	3.8	0	0
4.06	66	0.5	70.5	0.5	63.9	6.6	0.5	0.5	62.8	7.7	0.5	0.5	62.0	8.5	0.5	0.5
4.07	66	1.1	58.0	0	56.9	1.1	0	0	56.7	1.3	0	0	56.4	1.6	0	0
4.08	66	2.2	67.9	2.2	62.6	5.3	2.2	0	61.6	6.3	2.2	0	60.9	7.0	2.2	2.2
4.09	66	2.2	72.6	2.2	64.0	8.6	2.2	2.2	62.9	9.7	2.2	2.2	62.0	10.6	2.2	2.2
4.10	66	2.2	67.4	2.2	64.1	3.3	0	0	61.7	5.7	2.2	0	61.0	6.4	2.2	2.2
4.11	71	0.2	64.4	0	63.6	0.8	0	0	63.2	1.2	0	0	63.0	1.4	0	0
4.12	71	1	64.3	0	64.0	0.3	0	0	63.7	0.6	0	0	63.6	0.7	0	0
4.13	66	1	64.9	0	65.5	-0.6	0	0	65.7	-0.8	0	0	65.6	-0.7	0	0
4.14	71	0.04	65.1	0	64.5	0.6	0	0	64.3	0.8	0	0	64.2	0.9	0	0
4.15	66	1	65.2	0	65.4	-0.2	0	0	65.5	-0.3	0	0	65.5	-0.3	0	0
4.16	66	2.2	62.9	0	59.7	3.2	0	0	58.9	4.0	0	0	58.6	4.3	0	0
4.17	66	2.2	66.0	2.2	61.1	4.9	2.2	0	60.0	6.0	2.2	0	59.4	6.6	2.2	2.2
4.18	66	2.2	68.9	2.2	61.9	7.0	2.2	2.2	60.9	8.0	2.2	2.2	60.2	8.7	2.2	2.2
4.19	66	2.2	71.4	2.2	62.7	8.7	2.2	2.2	61.6	9.8	2.2	2.2	60.8	10.6	2.2	2.2
4.20	66	1	73.0	1	62.8	10.2	1	1	61.9	11.1	1	1	60.9	12.1	1	1
4.21	66	0.3	61.8	0	61.5	0.3	0	0	61.4	0.4	0	0	61.4	0.4	0	0
4.22	66	0.3	65.1	0	65.0	0.1	0	0	64.9	0.2	0	0	64.9	0.2	0	0
4.23	66	0.3	66.3	0.3	66.2	0.1	0	0	66.2	0.1	0	0	66.2	0.1	0	0
4.24	66	0.3	63.5	0	63.5	0.0	0	0	63.5	0.0	0	0	63.4	0.1	0	0
4.25	66	0.3	65.8	0.3	65.8	0.0	0	0	65.8	0.0	0	0	65.8	0.0	0	0
4.26	66	1	68.7	1	68.6	0.1	0	0	68.6	0.1	0	0	68.6	0.1	0	0
4.27	66	1.1	63.6	0	63.6	0.0	0	0	63.6	0.0	0	0	63.6	0.0	0	0
4.28	66	4.4	59.3	0	59.3	0.0	0	0	59.3	0.0	0	0	59.3	0.0	0	0
4.29	66	4.4	61.5	0	61.5	0.0	0	0	61.5	0.0	0	0	61.4	0.1	0	0
4.30	66	0.2	63.6	0	62.3	1.3	0	0	61.5	2.1	0	0	60.9	2.7	0	0
4.31	66	0.2	64.9	0	63.0	1.9	0	0	61.9	3.0	0	0	61.1	3.8	0	0
		36.54		16.5		10.2	12.5	8.1		11.1	14.7	8.1		12.1	14.7	14.7

Key

Receptor Not Impacted	Receptor Benefited
Receptor Impacted	Receptor Not Benefited

Table E-7. NSA 4 Sound Level Results (Barrier 4 Only)

Receiver Name	Noise Abatement Criteria Level (dB)	# Equivalent Receptors	Scenario		Full Length Barrier 4				Full Length Barrier 4				Full Length Barrier 4			
			Wall Length(s)		2000ft				2000ft				2000ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?
				16.5			1	0			1.6	0			6.3	1.3
							6%				10%				38%	
4.01	66	0.2	64.3	0	64.3	0.0	0	0	64.3	0.0	0	0	64.3	0.0	0	0
4.02	71	1.1	65.1	0	65.1	0.0	0	0	65.1	0.0	0	0	65.1	0.0	0	0
4.03	71	0.5	63.7	0	63.7	0.0	0	0	63.7	0.0	0	0	63.7	0.0	0	0
4.04	71	0.5	65.8	0	65.8	0.0	0	0	65.8	0.0	0	0	65.8	0.0	0	0
4.05	66	0.2	66.7	0.2	66.7	0.0	0	0	66.7	0.0	0	0	66.7	0.0	0	0
4.06	66	0.5	70.5	0.5	70.5	0.0	0	0	70.5	0.0	0	0	70.5	0.0	0	0
4.07	66	1.1	58.0	0	58.0	0.0	0	0	58.0	0.0	0	0	58.0	0.0	0	0
4.08	66	2.2	67.9	2.2	67.9	0.0	0	0	67.9	0.0	0	0	67.9	0.0	0	0
4.09	66	2.2	72.6	2.2	72.6	0.0	0	0	72.6	0.0	0	0	72.6	0.0	0	0
4.10	66	2.2	67.4	2.2	67.4	0.0	0	0	67.4	0.0	0	0	67.4	0.0	0	0
4.11	71	0.2	64.4	0	64.4	0.0	0	0	64.4	0.0	0	0	64.4	0.0	0	0
4.12	71	1	64.3	0	64.3	0.0	0	0	64.3	0.0	0	0	64.3	0.0	0	0
4.13	66	1	64.9	0	64.9	0.0	0	0	64.9	0.0	0	0	64.9	0.0	0	0
4.14	71	0.04	65.1	0	65.1	0.0	0	0	65.1	0.0	0	0	65.1	0.0	0	0
4.15	66	1	65.2	0	65.2	0.0	0	0	65.2	0.0	0	0	65.2	0.0	0	0
4.16	66	2.2	62.9	0	62.9	0.0	0	0	62.9	0.0	0	0	62.9	0.0	0	0
4.17	66	2.2	66.0	2.2	66.0	0.0	0	0	66.0	0.0	0	0	66.0	0.0	0	0
4.18	66	2.2	68.9	2.2	68.9	0.0	0	0	68.9	0.0	0	0	68.9	0.0	0	0
4.19	66	2.2	71.4	2.2	71.4	0.0	0	0	71.4	0.0	0	0	71.4	0.0	0	0
4.20	66	1	73.0	1	73.0	0.0	0	0	73.0	0.0	0	0	73.0	0.0	0	0
4.21	66	0.3	61.8	0	60.3	1.5	0	0	59.9	1.9	0	0	59.7	2.1	0	0
4.22	66	0.3	65.1	0	62.3	2.8	0	0	61.6	3.5	0	0	61.3	3.8	0	0
4.23	66	0.3	66.3	0.3	62.1	4.2	0	0	61.0	5.3	0.3	0	60.4	5.9	0.3	0
4.24	66	0.3	63.5	0	60.3	3.2	0	0	59.1	4.4	0	0	57.9	5.6	0.3	0
4.25	66	0.3	65.8	0.3	61.7	4.1	0	0	60.3	5.5	0.3	0	59.0	6.8	0.3	0.3
4.26	66	1	68.7	1	64.2	4.5	1	0	63.1	5.6	1	0	62.2	6.5	1	1
4.27	66	1.1	63.6	0	62.0	1.6	0	0	61.6	2.0	0	0	60.8	2.8	0	0
4.28	66	4.4	59.3	0	58.0	1.3	0	0	57.7	1.6	0	0	56.6	2.7	0	0
4.29	66	4.4	61.5	0	59.4	2.1	0	0	58.4	3.1	0	0	56.9	4.6	4.4	0
4.30	66	0.2	63.6	0	63.6	0.0	0	0	63.6	0.0	0	0	63.6	0.0	0	0
4.31	66	0.2	64.9	0	64.9	0.0	0	0	64.9	0.0	0	0	64.9	0.0	0	0
		36.54				4.5	1	0		5.6	1.6	0		6.8	6.3	1.3

Key

	Receptor Not Impacted
	Receptor Impacted
	Receptor Benefited
	Receptor Not Benefited

Table E-8. NSA 4 Sound Level Results (Barriers 3 & 4)

Receiver Name	Noise Abatement Criteria Level (dB)	# Equivalent Receptors	Scenario		Full Length Barriers 3 & 4				Full Length Barriers 3 & 4				Full Length Barriers 3 & 4			
			Wall Length(s)		4800ft				4800ft				4800ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?
				16.5			13.5	8.1			16.6	8.1			21	16
							82%				101%				127%	
4.01	66	0.2	64.3	0	63.3	1.0	0	0	62.5	1.8	0	0	62.0	2.3	0	0
4.02	71	1.1	65.1	0	63.3	1.8	0	0	62.5	2.6	0	0	61.7	3.4	0	0
4.03	71	0.5	63.7	0	62.1	1.6	0	0	61.2	2.5	0	0	60.5	3.2	0	0
4.04	71	0.5	65.8	0	63.5	2.3	0	0	62.4	3.4	0	0	61.5	4.3	0	0
4.05	66	0.2	66.7	0.2	64.3	2.4	0	0	63.5	3.2	0	0	62.9	3.8	0	0
4.06	66	0.5	70.5	0.5	63.9	6.6	0.5	0.5	62.8	7.7	0.5	0.5	62.0	8.5	0.5	0.5
4.07	66	1.1	58.0	0	56.9	1.1	0	0	56.7	1.3	0	0	56.4	1.6	0	0
4.08	66	2.2	67.9	2.2	62.6	5.3	2.2	0	61.6	6.3	2.2	0	60.9	7.0	2.2	2.2
4.09	66	2.2	72.6	2.2	64.0	8.6	2.2	2.2	62.9	9.7	2.2	2.2	62.0	10.6	2.2	2.2
4.10	66	2.2	67.4	2.2	64.1	3.3	0	0	61.7	5.7	2.2	0	61.0	6.4	2.2	2.2
4.11	71	0.2	64.4	0	63.6	0.8	0	0	63.2	1.2	0	0	63.0	1.4	0	0
4.12	71	1	64.3	0	63.9	0.4	0	0	63.7	0.6	0	0	63.6	0.7	0	0
4.13	66	1	64.9	0	65.5	-0.6	0	0	65.7	-0.8	0	0	65.6	-0.7	0	0
4.14	71	0.04	65.1	0	64.5	0.6	0	0	64.3	0.8	0	0	64.2	0.9	0	0
4.15	66	1	65.2	0	65.4	-0.2	0	0	65.5	-0.3	0	0	65.4	-0.2	0	0
4.16	66	2.2	62.9	0	59.6	3.3	0	0	58.9	4.0	0	0	58.5	4.4	0	0
4.17	66	2.2	66.0	2.2	61.1	4.9	2.2	0	60.0	6.0	2.2	0	59.3	6.7	2.2	2.2
4.18	66	2.2	68.9	2.2	61.9	7.0	2.2	2.2	60.9	8.0	2.2	2.2	60.2	8.7	2.2	2.2
4.19	66	2.2	71.4	2.2	62.7	8.7	2.2	2.2	61.6	9.8	2.2	2.2	60.8	10.6	2.2	2.2
4.20	66	1	73.0	1	62.7	10.3	1	1	61.8	11.2	1	1	60.7	12.3	1	1
4.21	66	0.3	61.8	0	59.9	1.9	0	0	59.3	2.5	0	0	59.0	2.8	0	0
4.22	66	0.3	65.1	0	62.1	3.0	0	0	61.3	3.8	0	0	61.0	4.1	0	0
4.23	66	0.3	66.3	0.3	62.0	4.3	0	0	60.8	5.5	0.3	0	60.1	6.2	0.3	0
4.24	66	0.3	63.5	0	60.3	3.2	0	0	59.0	4.5	0.3	0	57.7	5.8	0.3	0
4.25	66	0.3	65.8	0.3	61.6	4.2	0	0	60.2	5.6	0.3	0	58.9	6.9	0.3	0.3
4.26	66	1	68.7	1	64.2	4.5	1	0	63.0	5.7	1	0	62.1	6.6	1	1
4.27	66	1.1	63.6	0	62.0	1.6	0	0	61.6	2.0	0	0	60.8	2.8	0	0
4.28	66	4.4	59.3	0	57.9	1.4	0	0	57.6	1.7	0	0	56.5	2.8	0	0
4.29	66	4.4	61.5	0	59.4	2.1	0	0	58.3	3.2	0	0	56.8	4.7	4.4	0
4.30	66	0.2	63.6	0	62.2	1.4	0	0	61.5	2.1	0	0	60.9	2.7	0	0
4.31	66	0.2	64.9	0	63.0	1.9	0	0	61.8	3.1	0	0	61.1	3.8	0	0
		36.54				10.3	13.5	8.1		11.2	16.6	8.1		12.3	21	16

Key

Receptor Not Impacted

Receptor Impacted

Receptor Benefited

Receptor Not Benefited

Table E-9. NSA 5 and NSA 6 Sound Level Results

Receiver Name	Noise Abatement Criteria Level (dB)	# Equivalent Receptors		
			No Barrier LAeq1h	Impacted?
				0.4
5.01	66	1	64.8	0
5.02	66	1	64.3	0
5.03	66	1	64.9	0
5.04	66	1	64.7	0
5.05	66	1	64.7	0
5.06	66	1	58.7	0
5.07	66	1	59.3	0
6.01	66	0.2	66.4	0.2
6.02	66	0.2	67.6	0.2

Key

Receptor Not Impacted

Receptor Impacted

Table E-10. NSA 7 Sound Level Results (Barriers 5 & 6 Full)

Receiver Name	Noise Abatement Criteria Level (dB)	# Equivalent Receptors	Scenario		Full Length Barriers 5 & 6				Full Length Barriers 5 & 6				Full Length Barriers 5 & 6			
			Wall Length		2800ft				2800ft				2800ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?
				16.4			6	5			12.4	6			24.8	10.4
							37%				76%				151%	
7.01	66	1	66.1	1	63.9	2.2	0	0	63.8	2.3	0	0	63.7	2.4	0	0
7.02	66	1	63.9	0	61.4	2.5	0	0	61.0	2.9	0	0	60.7	3.2	0	0
7.03	66	1	61.6	0	59.8	1.8	0	0	59.3	2.3	0	0	58.9	2.7	0	0
7.04	66	1	60.8	0	58.6	2.2	0	0	57.8	3.0	0	0	56.9	3.9	0	0
7.05	66	1	62.3	0	59.2	3.1	0	0	58.2	4.1	0	0	57.3	5.0	1	0
7.06	66	1	62.2	0	59.5	2.7	0	0	58.4	3.8	0	0	57.4	4.8	1	0
7.07	66	1	63.1	0	59.5	3.6	0	0	58.2	4.9	1	0	57.2	5.9	1	0
7.08	66	1	64.3	0	60.8	3.5	0	0	59.5	4.8	1	0	58.1	6.2	1	0
7.09	66	1	65.2	0	59.7	5.5	1	0	58.0	7.2	1	1	57.0	8.2	1	1
7.10	66	1	63.2	0	61.1	2.1	0	0	60.1	3.1	0	0	58.6	4.6	1	0
7.11	66	1	61.0	0	58.4	2.6	0	0	57.0	4.0	0	0	55.3	5.7	1	0
7.12	66	1	66.2	1	59.7	6.5	1	1	58.1	8.1	1	1	57.2	9.0	1	1
7.13	66	1	65.8	1	59.2	6.6	1	1	58.4	7.4	1	1	57.6	8.2	1	1
7.14	66	1	67.4	1	60.2	7.2	1	1	59.2	8.2	1	1	58.4	9.0	1	1
7.15	66	1	68.5	1	60.8	7.7	1	1	59.9	8.6	1	1	59.1	9.4	1	1
7.16	66	1	68.7	1	61.5	7.2	1	1	60.2	8.5	1	1	59.3	9.4	1	1
7.17	66	1	61.8	0	59.7	2.1	0	0	58.7	3.1	0	0	57.2	4.6	1	0
7.18	66	1	62.3	0	60.6	1.7	0	0	59.7	2.6	0	0	58.6	3.7	0	0
7.19	66	1	61.0	0	59.2	1.8	0	0	58.1	2.9	0	0	56.6	4.4	0	0
7.20	66	3.6	59.7	0	58.6	1.1	0	0	57.8	1.9	0	0	56.0	3.7	0	0
7.21	66	4.4	62.6	0	60.9	1.7	0	0	59.6	3.0	0	0	57.7	4.9	4.4	0
7.22	66	1	61.5	0	59.6	1.9	0	0	58.9	2.6	0	0	58.3	3.2	0	0
7.23	66	1	63.8	0	61.1	2.7	0	0	60.3	3.5	0	0	59.5	4.3	0	0
7.24	66	1	62.6	0	60.6	2.0	0	0	59.9	2.7	0	0	58.5	4.1	0	0
7.25	66	4.4	66.4	4.4	63.3	3.1	0	0	62.0	4.4	4.4	0	59.9	6.5	4.4	4.4
7.26	66	1	63.1	0	61.0	2.1	0	0	60.3	2.8	0	0	58.8	4.3	0	0
7.27	66	1	64.5	0	62.0	2.5	0	0	60.8	3.7	0	0	60.2	4.3	0	0
7.28	66	1	63.9	0	60.9	3.0	0	0	60.1	3.8	0	0	58.3	5.6	1	0
7.29	66	1	62.8	0	61.1	1.7	0	0	59.7	3.1	0	0	59.0	3.8	0	0
7.30	66	4	60.8	0	59.3	1.5	0	0	58.3	2.5	0	0	57.8	3.0	0	0
7.31	66	4	62.2	0	60.5	1.7	0	0	59.2	3.0	0	0	58.7	3.5	0	0
7.32	66	4	66.0	4	63.8	2.2	0	0	62.7	3.3	0	0	61.7	4.3	0	0
7.33	66	2	64.4	0	62.8	1.6	0	0	61.6	2.8	0	0	60.8	3.6	0	0
7.34	66	4	61.7	0	60.4	1.3	0	0	59.8	1.9	0	0	59.3	2.4	0	0
7.35	66	1	58.8	0	57.9	0.9	0	0	57.3	1.5	0	0	57.0	1.8	0	0
7.36	66	1	58.3	0	57.2	1.1	0	0	56.8	1.5	0	0	56.5	1.8	0	0
7.37	66	4	60.6	0	58.8	1.8	0	0	58.4	2.2	0	0	58.1	2.5	0	0
7.38	66	4	58.0	0	56.7	1.3	0	0	56.5	1.5	0	0	56.3	1.7	0	0
7.39	66	2	72.8	2	69.9	2.9	0	0	68.9	3.9	0	0	67.7	5.1	2	0
7.40	66	0.6	73.6	0.6	Not included in this barrier analysis due to geographic location. Analyzed for Barrier 7.											
		68.4		16.4	69.9	7.7	6	5		8.6	12.4	6		9.4	24.8	10.4

Key

	Receptor Not Impacted
	Receptor Impacted
	Receptor Benefited
	Receptor Not Benefited

Table E-11. NSA 7 Sound Level Results (Barrier 7 Only Full)

Receiver Name	Noise Abatement Criteria Level (dB)	#DUs	Scenario		Full Length Barrier 7				Full Length Barrier 7				Full Length Barrier 7			
			Wall Length		500ft				500ft				500ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?
				0.6			0.6	0.6			0.6	0.6			0.6	0.6
							100%				100%				100%	
7.40	66	0.6	73.6	0.6	65.4	8.2	0.6	0.6	64.1	9.5	0.6	0.6	63.2	10.4	0.6	0.6
					69.9	8.2				9.5				10.4		

Key

	Receptor Not Impacted
	Receptor Impacted
	Receptor Benefited
	Receptor Not Benefited

Table E-12. NSA 7 Sound Level Results (Barrier 7 Only Short)

Receiver Name	Noise Abatement Criteria Level (dB)	#DUs	Scenario		Barrier 7 Short				Barrier 7 Short				Barrier 7 Short			
			Wall Length		2800ft				2800ft				2800ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?
				0.6			0.6	0.6			0.6	0.6			0.6	0.6
							100%				100%				100%	
7.40	66	0.6	73.6	0.6	65.5	8.1	0.6	0.6	64.3	9.3	0.6	0.6	63.5	10.1	0.6	0.6
					69.9	8.1				9.3				10.1		

Key

	Receptor Not Impacted
	Receptor Impacted
	Receptor Benefited
	Receptor Not Benefited

Table E-13. NSA 8 Sound Level Results (Barrier 8 Full)

Receiver Name	Noise Abatement Criteria Level (dB)	# Equivalent Receptors	Scenario		Full Length Barrier 8				Full Length Barrier 8				Full Length Barrier 8			
			Wall Length		1250ft				1250ft				1250ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?
				3.6			2.6	0			6.7	2.6			9.7	2.6
							72%				186%				269%	
8.01	66	1	61.9	0	60.7	1.2	0	0	60.3	1.6	0	0	60.1	1.8	0	0
8.02	66	1	65.6	1	62.8	2.8	0	0	61.4	4.2	0	0	60.3	5.3	1	0
8.03	66	1	62.1	0	59.6	2.5	0	0	58.6	3.5	0	0	57.9	4.2	0	0
8.04	66	1	61.6	0	59.0	2.6	0	0	58.0	3.6	0	0	57.1	4.5	1	0
8.05	66	1	63.1	0	59.8	3.3	0	0	58.4	4.7	1	0	57.5	5.6	1	0
8.06	66	1	61.9	0	58.6	3.3	0	0	57.3	4.6	1	0	56.4	5.5	1	0
8.07	66	1	61.4	0	58.1	3.3	0	0	56.7	4.7	1	0	55.9	5.5	1	0
8.08	66	1	58.9	0	56.3	2.6	0	0	55.2	3.7	0	0	54.4	4.5	1	0
8.09	66	1	58.0	0	55.6	2.4	0	0	54.6	3.4	0	0	54.0	4.0	0	0
8.10	66	2.6	67.4	2.6	61.9	5.5	2.6	0	60.7	6.7	2.6	2.6	59.9	7.5	2.6	2.6
8.11	66	2.6	58.4	0	56.1	2.3	0	0	55.1	3.3	0	0	54.5	3.9	0	0
8.12	71	1.1	62.7	0	58.8	3.9	0	0	58.2	4.5	1.1	0	57.5	5.2	1.1	0
8.13	71	1.1	61.2	0	59.8	1.4	0	0	59.5	1.7	0	0	59.3	1.9	0	0
8.14	71	1.1	58.8	0	58.3	0.5	0	0	58.2	0.6	0	0	58.0	0.8	0	0
8.15	71	1.1	60.5	0	60.0	0.5	0	0	60.0	0.5	0	0	59.9	0.6	0	0
8.16	71	1.1	59.5	0	59.2	0.3	0	0	59.1	0.4	0	0	59.1	0.4	0	0
8.17	71	1.1	59.0	0	58.8	0.2	0	0	58.8	0.2	0	0	58.7	0.3	0	0
8.18	71	1.1	56.8	0	56.8	0.0	0	0	56.8	0.0	0	0	56.8	0.0	0	0
8.19	71	1.1	56.7	0	56.7	0.0	0	0	56.7	0.0	0	0	56.7	0.0	0	0
8.20	71	1.1	50.4	0	50.5	-0.1	0	0	50.5	-0.1	0	0	50.4	0.0	0	0
8.21	66	0.4	47.6	0	47.7	-0.1	0	0	47.7	-0.1	0	0	47.7	-0.1	0	0
8.22	71	0.3	51.2	0	50.9	0.3	0	0	50.7	0.5	0	0	50.4	0.8	0	0
		24.8		3.6		5.5	2.6	0		6.7	6.7	2.6		7.5	9.7	2.6

Key

Receptor Not Impacted
Receptor Impacted
Receptor Benefited
Receptor Not Benefited

Table E-14. NSA 8 Sound Level Results (Barrier 8 Short)

Receiver Name	Noise Abatement Criteria Level (dB)	#DUs	Scenario		Barrier 8 Medium				Barrier 8 Medium				Barrier 8 Medium			
			Wall Length		850ft				850ft				850ft			
			Wall Height		10 ft				12 ft				14 ft			
			No Barrier LAeq1h	Impacted?	10ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	12ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?	14ft Barrier LAeq1h	Benefit (dBA)	Benefit >4.5 dB?	Benefit >6.5 dB?
				3.6			2.6	0			3.6	2.6			5.6	2.6
							72%				100%				156%	
8.01	66	1	61.9	0	60.9	1.0	0	0	60.7	1.2	0	0	60.5	1.4	0	0
8.02	66	1	65.6	1	63.2	2.4	0	0	62.0	3.6	0	0	61.2	4.4	0	0
8.03	66	1	62.1	0	60.1	2.0	0	0	59.4	2.7	0	0	59.0	3.1	0	0
8.04	66	1	61.6	0	59.2	2.4	0	0	58.3	3.3	0	0	57.7	3.9	0	0
8.05	66	1	63.1	0	60.0	3.1	0	0	58.7	4.4	0	0	58.0	5.1	1	0
8.06	66	1	61.9	0	58.7	3.2	0	0	57.6	4.3	0	0	56.8	5.1	1	0
8.07	66	1	61.4	0	58.2	3.2	0	0	56.9	4.5	1	0	56.2	5.2	1	0
8.08	66	1	58.9	0	56.5	2.4	0	0	55.4	3.5	0	0	54.8	4.1	0	0
8.09	66	1	58.0	0	55.8	2.2	0	0	55.0	3.0	0	0	54.5	3.5	0	0
8.10	66	2.6	67.4	2.6	62.2	5.2	2.6	0	61.0	6.4	2.6	2.6	60.3	7.1	2.6	2.6
8.11	66	2.6	58.4	0	56.2	2.2	0	0	55.4	3.0	0	0	55.0	3.4	0	0
8.12	72	1.1	62.7	0	61.5	1.2	0	0	61.3	1.4	0	0	61.2	1.5	0	0
8.13	72	1.1	61.2	0	60.8	0.4	0	0	60.7	0.5	0	0	60.7	0.5	0	0
8.14	72	1.1	58.8	0	58.7	0.1	0	0	58.7	0.1	0	0	58.6	0.2	0	0
8.15	72	1.1	60.5	0	60.2	0.3	0	0	60.2	0.3	0	0	60.2	0.3	0	0
8.16	72	1.1	59.5	0	59.3	0.2	0	0	59.3	0.2	0	0	59.2	0.3	0	0
8.17	72	1.1	59.0	0	58.9	0.1	0	0	58.9	0.1	0	0	58.8	0.2	0	0
8.18	72	1.1	56.8	0	56.8	0.0	0	0	56.8	0.0	0	0	56.8	0.0	0	0
8.19	72	1.1	56.7	0	56.7	0.0	0	0	56.7	0.0	0	0	56.7	0.0	0	0
8.20	72	1.1	50.4	0	50.5	-0.1	0	0	50.4	0.0	0	0	50.4	0.0	0	0
8.21	66	0.4	47.6	0	47.7	-0.1	0	0	47.7	-0.1	0	0	47.6	0.0	0	0
8.22	72	0.3	51.2	0	51.2	0.0	0	0	51.1	0.1	0	0	51.0	0.2	0	0
		24.8		3.6		5.2	2.6	0		6.4	3.6	2.6		7.1	5.6	2.6

Key

- Receptor Not Impacted
- Receptor Impacted
- Receptor Benefited
- Receptor Not Benefited

Appendix F: TNM 2.5 Plan Views


2048 All Barriers All NSAs
Plan View
Run name: all_NSAs
Scale: 2000 feet
Sheet 1 of 1
11 Sep 2024
EnviroScience, Inc.
Project/Contract No. LIC-16/37-14.24/15.72 (PID
TNM Version 2.5, Feb 2004
Analysis By: Michael Liptak &Kieran Hynes
Roadway:
Receiver:
Barrier:
Building Row:
Terrain Line:
Ground Zone: polygon
Tree Zone: dashed polygon
Contour Zone: polygon
Parallel Barrier:
Skew Section:
000
1960000
1962000
1964000
1966000
1968000
1970000
1972000
1974000
1976000
1978000
1980000


2048 All Barriers All NSAs
Plan View
Run name: all_NSAs
Scale:
1000
Sheet 1 of 1
11 Sep 2024
EnviroScience, Inc.
Project/Contract No. LIC-16/37-14.24/15.72 (PID
TNM Version 2.5, Feb 2004
Analysis By: Michael Liptak &Kieran Hynes
Roadway:
Receiver:
Barrier:
Building Row:
Terrain Line:
Ground Zone: polygon
Tree Zone: dashed polygon
Contour Zone: polygon
Parallel Barrier:
Skew Section:
1958000
1959000
1960000
1961000
1962000
1963000
1964000
1965000
1966000


2048 All Barriers All NSAs
Plan View
Run name: all_NSAs
Scale: 1000
Sheet 1 of 1
11 Sep 2024
EnviroScience, Inc.
Project/Contract No. LIC-16/37-14.24/15.72 (PID
TNM Version 2.5, Feb 2004
Analysis By: Michael Liptak &Kieran Hynes
Roadway:
Receiver:
Barrier:
Building Row:
Terrain Line:
Ground Zone: polygon
Tree Zone: dashed polygon
Contour Zone: polygon
Parallel Barrier:
Skew Section:
1966000
1967000
1968000
1969000
1970000
1971000
1972000
1973000
1974000

2048 All Barriers All NSAs		Sheet 1 of 1	11 Sep 2024
		EnviroScience, Inc.	
Plan View		Project/Contract No. LIC-16/37-14.24/15.72 (PID 9	
Run name: all_NSAs		TNM Version 2.5, Feb 2004	
Scale:	1000 ft	Analysis By: Michael Liptak &Kieran Hynes	
Roadway:		Ground Zone:	polygon
Receiver:		Tree Zone:	dashed polygon
Barrier:		Contour Zone:	polygon
Building Row:		Parallel Barrier:	
Terrain Line:		Skew Section:	

0 1970000 1971000 1972000 1973000 1974000 1975000 1976000 1977000

Appendix G: TNM 2.5 Barrier Views



2048 All Barriers All NSAs		Sheet 1 of 1	11 Sep 2024
		EnviroScience, Inc.	
Barrier View-All_Barriers		Project/Contract No. LIC-16/37-14.24/15.72 (PID 9	
Run name: all_NSAs		TNM Version 2.5, Feb 2004	
Scale: <DNA - due to perspective>		Analysis By: Michael Liptak &Kieran Hynes	
Roadway:		Ground Zone:	polygon
Receiver:		Tree Zone:	dashed polygon
Barrier:		Contour Zone:	polygon
Building Row:		Parallel Barrier:	
Terrain Line:		Skew Section:	



2048 All Barriers All NSAs		Sheet 1 of 1	11 Sep 2024
		EnviroScience, Inc.	
Barrier View-All_Barriers		Project/Contract No. LIC-16/37-14.24/15.72 (PID 9	
Run name: all_NSAs		TNM Version 2.5, Feb 2004	
Scale: <DNA - due to perspective>		Analysis By: Michael Liptak &Kieran Hynes	
Roadway:		Ground Zone:	polygon
Receiver:		Tree Zone:	dashed polygon
Barrier:		Contour Zone:	polygon
Building Row:		Parallel Barrier:	
Terrain Line:		Skew Section:	



2048 All Barriers All NSAs		Sheet 1 of 1	11 Sep 2024
		EnviroScience, Inc.	
Barrier View-All_Barriers		Project/Contract No. LIC-16/37-14.24/15.72 (PID 9	
Run name: all_NSAs		TNM Version 2.5, Feb 2004	
Scale: <DNA - due to perspective>		Analysis By: Michael Liptak &Kieran Hynes	
Roadway:		Ground Zone:	polygon
Receiver:		Tree Zone:	dashed polygon
Barrier:		Contour Zone:	polygon
Building Row:		Parallel Barrier:	
Terrain Line:		Skew Section:	



2048 All Barriers All NSAs		Sheet 1 of 1	11 Sep 2024
		EnviroScience, Inc.	
Barrier View-All_Barriers		Project/Contract No. LIC-16/37-14.24/15.72 (PID 9	
Run name: all_NSAs		TNM Version 2.5, Feb 2004	
Scale: <DNA - due to perspective>		Analysis By: Michael Liptak &Kieran Hynes	
Roadway:		Ground Zone:	polygon
Receiver:		Tree Zone:	dashed polygon
Barrier:		Contour Zone:	polygon
Building Row:		Parallel Barrier:	
Terrain Line:		Skew Section:	



2048 All Barriers All NSAs		Sheet 1 of 1	11 Sep 2024
		EnviroScience, Inc.	
Barrier View-All_Barriers		Project/Contract No. LIC-16/37-14.24/15.72 (PID 9	
Run name: all_NSAs		TNM Version 2.5, Feb 2004	
Scale: <DNA - due to perspective>		Analysis By: Michael Liptak &Kieran Hynes	
Roadway:		Ground Zone:	polygon
Receiver:		Tree Zone:	dashed polygon
Barrier:		Contour Zone:	polygon
Building Row:		Parallel Barrier:	
Terrain Line:		Skew Section:	



2048 All Barriers All NSAs		Sheet 1 of 1	11 Sep 2024
		EnviroScience, Inc.	
Barrier View-All_Barriers		Project/Contract No. LIC-16/37-14.24/15.72 (PID 9	
Run name: all_NSAs		TNM Version 2.5, Feb 2004	
Scale: <DNA - due to perspective>		Analysis By: Michael Liptak &Kieran Hynes	
Roadway:		Ground Zone:	polygon
Receiver:		Tree Zone:	dashed polygon
Barrier:		Contour Zone:	polygon
Building Row:		Parallel Barrier:	
Terrain Line:		Skew Section:	



2048 All Barriers All NSAs		Sheet 1 of 1	11 Sep 2024
		EnviroScience, Inc.	
Barrier View-All_Barriers		Project/Contract No. LIC-16/37-14.24/15.72 (PID 9	
Run name: all_NSAs		TNM Version 2.5, Feb 2004	
Scale: <DNA - due to perspective>		Analysis By: Michael Liptak &Kieran Hynes	
Roadway:		Ground Zone:	polygon
Receiver:		Tree Zone:	dashed polygon
Barrier:		Contour Zone:	polygon
Building Row:		Parallel Barrier:	
Terrain Line:		Skew Section:	

Appendix H: Addresses of Modeled Receptors

Receiver Name	Street Address	Parcel No.	EPIN
1.01	1256 COLUMBUS RD SW	019-043674-00.000	02130000500000059000
1.02	1256 COLUMBUS RD SW	019-043674-00.000	02130000500000059000
2.01	1 HANNAH DR	020-042252-00.002	02130000500000062000
2.02	2 HANNAH DR	020-042252-00.002	02130000500000062000
2.03	3 HANNAH DR	020-042252-00.002	02130000500000062000
2.04	4 HANNAH DR	020-042252-00.002	02130000500000062000
2.05	6 HANNAH DR	020-042252-00.002	02130000500000062000
2.06	6 HANNAH DR	020-042252-00.002	02130000500000062000
2.07	7 HANNAH DR	020-042252-00.002	02130000500000062000
2.08	8 HANNAH DR	020-042252-00.002	02130000500000062000
2.09	9 HANNAH DR	020-042252-00.002	02130000500000062000
2.10	10 HANNAH DR	020-042252-00.002	02130000500000062000
2.11	11 HANNAH DR	020-042252-00.002	02130000500000062000
2.12	5 HANNAH DR	020-042252-00.002	02130000500000062000
2.13	13 HANNAH DR	020-042252-00.002	02130000500000062000
2.14	14 HANNAH DR	020-042252-00.002	02130000500000062000
2.15	1500 WEAVER RD	020-042252-00.001	02130000500000062100
2.16	1500 WEAVER RD	020-042252-00.001	02130000500000062100
2.17	1500 WEAVER RD	020-042252-00.001	02130000500000062100
2.18	1500 WEAVER RD	020-042252-00.001	02130000500000062100
2.19	1500 WEAVER RD	020-042252-00.001	02130000500000062100
2.20	1500 WEAVER RD	020-042252-00.000	02130000500000062200
2.21	1500 WEAVER RD	020-042252-00.000	02130000500000062200
2.22	1500 WEAVER RD	020-042252-00.000	02130000500000062200
2.23	1500 WEAVER RD	020-042252-00.000	02130000500000062200
2.24	1500 WEAVER RD	020-042252-00.000	02130000500000062200
2.25	1500 WEAVER RD	020-042252-00.000	02130000500000062200
2.26	1500 WEAVER RD	020-042252-00.000	02130000500000062200
2.27	1500 WEAVER RD	020-042252-00.000	02130000500000062200
2.28	1500 WEAVER RD	020-042252-00.000	02130000500000062200
2.29	1500 WEAVER RD	020-042252-00.000	02130000500000062200
2.30	1500 WEAVER RD	020-042252-00.000	02130000500000062200
2.31	15 POPPY LN	020-044124-00.000	02130000500000062210
2.32	16 POPPY LN	020-044124-00.000	02130000500000062210
2.33	17 POPPY LN	020-044124-00.000	02130000500000062210
2.34	18 POPPY LN	020-044124-00.000	02130000500000062210
2.35	19 POPPY LN	020-044124-00.000	02130000500000062210
2.36	20 POPPY LN	020-044124-00.000	02130000500000062210
2.37	21 POPPY LN	020-044124-00.000	02130000500000062210
2.38	23 POPPY LN	020-044124-00.000	02130000500000062210
2.39	22 POPPY LN	020-044124-00.000	02130000500000062210
2.40	24 POPPY LN	020-044124-00.000	02130000500000062210
2.41	25 POPPY LN	020-044124-00.000	02130000500000062210
2.42	27 POPPY LN	020-044124-00.000	02130000500000062210
2.43	26 POPPY LN	020-044124-00.000	02130000500000062210
2.44	28 POPPY LN	020-044124-00.000	02130000500000062210
2.45	1320 WEAVER DR NW	019-045156-00.000	02131160200000007000

Receiver Name	Street Address	Parcel No.	EPIN
2.46	1320 WEAVER DR NW	019-045156-00.000	02131160200000007000
2.47	1264 WEAVER DR NW	019-043632-00.000	02131160200000009000
2.48	1226 WEAVER DR NW	019-046014-00.000	02131160200000010000
2.49	1205 WEAVER DR NW	019-043638-00.000	02131160200000014000
2.50	1500 WEAVER RD	020-042252-00.000	02130000500000062200
3.01	1533 COLUMBUS RD	019-048906-00.000	02130000500000066000
3.02	WORTHINGTON RD	019-049140-00.000	02130000500000065000
3.03	1535 WORTHINGTON RD	019-043560-00.001	02130000500000067000
3.04	2098 LANCASTER RD	019-047940-00.000	02130000600000082000
3.05	2108 LANCASTER RD	019-042954-00.000	02130000600000084000
4.01	905 RIVER RD SUITES A/B	020-049776-00.000	02131160300000012000
4.02	935 RIVER RD	020-043230-00.000	02131160300000013000
4.03	937 RIVER RD	020-043230-00.000	02131160300000013000
4.04	943 RIVER RD	020-043230-00.000	02131160300000013000
4.05	945 RIVER RD	019-043230-00.003	02131160300000006000
4.06	1020 RIVER RD	020-043602-00.000	02130984800000001000
4.07	1055 RIVER RD	019-043230-00.002	02131160300000002000
4.08	1062 RIVER RD	019-043602-00.001	02130984800000002000
4.09	1062 RIVER RD	019-043602-00.001	02130984800000002000
4.10	1062 RIVER RD	019-043602-00.001	02130984800000002000
4.11	1089 RIVER RD	019-048630-00.000	02130984800000008000
4.12	1089 RIVER RD	019-048630-00.000	02130984800000008000
4.13	1105 RIVER RD	019-048636-00.000	02130984900000001000
4.14	1121 RIVER RD	019-044232-00.000	02130984900000002000
4.15	1135 RIVER RD	019-047586-00.000	02130984900000003000
4.16	1116 RIVER RD	019-044754-00.000	02130984900000011000
4.17	1116 RIVER RD	019-044754-00.000	02130984900000011000
4.18	1116 RIVER RD	019-044754-00.000	02130984900000011000
4.19	1130 RIVER RD	019-044370-00.000	02130984900000010000
4.20	1188 RIVER RD	019-044160-00.000	02130984900000008000
4.21	1221 RIVER RD SE	019-041784-00.004	02130000700000007000
4.22	1221 RIVER RD SE	019-041784-00.004	02130000700000007000
4.23	1221 RIVER RD SE	019-041784-00.004	02130000700000007000
4.24	1221 RIVER RD SE	019-041784-00.004	02130000700000007000
4.25	1221 RIVER RD SE	019-041784-00.004	02130000700000007000
4.26	1225 RIVER RD	019-041784-00.008	02130000700000007100
4.27	1225 RIVER RD	020-041784-00.006	02130000700000009000
4.28	1225 RIVER RD	020-041784-00.006	02130000700000009000
4.29	1225 RIVER RD	020-041784-00.006	02130000700000009000
4.30	927 RIVER RD	020-043230-00.000	02131160300000013000
4.31	941 RIVER RD	020-043230-00.000	02131160300000013000
5.01	1214 RIVER RD	019-049560-00.000	02130984410049001000
5.02	1238 RIVER RD	019-049476-00.000	02130984410049002000
5.03	1264 RIVER RD	019-046122-00.000	02130984400000001000
5.04	23 MILL RACE RD SE	019-049536-00.000	02130984510049006000
5.05	1388 TOW PATH RD	019-049938-00.000	02130984500000001000
5.06	62 SPRING HILL RD SE	019-049488-00.000	02130984410049005000

Receiver Name	Street Address	Parcel No.	EPIN
5.07	22 SPRING HILL RD SE	019-049518-00.000	02130984410049004000
6.01	BIKE PATH 1	019-041262-09.000	0213GR00200000005000
6.02	BIKE PATH 2	019-041262-02.000	0213GR00400000006000
7.01	301 CLOUSE LN NE	019-041616-00.001	02131170100000009000
7.02	277 CLOUSE LN NE	019-045072-00.000	02131170100000008000
7.03	257 CLOUSE LN NE	019-046704-00.000	02131170100000007000
7.04	125 GLENSHIRE CIR	020-041946-00.012	021311706P2120012000
7.05	127 GLENSHIRE CT	020-041946-00.034	021311706P2120400000
7.06	129 GLENSHIRE CIR	020-041946-00.014	021311706P2120014000
7.07	133 GLENSHIRE CIR	020-041946-00.034	021311706P2120400000
7.08	133 GLENSHIRE CIR	020-041946-00.016	021311706P2120016000
7.09	128 GLENSHIRE CIR	020-041946-00.034	021311706P2120400000
7.10	128 GLENSHIRE CIR	020-041946-00.017	021311706P2120017000
7.11	204 NEW GRAN DR	019-049218-00.000	02131170208189007000
7.12	218 NEW GRAN DR	019-044514-00.000	02131170208189008000
7.13	353 LANSING CIR	019-045024-00.000	02131170208189009000
7.14	335 LANSING CIR	019-045018-00.000	02131170208189010000
7.15	317 LANSING CIR	019-045012-00.000	02131170208189011000
7.16	299 LANSING CIR	019-045006-00.000	02131170208189012000
7.17	179 NEW GRAN DR NE	019-046602-00.000	02131170208189016000
7.18	201 LANSING CIR NE	019-045672-00.000	02131170208189015000
7.19	281 LANSING CIR NE	019-046536-00.000	02131170208189013000
7.20	1820 NEWARK GRANVILLE RD	020-042336-00.002	0213GR00300000005000
7.21	1820 NEWARK GRANVILLE RD	020-042336-00.002	0213GR00300000005000
7.22	137 WICKLOW DR	020-042348-01.088	02131170215043024000
7.23	203 WICKLOW DR	020-042348-01.089	02131170215043025000
7.24	207 WICKLOW DR	020-042348-01.090	02131170215043026000
7.25	1820 NEWARK GRANVILLE RD	020-042336-00.002	0213GR00300000005000
7.26	211 WICKLOW DR	020-042348-01.091	02130994715043001000
7.27	215 WICKLOW DR	020-042348-01.092	02130994715043002000
7.28	217 WICKLOW DR	020-042348-01.082	02130994715043003000
7.29	216 KILDARE ST	020-042348-01.081	02130994715043004000
7.30	225 TO 231 SHANNON LN		02130994803154015000
7.31	301 TO 305 SHANNON LN		02130994803154015000
7.32	309 TO 315 SHANNON LN		02130994803154015000
7.33	317 TO 321 SHANNON LANE		02130994803154015000
7.34	325 TO 331 SHANNON LN		02130994803154015000
7.35	302 SHANNON LN		02130994803154015000
7.36	336 SHANNON LN		02130994803154015000
7.37	333 TO 339 SHANNON LN		02130994803154015000
7.38	341 TO 347 SHANNON LN		02130994803154015000
7.39	317 TO 323 SHANNON LN		02130994803154015000
7.40	14 WESTGATE DR NE	020-043710-00.000	02130994308202001000
8.01	1067 CHERRY VALLEY RD	020-044772-00.000	02130994300000003000
8.02	1067 CHERRY VALLEY RD SE	020-044772-00.000	02130994300000003000
8.03	1117 CHERRY VALLEY RD SE	020-044712-00.000	02130993800000007000
8.04	1137 CHERRY VALLEY RD SE	020-044472-00.000	02130993800000008000

Receiver Name	Street Address	Parcel No.	EPIN
8.05	1159 CHERRY VALLEY RD SE	020-046710-00.000	02130993800000009000
8.06	1179 CHERRY VALLEY RD	020-044760-00.000	02130993800000010000
8.07	1205 CHERRY VALLEY RD SE	020-044670-00.000	02130993800000011000
8.08	1229 CHERRY VALLEY RD SE	020-046050-00.000	02130993800000012000
8.09	1239 CHERRY VALLEY RD SE	020-045516-00.000	02130993800000013000
8.10	2299 CHERRY VALLEY RD SE	056-042864-00.003	0212NK00500000028000
8.11	2299 CHERRY VALLEY RD SE	056-042864-00.003	0212NK00500000028000
8.12	2299 CHERRY VALLEY RD SE	056-042864-00.003	0212NK00500000028000
8.13	2299 CHERRY VALLEY RD SE	056-042864-00.003	0212NK00500000028000
8.14	2299 CHERRY VALLEY RD SE	056-042864-00.003	0212NK00500000028000
8.15	2299 CHERRY VALLEY RD SE	056-042864-00.003	0212NK00500000028000
8.16	2299 CHERRY VALLEY RD SE	056-042864-00.003	0212NK00500000028000
8.17	2299 CHERRY VALLEY RD SE	056-042864-00.003	0212NK00500000028000
8.18	2299 CHERRY VALLEY RD SE	056-042864-00.003	0212NK00500000028000
8.19	2249 CHERRY VALLEY RD SE	056-042864-00.001	0212NK00500000031100
8.20	2299 CHERRY VALLEY RD SE	056-042864-00.003	0212NK00500000028000
8.21	2299 CHERRY VALLEY RD SE	056-042864-00.003	0212NK00500000028000
8.22	2299 CHERRY VALLEY RD SE	056-042864-00.003	0212NK00500000028000