

Rock Slope Site BMP (State Maintained - Active): RS00004383

NLFID	SLAWSR00007**C
CRS	LAW-7-17.810
ODOT District	09
County	LAWRENCE
County CD	LAW
Route Type	State Route
Route Number	00007
Route Suffix	
CTL Begin Number	17.810
CTL End Number	18.093
STL Begin Number	17.810
STL End Number	18.093
Latitude DD Begin	38.5632209
Longitude DD Begin	-82.2952343
Latitude DD End	38.5673229
Longitude DD End	-82.2955546
PERP Date	12/30/2025
Status	Active
PID	
Let Plans URL	
Maintenance Responsibility	State
Rock Slope Site ID	RS00004383
Legacy GlobalID	RF003827
Road Functional Class	Other Principal Arterial Roads
Federal Aid Eligible	No
Road Width	24
Outside Shoulder Width	2
Inside Shoulder Width	0
Median Width	0
Lane Number Per Direction	1
Surface Type Left	Dense Graded Asphaltic Concrete
Surface Type Right	Dense Graded Asphaltic Concrete
Base Type Left	Aggregate Base 304 or Traffic Compacted
Base Type Right	Bituminous Concrete Mix or Penetration Macadam
Shoulder Type	Bituminous Concrete (AC)
Median Type	
Speed Limit	55
DSD - Decision Sight Distance (ft)	865

AADT Total Number	2976
Cardinal Direction	No
Driving Direction	South
Relative to Roadway	Mainline
Horizontal Position	Right
Vertical Position	Above
Slope Configuration	Multiple-angle
Slope Orientation	187
Geological System	Pennsylvanian
Geological Series	N/A
Geological Group	Monongahela/Conemaugh
Geological System Comments	
Aggregate Thickness of Competent Beds	48.000
Aggregate Thickness of Incompetent Beds	0.000
Ratio Comp/Incomp Number of Beddings	0.702
Ratio Comp/Incomp Thickness of Beddings	0.000
Presence of Bedding	Yes
Presence of Joint	Yes
Joint Pattern	Continuous Adverse Orientation
Catchment Shape	Triangular
Catchment Foreslope Angle	34
Catchment Slope Face Angle	40
GB-3 Guideline Width	10
Associated Site Screening	RS00005879, RS00004174E, RS00004174E, RS00004174E, RS00004174E, RS00004174E, RS00005877E, ...
Associated Site Screening Comments	
Info Source	Field visit,
Rock Slope Comments	Due to the measured cutslope height, cutslope angle, and catchment foreslope angle; the GB3 guide for catchment width should be 10 feet. The backslope acting as a source zone for large boulders may require greater catchment width.
Photo Link to Falcon	More info
Annual Maintenance Frequency	0
Latest Emergency Determination	No
Latest Emergency Declaration Number	

Latest Emergency Declaration Date	
Latest Tier	Tier 3
Latest Detailed Rating Score	219
Inspection Due	Next Fiscal Year
created_user	COLLECTOR@P31_AG
created_date	10/30/2020
last_edited_user	ablume
last_edited_date	2/3/2025
sys_updated_date	7/7/2026