


Steve
Jenkins/PikeCounty/D09/ODO
T

04/19/2006 08:13 AM

To Richard Chaffin/Planning/D09/ODOT@ODOT

cc

bcc

Subject Re: Gas / Diesel & Food signs 

Richard we erected these signs yesterday, 4/18/2006.
Richard Chaffin/Planning/D09/ODOT



Richard
Chaffin/Planning/D09/ODOT

03/13/2006 12:57 PM

To Bill Marsh/Accounting/D09/ODOT@ODOT

cc Steve Jenkins/PikeCounty/D09/ODOT@ODOT, Don
Lambert/PikeCounty/D09/ODOT@ODOT, Greg
Baird/Planning/D09/ODOT@ODOT

Subject Gas / Diesel & Food signs

Bill:

Please order a Large 96" x 48" blank blue panel with a white border to install service sign panels on . It needs to have a Right Arrow at the bottom.

Also please order two Diesel plaques and two Food plaques for the blank panels. Note: We already have a blank blue panel for westbound.

These are for Pik 32 @ Germany Road. The new business is the Crossroads store.

Send these to Pike county for erection when they come in.

Steve: Let me know by reply to this email when the signs are erected.

Thanks
Richard

To: Richard Chaffin

Post-It® Fax Note 7671		Date	3-6-06	pages	2
To	Heather Wiseman		From R. Chaffin.		
Co./Dept.					
Phone #					
Fax #	740-289-8936		Fax #		

OHIO DEPARTMENT OF TRANSPORTATION
DISTRICT NINE
Service Signing Request
For
FOOD SERVICE SIGNS

Name of Food Service : CROSSROADS

Facility Location: 8309 GERMANY RD. WAVERLY OHIO, 45690

Contact Person: JERRY MILLER / HEATHER WISEMAN

Telephone Number: 740-708-1320 740-464-1296

Distance from intersection to the facility: 400 FT.

Does the facility have a valid permit from the Ohio Department of Health? YES

Does the facility have a valid permit from any other public agency? YES

Name of the other public agency: OHIO DIVISION OF LIQUOR CONTROL

Seating Capacity of Facility: 40

How many hours/day does facility serve meals? 14

Please describe the types of meals served. PIZZAS, HOT SUBS, SOUP, SALADS, SANDWICHES

How many days/week is the facility open? 7

How many weeks/year is the facility open? 52

Is there a public telephone available? YES

Signed: Jerry Miller
Facility Owner or Manager

Date: 3/6/06

JERRY MILLER

OHIO DEPARTMENT OF TRANSPORTATION
DISTRICT NINE
Service Signing Request
For
FUEL SERVICE SIGNS

Name of Fuel Service: Crossroads Citgo

Facility Location: 8309 Germany Road Waverly, OH 45690

Contact Person: Heather Wiseman

Telephone Number: 740-464-1226

Distance from intersection to the facility: 150 feet from intersection of

Does the facility provide fuel? Oil? Water? US 32 + Germany Rd

Does the facility provide public restrooms?

Does the facility provide drinking water?

How many hours/day is the facility open? 17 hr / day

How many days/week is the facility open? 7 days / wk

How many weeks/year is the facility open? 365^{days} / yr

Is there a public telephone available? YES

Signed: Heather Wiseman
Facility Owner or Manager

Date: 08/16/04


FAX TRANSMISSION
 PORTSMOUTH CITY HEALTH DEPARTMENT
 605 WASHINGTON STREET
 PORTSMOUTH, OHIO 45662

Fax From: 740-355-7133

To: Patricia Wetzel (ODOT) Date: 08/16/04

Fax Number: 740-773-4889 Pages: 2, including cover sheet

From: Heather Wiseman, MPH

EPIDEMIOLOGIST	
	<p>Heather Wiseman, M.P.H. <i>Serving Health Departments in Portsmouth & Inman Cities Pike, Adams & Lawrence Counties</i></p>
<p>Phone: (740) 464-1296 Pager: (740) 492-1499</p>	<p>E-mail: hwiseman@gw.odh.state.oh.us Fax: (740) 355-7133</p>

E-mail: hwiseman@gw.odh.state.oh.us
 Phone: 740-464-1296
 Fax: 740-355-7133

Subject: Fuel Service sign request

Comments: If you need anything else, please let me know.

Thanks!

Heather Wiseman

Local officials shall furnish, erect, and maintain necessary trailblazing signs that conform to the **OMUTCD** within their jurisdiction. The **District** shall not erect signs until necessary trailblazing signs have been erected by local authorities having jurisdiction over the roadway.

207-4.3 Criteria for Emergency Hospital Signing

The hospital shall operate an emergency care facility twenty-four hours a day, seven days a week with a physician on duty at all times. A "physician on duty" is defined as follows:

1. Physician on duty within the emergency department, or
2. Registered nurse on duty within the emergency department with a physician in the hospital on call, or
3. Registered nurse on duty within the emergency department with a physician on call from his office or house.

The hospital shall be located within 5 roadway miles (8 roadway kilometers) of the interchange or intersection where signing is initiated.

To qualify as a hospital, based on criteria from the **Ohio Department of Health**, the facility must have hospital beds available.

207-4.4 Signing

Signing for hospitals should be in accordance with **OMUTCD Section 2D.44** for conventional roads, and **OMUTCD Section 2E.51** for freeways and expressways.

The name of the hospital shall not be included on the signs.

When trailblazing signs are required, they shall consist of the D9-2 sign (Hospital symbol sign) and an arrow plate.

207-5 Generic General Service Signing

207-5.1 General

The TODS and Logo Programs discussed in **Sections 207-2 and 207-3**, respectively, address signing for various fuel, food, lodging and camping facilities. See those sections for details of those programs.

This section establishes guidelines and criteria for the use of generic General Service signing for fuel (gas, diesel), food, lodging and camping. However, this standard does not apply to privately-owned, non-profit campgrounds which are addressed in **Section 205-2**.

For purposes of this discussion, the term "non-profit" also refers to facilities or organizations described as "not for profit".

207-5.2 Guidelines

The following guidelines shall be used in determining when to use generic General Service signing:

1. Generic General Service signing should only be provided for facilities meeting the criteria established in **Section 207-5.3**.

2. Under the terms of Ohio's TODS Program contract (**Section 207-3**), certain food, lodging and camping establishments may be eligible for TODS signing in advance of intersections on U.S. and State Routes. Fuel establishments are not eligible for this program.

New generic General Service signs for fuel, and those food, lodging and camping establishments not eligible for the TODS Program, are not normally warranted at intersections on U.S. and State Routes.

However, existing generic General Service signs for fuel, food, lodging and camping may remain in place until they have reached the end of their effective performance life, or until the facilities have been signed for under the TODS Program, if eligible.

3. Signing for fuel, food, lodging and camping at interchanges on the Interstate system should be in accordance with the Specific Service Signing (Logo) Program described in **Section 207-2**. Generic General Service signing for fuel, food, lodging or camping at interchanges eligible for Logo signing is only warranted for a specific type of service when none of that type of service is signed for with Logo signing at that interchange and the criteria in **Section 207-5.3** are met. Interchanges on the Interstate system not eligible for Logo signing would normally not be eligible for generic General Service signing for fuel, food, lodging and camping.
4. Signing for fuel, food, lodging and camping at interchanges on expressways and non-Interstate State freeways should be in accordance with the Specific Service Signing (Logo) Program described in **Section 207-2**. Under the terms of Ohio's Logo Program contract with the **Logo Program Manager**, existing generic General Service signing for fuel, food, lodging or camping at interchanges eligible for Logo signing are to be removed by the **Program Manager**. Interchanges on these roadways not eligible for Logo signing would normally not be eligible for generic General Service signing for fuel, food, lodging and camping.
5. Generic General Service signs for fuel, food, lodging and camping are not normally warranted in urban areas.
6. Generic General Service signs for fuel, food, lodging and camping should only be erected where the road user can directly return to the highway and continue in the same direction of travel.
7. The erection of signs for general services shall be in accordance with standards for sign type, height, lateral placement and location as specified in the **OMUTCD Chapter 2A**.
8. General Service signing shall not be erected when the proposed signs would conflict with existing primary Guide Signs or other traffic control devices. Therefore, no commitment should be made to erect signs until an on-site inspection has been conducted at the proposed sign location in order to determine that sufficient space exists.
9. **ODOT** shall not erect signs until necessary trailblazing signs off the State system have been erected by others.

207-5.3 Criteria

Specific criteria have been established for generic General Service signing, depending on the type of service:

1. Fuel – The facility shall:
 - a. Be located within 3 miles (4.8 kilometers) of the highway for which signing is sought.
 - b. Provide vehicle services to include fuel, oil and water.
 - c. Provide public restroom facilities and drinking water.
 - d. Be in continuous operation for at least sixteen hours a day, seven days a week, all weeks of the year.
 - e. Provide a public telephone.
2. Food – The facility shall:
 - a. Be located within 3 miles (4.8 kilometers) of the highway for which signing is sought.
 - b. Provide seating capacity for twenty-four or more persons.
 - c. Serve meals for at least twelve consecutive hours, six days a week.
 - d. Display a valid permit from the **Ohio Department of Health** or appropriate public agency as required by law.
 - e. Provide a public telephone.
3. Lodging – The facility shall:
 - a. Be located within 3 miles (4.8 kilometers) of the highway for which signing is sought.
 - b. Provide eight or more units of overnight accommodations, each unit consisting of at least a sleeping room and bathroom.
 - c. Be in continuous operation twenty-four hours a day, seven days a week, all weeks of the year.
 - d. Possess a valid permit from the appropriate public agency, as required by law.
 - e. Provide a public telephone.
4. Camping – The facility shall:
 - a. Be located within 3 miles (4.8 kilometers) of the highway for which signing is sought. If no campground is available within the 3 mile (4.8 kilometers) limit, the distance requirement may be extended in 3 mile (4.8 kilometers) increments, up to 15 miles (24 kilometers), to allow the first closest eligible campground to be signed.
 - b. Provide a minimum of fifty well defined campsites capable of accommodating a tent, tent-trailer, pickup camper, travel trailer or motor coach.
 - c. Provide an access road to the campground that has an adequate all-weather surface suitable for safe operation of a motorized vehicle and camping trailer.
 - d. Not be operated on a "reservation only" basis.