LOCATION MAP

THE LOCATION OF THE UNDERGROUND UTILITIES SHOWN ON THE PLANS ARE OBTAINED FROM THE OWNER OF THE UTILITIES AS REQUIRED BY SECTION 153.64 O.R.C.

> ATTN: KATHY MOSSBARGER P.O. BOX 24400 CANTON, OHIO 44701 330-438-7061

AT&T OHIO, INC. ATTN: BARRET TAMOSIVICH 160 NORTH 6TH STREET ZANESVILLE, OHIO 43701 740-454-3552

TIME WARNER CABLE ATTN: DAMIAN RIFFLE 617 TUSCARAWAS AVENUE NEW PHILADELPHIA, OH 44663 330-494-9200

DOMINION ATTN: MARY LONG 320 SPRINGSIDE DR, SUITE 320 AKRON, OHIO 44333 330-644-2409

RIGHT OF WAY LEGEND SHEET TUS-800-8.57

TUSCAWARAS COUNTY MILL TOWNSHIP VIII AGE OF DENNISON SEC. 31, T. 14, R 7 OLD SEVEN RANGES

INDEX OF SHEETS:

LEGEND SHEET PROPERTY MAP R/W DETAIL SHEET AND SUMMARY OF ADDITIONAL R/W 3

PROJECT DESCRIPTION

LANDSLIDE REPAIR BY INSTALLING A PLUG PILE RETAINING WALL ON S.R. 800 IN TUSCARAWAS COUNTY. DSR # TUS-006 OH 15-01

PROJECT CONTROL

STATE PLANE GRID OHIO STATE PLANE NORTH NAD 83 CORS11 PROJECT ADJUSTMENT FACTOR 0.9999719212

PLANS PREPARED BY:

FIRM NAME : O.D.O.T. DISTRICT 11 R/W DESIGNER: JEREMY CESSNA R/W REVIEWER: FIELD REVIEWER: D11 SURVEY/J. CESSNA PRELIMINARY FIELD REVIEW DATE: 10/7/2015 TRACINGS FIELD REVIEW DATE: 2/3/16 OWNERSHIP UPDATED BY: N/A DATE COMPLETED: 2/3/1.6 PLAN COMPLETION DATE: 2/3/16

TYPES OF TITLE LEGEND: WD = WARRANTY DEED SH = STANDARD HIGHWAY EASEMENT

STRUCTURE KEY

RESIDENTIAL

OUT-BUILDING

MONUMENT LEGEND

M EXISTING R/W MONUMENT BOX

M PROPOSED R/W MONUMENT BOX

EXISTING CONCRETE MONUMENT

PROPOSED CONCRETE MONUMENT

S RAILROAD SPIKE FOUND

✗ RAILROAD SPIKE SET

OLRE IRON PIN FOUND

OLRE IRON PIN FOUND W/ ID CAP

•I.R.S. IRON PIN SET W/ ID CAP

ORF. IRON PIPE FOUND

●R.S. IRON PIPE SET

ORK.F. P.K. NAIL FOUND •R.K.S. P.K. NAIL SET

CONVENTIONAL SYMBOLS

County Line ————————————————————————————————————	Ownership Hook Symbol Z , Example $-$
Section Line ————————————————————————————————————	Property Line Symbol & , Example
Fence Line (Ex) ——x——x——(Pr) ————————————————————————————————————	Break Line Symbol $\sqrt{}$, Example $-\!-\!-\!-\!-\!-\!-\!-\!-\!-\!-\!-\!-\!-\!-\!-\!-\!-\!-\!$
Center Line — — — — — — — — — — — — — — — — — — —	·
Right of Way (Ex) — Ex R/W — —	Tree Line (Ex)
Right of Way (Pr)	Tree (Pr) , Tree (Ex) , Shrub (Ex) Tree (Remove) , Shrub (Remove)
Limited Access Right of Way (Ex) — Ex LA —	Tree (Remove) 💢 , Shrub (Remove) 💥
Limited Access Right of Way (Pr) LA	Evergreen (Ex) 🧩 , Stump 📶
Temporary Right of Way — TMP — TMP	Evergreen (Remove) 🧩 , Stump (Remove) 💢
Other Public Ease. (Ex) — — — — — —	Wetland (Pr) √ , Grass (Pr) علا , Aerial Target△
Railroad ####################################	Fire Hydrant (Ex) Å , Water Meter (Ex) ፟፟፟፟፞፞፞
Guardrail (Ex) & & & & & (Pr) ************************************	Water Valve (Ex) เข้ , Utility Valve Unknown (Ex.) เข้
Construction Limits —— • —— • —— • —	Government Marker (Ex.)
Edge of Pavement (Ex) — — — — — — —	Post (Ex) O , Mailbox (Ex) MB , Mailbox (Pr) MB
Edge of Pavement (Pr) — — — — —	Light (Ex) 填 , Telephone Marker (Ex)+TEL
Edge of Shoulder (Ex) —————————	Telephone Pole (Ex) ϕ , Power Pole (Ex) ϕ
Edge of Shoulder (Pr)————————————————————————————————————	Light Pole (Ex) ϕ
Ditch / Creek (Ex)————————————————————————————————————	
Ditch / Creek (Pr)	

I, Jon Penix, P. S. have conducted a survey of the existing conditions for the Ohio Department of Transportation on October 2015. The results of that survey are contained herein. As a part of this project I have reestablished existing centerline of Right of Way for property Takes contained herein. The horizontal coordinates expressed herein are based on the Ohio State Plane Coordinates System North Zone on NAD 83 (CORSII) datum. The Project Coordinates (US Survey Feet) are relative to State Plane Grid Coordinates (US Survey Feet) by a Combined Scale Factor of 0.9999719212. As a part of this work I have set right of way monuments at the property corners, property line intersection, points along the right of way and/or angle points on the right of way, Section Corners and other points as shown herein. All of my work contained herein was conducted in accordance with Ohio Administrative Code 4733-37 commonly known as "Minimum Standards for Boundary Surveys in the State of Ohio" unless noted. The words I and my as used herein are to mean either myself or someone working under my direct supervision. to mean either myself or someone working under my direct supervision.


Jon Penix, Professional Land Surveyor 8328

Date: 02-03-2016


I, J. Carice Jameson, P. S. have reestablished the locations of the existing property lines, established the proposed property lines, calculated the Gross Take, present roadway occupied (PRO), Net Take and Net Residue; as well as prepared the legal descriptions necessary to acquire the parcels as shown herein. All of my work contained herein was conducted in accordance with Ohio Administrative Code 4733-37 commonly known as "Minimum Standards for Boundary Surveys in the State of Ohio" unless noted. The words I and my as used herein are to mean either myself or someone working under my direct supervision.

J. Carice Jameson, Professional Land Surveyor 8166

Date: 02-03-2016



SURVEYOR'S SEAL



 ∞

0 0

N

0

21

