


CONSOLIDATION TEST REPORT



Natural		Dry Dens. (pcf)	LL	PI	Sp. Gr.	USCS	AASHTO	Initial Void Ratio
Saturation	Moisture							
94.1 %	17.2 %	112.1	25	8	2.67	CL	A-4(6)	0.487

MATERIAL DESCRIPTION

Lean clay
Torvane=4.75

Project No. 0121- Project: SCI-823-0.00 Source: C-93	Client: TranSystems, Inc. Sample No.: P2 Elev./Depth: 24.0	Remarks:
---	--	-----------------



Figure

Dial Reading vs. Time





Project No.: 0121-3070.03

Project: SCI-823-0.00

Source: C-93

Sample No.: P2

Elev./Depth: 24.0



Figure

Dial Reading vs. Time





Project No.: 0121-3070.03

Project: SCI-823-0.00

Source: C-93

Sample No.: P2

Elev./Depth: 24.0



Figure

Dial Reading vs. Time





Project No.: 0121-3070.03

Project: SCI-823-0.00

Source: C-93

Sample No.: P2

Elev./Depth: 24.0



Figure

Dial Reading vs. Time



Project No.: 0121-3070.03

Project: SCI-823-0.00

Source: C-93

Sample No.: P2

Elev./Depth: 24.0



Figure