


CONSOLIDATION TEST REPORT



Natural		Dry Dens. (pcf)	LL	PI	Sp. Gr.	USCS	AASHTO	Initial Void Ratio
Saturation	Moisture							
95.4 %	28.0 %	95.1	42	22	2.76	CL	A-7-6(24)	0.811

MATERIAL DESCRIPTION

Lean clay

Project No. 0121-
Project: SCI-823-0.00

Client: TranSystems, Inc.

Remarks:

Source: C-95

Sample No.: P2

Elev./Depth: 24.0



Figure

Dial Reading vs. Time





Project No.: 0121-3070.03

Project: SCI-823-0.00

Source: C-95

Sample No.: P2

Elev./Depth: 24.0



Figure

Dial Reading vs. Time





Project No.: 0121-3070.03

Project: SCI-823-0.00

Source: C-95

Sample No.: P2

Elev./Depth: 24.0



Figure

Dial Reading vs. Time





Project No.: 0121-3070.03

Project: SCI-823-0.00

Source: C-95

Sample No.: P2

Elev./Depth: 24.0



Figure

Dial Reading vs. Time




Project No.: 0121-3070.03

Project: SCI-823-0.00

Source: C-95

Sample No.: P2

Elev./Depth: 24.0



Figure