

**UTILITIES**

THERE ARE NO UNDERGROUND UTILITIES SHOWN ON THIS PLAN. THE NATURE OF THE WORK REQUIRED BY THIS PROJECT WILL NOT AFFECT ANY KNOWN UNDERGROUND UTILITIES THAT EXIST UNDER, OR ADJACENT TO, THE WORK AREA.

**EXISTING PLANS**

EXISTING PLANS FOR THE VARIOUS LOCATIONS MAY BE INSPECTED IN THE ODOT DISTRICT ONE OFFICE IN LIMA, OHIO.

**CLEARING AND GRUBBING**

ALTHOUGH THERE ARE NO TREES OR STUMPS SPECIFICALLY MARKED FOR REMOVAL WITHIN THE LIMITS OF THE PROJECT, A LUMP SUM QUANTITY IS INCLUDED IN THE GENERAL SUMMARY FOR ITEM 201, CLEARING AND GRUBBING. ALL PROVISIONS AS SET FORTH IN THE SPECIFICATIONS UNDER THIS ITEM ARE INCLUDED IN THE LUMP SUM PRICE BID FOR ITEM 201, CLEARING AND GRUBBING.

**ITEM 251 - PARTIAL DEPTH PAVEMENT REPAIR (442)**

A QUANTITY OF THIS ITEM SHALL BE PROVIDED FOR USE AS DIRECTED BY THE ENGINEER. THE ITEM SHALL CONSIST OF REPAIRING EXISTING LOCATIONS EXHIBITING SURFACE DETERIORATION ADJACENT TO THE APPROACH SLABS BEING REPLACED AND PLACING ITEM 442 ASPHALT CONCRETE SURFACE COURSE, 12.5 mm, TYPE A or B, (448). IN ADDITION, THIS ITEM SHALL BE USED TO PROVIDE A SMOOTH TRANSITION INTO THE NEW APPROACH SLABS AS DIRECTED BY THE ENGINEER. FOR PLACEMENT OF ITEM 442, A PG64-22 BINDER IS REQUIRED, AND IT SHALL BE PLACED IN TWO ONE AND HALF INCH LIFT THICKNESS. IT IS NOT THE INTENT TO REPAIR EVERY DETERIORATED AREA WITHIN THE PROJECT. THE ENGINEER SHALL DETERMINE WHICH AREAS ARE TO BE REPAIRED. UNLESS OTHERWISE DIRECTED BY THE ENGINEER, THIS ITEM SHALL BE PERFORMED AFTER THE COMPLETION OF THE ABUTTING APPROACH SLAB REPLACEMENT WORK, AND THIS ITEM SHALL COMMENCE WITHIN 7 DAYS OF THE COMPLETION OF THE APPROACH SLABS. PAYMENT SHALL BE BASED ON THE ACTUAL NUMBER OF SQUARE YARDS OF SURFACE PAVEMENT REPAIR. THE FOLLOWING ESTIMATED QUANTITY HAS BEEN CARRIED TO THE GENERAL SUMMARY:

ITEM 251, PARTIAL DEPTH PAVEMENT REPAIR (442), 2,8000 SQ. YD.

**EROSION CONTROL**

THE QUANTITY BELOW HAS BEEN CARRIED TO THE GENERAL SUMMARY FOR EROSION CONTROL.

ITEM 832 EROSION CONTROL 2,000 EACH

**ITEM 642 - EDGE LINE, 6", TYPE 1, ITEM 642 - LANE LINE, 6", TYPE 1 & ITEM 642 - CENTER LINE, TYPE 1**

THE QUANTITIES BELOW HAVE BEEN CARRIED TO THE GENERAL SUMMARY FOR PLACEMENT OF LANE AND EDGE LINES ON THE RECONSTRUCTED APPROACH SLABS AT VARIOUS BRIDGES.

ITEM 642, EDGE LINE, 6", TYPE 1 0.14 MILE  
 ITEM 642, LANE LINE, 6", TYPE 1 0.94 MILE  
 ITEM 642, CENTER LINE, TYPE 1 0.12 MILE

**ITEM 253 - PAVEMENT REPAIR**

A QUANTITY OF THIS ITEM SHALL BE PROVIDED FOR USE AS DIRECTED BY THE ENGINEER. THIS ITEM SHALL CONSIST OF CUTTING AND REMOVING DETERIORATED PAVEMENT FULL DEPTH ADJACENT TO THE APPROACH SLABS BEING REPLACED AT VARIOUS BRIDGES AND PLACING 12" 301 ASPHALT CONCRETE BASE, PG64-22. THE MAXIMUM COMPACTED DEPTH OF ANY ONE LAYER SHALL BE 6 INCHES. THE FULL DEPTH PAVEMENT REPAIRS SHALL HAVE A SURFACE COURSE APPLIED PER THE NOTE AND REQUIREMENTS FOR ITEM 251, PARTIAL DEPTH PAVEMENT REPAIR (442). PAYMENT FOR THE SURFACE COURSE SHALL BE INCLUDED WITH ITEM 251. UNLESS OTHERWISE DIRECTED BY THE ENGINEER, THIS ITEM SHALL BE PERFORMED AFTER THE COMPLETION OF THE ABUTTING APPROACH SLAB REPLACEMENT WORK, AND THIS ITEM SHALL COMMENCE WITHIN 7 DAYS OF THE COMPLETION OF THE APPROACH SLABS.

IT IS NOT THE INTENT TO REPAIR EVERY DETERIORATED AREA WITHIN THE PROJECT. THE ENGINEER SHALL DETERMINE WHICH AREAS ARE TO BE REPAIRED.

PAYMENT SHALL BE BASED ON THE ACTUAL NUMBER OF SQUARE YARDS OF SURFACE PAVEMENT REPAIR. THE FOLLOWING ESTIMATED QUANTITY HAS BEEN CARRIED TO THE GENERAL SUMMARY:

ITEM 253, PAVEMENT REPAIR, 1,300 SQ. YD.

**CONTACT INFORMATION**

THE CONTRACTOR SHALL NOT PERFORM CONTRACT WORK IN ANY COUNTY UNTIL AFTER CONTACTING THE COUNTY MANAGER AND PROJECT ENGINEER. BELOW IS A CONTACT LIST FOR COUNTY MANAGERS

**ALLEN**

Contact	Title	Office #	Cell #
Jason Hoschak	Trans. Administrator	(419) 999-6711	(419) 438-4615
Andrew Wita	Trans. Manager	(419) 999-6712	(419) 234-5377
Brian Rader	Trans. Manager	(419) 999-6717	(567) 204-3683

**HANCOCK**

Contact	Title	Office #	Cell #
Deidra Noel	Trans. Administrator	(419) 999-6731	(419) 772-4420
James Heacock	Trans. Manager	(419) 999-6738	(419) 306-1428
Matthew Clay	Trans. Manager	(419) 999-6732	(419) 306-5199

**PAULDING**

Contact	Title	Office #	Cell #
Ross Laukhuf	Trans. Administrator	(419) 999-6751	(419) 769-0132
Sam Gonzales	Trans. Manager	(419) 999-6754	(419) 796-9526
Alexandra Brown	Trans. Manager	(419) 999-6752	(419) 203-3520

**PUTNAM**

Contact	Title	Office #	Cell #
Paul Lehman	Trans. Administrator	(419) 999-6761	(419) 615-3449
Larry Schroeder	Trans. Manager	(419) 999-6762	(419) 957-4999
Kenneth Williamson	Trans. Manager	(419) 999-6768	(419) 796-0127

**VAN WERT**

Contact	Title	Office #	Cell #
Ron Leffel	Trans. Administrator	(419) 999-6771	(419) 302-7617
Patrick McConn	Trans. Manager	(419) 999-6772	(419) 605-8508
Bryan Hoersten	Trans. Manager	(419) 999-6778	

**WYANDOT**

Contact	Title	Office #	Cell #
Kevin Kliesch	Trans. Administrator	(419) 999-6781	(419) 348-5224
Geena Snow	Trans. Manager	(419) 999-6782	(419) 294-7654
April Noel	Trans. Manager	(419) 999-6788	(419) 619-2745

**ENVIRONMENTAL COMMITMENTS**

1. ASBESTOS SURVEYS OF THE STRUCTURES SCHEDULED FOR RENOVATION, WERE CONDUCTED BY A CERTIFIED ASBESTOS HAZARD EVALUATION SPECIALIST. THE SURVEYS DID NOT DETECT REGULATED ASBESTOS-CONTAINING MATERIALS ON THE STRUCTURES. THE ASBESTOS SURVEY REPORT IS FOUND IN THE SPECIAL PROVISIONS ATTACHED TO THE PLANS.

2. THIS PROJECT WAS DEVELOPED TO BE CONSTRUCTED WITHOUT EQUIPMENT OR MATERIALS PLACED (PERMANENTLY OR TEMPORARILY) BELOW THE ORDINARY HIGHWATER MARK OF PLUM CREEK LOCATED AT THE PUT-SR 12-3.70 STRUCTURE.

**ITEM 202, WEARING COURSE REMOVED, AS PER PLAN**

THE CONTRACTOR SHALL REMOVE THE EXISTING ASPHALTIC CONCRETE COURSE TO THE ORIGINAL CONCRETE DECK (TOP OF CONCRETE CULVERT) AND ANY WATERPROOFING MATERIAL THAT WAS PART OF THE DECK (TOP OF CONCRETE CULVERT). REMOVAL SHALL COMPLY WITH REQUIREMENTS OF CMS 202 AND SUPPLEMENTAL SPECIFICATION 856.

PAYMENT FOR THE WORK ABOVE SHALL BE INCLUDED IN THE UNIT PRICE BID PER SQUARE YARD FOR ITEM 202, WEARING COURSE REMOVED, AS PER PLAN, WHICH SHALL INCLUDE MATERIAL, EQUIPMENT, LABOR, AND INCIDENTALS TO COMPLETE THE WORK.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

THE CONTRACTOR SHALL FOLOW ALL REQUIREMENTS OF SECTIONS XXIV AND XXXIV OF THE OHIO DEPARTMENT OF TRANSPORTATION SAFETY AND HEALTH STANDARD OPERATING PROCEDURE 220-006(SP) EFFECTIVE: NOVEMBER 1, 2018 (EXCEPT AS AMENDED BELOW) AND ALL SUBSEQUENT UPDATES POSTED AT THE FOLLOWING WEBSITE:

[HTTP://WWW.DOT.STATE.OH.US/POLICY/POLICIESANDSOPS/POLICIES/220-006\(SP\).PDF](http://www.dot.state.oh.us/policy/policiesandsops/policies/220-006(sp).pdf)

XXIV. HEAD PROTECTION (HARD HATS)  
 ALL PERSONS WITHIN THE RIGHT-OF-WAY OF ANY HIGHWAY OR ANY OTHER TYPE OF ROADWAY OR CONSTRUCTION SITE WHO ARE EXPOSED TO EITHER TRAFFIC (VEHICLES USING THE HIGHWAY FOR PURPOSES OF TRAVEL) OR CONSTRUCTION EQUIPMENT WITHIN THE WORK AREA, REGARDLESS OF JOB TYPE, SHALL WEAR APPROPRIATE HEAD PROTECTION. ALL HARD HATS MUST MEET OR EXCEED ANSI Z89.1-2009 TYPE 1, CLASS E-G REQUIREMENTS.

XXXIV. SAFETY APPAREL AND VEST (HIGH VISIBILITY)  
 ALL PERSONS WITHIN THE RIGHT-OF-WAY OF ANY HIGHWAY OR ANY OTHER TYPE OF ROADWAY OR CONSTRUCTION SITE WHO ARE EXPOSED TO EITHER TRAFFIC (VEHICLES USING THE HIGHWAY FOR PURPOSES OF TRAVEL) OR CONSTRUCTION EQUIPMENT WITHIN THE WORK AREA, REGARDLESS OF JOB TYPE, SHALL WEAR A HIGH-VISIBILITY SAFETY VEST THAT MEETS THE PERFORMANCE CLASS II OR CLASS III REQUIREMENTS OF THE ANSI/ISEA 107-2015 PUBLICATION ENTITLED "AMERICAN NATIONAL STANDARD FOR HIGH-VISIBILITY SAFETY APPAREL AND ACCESSORIES."

WORKERS MAY WEAR AN ANSI CLASS II OR ANSI CLASS III APPROVED RAIN SUIT, JACKET OR OTHER APPAREL WITHOUT A SAFETY VEST OVER IT.

WORKERS MUST WEAR THE REQUIRED PPE AS DESCRIBED IN THE LATEST EDITION OF THE CSXT PUBLIC PROJECTS MANUAL, AT ALL TIMES WHILE WORKING WITHIN THE CSXT RIGHT OF WAY.

**WINDOW CONTRACT TABLE**

DESCRIPTION OF CRITICAL WORK	CALENDAR DAYS TO COMPLETE	DISINCENTIVE \$ PER DAY	WORK WINDOW	
			START	END
ALL WORK ON VAN-33-0165	45	\$1500 PER DAY PER C&MS 108.07	CONTRACT EXECUTION DATE	9/1/2022

DESIGN AGENCY



DESIGNER

EJS

REVIEWER

XXX MM-DD-YY

PROJECT ID

102814

SHEET TOTAL

P.2 | 13

**ITEM 614, MAINTAINING TRAFFIC (AT ALL TIMES)**

A MINIMUM OF ONE TEN FEET WIDE LANE OF TRAFFIC IN EACH DIRECTION SHALL BE MAINTAINED AT ALL TIMES BY USE OF THE EXISTING PAVEMENT, THE COMPLETED PAVEMENT, ITEM 502 STRUCTURE FOR MAINTAINING TRAFFIC, ITEM 615 PAVEMENT FOR MAINTAINING TRAFFIC, ITEM 615 ROADS FOR MAINTAINING TRAFFIC, AND TEMPORARY SURFACES USING ITEMS 610 AND 614.

IN ADDITION TO THE ABOVE, FOR TWO LANE HIGHWAYS, WITH ONE LANE OF TRAFFIC IN EACH DIRECTION, ONE LANE SHALL BE CLOSED AND TRAFFIC IN EACH DIRECTION SHALL BE MAINTAINED AT ALL TIMES BY USE OF FLAGGERS (PER SCD MT-97.10) OR TEMPORARY TRAFFIC SIGNALS (PER SCD MT-96.11, MT-96.20 & MT-96.26) TO COMPLETE THE WORK ON THESE ROUTES AS APPROVED BY THE PROJECT ENGINEER. UNLESS THE CONTRACTOR CHOOSES TO USE FLAGGERS AT NIGHT, WORK ZONE LIGHTING IS NOT REQUIRED. PAYMENT FOR ALL REQUIRED WORK AND TRAFFIC CONTROL DEVICES SHALL BE INCLUDE IN THE CONTRACT PRICEFOR THIS ITEM, UNLESS SEPARATELY ITEMIZED IN THE PLANS.

EQUIPMENT CANNOT BE STORED UNPROTECTED IN THE MEDIUM OR SHOULDER AREA AS PER 614.035. IT MUST BE MOVED TO A PROTECTED AREA, WHENEVER NOT IN USE.

FOR WORK AT THE BRIDGES, MINIMUM OF ONE FEET LATERAL CLEARANCE IS REQUIRED FROM EDGE OF LANE TO BARRIERS AND CHANNELIZING DEVICES.

LENGTH AND DURATION OF LANE CLOSURES AND RESTRICTIONS SHALL BE AT THE APPROVAL OF THE ENGINEER. IT IS THE INTENT TO MINIMIZE THE IMPACT TO THE TRAVELING PUBLIC. LANE CLOSURES OR RESTRICTIONS OVER SEGMENTS OF THE PROJECT IN WHICH NO WORK IS ANTICIPATED WITHIN A REASONABLE TIME FRAME, AS DETERMINED BY THE ENGINEER, SHALL NOT BE PERMITTED. THE LEVEL OF UTILIZATION OF MAINTENANCE OF TRAFFIC DEVICES SHALL BE COMMENSURATE WITH THE WORK IN PROGRESS.

ADVISORY SPEED (W13-1P) PLAQUES SHALL BE USED FOR LANE CLOSURES ON THE 4-LANE SECTIONS OF US 23 AND US 30. THE ADVISORY SPEED PLAQUES SHALL NOTE AN ADVISORY SPEED 10 MILES LESS THAN THE LEGAL SPEED, AND THEY SHALL BE PLACED AS PER THE APPLICABLE (MT) STANDARD CONSTRUCTION DRAWING.

ACCESS TO ADJACENT PROPERTY WITHIN THE WORK LIMITS SHALL BE MAINTAINED BY THE CONTRACTOR AT ALL TIMES, AS PER 614.02(a).

ALL WORK AND TRAFFIC CONTROL DEVICES SHALL BE IN ACCORDANCE WITH C&MS 614 AND OTHER APPLICABLE PORTIONS OF THE SPECIFICATIONS, AS WELL AS THE OHIO MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES. PAYMENT FOR ALL LABOR, EQUIPMENT AND MATERIALS SHALL BE INCLUDED IN THE LUMP SUM CONTRACT PRICE FOR ITEM 614, MAINTAINING TRAFFIC, UNLESS SEPARATELY ITEMIZED IN THE PLAN.

**WORK ZONE MARKINGS AND SIGNS**

THE FOLLOWING ESTIMATED QUANTITIES HAVE BEEN CARRIED TO THE GENERAL SUMMARY FOR USE AT LOCATIONS IDENTIFIED BY THE ENGINEER FOR WORK ZONE PAVEMENT MARKINGS AND SIGNS PER THE REQUIREMENTS OF C&MS 614.04 AND 614.11.

ITEM 614 - WORK ZONE MARKING SIGNS = 10 EACH

ITEM 614 - WORK ZONE EDGE LINE, CLASS I, 6", 740.06, TYPE 1 = 4.53 MILES

**WORK ZONE MARKINGS AND SIGNS (CONTINUED)**

ITEM 614 - WORK ZONE LANE LINE, CLASS I, 6", 740.06, TYPE 1 = 1.77 MILES

ITEM 614 - WORK ZONE DOTTED LINE, CLASS I, 6", 740.06, TYPE 1 = 9,360 FT

ITEM 614 - WORK ZONE IMPACT ATTENUATOR, 24" WIDE HAZARDS, UNIDIRECTIONAL = 14 EACH

ITEM 622 - PORTABLE BARRIER, UNANCHORED = 6,000 FEET (FOR USE AT US 30 & US 33 MAINLINE STRUCTURES)

ITEM 622 - PORTABLE BARRIER, ANCHORED = 100 FEET (FOR USE AT VAN-30-12.76 RT., 2 ANCHORS PER PCB SEGEMENT)

**DELINEATION OF PORTABLE AND PERMANENT BARRIER**

BARRIER REFLECTORS AND OBJECT MARKERS SHALL BE INSTALLED ON ALL PORTABLE BARRIER (PB) USED FOR TRAFFIC CONTROL; AND, ON PERMANENT CONCRETE BARRIER (INCLUDING BRIDGE PARAPETS), LOCATED WITHIN 5 FEET OF THE EDGE OF THE ADJACENT TRAVEL LANE.

BARRIER REFLECTORS SHALL CONFORM TO C&MS 626, EXCEPT THAT THE SPACING SHALL BE AS PER TRAFFIC SCD MT-101.70. OBJECT MARKERS AND THEIR INSTALLATION SHALL CONFORM TO C&MS 614.03 AND SCD MT-101.70. WHEN THE PB CONTAINS GLARE SCREEN, ONE SET OF THREE VERTICAL STRIPES OF SHEETING SHALL BE CONSIDERED EQUIVALENT TO AN OBJECT MARKER, ONE-WAY.

INCREASED BARRIER DELINEATION, AS SPECIFIED HEREIN, SHALL BE INSTALLED ON ALL PB AND PERMANENT CONCRETE BARRIER LOCATED WITHIN 5 FEET OF THE EDGE OF THE TRAVELED LANE UNDER EITHER OF THE FOLLOWING CONDITIONS: ALONG TAPERS AND TRANSITION AREAS; OR ALONG CURVES (OUTSIDE ONLY) WITH DEGREE OF CURVATURE GREATER THAN OR EQUAL TO 3 DEGREES.

THE INCREASED BARRIER DELINEATION SHALL CONSIST OF EITHER DELINEATION PANELS OR THE TRIPLE STACKING OF WORK ZONE BARRIER REFLECTORS.

DELINEATION PANELS SHALL CONSIST OF PANELS OF DELINEATION, APPROXIMATELY 34 INCHES LONG AND 6 INCHES WIDE AND SHALL BE "CRIMPED." PANELS SHALL BE INSTALLED AND SPACED PER TRAFFIC SCD MT-101.70.

TRIPLE-STACKED BARRIER REFLECTORS SHALL CONSIST OF ALIGNING THREE BARRIER REFLECTORS VERTICALLY, AT LOCATIONS WHERE A SINGLE BARRIER REFLECTOR WOULD BE OTHERWISE ATTACHED. THERE SHALL BE NO OPEN SPACE BETWEEN THE ADJACENT BARRIER REFLECTORS. THE TRIPLE-STACKED BARRIER REFLECTORS SHALL CONFORM TO C&MS 626, EXCEPT THAT THEY SHALL BE SPACED AND ALIGNED PER TRAFFIC SCD MT-101.70.

THE FOLLOWING ESTIMATED QUANTITIES HAVE BEEN INCLUDED IN THE PLANS AND CARRIED TO THE GENERAL SUMMARY:

ITEM 614, BARRIER REFLECTOR, TYPE 1 (ONE-WAY) = 126 EACH

ITEM 614, BARRIER REFLECTOR, TYPE 1 (BIDIRECTIONAL) = 4 EACH

ITEM 614, OBJECT MARKER, ONE-WAY = 126 EACH

ITEM 614, INCREASED BARRIER DELINEATION 2200 FEET

PAYMENT SHALL BE FULL COMPENSATION FOR ALL MATERIAL, LABOR, INCIDENTALS AND EQUIPMENT NECESSARY FOR FURNISHING, INSTALLING, MAINTAINING AND REMOVING EACH OF THE ABOVE ITEMS.

**DELINEATION OF PORTABLE AND PERMANENT BARRIER (CONTINUED)**

ALONG RUNS OF INCREASED BARRIER DELINEATION WHERE THIS ITEM IS PROVIDED, THE QUANTITY SHALL BE MEASURED AS THE ENTIRE LENGTH OF THE RUN OF INCREASED BARRIER DELINEATION, INCLUDING THE SPACES BETWEEN THE INDIVIDUAL DELINEATION PANELS OR STACKS OF BARRIER REFLECTORS.

**NOTIFICATION OF TRAFFIC RESTRICTIONS**

THROUGHOUT THE DURATION OF THE PROJECT, THE CONTRACTOR SHALL NOTIFY THE PROJECT ENGINEER IN WRITING OF ALL TRAFFIC RESTRICTIONS AND UPCOMING MAINTENANCE OF TRAFFIC CHANGES. THE CONTRACTOR SHALL ENSURE THE WRITTEN NOTIFICATION IS SUBMITTED IN A TIMELY MANNER TO ALLOW THE PROJECT ENGINEER TO MEET THE REQUIRED TIME FRAMES SET FORTH IN THE TABLE BELOW TO INFORM THE SPECIAL HAULING PERMITS SECTION (HAULING.PERMITS@DOT.OHIO.GOV) AND THE DISTRICT PUBLIC INFORMATION OFFICE (PIO). THIS NOTIFICATION SHALL BE RECEIVED BY THE PROJECT ENGINEER PRIOR TO THE PHYSICAL SETUP OF ANY APPLICABLE SIGNS OR MESSAGE BOARDS.

INFORMATION SHOULD INCLUDE, BUT IS NOT LIMITED TO, ALL CONSTRUCTION ACTIVITIES THAT IMPACT OR INTERFERE WITH TRAFFIC AND SHALL LIST THE SPECIFIC LOCATION, TYPE OF WORK, ROAD STATUS, DATE AND TIME OF RESTRICTION, DURATION OF RESTRICTION, NUMBER OF LANES MAINTAINED, NUMBER OF LANES CLOSED, MINIMUM VERTICAL CLEARANCE, MINIMUM WIDTH OF DRIVABLE PAVEMENT, DETOUR ROUTES, IF APPLICABLE, AND ANY OTHER INFORMATION REQUESTED BY THE PROJECT ENGINEER.

**NOTIFICATION OF TRAFFIC RESTRICTIONS TIME TABLE**

ITEM	DURATION OF CLOSURE	NOTICE DUE TO PERMITS & PIO
RAMP & ROAD CLOSURES	>= 2 WEEKS	21 CALENDAR DAYS PRIOR TO CLOSURE
	> 12 HOURS & < 2 WEEKS	14 CALENDAR DAYS PRIOR TO CLOSURE
	<= 12 HOURS	4 CALENDAR DAYS PRIOR TO CLOSURE
LANE CLOSURES & RESTRICTIONS	>= 2 WEEKS	14 CALENDAR DAYS PRIOR TO CLOSURE
	< 2 WEEKS	5 BUSINESS DAYS PRIOR TO CLOSURE
START OF CONSTRUCTION & TRAFFIC PATTERN CHANGES	N/A	14 CALENDAR DAYS PRIOR TO IMPLEMENTATION

ANY UNFORESEEN CONDITIONS NOT SPECIFIED IN THE PLANS REQUIRING TRAFFIC RESTRICTIONS SHALL ALSO BE REPORTED TO THE PROJECT ENGINEER USING THE NOTIFICATION TIME TABLE.

**ITEM 614, REPLACEMENT SIGN**

FLATSHEET SIGNS FURNISHED BY THE CONTRACTOR IN ACCORDANCE WITH THE REQUIREMENTS OF THE PLANS, SPECIFICATIONS AND PROPOSAL WHICH BECOME DAMAGED BY TRAFFIC FOR REASONS BEYOND THE CONTROL OF THE CONTRACTOR SHALL BE REPLACED IN KIND WHEN ORDERED BY THE ENGINEER. REPLACEMENT SIGNS SHALL BE NEW. OTHER MATERIALS MAY BE IN USED, BUT GOOD, CONDITION SUBJECT TO APPROVAL BY THE ENGINEER.

PAYMENT FOR THE NEW SIGNS SHALL BE MADE AT THE CONTRACT PRICE PER EACH FOR ITEM 614, REPLACEMENT SIGN, AND SHALL INCLUDE THE COST OF REMOVING AND DISPOSING OF DAMAGED SIGNS, HARDWARE AND SUPPORTS, AND PROVIDING THE NECESSARY REPLACEMENT HARDWARE, SUPPORTS, ETC.

AN ESTIMATED QUANTITY OF 5 EACH HAS BEEN PROVIDED IN THE GENERAL SUMMARY.

**ITEM 614, REPLACEMENT DRUM**

DRUMS FURNISHED BY THE CONTRACTOR IN ACCORDANCE WITH THE REQUIREMENTS OF THE PLANS, SPECIFICATIONS AND PROPOSAL WHICH BECOME DAMAGED BY TRAFFIC FOR REASONS BEYOND THE CONTROL OF THE CONTRACTOR SHALL BE REPLACED IN KIND WHEN ORDERED BY THE ENGINEER. REPLACEMENT DRUMS SHALL BE NEW.

PAYMENT FOR THE NEW DRUMS SHALL BE MADE AT THE CONTRACT PRICE PER EACH FOR ITEM 614, REPLACEMENT DRUM, AND SHALL INCLUDE THE COST OF REMOVING AND DISPOSING OF THE DAMAGED DRUM, AND PROVIDING AND MAINTAINING THE REPLACEMENT DRUM IN ACCORDANCE WITH THE CONTRACT REQUIREMENTS FOR THE ORIGINAL DRUM.

AN ESTIMATED QUANTITY OF 5 EACH HAS BEEN PROVIDED IN THE GENERAL SUMMARY.

**ITEM 614, WORK ZONE IMPACT ATTENUATOR FOR 24" WIDE HAZARDS UNIDIRECTIONAL**

THIS ITEM SHALL CONSIST OF FURNISHING AND INSTALLING A NON-GATING IMPACT ATTENUATOR. FURNISH AN IMPACT ATTENUATOR FROM THE OFFICE OF ROADWAY ENGINEERING'S APPROVED LIST FOR WORK ZONE IMPACT ATTENUATORS, FROM THE ROADWAY STANDARDS APPROVED PRODUCTS WEB PAGE.

INSTALLATION SHALL BE AT THE LOCATIONS SPECIFIED IN THE PLANS IN ACCORDANCE WITH THE MANUFACTURER'S SPECIFICATIONS.

THE CONTRACTOR SHALL REPAIR OR REPLACE A DAMAGED UNIT WITHIN 24 HOURS OF A DAMAGING IMPACT.

WHEN BIDIRECTIONAL DESIGNS ARE SPECIFIED, THE CONTRACTOR SHALL SUPPLY APPROPRIATE TRANSITIONS.

WHEN GATING IMPACT ATTENUATORS ARE DESIRED, THE CONTRACTOR SHALL SUBMIT DOCUMENTATION TO THE ENGINEER FOR ACCEPTANCE.

THE COST FOR THE ADDITIONAL BARRIER REQUIRED FOR A GATING IMPACT ATTENUATOR SHALL BE INCLUDED IN THE COST OF THE GATING IMPACT ATTENUATOR.

PAYMENT FOR THE ABOVE WORK SHALL BE MADE AT THE UNIT PRICE BID AND SHALL INCLUDE ALL LABOR, TOOLS, EQUIPMENT AND MATERIALS NECESSARY TO CONSTRUCT AND MAINTAIN A COMPLETE AND FUNCTIONAL IMPACT ATTENUATOR SYSTEM, INCLUDING ALL RELATED BACKUPS, TRANSITIONS, LEVELING PADS, HARDWARE AND GRADING, NOT SEPARATELY SPECIFIED, AS REQUIRED BY THE MANUFACTURER.





SHEET NUM.										PART.	ITEM	ITEM	GRAND	UNIT	DESCRIPTION	SEE SHEET NO.
2	3	4	5	9						01/NFP/BR	EXT	TOTAL				
															<b>ROADWAY</b>	
								LS		LS	201	11000	LS		CLEARING AND GRUBBING	
								20		20	202	23501	20	SY	WEARING COURSE REMOVED, AS PER PLAN	2
															<b>EROSION CONTROL</b>	
								80		80	601	32210	80	CY	ROCK CHANNEL PROTECTION, TYPE C WITH AGGREGATE FILTER	
2,000										2,000	832	30000	2,000	EACH	EROSION CONTROL	
															<b>PAVEMENT</b>	
2,800										2,800	251	01020	2,800	SY	PARTIAL DEPTH PAVEMENT REPAIR (442)	
1,300										1,300	253	01000	1,300	SY	PAVEMENT REPAIR	
								3		3	407	10000	3	GAL	TACK COAT	
															<b>TRAFFIC CONTROL</b>	
				18,800						18,800	618	40101	18,800	FT	RUMBLE STRIPS, SHOULDER (ASPHALT CONCRETE), AS PER PLAN	4
0.14										0.14	642	00104	0.14	MILE	EDGE LINE, 6", TYPE 1	
0.94										0.94	642	00204	0.94	MILE	LANE LINE, 6", TYPE 1	
0.12										0.12	642	00300	0.12	MILE	CENTER LINE, TYPE 1	
															<b>STRUCTURE REPAIR (ALL-30-0242 L, SFN: 0200069)</b>	
								134		134	202	22900	134	SY	APPROACH SLAB REMOVED	
								348		348	509	10000	348	LB	EPOXY COATED REINFORCING STEEL	
								34		34	510	10000	34	EACH	DOWEL HOLES WITH NONSHRINK, NONMETALLIC GROUT	
								25		25	519	11101	25	SF	PATCHING CONCRETE STRUCTURE, AS PER PLAN	8
								133		133	526	25001	133	SY	REINFORCED CONCRETE APPROACH SLABS (T=15"), AS PER PLAN	8
															<b>STRUCTURE REPAIR (ALL-30-0242 R, SFN: 0200093)</b>	
								134		134	202	22900	134	SY	APPROACH SLAB REMOVED	
								348		348	509	10000	348	LB	EPOXY COATED REINFORCING STEEL	
								34		34	510	10000	34	EACH	DOWEL HOLES WITH NONSHRINK, NONMETALLIC GROUT	
								25		25	519	11101	25	SF	PATCHING CONCRETE STRUCTURE, AS PER PLAN	8
								134		134	526	25001	134	SY	REINFORCED CONCRETE APPROACH SLABS (T=15"), AS PER PLAN	8
															<b>STRUCTURE REPAIR (ALL-30-0703 L, SFN: 0200182)</b>	
								134		134	202	22900	134	SY	APPROACH SLAB REMOVED	
								348		348	509	10000	348	LB	EPOXY COATED REINFORCING STEEL	
								34		34	510	10000	34	EACH	DOWEL HOLES WITH NONSHRINK, NONMETALLIC GROUT	
								25		25	519	11101	25	SF	PATCHING CONCRETE STRUCTURE, AS PER PLAN	8
								134		134	526	25001	134	SY	REINFORCED CONCRETE APPROACH SLABS (T=15"), AS PER PLAN	8
															<b>STRUCTURE REPAIR (ALL-30-0703 R, SFN: 0200212)</b>	
								134		134	202	22900	134	SY	APPROACH SLAB REMOVED	
								348		348	509	10000	348	LB	EPOXY COATED REINFORCING STEEL	
								34		34	510	10000	34	EACH	DOWEL HOLES WITH NONSHRINK, NONMETALLIC GROUT	
								25		25	519	11101	25	SF	PATCHING CONCRETE STRUCTURE, AS PER PLAN	8
								134		134	526	25001	134	SY	REINFORCED CONCRETE APPROACH SLABS (T=15"), AS PER PLAN	8
															<b>STRUCTURE REPAIR (HAN-75-0633, SFN: 3202496)</b>	
								17		17	512	10100	17	SY	SEALING OF CONCRETE SURFACES (EPOXY-URETHANE)	
								100		100	519	11101	100	SF	PATCHING CONCRETE STRUCTURE, AS PER PLAN	8
								50		50	843	50000	50	SF	PATCHING CONCRETE STRUCTURES WITH TROWELABLE MORTAR	
															<b>STRUCTURE REPAIR (PAU-637-0022 R, SFN: 6301770)</b>	
								4		4	202	98500	4	CY	REMOVAL MISC.: POLYMER MODIFIED ASPHALT EXPANSION JOINT SYSTEM REMOVED	8
								14		14	512	10100	14	SY	SEALING OF CONCRETE SURFACES (EPOXY-URETHANE)	
								8		8	516	45305	8	EACH	REFURBISH BEARING DEVICE, AS PER PLAN	8A
								LS		LS	516	47001	LS	LS	JACKING AND TEMPORARY SUPPORT OF SUPERSTRUCTURE, AS PER PLAN	8A
								60		60	519	11101	60	SF	PATCHING CONCRETE STRUCTURE, AS PER PLAN	8
								60		60	843	50000	60	SF	PATCHING CONCRETE STRUCTURES WITH TROWELABLE MORTAR	
								36		36	846	00110	36	CF	POLYMER MODIFIED ASPHALT EXPANSION JOINT SYSTEM	
															<b>STRUCTURE REPAIR (PUT-634-1027, SFN: 6901956)</b>	
								85.15		85.15	516	01301	85.15	FT	ELASTOMERIC STRIP SEAL WITHOUT STEEL EXTRUSIONS, AS PER PLAN	8
															<b>STRUCTURE REPAIR (WYA-23-0767 L, SFN: 8800332)</b>	
								3		3	202	98500	3	CY	REMOVAL MISC.: POLYMER MODIFIED ASPHALT EXPANSION JOINT SYSTEM REMOVED	8
								23		23	846	00110	23	CF	POLYMER MODIFIED ASPHALT EXPANSION JOINT SYSTEM	

GENERAL SUMMARY

DESIGN AGENCY



DESIGNER  
EJS

REVIEWER  
XXX MM-DD-YY

PROJECT ID  
102814

SHEET TOTAL  
P.6 | 13

SHEET NUM.					PART.	ITEM	ITEM	GRAND	UNIT	DESCRIPTION	SEE SHEET NO.
2	3	4	5	9	EXT	EXT	TOTAL				
										<b>STRUCTURE REPAIR (WYA-23-0767 R, SFN: 8800367)</b>	
				3	202	98500	3	CY	REMOVAL MISC.: POLYMER MODIFIED ASPHALT EXPANSION JOINT SYSTEM REMOVED	8	
				23	846	00110	23	CF	POLYMER MODIFIED ASPHALT EXPANSION JOINT SYSTEM		
										<b>STRUCTURE REPAIR (VAN-30-1276 R, SFN: 8100578)</b>	
				4	202	11301	4	CY	PORTIONS OF STRUCTURE REMOVED, AS PER PLAN	8	
				67	202	22900	67	SY	APPROACH SLAB REMOVED		
				30	202	98200	30	FT	REMOVAL MISC.: STRUCTURAL STEEL EXPANSION JOINT	8A	
				533	509	10000	533	LB	EPOXY COATED REINFORCING STEEL		
				17	510	10000	17	EACH	DOWEL HOLES WITH NONSHRINK, NONMETALLIC GROUT		
				4	511	34410	4	CY	CLASS QC2 CONCRETE, SUPERSTRUCTURE		
				12	512	10300	12	SY	SEALING CONCRETE BRIDGE DECKS WITH HMWM RESIN	8A	
				LS	513	10001	LS		STRUCTURAL STEEL MEMBERS, LEVEL UF, AS PER PLAN	8A	
				30.17	516	11210	30.17	FT	STRUCTURAL EXPANSION JOINT INCLUDING ELASTOMERIC STRIP SEAL		
				10	519	11101	10	SF	PATCHING CONCRETE STRUCTURE, AS PER PLAN	8	
				67	526	25001	67	SY	REINFORCED CONCRETE APPROACH SLABS (T=15"), AS PER PLAN	8	
										<b>STRUCTURE REPAIR (VAN-30-1581, SFN: 8103860)</b>	
				23	512	10100	23	SY	SEALING OF CONCRETE SURFACES (EPOXY-URETHANE)		
				4	516	46700	4	EACH	RESET BEARING		
				LS	516	47001	LS		JACKING AND TEMPORARY SUPPORT OF SUPERSTRUCTURE, AS PER PLAN	8A	
				100	519	11101	100	SF	PATCHING CONCRETE STRUCTURE, AS PER PLAN	8	
				100	843	50000	100	SF	PATCHING CONCRETE STRUCTURES WITH TROWELABLE MORTAR		
										<b>STRUCTURE REPAIR (VAN-30-1996 R, SFN: 8104204)</b>	
				200	202	22900	200	SY	APPROACH SLAB REMOVED		
				25	519	11101	25	SF	PATCHING CONCRETE STRUCTURE, AS PER PLAN	8	
				200	526	25001	200	SY	REINFORCED CONCRETE APPROACH SLABS (T=15"), AS PER PLAN	8	
										<b>STRUCTURE REPAIR (VAN-33-0165, SFN: 8100942)</b>	
				8	202	11301	8	CY	PORTIONS OF STRUCTURE REMOVED, AS PER PLAN	8	
				209	509	10000	209	LB	EPOXY COATED REINFORCING STEEL		
				8	511	34410	8	CY	CLASS QC2 CONCRETE, SUPERSTRUCTURE		
				11	512	10100	11	SY	SEALING OF CONCRETE SURFACES (EPOXY-URETHANE)		
				8	512	10300	8	SY	SEALING CONCRETE BRIDGE DECKS WITH HMWM RESIN		
				45	SPECIAL	51822300	45	FT	STEEL DRIP STRIP	9	
				7	856	10000	7	CY	BRIDGE DECK WATERPROOFING ASPHALT CONCRETE		
										<b>STRUCTURE REPAIR (WYA-23-1017 L, SFN: 8800421)</b>	
				4	202	98500	4	CY	REMOVAL MISC.: POLYMER MODIFIED ASPHALT EXPANSION JOINT SYSTEM REMOVED	8	
				28	846	00110	28	CF	POLYMER MODIFIED ASPHALT EXPANSION JOINT SYSTEM		
										<b>STRUCTURE REPAIR (WYA-23-1017 R, SFN: 8800456)</b>	
				4	202	98500	4	CY	REMOVAL MISC.: POLYMER MODIFIED ASPHALT EXPANSION JOINT SYSTEM REMOVED	8	
				28	846	00110	28	CF	POLYMER MODIFIED ASPHALT EXPANSION JOINT SYSTEM		
										<b>MAINTENANCE OF TRAFFIC</b>	
		320		320	614	11110	320	HOUR	LAW ENFORCEMENT OFFICER WITH PATROL CAR FOR ASSISTANCE		
	2,200			2,200	614	11630	2,200	FT	INCREASED BARRIER DELINEATION		
	14			14	614	12380	14	EACH	WORK ZONE IMPACT ATTENUATOR, 24" WIDE HAZARDS, (UNIDIRECTIONAL)		
	5			5	614	12500	5	EACH	REPLACEMENT SIGN		
	5			5	614	12600	5	EACH	REPLACEMENT DRUM		
				126	614	13310	126	EACH	BARRIER REFLECTOR, TYPE 1 (ONE-WAY)		
	4			4	614	13310	4	EACH	BARRIER REFLECTOR, TYPE 1 (BIDIRECTIONAL)		
	126			126	614	13350	126	EACH	OBJECT MARKER, ONE WAY		
		16		16	614	18601	16	SNMT	PORTABLE CHANGEABLE MESSAGE SIGN, AS PER PLAN	4	
	1.77			1.77	614	20210	1.77	MILE	WORK ZONE LANE LINE, CLASS I, 6", 740.06, TYPE I		
	4.53			4.53	614	22210	4.53	MILE	WORK ZONE EDGE LINE, CLASS I, 6", 740.06, TYPE I		
	9,360			9,360	614	24402	9,360	FT	WORK ZONE DOTTED LINE, CLASS I, 6", 740.06, TYPE I		
	6,000		2,000	2,000	615	25001	2,000	SY	PAVEMENT FOR MAINTAINING TRAFFIC, CLASS B, AS PER PLAN	5	
	100			6,000	622	41100	6,000	FT	PORTABLE BARRIER, UNANCHORED		
				100	622	41110	100	FT	PORTABLE BARRIER, ANCHORED		
										<b>INCIDENTALS</b>	
				LS	614	11000	LS		MAINTAINING TRAFFIC		
				LS	624	10000	LS		MOBILIZATION		

GENERAL SUMMARY

DESIGN AGENCY



DESIGNER  
EJS

REVIEWER  
XXX MM-DD-YY

PROJECT ID  
102814

SHEET TOTAL  
P.7 13

STANDARD DRAWINGS AND SUPPLEMENTAL SPECIFICATIONS

REFER TO THE FOLLOWING STANDARD BRIDGE DRAWING(S):

- AS-1-15 DATED (REVISED) 7/17/15
AS-2-15 DATED (REVISED) 1/18/19
EXJ-4-87 DATED (REVISED) 1/19/18
PCB-91 DATED (REVISED) 7/17/20
DS-1-92 DATED (REVISED) 7/18/03

AND TO THE FOLLOWING SUPPLEMENTAL SPECIFICATION(S):

- 800-2019 DATED 1/21/22
843 DATED 10/18/19
846 DATED 4/17/15
856 DATED 1/21/22

DESIGN DATA

CONCRETE CLASS QC2:
COMPRESSIVE STRENGTH 4.5 KSI (SUPERSTRUCTURE)

REINFORCING STEEL MINIMUM YIELD STRENGTH 60 KSI

DESIGN SPECIFICATIONS

THE STRUCTURES' WORK CONFORMS TO THE 2ND EDITION OF THE "LRFD BRIDGE DESIGN SPECIFICATIONS" ADOPTED BY THE AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS, 2014 AND THE ODOT BRIDGE DESIGN MANUAL, 2020.

EXISTING STRUCTURE VERIFICATION

DETAILS AND DIMENSIONS SHOWN ON THESE PLANS PERTAINING TO THE EXISTING STRUCTURE HAVE BEEN OBTAINED FROM PLANS OF THE EXISTING STRUCTURE AND FROM FIELD OBSERVATIONS AND MEASUREMENTS. CONSEQUENTLY, THEY ARE INDICATIVE OF THE EXISTING STRUCTURE AND THE PROPOSED WORK BUT THEY SHALL BE CONSIDERED TENTATIVE AND APPROXIMATE. THE CONTRACTOR IS REFERRED TO C&MS, SECTIONS 102.05, 105.02, AND 513.04\*.

BASE CONTRACT BID PRICES UPON A RECOGNITION OF THE UNCERTAINTIES DESCRIBED ABOVE AND UPON A PREBID EXAMINATION OF THE EXISTING STRUCTURE. HOWEVER, THE DEPARTMENT WILL PAY FOR ALL PROJECT WORK BASED UPON ACTUAL DETAILS AND DIMENSIONS THAT HAVE BEEN VERIFIED IN THE FIELD.

COPIES OF THE EXISTING PLANS ARE ON FILE AT THE DISTRICT ONE OFFICE OF THE OHIO DEPARTMENT OF TRANSPORTATION.

ITEM 843 - PATCHING CONCRETE STRUCTURES WITH TROWELABLE MORTAR

A QUANTITY IS INCLUDED IN THE ESTIMATED QUANTITIES TO REPAIR ANY DETERIORATED AREAS ON THE PIERS AND BACKWALLS WITH ITEM 843 - PATCHING CONCRETE STRUCTURES WITH TROWELABLE MORTAR, WHERE THE DEPTH OF A PATCH IS EQUAL TO OR LESS THAN 3 INCHES, AS LOCATED BY AND TO THE SATISFACTION OF THE ENGINEER.

PAYMENT FOR ALL OF THE ABOVE SHALL BE AT THE UNIT PRICE BID PER SQ FT FOR ITEM 843 - PATCHING CONCRETE STRUCTURE WITH TROWELABLE MORTAR WHICH SHALL INCLUDE ALL LABOR, EQUIPMENT, MATERIALS AND INCIDENTALS NECESSARY TO COMPLETE THE ABOVE WORK.

ITEM 512 - SEALING OF CONCRETE SURFACE (EPOXY-URETHANE)

THE CONTRACTOR SHALL SEAL ALL LOCATIONS THAT HAVE BEEN PATCHED AND HAVE QUANTITIES INCLUDED IN THE STRUCTURES SUBSUMMARIES FOR THE AREAS ON BRIDGES NOTED BELOW.

Table with 2 columns: STRUCTURE and PATCHING & SEALING LOCATIONS. Rows include HAN-75-0633, PAU-637-0022, VAN-30-1581, VAN-33-0165.

PAYMENT FOR ALL OF THE ABOVE SHALL BE AT THE UNIT PRICE BID PER SQ YD FOR ITEM 512 - SEALING OF CONCRETE SURFACES (EPOXY-URETHANE) WHICH SHALL INCLUDE ALL LABOR, EQUIPMENT, MATERIALS AND INCIDENTALS NECESSARY TO COMPLETE THE ABOVE WORK.

ITEM 202, PORTIONS OF STRUCTURE REMOVED, AS PER PLAN

THIS ITEM SHALL INCLUDE THE ELEMENTS INDICATED IN THE PLANS AND GENERAL NOTES AND THAT ARE NOT SEPARATELY LISTED FOR PAYMENT, EXCEPT FOR WEARING COURSE REMOVAL. ITEMS TO BE REMOVED INCLUDE ALL EXISTING MATERIALS BEING REPLACED BY NEW CONSTRUCTION AND MISCELLANEOUS ITEMS THAT ARE NOT SHOWN TO BE INCORPORATED INTO THE FINAL CONSTRUCTION AND ARE DIRECTED TO BE REMOVED BY THE ENGINEER. THE USE OF EXPLOSIVES, HEADACHE BALLS AND/OR HOE-RAMS WILL NOT BE PERMITTED. THE METHOD OF REMOVAL AND THE WEIGHT OF HAMMER SHALL BE APPROVED BY THE ENGINEER. PERFORM ALL WORK IN A MANNER THAT WILL NOT CUT, ELONGATE OR DAMAGE THE EXISTING REINFORCING STEEL TO BE PRESERVED. CHIPPING HAMMERS SHALL NOT BE HEAVIER THAN THE NOMINAL 90-POUND CLASS. PNEUMATIC HAMMERS SHALL NOT BE PLACED IN DIRECT CONTACT WITH REINFORCING STEEL THAT IS TO BE RETAINED IN THE REBUILT STRUCTURE. SUBMIT CONSTRUCTION PLANS ACCORDING TO C&MS 501.05.

ITEM 526 - REINFORCED CONCRETE APPROACH SLABS (T=15"), AS PER PLAN

THE APPROACH SLAB CONCRETE FOR THIS ITEM SHALL BE A MS MIX DESIGN THAT WILL PRODUCE 4 KSI BEFORE ALLOWING THE OPENING OF THE LANE TO TRAFFIC. TEST THE CONCRETE USING EITHER BEAMS THAT PRODUCE 0.6 KSI OR CYLINDERS THAT SHOW 4 KSI.

PRIOR TO PLACEMENT OF THE CONCRETE, THE APPROACH SLAB SEAT AND BASE SHALL BE LEVEL AND FREE OF ANY DEBRIS. ANY NEEDED EXCAVATED MATERIAL SHALL BE PER CMS SECTION 203 AND ANY NEEDED ADDITIONAL BASE MATERAIL SHALL BE PROVIDED PER CMS SECTION 304.

THE LONGITUDINAL JOINT AT THE CENTERLINE OF PAVEMENT/ APPROACH SLABS SHALL BE SPLICED UTILIZING MECHANICAL CONNECTORS TO SPLICE INTO ALL THE TRANSVERSE REINFORCING STEEL.

IN ADDITION TO THE REQUIREMENTS OF ITEM 526 AND STANDARD CONSTRUCTION DRAWING AS-1-15, THIS ITEM SHALL ALSO INCLUDE THE APPLICATION OF JOINT SEALER BETWEEN THE INSTALLED APPROACH SLABS AND THE EXISTING ABUTMENTS & DECKS. THE JOINT SEALER SHALL BE APPLIED PER CMS SECTIONS 516.04 & 516.06. THIS MATERIAL REPLACES THE PREFORMED ELASTOMERIC COMPRESSION JOINT SEAL SHOWN IN DETAIL B OF STANDARD CONSTRUCTION DRAWING AS-1-15. SEE DETAIL B ON STANDARD CONSTRUCTION DRAWING AS-1-15 FOR FURTHER DETAILS.

PAYMENT FOR THE WORK ABOVE SHALL BE INCLUDED IN THE UNIT PRICE BID PER SY FOR ITEM 526 - REINFORCED CONCRETE APPROACH SLABS (T-15"), AS PER PLAN, WHICH SHALL INCLUDE ALL MATERIAL, EQUIPMENT, LABOR, AND INCIDENTALS NECESSARY TO COMPLETE THE WORK.

ITEM 519 - PATCHING CONCRETE STRUCTURES, AS PER PLAN

PRIOR TO THE SURFACE CLEANING SPECIFIED IN C&MS 519.04 AND WITHIN 24 HOURS OF PLACING PATCHING MATERIAL, BLAST CLEAN ALL SURFACES TO BE PATCHED INCLUDING THE EXPOSED REINFORCING STEEL. ACCEPTABLE METHODS INCLUDE: HIGH-PRESSURE WATER BLASTING WITH, OR WITHOUT, ABRASIVES IN THE WATER, ABRASIVE BLASTING WITH CONTAINMENT OR VACUUM ABRASIVE BLASTING.

WORK ON STRUCTURES OVER WATERWAYS

UNLESS COVERED BY THE WATERWAY PERMITS, WORK IS NOT PERMITTED IN THE WATERWAYS. HOWEVER, WORK IS PERMITTED AT THE ABUTMENTS AND AT THE TOPS OF THE BANKS OF THE WATERWAYS. ADDITIONALLY, NO WORK, MATERIALS, EQUIPMENT AND/OR INCIDENTALS ARE PERMITTED WITHIN OR BELOW THE ORDINARY HIGH WATER MARK (OHWM).

IF NEEDED, THE OHWM CAN BE STAKED BY ODOT, DISTRICT 1, PLANNING AND ENGINEERING DEPARTMENT PRIOR TO INITIATING WORK AT THE STRUCTURES OVER WATERWAYS. THE CONTRACTOR SHALL CONTACT THE PROJECT ENGINEER AND REQUEST THE OHWM STAKING 14 DAYS PRIOR TO STARTING WORK. THE PROJECT ENGINEER WILL NOTIFY THE DISTRICT ENVIRONMENTAL COORDINATOR AND DISTRICT SURVEY OPERATIONS MANAGER TO REQUEST THE STAKING OF THE OHWM BY ODOT, DISTRICT 1, PLANNING AND ENGINEERING DEPARTMENT.

ALL SPALLING CONCRETE REMOVAL OF MID SPAN, UNDERSIDE DECK SECTIONS SHALL BE DONE IN A MANNOR TO ENSURE THAT NO MATERIALS OR EQUIPMENT ENTER THE WATERWAY.

WORK TO BE PERFORMED

Table with 6 columns: COUNTY, ROUTE, SLM, FEATURE INTERSECTED, SFN, ADDITIONAL DESCRIPTION OF WORK AND/OR ADDITIONAL WORK. Includes rows for REPLACE APPROACH SLABS and POLYMER JOINT REPLACEMENT.

POLYMER JOINT REPLACEMENT

Table with 6 columns: COUNTY, ROUTE, SLM, FEATURE INTERSECTED, SFN, ADDITIONAL DESCRIPTION OF WORK AND/OR ADDITIONAL WORK. Includes rows for PATCHING ABUTMENT BACKWALLS AND REFURBISHING ABUTMENT BEARINGS.

PATCHING/MISC.

Table with 6 columns: COUNTY, ROUTE, SLM, FEATURE INTERSECTED, SFN, ADDITIONAL DESCRIPTION OF WORK AND/OR ADDITIONAL WORK. Includes rows for PATCH PIER COLUMNS AND CAPS, REPLACE STRIP SEAL GLAND, REPAIR DECK EDGE BOTH SIDES, PATCHING WINGWALL AND FILLED PIPE PROTRUSIONS ON CULVERT SIDES.

ITEM 516 - ELASTOMERIC STRIP SEAL WITHOUT STEEL EXTRUSION, AS PER PLAN

IN ADDITION TO THE REQUIREMENTS OF ITEM 516 AND STANDARD CONSTRUCTION DRAWING EXJ-4-87, THIS ITEM SHALL ALSO INCLUDE ALL MATERIAL, EQUIPMENT, AND LABOR REQUIRED TO REMOVE THE EXISTING STRIP SEAL AND CLEAN THE EXISTING STEEL RETAINER FOR INSTALLATION OF THE REPLACEMENT STRIP SEAL.

PAYMENT FOR THE WORK ABOVE SHALL BE INCLUDED IN THE UNIT PRICE BID PER FT FOR ITEM 516 - ELASTOMERIC STRIP SEAL WITHOUT STEEL EXTRUSION, AS PER PLAN, WHICH SHALL INCLUDE ALL MATERIAL, EQUIPMENT, LABOR, AND INCIDENTALS NECESSARY TO COMPLETE THE WORK.

ITEM 202 - REMOVAL, MISC.: POLYMER MODIFIED ASPHALT JOINT SYSTEM REMOVAL

IN ADDITION TO THE REQUIREMENTS OF ITEM 202 AND SUPPLEMENTAL SPECIFICATION 846, THIS ITEM SHALL ALSO INCLUDE ALL MATERIAL, EQUIPMENT, AND LABOR REQUIRED TO REMOVE AND DISPOSE OF THE EXISTING POLYMER MODIFIED ASPHALT JOINT SYSTEM (INCLUDING BRIDGE PLATES, ALIGNMENT NAILS & ETC.) FOR INSTALLATION OF THE REPLACEMENT POLYMER MODIFIED ASPHALT JOINT SYSTEM.

PAYMENT FOR THE WORK ABOVE SHALL BE INCLUDED IN THE UNIT PRICE BID PER CUBIC YARD FOR ITEM 202 - REMOVAL, MISC.: POLYMER MODIFIED ASPHALT JOINT SYSTEM REMOVAL INCLUDE ALL MATERIAL, EQUIPMENT, LABOR, AND INCIDENTALS NECESSARY TO COMPLETE THE REMOVAL WORK.

DESIGN AGENCY



DESIGNER

EJS

REVIEWER

XXX MM-DD-YY

PROJECT ID

102814

SHEET TOTAL

P.8 13



**ITEM 512 - SEALING CONCRETE BRIDGE DECKS WITH HMWM RESIN**

THE CONTRACTOR SHALL SEAL THE CONSTRUCTION JOINTS IN CONCRETE BRIDGE DECKS AND ABUTMENT BACKWALLS FROM PHASE/PART WIDTH CONSTRUCTION FOR MAINTAINING TRAFFIC.

**ITEM 516 - JACKING AND TEMPORARY SUPPORT OF SUPERSTRUCTURE, AS PER PLAN**

THIS WORK CONSISTS OF RAISING OR RE-POSITIONING EXISTING STRUCTURES TO THE DIMENSIONS AND REQUIREMENTS DEFINED IN THE PROJECT PLANS. SUBMIT CONSTRUCTION PLANS IN ACCORDANCE WITH C&MS 501.05. IF, DURING THE JACKING OPERATIONS, CRACKING OF THE CONCRETE SUPERSTRUCTURE, SEPARATION OF THE CONCRETE DECK FROM THE STEEL STRINGERS, OR OTHER DAMAGE TO THE STRUCTURE IS VISUALLY OBSERVED, IMMEDIATELY CEASE THE JACKING OPERATION AND INSTALL SUPPORTS TO THE SATISFACTION OF THE ENGINEER. ANALYZE THE DAMAGE AND SUBMIT A METHOD OF CORRECTION TO THE ENGINEER FOR APPROVAL. EPOXY INJECT ALL BEAMS THAT SEPARATE FROM THE DECK FOR A DISTANCE OF THE SEPARATION IN ACCORDANCE WITH C&MS 512.07. THE DEPARTMENT WILL NOT PAY FOR THE COST OF THIS EPOXY INJECTION OR OTHER REQUIRED REPAIRS. THE BRIDGE BEARINGS SHALL BE FULLY SEATED ALL CONTACT AREAS. IF FULL SEATING IS NOT ATTAINED, SUBMIT A REPAIR PLAN TO THE ENGINEER. THE DEPARTMENT WILL NOT PAY FOR THE REPAIR COSTS TO ENSURE FULL SEATING ON BEARINGS. THE DEPARTMENT WILL MEASURE THIS WORK ON A LUMP SUM BASIS. THE DEPARTMENT WILL PAY FOR THE ACCEPTED QUANTITIES AT THE CONTRACT PRICE FOR ITEM 516, JACKING AND TEMPORARY SUPPORT OF SUPERSTRUCTURE, AS PER PLAN.

**ITEM 516 - REFURBISHING BEARING DEVICES, AS PER PLAN**

THIS ITEM SHALL INCLUDE ALL WORK NECESSARY TO PROPERLY ALIGN BRIDGE BEARINGS, AS WELL AS THEIR CLEARNING AND PAINTING. INCLUDED SHALL BE THE DISASSEMBLY OF THE BEARINGS, HAND TOOL CLEANING (GRINDING IF NECESSARY), PAINTING ACCORDING TO ITEM 514, REPLACEMENT OF ANY DAMAGED SHEET LEAD WITH PREFORMED BEARING PADS (C&MS 711.21), INSTALLATION OF ANY NECESSARY STEEL SHIMS OF THE SAME SIZE AS THE BEARINGS TO PROVIDE A SNUG FIT, REALIGNMENT OF THE UPPER BEARING PLATE BY REMOVING EXISTING WELDS AND REWELDING SO THAT THE BEARINGS ARE VERTICALLY ALIGNED AT 60 DEGREES FARENHEIT, LUBRICATING SLIDING SURFACES, AND REASSEMBLY OF THE BEARINGS. ASSURE ALL BEARINGS ARE SHIMMED ADEQUATELY AND THAT NO BEAMS AND/OR BEARING DEVICES ARE "FLOATING". AT NO ADDITIONAL COST TO THE STATE, THE CONTRACTOR MAY INSTALL NEW BEARINGS OF THE SAME TYPE AS THE EXISTING IN PLACE OF REFURBISHING THE BEARINGS. ALL WORK SHALL BE TO THE SATISFACTION OF THE ENGINEER. PAYMENT FOR ALL OF THE ABOVE DESCRIBED LABOR AND MATERIALS WILL BE MADE AT THE CONTRACT PRICE BID FOR ITEM 516 - REFURBISH BEARING DEVICES, AS PER PLAN.


**ITEM 513 - STRUCTURAL STEEL MEMBERS, LEVEL UF, AS PER PLAN**

ALL REQUIREMENTS OF C&MS 513 APPLY TO SHOP FABRICATED MEMBERS. PERFORM WORK FOR FIELD FABRICATED MEMBERS ACCORDING TO ITEM 513, EXCEPT AS MODIFIED HEREIN. THE DEPARTMENT WILL NOT REQUIRE THE CONTRACTOR PERFORMING FIELD FABRICATION TO BE PRE-QUALIFIED AS SPECIFIED IN S1078. SUBMIT A WRITTEN LETTER OF MATERIAL ACCEPTANCE IN ACCORDANCE WITH C&MS 501.06, TO THE ENGINEER. PROVIDE THE ENGINEER "AS-BUILT" DRAWINGS ACCORDING C&MS 513.06, EXCEPT C&MS 501.04 DOES NOT APPLY. UPON RECEIPT OF THE ENGINEER'S ACCEPTANCE, SUPPLY A COPY OF THE DRAWINGS, ACCORDING TO S1002 TO THE OFFICE OF MATERIAL MANAGEMENT FOR RECORD PURPOSES.

THE FOLLOWING MEMBERS ARE INCLUDED IN THIS ITEM:  
 FOR FIELD ADJUSTING END CROSS FRAMES BRIDGE NO. VAN-30-1276R

**ITEM 202, REMOVED MISC.: STRUCTURAL STEEL EXPANSION JOINT**

THIS WORK CONSISTS OF THE REMOVAL OF EXISTING STRUCTURAL EXPANSION JOINT. THIS ITEM SHALL INCLUDE REMOVAL AND SALVAGING OF ANY ATTACHED END CROSS FRAME ELEMENTS AND OTHER APPURTENANCES FROM STEEL SUPPORTING SYSTEMS INDICATED IN THE PLANS AND GENERAL NOTES AND THAT ARE NOT SEPARATELY LISTED FOR PAYMENT. PERFORM WORK CAREFULLY DURING DECK REMOVALS TO PROTECT PORTIONS OF SUCH SYSTEMS THAT ARE TO BE SALVAGED AND INCORPORATED INTO THE PROPOSED STRUCTURE, SUCH AS ELEMENTS FROM THE END CROSS FRAME. ITEMS TO BE REMOVED INCLUDE ALL EXISTING MATERIALS BEING REPLACED BY NEW CONSTRUCTION AND MISCELLANEOUS ITEMS THAT ARE NOT SHOWN TO BE INCORPORATED INTO THE FINAL CONSTRUCTION AND ARE DIRECTED TO BE REMOVED BY THE ENGINEER. THE USE OF EXPLOSIVES, HEADACHE BALLS AND/OR HOE-RAMS WILL NOT BE PERMITTED. THE METHOD OF REMOVAL AND THE WEIGHT OF HAMMER SHALL BE APPROVED BY THE ENGINEER. PERFORM ALL WORK IN A MANNER THAT WILL NOT CUT, ELONGATE OR DAMAGE THE EXISTING STRUCTURAL STEEL AND CONCRETE TO BE PRESERVED. CHIPPING HAMMERS SHALL NOT BE HEAVIER THAN THE NOMINAL 90-POUND CLASS. PNEUMATIC HAMMERS SHALL NOT BE PLACED IN DIRECT CONTACT WITH REINFORCING OR STRUCTURAL STEEL THAT IS TO BE RETAINED IN THE REBUILT STRUCTURE. SUBMIT CONSTRUCTION PLANS ACCORDING TO C&MS 501.05.

SFN	
VARIOUS	
DESIGN AGENCY	
	
DESIGNER	CHECKER
EJS	XXX
REVIEWER	
XXX MM-DD-YY	
PROJECT ID	
102814	
SUBSET	TOTAL
2	7
SHEET	TOTAL
P.8A	13

STRUCTURE REPAIR (SFN 6301770) (PAU - 637 - 0.22 R OVER MADDOX CREEK)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 202 98500 REMOVAL MISC.: POLYMER MODIFIED ASPHALT EXPANSON JOINT SYSTEM REMOVED (4 CY), 512 10100 SEALING OF CONCRETE SURFACES (EPOXY-URETHANE) (14 SY), 516 45305 REFURBISH BEARING DEVICE, AS PER PLAN (8 EACH), 516 47001 JACKING AND TEMPORARY SUPPORT OF SUPERSTRUCTURE, AS PER PLAN (8A LS), 519 11101 PATCHING CONCRETE STRUCTURE, AS PER PLAN (8 SF), 843 50000 PATCHING CONCRETE STRUCTURES WITH TROWELABLE MORTAR (60 SF), 846 00110 POLYMER MODIFIED ASPHALT EXPANSON JOINT SYSTEM (36 CF).

STRUCTURE REPAIR (SFN 8800332) (WYA - 023 - 7.67 L OVER SANDUSKY RIVER)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 202 98500 REMOVAL MISC.: POLYMER MODIFIED ASPHALT EXPANSON JOINT SYSTEM REMOVED (3 CY), 846 00110 POLYMER MODIFIED ASPHALT EXPANSON JOINT SYSTEM (23 CF).

STRUCTURE REPAIR (SFN 8800367) (WYA - 023 - 7.67 R OVER SANDUSKY RIVER)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 202 98500 REMOVAL MISC.: POLYMER MODIFIED ASPHALT EXPANSON JOINT SYSTEM REMOVED (3 CY), 846 00110 POLYMER MODIFIED ASPHALT EXPANSON JOINT SYSTEM (23 CF).

STRUCTURE REPAIR (SFN 8800421) (WYA - 023 - 10.17 L OVER CF&E/CSX RR)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 202 98500 REMOVAL MISC.: POLYMER MODIFIED ASPHALT EXPANSON JOINT SYSTEM REMOVED (4 CY), 846 00110 POLYMER MODIFIED ASPHALT EXPANSON JOINT SYSTEM (28 CF).

STRUCTURE REPAIR (SFN 8800456) (WYA - 023 - 10.17 R OVER CF&E/CSX RR)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 202 98500 REMOVAL MISC.: POLYMER MODIFIED ASPHALT EXPANSON JOINT SYSTEM REMOVED (4 CY), 846 00110 POLYMER MODIFIED ASPHALT EXPANSON JOINT SYSTEM (28 CF).

STRUCTURE REPAIR (SFN 3202496) (HAN - 75 - 6.33 UNDER CR 12)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 512 10100 SEALING OF CONCRETE STRUCTURE (EXPOXY-EURETHANE) (17 SY), 519 11101 PATCHING CONCRETE STRUCTURE, AS PER PLAN (8 SF), 843 50000 PATCHING CONCRETE STRUCTURES WITH TROWELABLE MORTAR (50 SF).

EROSION CONTROL REPAIR ITEM (SFN 6900100) (PUT - 12 - 3.7 OVER PLUM CREEK)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 601 32210 ROCK CHANNEL PROTECTION, TYPE C WITH AGGREGATE FILTER (80 CY), 201 11000 CLEARING AND GRUBBING (LS \*\*).

STRUCTURE REPAIR (SFN 6901956) (PUT - 634 - 10.27 OVER AUGLAIZE RIVER)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 516 01301 ELASTOMERIC STRIP SEAL WITHOUT STEEL EXTRUSIONS, AS PER PLAN (8 FT, 85.15).

STRUCTURE REPAIR (SFN 8103860) (VAN - 30 - 15.81 TR 127 OVER US 30)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 512 10100 SEALING OF CONCRETE STRUCTURE (EXPOXY-EURETHANE) (23 SY), 516 46700 RESET BEARING (4 EACH), 516 47001 JACK AND TEMPORARY SUPPORT OF SUPERSTRUCTURE, AS PER PLAN (8A LS), 519 11101 PATCHING CONCRETE STRUCTURE, AS PER PLAN (8 SF), 843 50000 PATCHING CONCRETE STRUCTURES WITH TROWELABLE MORTAR (100 SF).

\*NOTE: TOTALS ARE CARRIED TO GENERAL SUMMARY

\*\*NOTE: TOTALS ARE CARRIED TO GENERAL SUMMARY - ROADWAY SECTION

STRUCTURE REPAIR (SFN 0200069) (ALL - 30 - 2.42 L OVER AUGLAIZE RIVER)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 202 22900 APPROACH SLAB REMOVED (134 SY), 509 10000 EPOXY COATED REINFORCING STEEL (348 LB), 510 10000 DOWEL HOLES WITH NONSHRINK, NONMETALLIC GROUT (34 EACH), 519 11101 PATCHING CONCRETE STRUCTURE, AS PER PLAN (8 SF, 25), 526 25001 REINFORCED CONCRETE APPROACH SLABS (T=15"), AS PER PLAN (8 SY, 134).

STRUCTURE REPAIR (SFN 0200093) (ALL - 30 - 2.42 R OVER AUGLAIZE RIVER)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 202 22900 APPROACH SLAB REMOVED (134 SY), 509 10000 EPOXY COATED REINFORCING STEEL (348 LB), 510 10000 DOWEL HOLES WITH NONSHRINK, NONMETALLIC GROUT (34 EACH), 519 11101 PATCHING CONCRETE STRUCTURE, AS PER PLAN (8 SF, 25), 526 25001 REINFORCED CONCRETE APPROACH SLABS (T=15"), AS PER PLAN (8 SY, 134).

STRUCTURE REPAIR (SFN 0200182) (ALL - 30 - 7.03 L OVER OTTAWA RIVER)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 202 22900 APPROACH SLAB REMOVED (134 SY), 509 10000 EPOXY COATED REINFORCING STEEL (348 LB), 510 10000 DOWEL HOLES WITH NONSHRINK, NONMETALLIC GROUT (34 EACH), 519 11101 PATCHING CONCRETE STRUCTURE, AS PER PLAN (8 SF, 25), 526 25001 REINFORCED CONCRETE APPROACH SLABS (T=15"), AS PER PLAN (8 SY, 134).

STRUCTURE REPAIR (SFN 0200212) (ALL - 30 - 7.03 R OVER OTTAWA RIVER)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 202 22900 APPROACH SLAB REMOVED (134 SY), 509 10000 EPOXY COATED REINFORCING STEEL (348 LB), 510 10000 DOWEL HOLES WITH NONSHRINK, NONMETALLIC GROUT (34 EACH), 519 11101 PATCHING CONCRETE STRUCTURE, AS PER PLAN (8 SF, 25), 526 25001 REINFORCED CONCRETE APPROACH SLABS (T=15"), AS PER PLAN (8 SY, 134).

STRUCTURE REPAIR (SFN 8100578) (VAN - 30 - 12.76 R OVER TOWN CREEK & CFE RR)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 202 11301 PORTIONS OF STRUCTURE REMOVED, AS PER PLAN (8 CY, 4), 202 22900 APPROACH SLAB REMOVED (134 SY), 202 98200 REMOVAL MISC.: STRUCTURAL STEEL EXPANSION JOINT (8A FT, 30), 509 10000 EPOXY COATED REINFORCING STEEL (533 LB), 510 10000 DOWEL HOLES WITH NONSHRINK, NONMETALLIC GROUT (17 EACH), 511 34410 CLASS QC2 CONCRETE, SUPERSTRUCTURE (4 CY), 512 10300 SEALING BRIDGE DECKS WITH HMWM RESIN (8A SY, 12), 513 10001 STRUCTURAL STEEL MEMBERS, LEVEL UF, AS PER PLAN (8A LS), 516 11210 STRUCTURAL EXPANSION JOINT INCLUDING ELASTOMERIC STRIP SEAL (FT, 30.17), 519 11101 PATCHING CONCRETE STRUCTURE, AS PER PLAN (8 SF, 10), 526 25001 REINFORCED CONCRETE APPROACH SLABS (T=15"), AS PER PLAN (8 SY, 67).

STRUCTURE REPAIR (SFN 8104204) (VAN - 30 - 19.96 R OVER CR 173)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 202 22900 APPROACH SLAB REMOVED (200 SY), 519 11101 PATCHING CONCRETE STRUCTURE, AS PER PLAN (8 SF, 25), 526 25001 REINFORCED CONCRETE APPROACH SLABS (T=15"), AS PER PLAN (8 SY, 200).

STRUCTURE REPAIR (SFN 8100942) (VAN - 33 - 1.65 OVER CLOUSE DITCH)

Table with 6 columns: ITEM, EXT., DESCRIPTION, See Sht., UNIT, TOTAL\*. Rows include: 202 11301 PORTIONS OF STRUCTURE REMOVED, AS PER PLAN (8 CY, 8), 202 23501 WEARING COURSE REMOVED, AS PER PLAN (2 SY, 20 \*\*), 407 10000 TACK COAT (3 GAL \*\*), 509 10000 EPOXY COATED REINFORCING STEEL (209 LB), 511 34410 CLASS QC2 CONCRETE, SUPERSTRUCTURE (8 CY), 512 10100 SEALING OF CONCRETE SURFACES (EPOXY - URETHANE) (11 SY), 512 10300 SEALING CONCRETE BRIDGE DECKS WITH HMWM RESIN (8 SY), SPECIAL 51823300 STEEL DRIP STRIP (SEE STANDARD CONSTRUCTION DRAWING DS-1-92) (8, 13A FT, 45), 856 10000 BRIDGE DECK WATERPROOFING ASPHALT CONCRETE (7 CY).

DESIGN AGENCY



DESIGNER

EJS

REVIEWER

XXX MM-DD-YY

PROJECT ID

102814

SHEET

TOTAL

P.9 | 13