



REF NO.	SHEET NO.	LOG POINT TO LOG POINT				625	630	630	630	630	630	630	630	630	630	630	630	630	630	630	606	606	631
						GROUND ROD	OVERHEAD SIGN SUPPORT, TYPE TC-12.30, DESIGN 5	OVERHEAD SIGN SUPPORT, TYPE TC-12.30, DESIGN 6	OVERHEAD SIGN SUPPORT, TYPE TC-12.30, DESIGN 7	OVERHEAD SIGN SUPPORT, TYPE TC-12.30, DESIGN 8	OVERHEAD SIGN SUPPORT, TYPE TC-12.30, DESIGN 9	OVERHEAD SIGN SUPPORT, TYPE TC-12.30, DESIGN 10	OVERHEAD SIGN SUPPORT, TYPE TC-9.10, DESIGN 1	SIGN ATTACHMENT ASSEMBLY	REMOVAL OF OVERHEAD SIGN SUPPORT AND DISPOSAL	SIGN SUPPORT ASSEMBLY, POLE MOUNTED	SIGN, FLAT SHEET	SIGN, OVERHEAD EXTRUSHEET	RIGID OVERHEAD SIGN SUPPORT FOUNDATION	REMOVAL OF STRUCTURE MOUNTED SIGN AND DISPOSAL	REMOVAL OF OVERHEAD MOUNTED SIGN AND DISPOSAL	REMOVAL OF POLE MOUNTED SIGN AND DISPOSAL	SIGN HANGER ASSEMBLY, MAST ARM
					EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	SF	SF	EACH	EACH	EACH	EACH	EACH	EACH	FT	EACH
VAR	71	7.20	TO	15.81	5		3			1	1	0	138	5	3	27.0	3571.0	5		44	1		30
VAR	72	15.92	TO	20.40									75				2561.0			22			16
<b>TOTALS CARRIED TO GENERAL SUMMARY</b>					5		3			1	1		213	5	3	27.0	6132.0	5		66	1		46

<b>D07 - SIGN - FY 20</b>	CALCULATED
	LDW
<b>SUBSUMMARY CANTILEVER SIGNS</b>	CHECKED
	JWB

