

I:\Project+Data\D08\98507\_D08\_BS\_FY19\Design\Roadway\Sheets\98507\_GG001.dgn Sheet 8/11/2021 10:47:24 AM gfreeman

SHEET NUM.											PART.		ITEM	ITEM EXT	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET NO.
4	6	7	10	11	12						01/IMS/BR	02/NHS/BR						
											LS	LS	201	11001	LS		ROADWAY	4
					4,289						4,289		512	73500	4,289	SY	STRUCTURE REPAIR (HAM-75-0173)	
16				18							16		SPECIAL	51912510	16	SY	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN	4
											18		621	00301	18	EACH	PATCHING CONCRETE BRIDGE DECK - TYPE B	4
			0.2								0.2		642	00104	0.2	MILE	RPM REFLECTOR, AS PER PLAN	
			0.29								0.29		642	00204	0.29	MILE	EDGE LINE, 6", TYPE 1	
			2,588								2,588		512	74500	2,588	FT	LANE LINE, 6", TYPE 1	
																	REMOVAL OF EXISTING PAVEMENT MARKING	
					3,515						3,515		512	73500	3,515	SY	STRUCTURE REPAIR (HAM-75-0191)	
1				18							1		SPECIAL	51912510	1	SY	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN	4
											18		621	00301	18	EACH	PATCHING CONCRETE BRIDGE DECK - TYPE B	4
			0.18								0.18		642	00104	0.18	MILE	RPM REFLECTOR, AS PER PLAN	
			0.25								0.25		642	00204	0.25	MILE	EDGE LINE, 6", TYPE 1	
			2,271								2,271		512	74500	2,271	FT	LANE LINE, 6", TYPE 1	
																	REMOVAL OF EXISTING PAVEMENT MARKING	
					3,999						3,999		512	73500	3,999	SY	STRUCTURE REPAIR (HAM-75-0219)	
				21							21		621	00301	21	EACH	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN	4
			0.18								0.18		642	00104	0.18	MILE	RPM REFLECTOR, AS PER PLAN	
			0.32								0.32		642	00204	0.32	MILE	EDGE LINE, 6", TYPE 1	
			2,640								2,640		512	74500	2,640	FT	LANE LINE, 6", TYPE 1	
																	REMOVAL OF EXISTING PAVEMENT MARKING	
					2,000						2,000		512	73500	2,000	SY	STRUCTURE REPAIR (HAM-75-0240L)	
11				12							11		SPECIAL	51912510	11	SY	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN	4
											12		621	00301	12	EACH	PATCHING CONCRETE BRIDGE DECK - TYPE B	4
			0.08								0.08		642	00104	0.08	MILE	RPM REFLECTOR, AS PER PLAN	
			0.12								0.12		642	00204	0.12	MILE	EDGE LINE, 6", TYPE 1	
			390								390		642	00404	390	FT	LANE LINE, 6", TYPE 1	
			1,446								1,446		512	74500	1,446	FT	CHANNELIZING LINE, 12", TYPE 1	
																	REMOVAL OF EXISTING PAVEMENT MARKING	
					2,562						2,562		512	73500	2,562	SY	STRUCTURE REPAIR (HAM-75-0240R)	
				6							6		621	00301	6	EACH	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN	4
			0.12								0.12		642	00104	0.12	MILE	RPM REFLECTOR, AS PER PLAN	
			0.09								0.09		642	00204	0.09	MILE	EDGE LINE, 6", TYPE 1	
			1,109								1,109		512	74500	1,109	FT	LANE LINE, 6", TYPE 1	
																	REMOVAL OF EXISTING PAVEMENT MARKING	
					1,451						1,451		512	10400	1,451	SY	STRUCTURE REPAIR (HAM-50-1954R)	
																	TREATING OF CONCRETE BRIDGE DECK WITH SRS	
					1,451						1,451		512	10400	1,451	SY	STRUCTURE REPAIR (HAM-50-1954L)	
																	TREATING OF CONCRETE BRIDGE DECK WITH SRS	
					1,744						1,744		512	10400	1,744	SY	STRUCTURE REPAIR (HAM-50-1961R)	
																	TREATING OF CONCRETE BRIDGE DECK WITH SRS	
					1,987						1,987		512	10400	1,987	SY	STRUCTURE REPAIR (HAM-50-1961L)	
																	TREATING OF CONCRETE BRIDGE DECK WITH SRS	
					4,898						4,898		512	10300	4,898	SY	STRUCTURE REPAIR (HAM-50-1980L)	
				22							22		621	00301	22	EACH	SEALING CONCRETE BRIDGE DECKS WITH HMWM RESIN	4
			0.32								0.32		642	00104	0.32	MILE	RPM REFLECTOR, AS PER PLAN	
			0.32								0.32		642	00204	0.32	MILE	EDGE LINE, 6", TYPE 1	
			3,380								3,380		512	74500	3,380	FT	LANE LINE, 6", TYPE 1	
																	REMOVAL OF EXISTING PAVEMENT MARKING	
					4,834						4,834		512	10300	4,834	SY	STRUCTURE REPAIR (HAM-50-1980R)	
2				24							2		SPECIAL	51912510	2	SY	SEALING CONCRETE BRIDGE DECKS WITH HMWM RESIN	4
											24		621	00301	24	EACH	PATCHING CONCRETE BRIDGE DECK - TYPE B	4
			0.32								0.32		642	00104	0.32	MILE	RPM REFLECTOR, AS PER PLAN	
			0.27								0.27		642	00204	0.27	MILE	EDGE LINE, 6", TYPE 1	
			525								525		642	00404	525	FT	LANE LINE, 6", TYPE 1	
			3,641								3,641		512	74500	3,641	FT	CHANNELIZING LINE, 12", TYPE 1	
																	REMOVAL OF EXISTING PAVEMENT MARKING	

GENERAL SUMMARY

D08 - BS - FY2022

I:\ProjectData\08\98507\_D08\_BS\_FY19\Design\Roadway\Sheets\98507\_GG002.dgn Sheet 8/12/2021 6:26:32 AM gfreeman

SHEET NUM.											PART.		ITEM	ITEM EXT	GRAND TOTAL	UNIT	DESCRIPTION	SEE SHEET NO.	
4	6	7	10	11	12						01/IMS/BR	02/NHS/BR							
					1,620							1,620	512	10400	1,620	SY	STRUCTURE REPAIR (HAM-50-2013R)		
17												17	SPECIAL	51912510	17	SY	TREATING OF CONCRETE BRIDGE DECK WITH SRS PATCHING CONCRETE BRIDGE DECK - TYPE B	4	
					2,067							2,067	512	10400	2,067	SY	STRUCTURE REPAIR (HAM-50-2013L)		
																	STRUCTURE REPAIR (HAM-50-2028L)		
4					5,166						4	5,166	253	02000	4	CY	PAVEMENT REPAIR		
													512	10400	5,166	SY	TREATING OF CONCRETE BRIDGE DECK WITH SRS		
					868							868	512	10400	868	SY	STRUCTURE REPAIR (HAM-50-2028R)		
																	STRUCTURE REPAIR (HAM-50-2028M)		
9					1,967						1,967	9	512	10400	1,967	SY	TREATING OF CONCRETE BRIDGE DECK WITH SRS		
													SPECIAL	51912510	9	SY	PATCHING CONCRETE BRIDGE DECK - TYPE B	4	
					868						868		512	73500	868	SY	STRUCTURE REPAIR (HAM-562-0004)		
				14							14		621	00301	14	EACH	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN		
			0.12								0.12		642	00104	0.12	MILE	RPM REFLECTOR, AS PER PLAN	4	
			634								634		512	74500	634	FT	EDGE LINE, 6", TYPE 1		
																	REMOVAL OF EXISTING PAVEMENT MARKING		
																	STRUCTURE REPAIR (HAM-562-0065)		
1					2,347						1	2,347	253	02000	1	CY	PAVEMENT REPAIR		
													512	73500	2,347	SY	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN		
				8							8		621	00301	8	EACH	RPM REFLECTOR, AS PER PLAN	4	
			0.18								0.18		642	00104	0.18	MILE	EDGE LINE, 6", TYPE 1		
			0.09								0.09		642	00204	0.09	MILE	LANE LINE, 6", TYPE 1		
			1,426								1,426		512	74500	1,426	FT	REMOVAL OF EXISTING PAVEMENT MARKING		
																	STRUCTURE REPAIR (HAM-562-0121)		
5					2,191						2,191		512	73500	2,191	SY	TREATING CONCRETE BRIDGE DECKS WITH GRAVITY FED RESIN		
													5	SPECIAL	51912510	5	SY	PATCHING CONCRETE BRIDGE DECK - TYPE B	4
				6							6		621	00301	6	EACH	RPM REFLECTOR, AS PER PLAN	4	
			0.18								0.18		642	00104	0.18	MILE	EDGE LINE, 6", TYPE 1		
			0.09								0.09		642	00204	0.09	MILE	LANE LINE, 6", TYPE 1		
			1,426								1,426		512	74500	1,426	FT	REMOVAL OF EXISTING PAVEMENT MARKING		
																	MAINTENANCE OF TRAFFIC		
	400										200	200	614	11110	400	HOUR	LAW ENFORCEMENT OFFICER WITH PATROL CAR FOR ASSISTANCE		
		24									12	12	614	18600	24	SNMT	PORTABLE CHANGEABLE MESSAGE SIGN		
		1.84									1.07	0.77	614	20560	1.84	MILE	WORK ZONE LANE LINE, CLASS III, 6", 642 PAINT		
		1.88									0.88	1	614	22360	1.88	MILE	WORK ZONE EDGE LINE, CLASS III, 6", 642 PAINT		
		915									390	525	614	23690	915	FT	WORK ZONE CHANNELIZING LINE, CLASS III, 12", 642 PAINT		
		24									12	12	808	18700	24	SNMT	WORK ZONE CHANNELIZING LINE, CLASS III, 12", 642 PAINT		
																	DIGITAL SPEED LIMIT (DSL) SIGN ASSEMBLY		
																	INCIDENTALS		
											LS	LS	614	11001	LS		MAINTAINING TRAFFIC, AS PER PLAN	5	
											LS	LS	623	10000	LS		CONSTRUCTION LAYOUT STAKES AND SURVEYING		
											LS	LS	624	10000	LS		MOBILIZATION		

GENERAL SUMMARY

D08 - BS - FY2022

CALCULATED  
LWB  
CHECKED  
CH

BRIDGE NUMBER	SFN	FEATURE INTERSECTED	SEAL APPR. SLAB	DECK*			APPR. SLABS AREA	TOTALS			FUNDING		
				LENGTH	WIDTH	AREA		SRS	HMWM	GFR	URBAN		
				FT	FT	SF	SF	SY	SY	SY	01/IMS/B R	02/NHS/B R	
HAM-75-0173	3109275	LIBERTY STREET	Y	200	155	31000	7750	0	0	4289	4,289	0	
HAM-75-0191	3109305	FINDLAY STREET	Y	174	148	25752	7400	0	0	3515	3,515	0	
HAM-75-0219	3109364	BANK STREET	Y	189	150	28350	7500	0	0	3999	3,999	0	
HAM-75-0240L	3109399	HARRISON AVE	Y	162	87	14094	4350	0	0	2000	2,000	0	
HAM-75-0240R	3109429	HARRISON AVE	Y	162	107	17334	5350	0	0	2562	2,562	0	
HAM-50-1954R	3102882	HARRIET STREET	Y	152	65	9880	3250	1451	0	0	0	1,451	
HAM-50-1954L	3102874	HARRIET STREET	Y	152	56	8512	2800	1451	0	0	0	1,451	
HAM-50-1961R	3102920	NORFOLK SOUTHERN RR	Y	223	63	14049	3150	1744	0	0	0	1,744	
HAM-50-1961L	3102912	NORFOLK SOUTHERN RR	Y	223	66	14718	3300	1987	0	0	0	1,987	
HAM-50-1980L	3103005	NSRR;CSRR;LINN ST	Y	805	47	37835	2350	0	4898	0	0	4,898	
HAM-50-1980R	3103064	NSRR;CSRR;LINN ST	Y	780	51	39780	2550	0	4834	0	0	4,834	
HAM-50-2013R	3103129	GEST STREET	Y	203	52	10556	2600	1620	0	0	0	1,620	
HAM-50-2013L	3103099	GEST STREET; US50 RAMP	Y	225	52	11700	2600	2067	0	0	0	2,067	
HAM-50-2028L	3103153	I75;RMP I75 US50E	Y	540	60	32400	4225	5166	0	0	5,166	0	
HAM-50-2028R	3103188	I75;S	N	178	30	5340	0	868	0	0	868	0	
HAM-50-2028M	3103161	I75SB;RMP	Y	495	32	15840	1600	1967	0	0	1,967	0	
HAM-562-0004	3113779	I75	Y	242	26	6292	1300	0	0	868	868	0	
HAM-562-0065	3113841	SR4	Y	198	80	15840	4000	0	0	2347	0	2,347	
HAM-562-0121	3113884	US42D	Y	182	85	15470	4250	0	0	2191	0	2,191	
<b>TOTALS</b>								18321	9732	21770	8001	10320	SRS TOTALS BY FUNDING SPLIT
											17232	4538	GFR TOTALS BY FUNDING SPLIT
											0	9732	HMWM TOTALS BY FUNDING SPLIT

\* - SEAL APPROACH SLABS WITH SAME SEALER AS DECK

LEGEND

SRS = SOLUBLE REACTIVE SILICATE

GFR = GRAVITY FED RESIN

HMWM = HIGH MOLECULAR WEIGHT METHACRYLATE

NOTE:

1. QUANTITIES CARRIED TO GENERAL SUMMARY